

- 1.1 Solving Simple Equations
- 1.2 Solving Multi-Step Equations
- 1.3 Solving Equations with Variables on Both Sides
- 1.4 Rewriting Equations and Formulas

#### Chapter Learning Target:

Understand equations.

#### **Chapter Success Criteria:**

- I can identify key words and phrases to solve equations.
- I can write word sentences as equations.
- I can explain how to solve equations.
- I can model different types of equations to solve real-life problems.



# **STEAM Video**



## Training for a Half Marathon

A half marathon is a race that is 13.1 miles long. How can a runner develop a routine to help train for a half marathon?

Watch the STEAM Video "Training for a Half Marathon." Then answer the following questions.

1. Alex and Enid are training for a half marathon. They run four days each week, as shown in the table. How far do they have to run on Saturday to average 4.75 miles per running day in Week Nine?

	Distance Ran (miles)				
	Monday	Wednesday	Friday	Saturday	
Week Six	2.5	2.6	2.4	7.0	
Week Seven	3.3	2.8	2.9	7.0	
Week Eight	3.3	3.1	2.6	8.5	
Week Nine	3.7	3.0	4.1	x	

2. Assuming they meet their goal on Saturday in Week Nine, what is the average number of miles per running day over the 4 weeks in the table?

# **Performance Task**



## **Target Heart Rates**

After completing this chapter, you will be able to use the concepts you learned to answer the questions in the STEAM Video Performance Task. You will be given information about a person's heart rate.

#### Resting heart rate

Day 
$$1 = x$$
Day  $2 = x$ 
Day  $3 = x$ 
5-day average = 62
Day  $4 = x$ 
Day  $5 = 58$ 

You will be asked to find the range of a person's target heart rate. What factors might affect the range of a person's target heart rate?

# **Getting Ready for Chapter**



# **Chapter Exploration**

1. Work with a partner. Use algebra tiles to model and solve each equation.

**a.** 
$$x + 3 = -3$$

$$+ 1 = +1$$

$$+$$
 =  $x$ 

Model the equation 
$$x + 3 = -3$$
.

Remove the zero pairs from the left side.

Write the solution of the equation.

**b.** 
$$-3 = x - 2$$

Model the equation 
$$-3 = x - 2$$
.

Remove the zero pairs from the each side.

Write the solution of the equation.

c. 
$$x-4=1$$

**d.** 
$$x + 5 = -2$$

e. 
$$-7 = x + 4$$

f. 
$$x + 6 = 7$$

**f.** 
$$x+6=7$$
 **g.**  $-5+x=-3$  **h.**  $-4=x-4$ 

**h.** 
$$-4 = x - 4$$

2. WRITE GUIDELINES Work with a partner. Use your models in Exercise 1 to summarize the algebraic steps that you can use to solve an equation.

# Vocabulary

The following vocabulary term is defined in this chapter. Think about what the term might mean and record your thoughts.

literal equation

# 1 Solving Simple Equations

Learning Target: Write and solve one-step equations.

Success Criteria: • I can apply properties of equality to produce equivalent equations.

I can solve equations using addition, subtraction, multiplication, or division.

I can use equations to model and solve real-life problems.

## **EXPLORATION 1**


## **Using Properties of Equality**

FLORIDA STANDARDS

MAFS.8.EE.3.7a MAFS.8.EE.3.7b

#### Work with a partner.

- You have used the following properties in a previous course. Explain the meaning of each property.
  - · Addition Property of Equality
  - Subtraction Property of Equality
  - Multiplication Property of Equality
  - Division Property of Equality



b. Which property can you use to solve each of the equations modeled by the algebra tiles? Solve each equation and explain your method.

## **Math Practice**


Recognize Usefulness of Tools

Can you use algebra tiles to solve any equation? Explain your reasoning.

c. Write an equation that can be solved using one property of equality. Exchange equations with another pair and find the solution.

# Lesson





#### Addition Property of Equality

Words Adding the same number to each side of an equation produces an equivalent equation.

**Algebra** If a = b, then a + c = b + c.

#### Subtraction Property of Equality

Words Subtracting the same number from each side of an equation produces an equivalent equation.

**Algebra** If a = b, then a - c = b - c.

#### EXAMPLE 1 Solving Equations Using Addition or Subtraction

a. Solve 
$$x - 7 = -6$$
.

$$x - 7 = -6$$

Write the equation.

Undo the subtraction. 
$$\rightarrow$$
  $+7$   $+7$ 

Addition Property of Equality

$$x = 1$$

The solution is x = 1.

The solution is w = -5.

Simplify.

#### Check

$$x - 7 = -6$$

$$1-7 = -6$$

$$-6 = -6$$

b. Solve 
$$1 = w + 6$$
.

$$1 = w + 6$$

Write the equation.

Undo the addition.

Subtraction Property of Equality

$$-5 = w$$

Simplify.

# Check

$$1 = w + 6$$

$$1 \stackrel{?}{=} -5 + 6$$

c. Solve 
$$y + 3.4 = 0.5$$
.

$$y + 3.4 = 0.5$$
 Write the equation.

➤ - 3.4 - 3.4 Subtraction Property of Equality Undo the addition. y = -2.9 Simplify.



# Try It Solve the equation. Check your solution.

1. 
$$b+2=-5$$

**1.** 
$$b+2=-5$$
 **2.**  $-3=k+3$ 

3. 
$$t-\frac{1}{4}=-\frac{3}{4}$$



Remember

Multiplication and division are inverse operations.

#### **Multiplication Property of Equality**

Words Multiplying each side of an equation by the same number produces an equivalent equation.

Algebra If a = b, then  $a \cdot c = b \cdot c$ .

#### **Division Property of Equality**

Words Dividing each side of an equation by the same number produces an equivalent equation.

**Algebra** If a = b, then  $a \div c = b \div c$ ,  $c \ne 0$ .

# **EXAMPLE 2** Solving Equations Using Multiplication or Division

a. Solve 
$$-\frac{3}{4}n = -2$$
.

$$-\frac{3}{4}n = -2$$

Write the equation.

Multiply by the reciprocal. 
$$\longrightarrow -\frac{4}{3} \cdot \left(-\frac{3}{4}n\right) = -\frac{4}{3} \cdot (-2)$$

Multiplication Property of Equality

$$n = \frac{8}{3}$$

Simplify.



b. Solve 
$$\pi x = 3\pi$$
.

$$\pi x = 3\pi$$

Write the equation.

Undo the multiplication.

$$\frac{\pi x}{\pi} = \frac{3\pi}{\pi}$$

Division Property of Equality

$$x = 3$$

Simplify.



The solution is x = 3.

## Check

$$\pi x = 3\pi$$

$$\pi(3) \stackrel{?}{=} 3\pi$$

$$3\pi = 3\pi$$

# Try It Solve the equation. Check your solution.

4. 
$$\frac{y}{4} = -7$$

5. 
$$-\frac{2z}{3} = 6$$

6. 
$$0.09w = 1.8$$

7. 
$$6\pi = \pi x$$

# **Identifying the Solution of an Equation**

What value of k makes the equation  $k + 4 \div 0.2 = 5$  true?

$$k + 4 \div 0.2 = 5$$

Write the equation.

$$k + 20 = 5$$
 Divide 4 by 0.2.

$$-20 -20$$

Subtraction Property of Equality

$$k = -15$$

Simplify.

#### Check

The correct answer is A.

$$k + 4 \div 0.2 = 5$$
$$-15 + 4 \div 0.2 \stackrel{?}{=} 5$$
$$-15 + 20 \stackrel{?}{=} 5$$

## Try It Solve the equation. Check your solution.

8. 
$$p-8 \div \frac{1}{2} = -3$$

9. 
$$q + \left| -10 \right| = 2$$



# Self-Assessment for Concepts & Skills .

Solve each exercise. Then rate your understanding of the success criteria in your journal.

#### WRITING Are the equations equivalent? Explain.

**10.** 
$$x + 3 = 4$$
 and  $x = 1$ 

**11.** 
$$-\frac{y}{5} = 2$$
 and  $y = 10$ 

12. OPEN-ENDED Write an equation that you can use the Division Property of Equality to solve.

#### SOLVING EQUATIONS Solve the equation. Check your solution.

**13.** 
$$-5 = w - 3$$

**14.** 
$$-\frac{2}{3}n = 8$$

**15.** 
$$p-9 \div \frac{1}{3} = 6$$

**16.** 
$$q + |3| = -5$$

17. WHICH ONE DOESN'T BELONG? Which equation does not belong with the other three? Explain your reasoning.

$$x - 2 = 4$$

$$x - 3 = 9$$

$$x-2=4$$
  $x-3=9$   $x-5=1$   $x-6=0$ 

$$x - 6 = 0$$

## **EXAMPLE 4**

## **Modeling Real Life**



The temperature in a crater on Mars is  $0^{\circ}$ C at 1 P.M. The temperature decreases  $8^{\circ}$ C every hour. When will the temperature be  $-50^{\circ}$ C?

To determine when the temperature will be  $-50^{\circ}$ C, find how long it will take the temperature to decrease by  $50^{\circ}$ C. Write and solve an equation to find the time.


Verbal Model

Hourly change in temperature (°C per hour)

Time (hours)

**Variable** Let t be the time for the temperature to decrease  $50^{\circ}$ C.

The changes in temperature are negative because the temperatures are decreasing.



The temperature will be  $-50^{\circ}$ C at 6.25 hours after 1 P.M., or 6 hours and 15 minutes after 1 P.M.



So, the temperature will be -50°C at 7:15 P.M.



# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



- 18. A shipwreck is 300 meters away from a diving station. An undersea explorer travels away from the station at a speed of 2 meters per second. The explorer is x meters away from the station and will reach the shipwreck in 100 seconds. What is the value of x?
- 19. You conduct an inventory for a hardware store and count 40 rolls of duct tape. Your manager wants to keep 7 boxes of duct tape in stock. If each box holds 8 rolls of duct tape, how many boxes should you order? Justify your answer.
- 20. DIG DEEPER! Your fitness tracker overestimates the number of steps you take by 5%. The tracker indicates that you took 7350 steps today. Write and solve an equation to find the actual number of steps you took today.

# 1.1 Practice

# Review & Refresh

Evaluate the expression.

1. 
$$(3^2 - 8) + 4$$

2. 
$$1 + 5 \times 3^2$$

3. 
$$4 \times 3 + 10^2$$

Identify the terms, coefficients, and constants in the expression.

4. 
$$11q + 2$$

5. 
$$h+9+g$$

6. 
$$6m^2 + 7n$$


Write the phrase as an expression.

- the quotient of 22 and a number a
- 8. the difference of a number t and 9

# Concepts, Skills, & Problem Solving

USING PROPERTIES OF EQUALITY Which property of equality can you use to solve the equation modeled by the algebra tiles? Solve the equation and explain your method. (See Exploration 1, p. 3.)





SOLVING EQUATIONS USING ADDITION OR SUBTRACTION Solve the equation. Check your solution.

11. 
$$x + 12 = 7$$

**12.** 
$$g - 16 = 8$$

13. 
$$-9 + p = 12$$

**14.** 
$$2.5 + y = -3.5$$

**15.** 
$$x - 8\pi = \pi$$

16. 
$$4\pi = w - 6\pi$$

17. 
$$\frac{5}{6} = \frac{1}{6} + a$$

**17.** 
$$\frac{5}{6} = \frac{1}{6} + d$$
 **18.**  $\frac{3}{8} = r + \frac{2}{3}$ 

**19.** 
$$n-1.4=-6.3$$

- 20. MODELING REAL LIFE A discounted concert ticket costs \$14.50 less than the original price p. You pay \$53 for a discounted ticket. Write and solve an equation to find the original price.
- PROBLEM SOLVING A game of bowling has ten frames. After five frames, your friend's bowling score is 65 and your bowling score is 8 less than your friend's score.
  - Write and solve an equation to find your score.
  - b. By the end of the game, your friend's score doubles and your score increases by 80. Who wins the game? Explain.

# **SOLVING EQUATIONS USING MULTIPLICATION OR DIVISION** Solve the equation. Check your solution.

**22.** 
$$7x = 35$$

**23.** 
$$4 = -0.8n$$

**24.** 
$$6 = -\frac{w}{8}$$

**25.** 
$$\frac{m}{\pi} = 7.3$$

**26.** 
$$-4.3g = 25.8$$

**27.** 
$$\frac{3}{2} = \frac{9}{10}k$$

**28.** 
$$-7.8x = -1.56$$

**29.** 
$$-2 = \frac{6}{7}p$$

**30.** 
$$3\pi d = 12\pi$$

 YOU BE THE TEACHER Your friend solves the equation. Is your friend correct? Explain your reasoning.

$$-1.5 + k = 8.2$$
  
 $k = 8.2 + (-1.5)$   
 $k = 6.7$ 

32. STRUCTURE A gym teacher orders 42 tennis balls. The tennis balls come in packs of 3. Which of the following equations represents the number x of packs?

$$x + 3 = 42$$

$$3x = 42$$

$$\frac{x}{3} = 42$$

$$x = \frac{3}{42}$$

- 33. MODELING REAL LIFE You clean a community park for 6.5 hours. You earn \$42.25. How much do you earn per hour?
- 34. MODELING REAL LIFE A rocket is scheduled to launch from a command center in 3.75 hours. What time is it now?
- 35. MODELING REAL LIFE After earning interest, the balance of an account is \$420. The new balance is <sup>7</sup>/<sub>6</sub> of the original balance. How much interest did it earn?
- 36. MODELING REAL LIFE After a cleanup, algae covers 2 miles of a coastline. The length of the coastline covered after the cleanup is <sup>1</sup>/<sub>3</sub> of the previous length. How many miles of the coast did the algae previously cover?

Launch Time 11:20 A.M.	
- Great	

- Roller Coasters at Cedar Point

  Coaster Height (feet)

  Top Thrill Dragster 420

  Millennium Force 310

  Valravn 225

  Mantis ?
- 37. PROBLEM SOLVING Cedar Point, an amusement park, has some of the tallest roller coasters in the United States. The Mantis is 165 feet shorter than the Millennium Force. What is the height of the Mantis?

#### SOLVING AN EQUATION Solve the equation. Check your solution.

**38.** 
$$-3 = h + 8 \div 2$$

**39.** 
$$12 = w - |-7|$$


**38.** 
$$-3 = h + 8 \div 2$$
 **39.**  $12 = w - |-7|$  **40.**  $q + |6.4| = 9.6$ 

**41.** 
$$d - 2.8 \div 0.2 = -14$$

**42.** 
$$\frac{8}{9} = x + \frac{1}{3}(7)$$


**41.** 
$$d-2.8 \div 0.2 = -14$$
 **42.**  $\frac{8}{9} = x + \frac{1}{3}(7)$  **43.**  $p - \frac{1}{4} \cdot 3 = -\frac{5}{6}$ 


**44. GEOMETRY** The volume *V* of the prism is 1122 cubic inches. Use the formula V = Bh to find the height h of the prism.




#### **SOLVING AN EQUATION** Write and solve an equation to find the value of x.

- The angles are complementary.
   The angles are supplementary.





- **47.** CRITICAL THINKING Which of the operations +, -, ×, and ÷ are inverses of each other? Explain.
- 48. Without solving, determine whether the solution of -2x = -15 is greater than or less than -15. Explain.



- 4800 mg
- 50. MODELING REAL LIFE Ants of a particular species can carry 50 times their body weight. It takes 32 ants of that species to carry the cherry shown. About how much does each ant weigh?



- 51. REASONING One-fourth of the girls and one-eighth of the boys in a grade retake their school pictures. The photographer retakes pictures for 16 girls and 7 boys. How many students are in the grade?
- 52. DIG DEEPER. You use a crowdfunding website to raise money. The website keeps 5% of each donation. Five of your friends each donate the same amount. The total funding you receive is \$47.50. How much does each friend donate?
- 53. CRITICAL THINKING A neighbor pays you and two friends \$90 to paint her garage. You divide the money three ways in the ratio 2:3:5.
  - a. How much does each person receive?
  - b. What is one possible reason the money is not divided evenly?

# Solving Multi-Step Equations

Learning Target: Write and solve multi-step equations.

Success Criteria: · I can apply properties to produce equivalent equations.

I can solve multi-step equations.

I can use multi-step equations to model and solve real-life problems.


# **EXPLORATION 1**


FLORIDA

# **Finding Angle Measures**


Work with a partner. Find each angle measure in each figure. Use equations to justify your answers.

STANDARDS MAFS.8.EE.3.7a MAFS.8.EE.3.7b






c.




d.



**Math Practice** 

**Find Entry Points** How do you decide which triangle to solve first? Explain.



# .2 Lesson



#### Solving Multi-Step Equations

To solve multi-step equations, use inverse operations to isolate the variable.

## **EXAMPLE 1**

Undo the addition.

## Solving a Two-Step Equation

Solve 3x + 15 = 24.

$$3x + 15 = 24$$

$$\begin{array}{ccc}
 & -15 & -15 \\
3x & = & 9
\end{array}$$

Undo the multiplication. 
$$\rightarrow \frac{3x}{3} =$$

$$x = 3$$

The solution is x = 3.

Write the equation.

Subtraction Property of Equality

Simplify.

Division Property of Equality

Simplify.

Check

$$3x + 15 = 24$$

$$3(3) + 15 = 24$$

24 = 24

Try It Solve the equation. Check your solution.

1. 
$$2z - 1 = -5$$

**2.** 
$$-3z + 1 = 7$$

3. 
$$\frac{1}{2}x - 9 = -25$$

# EXAMPLE 2

## Solving a Multi-Step Equation

Solve 8x - 6x - 25 = -35.

$$8x - 6x - 25 = -35$$

2x - 25 = -35Combine like terms.

2x = -10

x = -5

Simplify.

Write the equation.

Addition Property of Equality

Division Property of Equality

Undo the multiplication. 
$$\Rightarrow \frac{2x}{2} = \frac{-10}{2}$$

Simplify.



Undo the subtraction.

The solution is x = -5.

Try It Solve the equation. Check your solution.

**4.** 
$$-4n - 8n + 17 = 23$$

5. 
$$10 = 3n + 20 - n$$

**Another Method** 2(1-5x)+4=-8

2(1-5x)=-12

1 - 5x = -6-5x = -7

x = 1.4

Solve 2(1-5x)+4=-8.

$$2(1-5x)+4=-8$$

Write the equation.

$$2(1) - 2(5x) + 4 = -8$$

Distributive Property

$$2 - 10x + 4 = -8$$

Multiply.

$$-10x + 6 = -8$$

Combine like terms.

$$-6 - 6$$

Subtraction Property of Equality

$$-10x = -14$$

Simplify.

$$\frac{-10x}{-10} = \frac{-14}{-10}$$

Division Property of Equality

$$x = 1.4$$

Simplify.



The solution is x = 1.4.

Try It Solve the equation. Check your solution.

**6.** 
$$-3(x+2)+5x=-9$$

7. 
$$5+1.5(2d-1)=0.5$$



# Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

SOLVING AN EQUATION Solve the equation. Check your solution.

8. 
$$-5x + 1 = 31$$

9. 
$$\frac{1}{3}x - 9 = -12$$

**10.** 
$$-n-6n+4=53$$

**11.** 
$$14 = 6n + 6 - 2n$$

**12.** 
$$-8(x+1)+2x=-32$$

**13.** 
$$3+4.5(2d-3)=7.5$$

WRITING Write the sentence as an equation, then solve.

2 more than 3 times a number x is 17.


15. OPEN-ENDED Explain how to solve the equation 2(4x-11)+9=19.

**16.** CRITICAL THINKING How can you solve 3(x+2) = 9 without distributing the 3?

## **EXAMPLE 4**

## **Modeling Real Life**

Find the number x of miles you need to run on Friday so that the mean number of miles run per day is 1.5.



You are given the number of miles you run each day from Monday through Thursday. You are asked how many miles you need to run on Friday so that your daily average for the five days is 1.5 miles.

Day	Miles 2	
Monday		
Tuesday	0	
Wednesday	1.5	
Thursday	0	
Friday	x	



Write and solve an equation using the definition of mean.

Solve and check

Check You run 2+1.5+4=7.5

miles in 5 days. So,

the mean number of miles run per day

is  $\frac{7.5}{5} = 1.5$ .

 $\frac{2+0+1.5+0+x}{5} = 1.5$ — mean number of values  $\frac{3.5+x}{5}=1.5$ Combine like terms.  $5 \cdot \frac{3.5 + x}{5} = 5 \cdot 1.5$ Multiplication Property of Equality

3.5 + x = 7.5

Subtraction Property of Equality

x = 4

Simplify.

Simplify.



So, you need to run 4 miles on Friday.



# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

- Action Day **Figures** Monday 55 Tuesday 45 Wednesday 53 Thursday 44 Friday x
- 17. Find the number x of action figures that a small business needs to produce on Friday so that the mean number of action figures produced per day is 50.
- 18. DIG DEEPER! A hard drive is 80% full and has 12,000 MB of free space. One minute of video uses 60 MB of storage. How many minutes of video should be deleted so that the hard drive is 75% full?
- A teacher spends \$354 on costumes and microphones for six cast members in a play. Each cast member receives a costume that costs \$38 and a microphone that costs \$c. What did the teacher spend on each microphone? Justify your answer.

# 1.2 Practice

# Review & Refresh

Solve the equation.

1. 
$$y + 8 = 3$$

3. 
$$5 = -2n$$

2. 
$$h-1=7.2$$

4. 
$$-3.3m = -1.1$$

Write the decimal as a fraction or mixed number in simplest form.

5. 
$$-0.2$$


$$7. -0.454$$

8. 
$$-0.125$$


# Concepts, Skills, & Problem Solving

FINDING ANGLE MEASURES Find each angle measure in the figure. Use equations to justify your answers. (See Exploration 1, p. 11.)

9.



10



SOLVING AN EQUATION Solve the equation. Check your solution.

**11.** 
$$10x + 2 = 32$$

**13.** 
$$5x + 2x + 4 = 18$$

**15.** 
$$1.1x + 1.2x - 5.4 = -10$$

17. 
$$6(5-8v)+12=-54$$

**19.** 
$$8.5 = 6.5(2d - 3) + d$$

**12.** 
$$19 - 4c = 17$$

**14.** 
$$2 = -9n + 22 - n$$


**16.** 
$$\frac{2}{3}h - \frac{1}{3}h + 11 = 8$$

**18.** 
$$21(2-x)+12x=44$$

**20.** 
$$-\frac{1}{4}(x+2)+5=-x$$

YOU BE THE TEACHER Your friend solves the equation. Is your friend correct? Explain your reasoning.

21.




22.

$$3(y-1)+8=11$$
  
 $3y-3+8=11$   
 $3y+5=11$   
 $3y=6$   
 $y=2$ 


**23.** We **STRUCTURE** The cost C (in dollars) of making n watches is represented by C = 15n + 85. How many watches are made when the cost is \$385?



- 24. MODELING REAL LIFE The height of the house is 26 feet. What is the height x of each story?
- 25. MODELING REAL LIFE After the addition of an acid, a solution has a volume of 90 milliliters. The volume of the solution is 3 milliliters greater than 3 times the volume of the solution before the acid was added. What was the original volume of the solution?
- 26. PROBLEM SOLVING A grocer prepares free samples of a salad to give out during the day. By lunchtime, the grocer has given out 5 fewer than half the total number of samples. How many samples did the grocer prepare if she gives out 50 samples before lunch?
- 27. GEOMETRY What is the length of the missing base of the trapezoid?







- 29. PROBLEM SOLVING How many people must attend the third show so that the average attendance per show is 3000?
- 30. DIG DEEPER Divers in a competition are scored by an international panel of judges. The highest and the lowest scores are dropped. The total of the remaining scores is multiplied by the degree of difficulty of the dive. This product is multiplied by 0.6 to determine the final score.
  - a. A diver's final score is 77.7. What is the degree of difficulty of the dive?

						•	<b>©</b>
Judge	Russia	China	Mexico	Germany	Italy	Japan	Brazil
Score	7.5	8.0	6.5	8.5	7.0	7.5	7.0

b. CRITICAL THINKING 'The degree of difficulty of a dive is 4.0. The diver's final score is 97.2. Judges award half or whole points from 0 to 10. What scores could the judges have given the diver?

# 13 Solving Equations with Variables on Both Sides

Learning Target: Write and solve equations with variables on both sides.

Success Criteria:

- I can explain how to solve an equation with variables on both sides.
- I can determine whether an equation has one solution, no solution, or infinitely many solutions.
- I can use equations with variables on both sides to model and solve real-life problems.

# **EXPLORATION 1**


## Finding Missing Measures in Figures

FLORIDA STANDARDS

MAFS.8.EE 3.7a MAFS.8.EE.3.7b

#### Work with a partner.

 a. If possible, find the value of x so that the value of the perimeter (in feet) is equal to the value of the area (in square feet) for each figure. Use an equation to justify your answer.




#### **Math Practice**

Use Operations What properties do you need to use to solve

for x in each figure?

 If possible, find the value of y so that the value of the surface area (in square inches) is equal to the value of the volume (in cubic inches) for each figure. Use an equation to justify your answer.



c. How are the equations you used in parts (a) and (b) different from equations used in previous sections? Explain how to solve this type of equation.




#### Solving Equations with Variables on Both Sides

To solve equations with variables on both sides, collect the variable terms on one side and the constant terms on the other side.

#### **EXAMPLE 1** Solving an Equation with Variables on Both Sides

Solve 15 - 2x = -7x. Check your solution.



Try It Solve the equation. Check your solution.

1. 
$$-3x = 2x + 20$$

The solution is x = -3.

2. 
$$2.5y + 6 = 4.5y - 1$$

#### EXAMPLE 2 Using the Distributive Property to Solve an Equation

Solve 
$$-2(x-5)=6(2-0.5x)$$
.

 $-2(x-5)=6(2-0.5x)$  Write the equation.

 $-2x+10=12-3x$  Distributive Property

Undo the subtraction.

 $x+10=12$  Simplify.

Undo the addition.

 $x+10=10$  Subtraction Property of Equality

 $x=2$  Simplify.

Try It Solve the equation. Check your solution.

3. 
$$6(4-z)=2z$$

The solution is x = 2.

**4.** 
$$5(w-2) = -2(1.5w+5)$$

Some equations do not have one solution. Equations can also have no solution or infinitely many solutions.

When solving an equation that has no solution, you will obtain an equivalent equation that is not true for any value of the variable, such as 0 = 2.

#### **EXAMPLE 3** Solving an Equation with No Solution

Solve 
$$3 - 4x = -7 - 4x$$
.

$$3 - 4x = -7 - 4x$$

Write the equation.

Undo the subtraction.

$$\rightarrow$$
 + 4x + 4x

Addition Property of Equality

$$3 = -7$$



Simplify.

The equation 3 = -7 is never true. So, the equation has no solution.

Try It Solve the equation.

5. 
$$2x+1=2x-1$$

**6.** 
$$6(5-2v)=-4(3v+1)$$

When solving an equation that has infinitely many solutions, you will obtain an equivalent equation that is true for all values of the variable, such as -5 = -5.

## EXAMPLE 4

# Solving an Equation with Infinitely Many Solutions

Check Choose any value of x, such as x = 2.

$$6x + 4 = 4\left(\frac{3}{2}x + 1\right)$$

$$6(2) + 4 \stackrel{?}{=} 4 \left[ \frac{3}{2}(2) + 1 \right]$$

$$12+4\stackrel{?}{=}4(3+1)$$

Solve  $6x + 4 = 4\left(\frac{3}{2}x + 1\right)$ .

$$6x + 4 = 4\left(\frac{3}{2}x + 1\right)$$

Write the equation.

$$6x + 4 = 6x + 4$$

Distributive Property

$$-6x - 6x$$

Subtraction Property of Equality

$$4 = 4$$

Simplify.

The equation 4 = 4 is always true. So, the equation has infinitely many solutions.


Try It Solve the equation.

7. 
$$\frac{1}{2}(6t-4)=3t-2$$


**8.** 
$$\frac{1}{3}(2b+9) = \frac{2}{3}\left(b+\frac{9}{2}\right)$$

The circles are identical. What is the area of each circle?

- A. 2
- C. 16 m
- D. 64π



The radius of the green circle is x + 2 and the radius of the purple circle is  $\frac{4x}{2} = 2x$ . The circles are identical, so the radius of each circle is the same. Write and solve an equation to find the value of x.



$$x + 2 = 2x$$

x + 2 = 2x Write an equation. The radii are equal.

$$-x$$

— x Subtraction Property of Equality

$$2 = x$$

2 = x Simplify.

When x = 2, the radius of each circle is 4 and the area of each circle is  $\pi r^2 = \pi (4)^2 = 16\pi$ .



So, the correct answer is C.

# Try It

WHAT IF? The diameter of the purple circle is 3x. What is the area of each circle?



# Self-Assessment for Concepts & Skills -

Solve each exercise. Then rate your understanding of the success criteria in your journal.

10. OPEN-ENDED Write an equation with variables on both sides that has a single solution of -1. Explain how to solve your equation.

STRUCTURE Without solving, determine whether the equation has one solution, no solution, or infinitely many solutions. Justify your answer.

**11.** 
$$3(x-1)=-3$$

**11.** 
$$3(x-1) = -3$$
 **12.**  $6x + 6 = 6(x+1)$  **13.**  $z + 1 = z + 6$ 

**13.** 
$$z + 1 = z + 6$$

SOLVING AN EQUATION Solve the equation. Check your solution, if possible.





- **14.** -7x = x + 24 **15.** 8(3-z) = 4z **16.** 2(t-3) = 2t 6
- 17. WRITING AND SOLVING AN EQUATION The squares are identical. What is the area of each square?


# EXAMPLE 6

## **Modeling Real Life**



A boat travels x miles per hour upstream on the Mississippi River. On the return trip, the boat travels 2 miles per hour faster. How far does the boat travel upstream?

The boat travels the same distance upstream as on the return trip. The speed of the boat on the return trip is (x + 2) miles per hour. Write and solve an equation to find the distance upstream.



The boat travels 10 miles per hour for 3 hours upstream.



So, the boat travels  $\frac{10 \text{ mi}}{1 \text{ h}'} \times 3 \text{ h}' = 30 \text{ miles upstream}$ .

# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

- 18. Your cousin renews his apartment lease and pays a new monthly rent. His new rent is calculated by applying a discount of \$50 to his original rent and then applying a 10% increase to the discounted amount. What was your cousin's original monthly rent when his new rent is 5% greater?
- 19. DIG DEEPER! You and your friend race on a trail that is 10 miles long. In each situation, does your friend pass you before the end of the trail? Justify your answer.
  - a. You have a four-mile head start and jog at 6 miles per hour. Your friend bikes at 8 miles per hour.
  - b. You have a five-mile head start and run at 7 miles per hour. Your friend bikes at 17 miles per hour.



# **Practice**



Solve the equation. Check your solution.

1. 
$$-9z + 2 = 11$$


2. 
$$-3n - 4n - 17 = 25$$

3. 
$$-2(x+3)+5x=-39$$


**4.** 
$$-15 + 7.5(2d - 1) = 7.5$$

Find the volume of the solid.


5.



6.





7.




# Concepts, Skills, & Problem Solving

FINDING MISSING MEASURES IN FIGURES If possible, find the value of x so that the value of the surface area (in square inches) is equal to the value of the volume (in cubic inches). Use an equation to justify your answer. (See Exploration 1, p. 17.)





10.



SOLVING AN EQUATION Solve the equation. Check your solution.

11. 
$$m-4=2m$$

**12.** 
$$3k-1=7k+2$$

**13.** 
$$6x = 5x + 22$$

**14.** 
$$-24 - 8p = 4p$$

**15.** 
$$12(2w-3)=6w$$

**16.** 
$$2(n-3)=4n+1$$

**17.** 
$$2(4z-1)=3(z+2)$$
 **18.**  $0.1x=0.2(x+2)$ 

18. 
$$0.1x = 0.2(x + 2)$$

**19.** 
$$\frac{1}{6}d + \frac{2}{3} = \frac{1}{4}(d-2)$$

20. YOU BE THE TEACHER Your friend solves the equation shown. Is your friend correct? Explain your reasoning.

$$3x-4 = 2x + 1$$

$$3x-4-2x = 2x + 1 - 2x$$

$$x-4 = 1$$

$$x-4+4=1-4$$

$$x = -3$$

21. MODELING REAL LIFE Write and solve an equation to find the number of miles you must drive to have the same cost for each of the car rentals.





\$20 plus \$0.50 per mile

\$30 plus \$0.25 per mile

#### SOLVING AN EQUATION Solve the equation. Check your solution, if possible.

**22.** 
$$x + 6 = x$$

**23.** 
$$3x - 1 = 1 - 3x$$

**24.** 
$$3x + 15 = 3(x + 5)$$

**25.** 
$$4x - 9 = 3.5x - 9$$

**25.** 
$$4x - 9 = 3.5x - 9$$
 **26.**  $\frac{1}{3}(9x + 3) = 3x + 1$  **27.**  $5x - 7 = 4x - 1$ 

**27.** 
$$5x - 7 = 4x - 1$$

**28.** 
$$\frac{1}{2}x + \frac{1}{2}x = x + 1$$
 **29.**  $2x + 4 = -(-7x + 6)$  **30.**  $5.5 - x = -4.5 - x$ 

**29.** 
$$2x + 4 = -(-7x + 6)$$

**30.** 
$$5.5 - x = -4.5 - x$$

**31.** 
$$-3(2x-3) = -6x + 9$$

**31.** 
$$-3(2x-3) = -6x + 9$$
 **32.**  $10x - \frac{8}{3} - 4x = 6x$  **33.**  $6(7x+7) = 7(6x+6)$ 

**33.** 
$$6(7x+7) = 7(6x+6)$$


- 34. YOU BE THE TEACHER Your friend solves the equation shown. Is your friend correct? Explain your reasoning.
- 35. OPEN-ENDED Write an equation with variables on both sides that has no solution. Explain why it has no solution.

$$-4(2n-3) = 12 - 8n$$
  
 $-8n + 12 = 12 - 8n$   
 $-8n = -8n$   
 $0 = 0$   
The solution is  $n = 0$ .

 MODELING REAL LIFE A cable television provider charges \$75 for installation and \$39.96 per month for a basic entertainment package. A satellite television provider offers free installation and charges \$13.32 per month for service for each television. Your neighbor subscribes to the cable provider the same month you subscribe to the satellite provider. After how many months is your neighbor's total cost the same as your total cost when you own three televisions?





- 37. MODELING REAL LIFE A pizza parlor makes 52 pizza crusts the first week of summer and 180 pizza crusts each subsequent week. A diner makes 26 pizza crusts the first week of summer and 90 pizza crusts each subsequent week. In how many weeks will the total number of pizza crusts made by the pizza parlor be twice the total number of pizza crusts made by the diner?
- 38. PRECISION Is the triangle an equilateral triangle? Justify your answer.



#### GEOMETRY Find the perimeter of the regular polygon.

39.






41.

$$\frac{4}{3}x - \frac{1}{3}$$

42. PRECISION The cost of mailing a DVD in an envelope using Company B is equal to the cost of mailing a DVD in a box using Company A. What is the weight of the DVD with its packing material? Round your answer to the nearest hundredth.


	Packing Material	Company A	Company B
Box	\$2.25	\$2.50 per lb	\$8.50 per lb
Envelope	\$1.10	\$2.50 per lb	\$8.50 per lb

- **43. WRITING** Would you solve the equation  $0.25x + 7 = \frac{1}{2}x 8$  using fractions or decimals? Explain.
- **44.** We number sense The weight of an object is equal to  $\frac{3}{4}$  of its own weight plus  $\frac{3}{4}$  of a pound. How much does the object weigh? Explain.



45. STRUCTURE Fill in the blanks in three different ways to create an equation that has one solution, no solution, and infinitely many solutions.

- 46. MODELING REAL LIFE The volume of red blood cells in a blood sample is equal to the total volume of the sample minus the volume of plasma. What is the total volume x of blood drawn?
- 47. PROBLEM SOLVING One serving of oatmeal provides 16% of the fiber you need daily. You must get the remaining 21 grams of fiber from other sources. How many grams of fiber should you consume daily? Justify your answer.
- DIG DEEPER! The floor of a six-foot-wide hallway is painted as shown, using equal amounts of white and black paint.



- a. How long is the hallway?
- b. Can this same hallway be painted with the same pattern, but using twice as much black paint as white paint? Explain.
- **49. WP PRECISION** Consider the equation c = ax bx, where a, b, and c are whole numbers. Which of the following result in values of a, b, and c so that the original equation has exactly one solution? Justify your answer.

$$a-b=1, c=0$$

$$a=b, c\neq 0$$

$$a = b, c \neq 0$$
  $a = b, c = 0$   $a \neq b, c = 0$ 

$$a \neq b, c = 0$$

# 1.4 Rewriting Equations and Formulas

Learning Target: Solve literal equations for given variables and convert temperatures.

Success Criteria: • I can use properties of equality to rewrite literal equations.

I can use a formula to convert temperatures.

# **EXPLORATION 1**

# **Rewriting Formulas**

## **Math Practice**

#### Find General Methods


When does it make more sense to use the formulas you wrote in part (a) than the original area and volume formulas?

#### FLORIDA STANDARDS

Applying MAFS.8.EE.3.7

#### Work with a partner.

- a. Write a formula for the height h of each figure. Explain your method.
  - A parallelogram with area A and base b
  - A rectangular prism with volume V, length  $\ell$ , and width w
  - A triangle with area A and base b
- **b.** Write a formula for the length  $\ell$  of each figure. Explain your method.
  - · A rectangle with perimeter P and width w
  - A rectangular prism with surface area S, width w, and height h
- c. Use your formulas in parts (a) and (b) to find the missing dimension of each figure.



 $B = 12 \text{ in.}^2$ 

# Lesson

Key Vocabulary



literal equation, p. 26

An equation that has two or more variables is called a literal equation. To rewrite a literal equation, solve for one variable in terms of the other variable(s).

# **EXAMPLE 1**

## **Rewriting an Equation**

Solve the equation 2y + 5x = 6 for y.

$$2y + 5x = 6$$

Write the equation.

Undo the addition. 
$$\Rightarrow$$
 2y + 5x - 5x = 6 - 5x

Subtraction Property of Equality

$$2y = 6 - 5x$$

Simplify.

Undo the multiplication. 
$$\Rightarrow \frac{2y}{2} = \frac{6-5x}{2}$$

Division Property of Equality

$$y = 3 - \frac{5}{2}x$$
 Simplify.

Try It Solve the equation for y.

1. 
$$5y - x = 10$$

**2.** 
$$4x - 4y = 1$$


3. 
$$12 = 6x + 3y$$

## EXAMPLE 2


# **Rewriting a Formula**

The formula for the surface area S of a cone is  $S = \pi r^2 + \pi r \ell$ Solve the formula for the slant height  $\ell$ 

## Remember



literal equation.



$$S = \pi r^2 + \pi r \ell$$

$$S - \pi r^2 = \pi r^2 - \pi r^2 + \pi r \ell$$
 Subtraction Property of Equality

$$S - \pi r^2 = \pi r \ell$$


Simplify.

$$\frac{S - \pi r^2}{\pi r} = \frac{\pi r \ell}{\pi r}$$

Division Property of Equality



Simplify.



## Try It Solve the formula for the red variable.

- **4.** Area of rectangle: A = bh
- **5.** Simple interest: I = Prt
- **6.** Surface area of cylinder:  $S = 2\pi r^2 + 2\pi rh$



#### **Temperature Conversion**

A formula for converting from degrees Fahrenheit F to degrees Celsius C is

$$C = \frac{5}{9}(F - 32).$$

## EXAMPLE 3

## **Rewriting the Temperature Formula**

Solve the temperature formula for F.

$$C = \frac{5}{9}(F - 32)$$
 Write the temperature formula.  
Use the reciprocal. 
$$9 \cdot C = \frac{9}{5} \cdot \frac{5}{9}(F - 32)$$
 Multiplication Property of Equality

$$\frac{9}{5}C = F - 32$$
 Simplify

Undo the subtraction. 
$$\longrightarrow \frac{9}{5}C + 32 = F - 32 + 32$$
 Addition Property of Equality

$$\frac{9}{5}C + 32 = F$$
 Simplify



The rewritten formula is  $F = \frac{9}{5}C + 32$ .

## Try It

**7.** Solve the formula  $F = \frac{9}{5}C + 32$  for *C*. Justify your answer.



# Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

- **8. REWRITING A FORMULA** The formula for the circumference of a circle is  $C = 2\pi r$ . Solve the formula for r.
- DIFFERENT WORDS, SAME QUESTION Which is different? Find "both" answers.

Solve 
$$4x = 6 + 2y$$
 for  $y$ . Solve  $6 = 4x - 2y$  for  $y$ .

Solve 
$$2y - 4x = -6$$
 for  $y$ . Solve  $2y - 4x = 6$  for  $y$ .

## **EXAMPLE 4**

## **Modeling Real Life**



Which has the greater temperature?

You are given the temperature of the Sun in degrees Fahrenheit and the temperature of lightning in degrees Celsius. You are asked which temperature is greater.



Convert the Celsius temperature to Fahrenheit. Then compare the temperatures.



Solve and check.

$$F = \frac{9}{5}C + 32$$

Write the rewritten formula from Example 3.

$$=\frac{9}{5}(30,000)+32$$

Substitute 30,000 for C.

$$=54,032$$

Simplify.



Because 54,032°F > 11,000°F, lightning has the greater temperature.

Another Method Compare the temperatures in degrees Celsius.

When 
$$F = 11,000$$
,  $C = \frac{5}{9}(F - 32) = \frac{5}{9}(11,000 - 32) \approx 6093$ .

Because 30,000°C > 6093°C, lightning has the greater temperature.



# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

- 10. Room temperature is considered to be 70°F. The temperature outside is currently 23°C. Is this greater than or less than room temperature?
- 11. DIG DEEPER! A bird flies at a top speed of 20,000 meters per hour. The bird flies 30,000 meters without stopping.
  - a. For how many hours did the bird fly if it flew at top speed?
  - b. In part (a), did you rewrite a formula to find the number of hours the bird flew, or did you use another approach? Explain.
- 12. A ball pit is in the shape of a cylinder with a lateral surface area of 245 square feet. The diameter of the ball pit is 312 inches. What is the height of the ball pit? Justify your answer.



# Review & Refresh

Solve the equation. Check your solution, if possible.

1. 
$$-2x = x + 15$$

2. 
$$4(z-3)=2z$$

3. 
$$x-8=x-1$$

**4.** 
$$5(4+t) = 5t + 20$$


Find the unit rate.

- 5. 60 miles in 5 hours
- 6. \$8.50 : 5 ounces
- 7. 9 pounds per 6 crates


# Concepts, Skills, & Problem Solving

REWRITING FORMULAS Solve the formula for the height of the figure. Then use the new formula to find the height. (See Exploration 1, p. 25.)

8. 
$$A = \frac{1}{2}bh$$



9. 
$$V = Bh$$



IDENTIFYING LITERAL EQUATIONS Is the equation a literal equation? Explain.

10. 
$$y = 4$$

11. 
$$t + 8y = 7$$

**12.** 
$$z = 4x + 9y$$

REWRITING AN EQUATION Solve the equation for y.

**13.** 
$$\frac{1}{3}x + y = 4$$

**14.** 
$$3x + \frac{1}{5}y = 7$$


**15.** 
$$6 = 4x + 9y$$

**16.** 
$$\pi = 7x - 2y$$

**17.** 
$$4.2x - 1.4y = 2.1$$
 **18.**  $6y - 1.5x = 8$ 

**18.** 
$$6y - 1.5x = 8$$

19. YOU BE THE TEACHER Your friend rewrites the equation 2x - y = 5. Is your friend correct? Explain your reasoning.



REWRITING A FORMULA Solve the formula for the red variable.

**20.** 
$$d = rt$$

**21.** 
$$e = mc^2$$

**22.** 
$$R - C = P$$


**23.** 
$$P = a + b + c$$

**24.** 
$$B = 3\frac{V}{h}$$

**25.** 
$$D = \frac{m}{V}$$

- MODELING REAL LIFE The formula K = C + 273.15 converts temperatures from degrees Celsius C to Kelvin K.
  - a. Convert 200 degrees Celsius to Kelvin.
  - **b.** Solve the formula for C.
  - Convert 300 Kelvin to degrees Celsius.
- **27. PROBLEM SOLVING** The formula for simple interest is I = Prt.
  - a. Solve the formula for t, when r is the simple interest per year.
  - b. Use the new formula to find the value of t in the table.

1	\$75		
P	\$500		
r	5%		
t			



- 28. GEOMETRY Use the triangle shown.
  - a. Write a formula for the perimeter P of the triangle.
  - **b.** Solve the formula for b.
  - c. Use the new formula to find b when a is 10 feet and c is 17 feet.
- **29. (P-32) EASONING** The formula  $K = \frac{5}{9}(F-32) + 273.15$  converts temperatures from degrees Fahrenheit F to Kelvin K.



- b. The freezing point of helium is 0.95 Kelvin. What is this temperature in degrees Fahrenheit?
- c. The temperature of dry ice is -78.5°C. Which is colder, dry ice or liquid nitrogen?





- 30. MODELING REAL LIFE In which city is the water temperature higher?
- 31. GEOMETRY The volume of a square pyramid with a height of 30 feet is 360 cubic feet. What are the side lengths of the base? Justify your answer.
- 32. DIG DEEPER! The Navy Pier Ferris Wheel in Chicago has a circumference that is 56% of the circumference of the first Ferris wheel built in 1893.
  - a. What is the radius of the Navy Pier Ferris Wheel?
  - b. What was the radius of the first Ferris wheel?
  - c. 'The first Ferris wheel took 9 minutes to make a complete revolution. How fast was the wheel moving?



# Connecting Concepts

# **Problem-Solving Strategies**

Using an appropriate strategy will help you make sense of problems as you study the mathematics in this course. You can use the following strategies to solve problems that you encounter.

- Use a verbal model.
- Draw a diagram.
- · Write an equation.
- Solve a simpler problem.
- Sketch a graph or number line.
- · Make a table.
- Make a list.
- · Break the problem into parts.

# Using the Problem-Solving Plan

 The battery life of a one-year-old cell phone is 75% of its original battery life. When the battery is charged to 50% of its capacity, it dies after 4 hours. Find the original battery life of the phone. Justify your answer.



You know how long a cell phone battery lasts when it is charged to 50% of its capacity. You also know that the battery life of the phone is 75% of its original battery life. You are asked to find the original battery life of the phone.




Make a plan.

First, find the battery life of the one-year-old cell phone. Then use this information to write and solve an equation for the original battery life of the phone.

Solve and check.

Use the plan to solve the problem. Then check your solution.



 The triangular prism shown has a volume of 132 cubic centimeters. Find the height of the prism. Justify your answer.

## **Performance Task**



## Target Heart Rates

At the beginning of this chapter, you watched a STEAM Video called "Training for a Half Marathon." You are now ready to complete the performance task related to this video, available at *BigldeasMath.com*. Be sure to use the problem-solving plan as you work through the performance task.

# **Chapter Review**




# Review Vocabulary

Write the definition and give an example of the vocabulary term.

literal equation, p. 26

# Graphic Organizers

You can use an **Information Frame** to help organize and remember a concept. Here is an example of an Information Frame for *solving equations with variables on both sides*.



# Choose and complete a graphic organizer to help you study the concept.

- 1. solving simple equations using addition
- solving simple equations using subtraction
- solving simple equations using multiplication
- 4. solving simple equations using division
- inverse operations
- 6. literal equation



"I finished my Information Frame about Romulus and Remus. What did Romulus and Remus say to their mommy?"

# Chapter Self-Assessment

As you complete the exercises, use the scale below to rate your understanding of the success criteria in your journal.

I do not understand.

2 I can do it with help.

3 I can do it on my own.

I can teach someone else.



#### **Solving Simple Equations** (pp. 3-10)

Learning Target: Write and solve one-step equations.

Solve the equation. Check your solution.

1. 
$$y + 8 = -11$$

**2.** 
$$3.2 = -0.4n$$


3. 
$$-\frac{t}{4} = -3\pi$$

**4.** 
$$v - |2.4| = 5.7$$
 **5.**  $-6 = -2 + w$ 

5. 
$$-6 = -2 + w$$

**6.** 
$$x - \frac{2}{3} = -\frac{11}{12}$$

- 7. The boiling point of a liquid is the temperature at which the liquid becomes a gas. The boiling point of mercury is about  $\frac{41}{200}$  of the boiling point of lead. Write and solve an equation to find the boiling point of lead.
- 8. Write an equation that you can use the Addition Property of Equality to solve.
- 9. To solve  $\frac{2}{5}x = 14$ , you multiply both sides of the equation by  $\frac{5}{2}$ . Your friend divides both sides of the equation by  $\frac{2}{\epsilon}$ . Who is correct? Explain.
- 10. Write and solve an equation to find the value of x.



11. The circumference C of a circle is  $24\pi$  inches. Use the formula  $C = 2\pi r$  to find the radius r of the circle.







## 1.2 Solving Multi-Step Equations (pp. 11–16)

Learning Target: Write and solve multi-step equations.

Solve the equation. Check your solution.

**12.** 
$$3n + 12 = 30$$

**13.** 
$$2(3-p)-17=41$$


**14.** 
$$-14x + 28 + 6x = -44$$

**15.** 
$$1.06(12.95 + x) = 31.27$$

16. 'The sum of the angle measures of a quadrilateral is 360°. Find the value of x. Then find the angle measures of the quadrilateral.



- 17. The equation P = 2.5m + 35 represents the price P (in dollars) of a bracelet, where m is the cost of the materials (in dollars). The price of a bracelet is \$115. What is the cost of the materials?
- 18. A 455-foot fence encloses a pasture. What is the length of each side of the pasture?





# 1.3 Solving Equations with Variables on Both Sides (pp. 17-24)

Learning Target: Write and solve equations with variables on both sides.

Solve the equation. Check your solution, if possible.

**19.** 
$$3(x-4) = -2(4-x)$$

**20.** 
$$4-5k=-8-5k$$

**21.** 
$$5m-1=4m+5$$

**22.** 
$$3(5p-3) = 5(p-1)$$

**23.** 
$$0.4n + 0.1 = 0.5(n + 4)$$

**24.** 
$$7t + 3 = 8 + 7t$$

**25.** 
$$\frac{1}{5}(15b-7)=3b-9$$

**26.** 
$$\frac{1}{6}(12z-18)=2z-3$$

27. The side lengths of an isosceles triangle are (3x + 1) inches, (4x + 5) inches, and (2x + 7) inches. Find the perimeters of two possible triangles.

- 28. A shuttle company charges \$3.25 plus \$0.55 per mile. A taxi company charges \$2.50 plus \$0.60 per mile. After how many miles will both companies charge the same amount?
- 29. You begin the year with \$25 in a savings account and \$50 in a checking account. Each week you deposit \$5 into the savings account and \$10 into the checking account. In how many weeks is the amount in the checking account twice the amount in the savings account?



#### **Rewriting Equations and Formulas** (pp. 25-30)

Learning Target: Solve literal equations for given variables and convert temperatures.


Solve the equation for y.

**30.** 
$$6y + x = 8$$


**31.** 
$$10x - \frac{1}{3}y = 15$$
 **32.**  $20 = 5x + 10y$ 

**32.** 
$$20 = 5x + 10y$$

- **33.** The formula  $F = \frac{9}{5}(K 273.15) + 32$  converts a temperature from Kelvin K to Fahrenheit F.
  - Solve the formula for K.
  - b. Convert 240°F to Kelvin. Round your answer to the nearest hundredth.
- 34. Use the trapezoid shown.
  - a. Write the formula for the area A of a trapezoid.
  - b. Solve the formula for h.



- c. Use the new formula to find the height h of the trapezoid.
- **35.** The equation for a line in slope-intercept form is y = mx + b. Solve the equation for x.
- The formula for the volume of a cylinder is V = πr<sup>2</sup>h, where r is the radius of the circular base and h is the height of the cylinder.
  - a. Solve the formula for h.
  - Use the new formula to find the height of the cylinder.



### **Practice Test**

Solve the equation. Check your solution, if possible.

1. 
$$4+y=9.5$$

2. 
$$-\frac{x}{9} = -8$$

**2.** 
$$-\frac{x}{9} = -8$$
 **3.**  $z - \frac{2}{3} = \frac{1}{8}$ 

4. 
$$15 = 9 - 3a$$

**5.** 
$$4(b+5)-9=-7$$
 **6.**  $9j-8=8+9j$ 


**6.** 
$$9j - 8 = 8 + 9j$$

7. 
$$3.8n - 13 = 1.4n + 5$$

7. 
$$3.8n - 13 = 1.4n + 5$$
 8.  $9(8d - 5) + 13 = 12d - 2$  9.  $\frac{1}{4}t + 4 = \frac{3}{4}(t + 8)$ 

9. 
$$\frac{1}{4}t+4=\frac{3}{4}(t+8)$$

The sum of the angle measures of a triangle is 180°. Find the value of x. Then find the angle measures of the triangle.



- 11. A formula for the perimeter of a rectangle is  $P = 2\ell + 2w$ .
  - Solve the formula for w.
  - **b.** Use the new formula to find the width w (in meters) of a rectangle with a perimeter of 2 meters and a length of 40 centimeters.
- **12.** Solve 0.5 = 0.4y 0.25x for y.
- 13. Your basketball team wins a game by 13 points. The opposing team scores 72 points. Explain how to find your team's score.
- 14. You are biking at a speed of 18 miles per hour, You are 3 miles behind your friend, who is biking at a speed of 12 miles per hour. Write and solve an equation to find the amount of time it takes for you to catch up to your friend.



- 15. Two scientists are measuring the temperatures of lava. One scientist records a temperature of 1725°F. The other scientist records a temperature of 950°C. Which is the greater temperature?
- 16. Your profit for mowing lawns this week is \$24. You are paid \$8 per hour and you paid \$40 for gas for the lawn mower. How many hours did you work this week?

### **Cumulative Practice**

1. Which value of x makes the equation true?

$$4x = 32$$

A. 8

B. 28


C. 36

- D. 128
- 2. A taxi ride costs \$3 plus \$2 for each mile driven. You spend \$39 on a taxi. This can be modeled by the equation 2m + 3 = 39, where m represents the number of miles driven. How long was your taxi ride?
  - F. 18 mi

G. 21 mi

H. 34 mi

1. 72 mi



3. Which of the following equations has exactly one solution?

**A.** 
$$\frac{2}{3}(x+6) = \frac{2}{3}x+4$$


**B.** 
$$\frac{3}{7}y + 13 = 13 - \frac{3}{7}y$$

C. 
$$\frac{4}{5}\left(n+\frac{1}{3}\right) = \frac{4}{5}n+\frac{1}{3}$$

**D.** 
$$\frac{7}{8} \left( 2t + \frac{1}{8} \right) = \frac{7}{4}t$$

4. The perimeter of the square is equal to the perimeter of the triangle. What are the side lengths of the square?





5. The formula d = rt relates distance, rate, and time. Solve the formula for t.

F. 
$$t = dr$$

**G.** 
$$t = \frac{d}{r}$$

$$\mathbf{H.} \ \ t = d - r$$

$$1. t = \frac{r}{d}$$

- 6. What is a possible first step to solve the equation 3x + 5 = 2(x + 7)?
  - Combine 3x and 5.

**B.** Multiply *x* by 2 and 7 by 2.

C. Subtract x from 3x.

D. Subtract 5 from 7.



7. You work as a sales representative. You earn \$400 per week plus 5% of your total sales for the week.

- Part A Last week, you had total sales of \$5000. Find your total earnings. Show your work.
- Part B One week, you earned \$1350. Let s represent your total sales that week. Write an equation that you can use to find s.
- Part C Using your equation from Part B, find s. Show all steps clearly.
- 8. In 10 years, your aunt will be 39 years old. Let m represent your aunt's age today. Which equation can you use to find m?

F. 
$$m = 39 + 10$$

**G.** 
$$m - 10 = 39$$

**H.** 
$$m+10=39$$


1. 
$$10m = 39$$

**9.** Which value of y makes the equation 3y + 8 = 7y + 11 true?

**B.** 
$$-0.75$$

**10.** What is the value of x?






38

11. You have already saved \$35 for a new cell phone. You need \$175 to buy the cell phone. You think you can save \$10 per week. At this rate, how many more weeks will you need to save money before you can buy the new cell phone?





- A. 26°
- C. 108°

- B. 78°
- D. 138°

**13.** Which value of x makes the equation 6(x-3) = 4x - 7 true?

F. -5.5

**G.** −2

H. 1.1

I. 5.5

14. The drawing below shows equal weights on two sides of a balance scale.



What can you conclude from the drawing?

- A. A mug weighs one-third as much as a trophy.
- B. A mug weighs one-half as much as a trophy.
- C. A mug weighs twice as much as a trophy.
- D. A mug weighs three times as much as a trophy.



## Transformations

- 2.1 Translations
- 2.2 Reflections
- 2.3 Rotations
- 2.4 Congruent Figures
- 2.5 Dilations
- 2.6 Similar Figures
- 2.7 Perimeters and Areas of Similar Figures

#### Chapter Learning Target:

Understand transformations.

#### **Chapter Success Criteria:**

- I can identify a translation.
- I can describe a transformation.
- I can describe a sequence of rigid motions between two congruent figures.
- I can solve real-life problems involving transformations.



### **STEAM Video**



#### **Shadow Puppets**

Some puppets are controlled using strings or wires. How else can a puppet be controlled?


Watch the STEAM Video "Shadow Puppets." Then answer the following questions.

 Tory and Robert are using a light source to display puppets on a screen. Tory wants to show the pig jumping from the floor to the window. Should she use a translation, reflection, rotation, or dilation? Explain.



2. How can Tory show the pig getting smaller as it jumps out the window?

#### **Performance Task**



#### Master Puppeteer

After completing this chapter, you will be able to use the concepts you learned to answer the questions in the STEAM Video Performance Task. You will be given the coordinates of a kite being used by a puppeteer.


	2	y			
	-1		A	D	
3-2	0		1/		1 4
	2	_	1	C	
	-3	В		H	
	4	-			


You will be asked to identify transformations for given movements of the kite. When might a puppeteer want to use a reflection?

## **Getting Ready for Chapter**



### **Chapter Exploration**





Congruent (same size and shape)

Not Congruent (same shape but not same size)

- 1. Work with a partner. Form each triangle on a geoboard.
  - Which of the triangles are congruent to the triangle at the right?
  - Measure the sides of each triangle with a ruler.
     Record your results in a table.
  - Write a conclusion about the side lengths of triangles that are congruent.



a.



h.



C.




a



e.



I.



### Vocabulary

The following vocabulary terms are defined in this chapter. Think about what the terms might mean and record your thoughts.

translation reflection rotation rigid motion

dilation similar figures

# **Translations**

Learning Target: Translate figures in the coordinate plane.

Success Criteria: • I can identify a translation.

- I can find the coordinates of a translated figure.
- I can use coordinates to translate a figure.

#### **EXPLORATION 1**

### **Sliding Figures**

#### FLORIDA STANDARDS

MAFS.8.G.1.1a MAFS.8.G.1.1b MAFS.8.G.1.1c MAFS.8.G.1.3

Work with a partner.


- For each figure below, draw the figure in a coordinate plane. Then copy the figure onto a piece of transparent paper and slide the copy to a new location in the coordinate plane. Describe the location of the copy compared to the location of the original.
  - point

triangle

· line segment

rectangle

line



#### **Math Practice**

#### Recognize Usefulness of Tools

How does using transparencies help you compare each figure and its copy?

- When you slide figures, what do you notice about sides, angles, and parallel lines?
- c. Describe the location of each point below compared to the point A(x, y).

$$B(x+1, y+2)$$
  $C(x-3, y+4)$ 

$$C(x-3, y+4)$$

$$D(x-2, y+3)$$
  $E(x+4, y-1)$ 

$$E(x + 4, y - 1)$$

**d.** You copy a point with coordinates (x, y) and slide it horizontally a units and vertically b units. What are the coordinates of the copy?

### Lesson

#### Key Vocabulary

transformation, p. 44 image, p. 44 translation, p. 44

A transformation changes a figure into another figure. The new figure is called the **image**.

A translation is a transformation in which a figure slides but does not turn. Every point of the figure moves the same distance and in the same direction.




#### EXAMPLE 1

#### **Identifying a Translation**

Tell whether the blue figure is a translation of the red figure.

a.








The red figure slides to form the blue figure.

So, the blue figure is a translation of the red figure. The red figure turns to form the blue figure.

So, the blue figure is not a translation of the red figure.

Try It Tell whether the blue figure is a translation of the red figure.

1.







### Key Idea

#### Reading

A' is read "A prime." Use prime symbols when naming an image.

$$A \rightarrow A'$$


$$B \rightarrow B'$$

 $C \rightarrow C'$ 

#### Translations in the Coordinate Plane

Words To translate a figure a units horizontally and b units vertically in a coordinate plane, add a to the x-coordinates and b to the v-coordinates of the vertices.

> Positive values of a and b represent translations up and right. Negative values of a and b represent translations down and left.




Algebra  $(x, y) \rightarrow (x + a, y + b)$ 

In a translation, the original figure and its image are identical.


#### EXAMPLE 2

#### Translating a Figure in the Coordinate Plane



Translate the red triangle 3 units right and 3 units down. What are the coordinates of the image?

Method 1: Use a coordinate plane. Move each vertex 3 units right and 3 units down.





The coordinates of the image are A'(1, -2), B'(5, 2), and C'(4, -1).

**Method 2:** Use coordinates. Add 3 to the x-coordinates of the vertices and add -3, or subtract 3, from the y-coordinates of the vertices.

$$A(-2, 1) \longrightarrow A'(-2 + 3, 1 - 3) \longrightarrow A'(1, -2)$$
  
 $B(2, 5) \longrightarrow B'(2 + 3, 5 - 3) \longrightarrow B'(5, 2)$   
 $C(1, 2) \longrightarrow C'(1 + 3, 2 - 3) \longrightarrow C'(4, -1)$ 



The coordinates of the image are A'(1, -2), B'(5, 2), and C'(4, -1).

#### Try It

3. WHAT IF? The red triangle is translated 4 units left and 2 units up. What are the coordinates of the image?



### Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

**IDENTIFYING A TRANSLATION** Tell whether the blue figure is a translation of the red figure.

4.



5.





**6. TRANSLATING A FIGURE** The vertices of a triangle are A(-2, -2), B(0, 2), and C(3, 0). Translate the triangle 1 unit left and 2 units up. What are the coordinates of the image?

#### EXAMPLE 3

#### **Modeling Real Life**

A landscaper represents a park using a coordinate plane. He draws a square with vertices A(1,-2), B(3,-2), C(3,-4), and D(1,-4) to represent the location of a new fountain. City officials want to move the fountain 4 units left and 6 units up. Find the coordinates of the image. Then draw the original figure and the image in a coordinate plane.

Understand the problem.

You are given the coordinates for the vertices of a fountain. You are asked to find the coordinates after a translation 4 units left and 6 units up, and then graph the original figure and its image in a coordinate plane.



Use the coordinates of the original figure to calculate the coordinates of the image after the translation. Then graph each figure in a coordinate plane.

To find the coordinates of the image, subtract 4 from each x-coordinate and add 6 to each y-coordinate.

Check Counting grid lines in the graph shows that each vertex of the image is translated 4 units left and 6 units up.


$$(x, y) \longrightarrow (x - 4, y + 6)$$


$$A(1, -2) \longrightarrow A'(1 - 4, -2 + 6) \longrightarrow A'(-3, 4)$$

$$B(3, -2) \longrightarrow B'(3 - 4, -2 + 6) \longrightarrow B'(-1, 4)$$

$$C(3, -4) \longrightarrow C'(3 - 4, -4 + 6) \longrightarrow C'(-1, 2)$$

$$D(1, -4) \longrightarrow D'(1 - 4, -4 + 6) \longrightarrow D'(-3, 2)$$








### Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

- 7. A neighborhood planner uses a coordinate plane to design a new neighborhood. The coordinates A(1, -1), B(1, -2), and C(2, -1) represent House A, House B, and House C. The planner decides to place a playground centered at the origin, and moves the houses to make space. House A is now located at A'(3, -4). What are the new coordinates of House B and House C when each house is moved using the same translation? Justify your answer.
- 8. The locations of a quarterback and a wide receiver on a football field are represented in a coordinate plane. The quarterback throws the football to the point (6, −2). Use a translation to describe a path the wide receiver can take to catch the pass.



46

### 2.1 Practice

### Review & Refresh

Solve the equation for y.

1. 
$$6x + y = 12$$

**2.** 
$$9 = x + 3y$$


3. 
$$\frac{1}{3}x + 2y = 8$$

- 4. You put \$550 in an account that earns 4.4% simple interest per year. How much interest do you earn in 6 months?
  - A. \$1.21
- B. \$12.10
- C. \$121.00
- D. \$145.20


## Concepts, Skills, & Problem Solving

DESCRIBING RELATIONSHIPS For each figure, describe the location of the blue figure relative to the location of the red figure. (See Exploration 1, p. 43.)






6.




**IDENTIFYING A TRANSLATION** Tell whether the blue figure is a translation of the red figure.


7.




8




9.




10.



11.



12.



**TRANSLATING A FIGURE** The vertices of a triangle are L(0, 1), M(1, -2), and N(-2, 1). Draw the figure and its image after the translation.

- 13. 1 unit left and 6 units up
- 14. 5 units right


**15.** (x+2, y+3)

- **16.** (x-3, y-4)
- 17. YOU BE THE TEACHER Your friend translates point A 2 units down and 1 unit right. Is your friend correct? Explain your reasoning.

$$A(3, 1) \rightarrow A'(3 - 2, 1 + 1) \rightarrow A'(1, 2)$$


#### 18. TRANSLATING A FIGURE

Translate the triangle 4 units right and 3 units down. What are the coordinates of the image?



#### 19. TRANSLATING A FIGURE

Translate the figure 2 units left and 4 units down. What are the coordinates of the image?




**DESCRIBING A TRANSLATION** Describe the translation of the point to its image.

**20.** 
$$(3, -2) \rightarrow (1, 0)$$


**21.** 
$$(-8, -4) \rightarrow (-3, 5)$$

- 22. REASONING You can click and drag an icon on a computer's desktop. Is this an example of a translation? Explain.
- 23. MODELING REAL LIFE The proposed location for a new oil platform is represented in a coordinate plane by a rectangle with vertices A(1, −3), B(1, 4), C(4, 4), and D(4, −3). An inspector recommends moving the oil platform 4 units right and 2 units down. Find the coordinates of the image. Then draw the original figure and the image in the coordinate plane.



- **24. PROBLEM SOLVING** A school of fish translates from point *F* to point *D*.
  - Describe the translation of the school of fish.
  - b. Can the fishing boat make the same translation? Explain.
  - c. Describe a translation the fishing boat could make to get to point D.
- 26. DIG DEEPER! In chess, a knight can move only in an L-shaped pattern:
  - two vertical squares, then one horizontal square;
  - · two horizontal squares, then one vertical square;
  - one vertical square, then two horizontal squares; or
  - one horizontal square, then two vertical squares.

Write a series of translations to move the knight from g8 to g5.



48

# **Reflections**

Learning Target: Reflect figures in the coordinate plane.

Success Criteria: • I can identify a reflection.

- I can find the coordinates of a figure reflected in an axis.
- I can use coordinates to reflect a figure in the x- or y-axis.

#### **EXPLORATION 1**

#### FLORIDA STANDARDS

MAFS.8.G.1.1a MAFS.8.G.1.1b MAFS.8.G.1.1c MAFS.8.G.1.3

#### **Reflecting Figures**

#### Work with a partner.


- For each figure below, draw the figure in the coordinate plane. Then copy the axes and the figure onto a piece of transparent paper. Flip the transparent paper and align the origin and the axes with the coordinate plane. For each pair of figures, describe the line of symmetry.
  - point

triangle

· line segment

rectangle

line



 When you reflect figures, what do you notice about sides, angles, and parallel lines?

#### Math Practice

#### Look for Structure

How can you show that the image of a figure reflected in the coordinate plane is identical to the original figure?

c. Describe the relationship between each point below and the point A(4,7) in terms of reflections.

$$B(-4, 7)$$

$$C(4, -7)$$

$$B(-4,7)$$
  $C(4,-7)$   $D(-4,-7)$ 


- **d.** A point with coordinates (x, y) is reflected in the x-axis. What are the coordinates of the image?
- e. Repeat part (d) when the point is reflected in the y-axis.

### Lesson

Key Vocabulary

reflection, p. 50 line of reflection, p. 50

A reflection, or flip, is a transformation in which a figure is reflected in a line called the line of reflection. A reflection creates a mirror image of the original figure.




EXAMPLE 1

### **Identifying Reflections**


Tell whether the blue figure is a reflection of the red figure.

a.



The red figure can be flipped to form the blue figure.

So, the blue figure is a reflection of the red figure. b.




If the red figure were flipped, it would point to the left.

So, the blue figure is not a reflection of the red figure.

Try It Tell whether the blue figure is a reflection of the red figure.

1.



2.






#### Reflections in the Coordinate Plane

Words To reflect a figure in the x-axis, take the opposite of the y-coordinate.

> To reflect a figure in the y-axis, take the opposite of the x-coordinate.

**Algebra** Reflection in x-axis:  $(x, y) \rightarrow (x, -y)$ Reflection in y-axis:  $(x, y) \rightarrow (-x, y)$ 



In a reflection, the original figure and its image are identical.

50

#### **EXAMPLE 2** Reflecting Figures

The vertices of a triangle are A(1, 1), B(1, 4), and C(3, 4). Draw the figure and its reflection in (a) the x-axis and (b) the y-axis. What are the coordinates of the image?

**Another Method** 


Take the opposite of each y-coordinate. The x-coordinates do not change.


$$A(1, 1) \longrightarrow A'(1, -1)$$

$$B(1, 4) \rightarrow B'(1, -4)$$

$$C(3,4) \rightarrow C'(3,-4)$$

- a. Point A is 1 unit above the x-axis, so plot A' 1 unit below the x-axis. Points B and C are 4 units above the x-axis, so plot B' and C' 4 units below the x-axis.
  - The coordinates of the image are A'(1,-1), B'(1,-4), and C'(3,-4).
- b. Points A and B are 1 unit to the right of the y-axis, so plot A' and B' 1 unit to the left of the y-axis. Point C is 3 units to the right of the y-axis, so plot C' 3 units to the left of the y-axis.
  - The coordinates of the image are A'(-1, 1), B'(-1, 4), and C'(-3, 4).





### Try It

3. The vertices of a rectangle are A(-4, -3), B(-4, -1), C(-1, -1), and D(-1, -3). Draw the figure and its reflection in (a) the x-axis and (b) the y-axis.





### Self-Assessment for Concepts & Skills


Solve each exercise. Then rate your understanding of the success criteria in your journal.

- **4. REFLECTING A FIGURE** The vertices of a triangle are I(-3, -5), K(-2, 2), and L(1, -4). Draw the figure and its reflection in (a) the x-axis and (b) the y-axis.
- 5. WHICH ONE DOESN'T BELONG? Which transformation does not belong with the other three? Explain your reasoning.









#### **Modeling Real Life**



A graphic artist designs a T-shirt using a pentagon with vertices P(0,0), Q(-2,0), R(-1,3), S(-4,3), and T(0,7). The artist reflects the pentagon in the y-axis to create the design. Find the coordinates of the reflected image. Then draw the design in the coordinate plane.

The pentagon is reflected in the y-axis. To find the coordinates of the reflected image, take the opposite of each x-coordinate. The y-coordinates do not change.

$$(x, y) \longrightarrow (-x, y)$$


$$P(0,0) \longrightarrow P'(0,0)$$

$$Q(-2,0) \longrightarrow Q'(2,0)$$

$$R(-1,3) \longrightarrow R'(1,3)$$

$$S(-4,3) \longrightarrow S'(4,3)$$

$$T(0,7) \longrightarrow T'(0,7)$$






The coordinates of the reflected image are P'(0,0), Q'(2,0), R'(1,3), S'(4,3), and T'(0,7).




## Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



- 6. You design a logo using the figure shown at the left. You want both the x-axis and the y-axis to be lines of reflection. Describe how to use reflections to complete the design. Then draw the logo in the coordinate plane.
- 7. DIG DEEPER. You hit the golf ball along the path shown, so that its final location is a reflection in the y-axis of its starting location.
  - a. Does the golf ball land in the hole? Explain.
  - b. Your friend tries the shot from the same starting location. He bounces the ball off the wall at the point (−0.5, 7) so that its path is a reflection. Does the golf ball land in the hole?



52

### 2.2 Practice



### Review & Refresh

The vertices of a quadrilateral are P(-1, -1), Q(0, 4), R(3, 1), and S(1, -2). Draw the figure and its image after the translation.

1. 7 units down

2. 3 units left and 2 units up

3. (x+4, y-1)

4. (x-5, y-6)

Tell whether the angles are complementary, supplementary, or neither.

5.



6.



7



- 8. 36 is 75% of what number?
  - A. 27
- B. 48
- C. 54
- D. 63

## Concepts, Skills, & Problem Solving


**DESCRIBING RELATIONSHIPS** Describe the relationship between the given **point and the point** *A***(5, 3) in terms of reflections.** (See Exploration 1, p. 49.)

9. 
$$B(5, -3)$$


**10.** 
$$C(-5, -3)$$

**IDENTIFYING A REFLECTION** Tell whether the blue figure is a reflection of the red figure.


12.




13.




14.



15.



16.



17



**REFLECTING FIGURES** Draw the figure and its reflection in the x-axis. Identify the coordinates of the image.

- 18. A(3, 2), B(4, 4), C(1, 3)
- **19.** M(-2,1), N(0,3), P(2,2)
- **20.** H(2, -2), J(4, -1), K(6, -3), L(5, -4)
- **21.** D(-2, -5), E(0, -1), F(2, -1), G(0, -5)

REFLECTING FIGURES Draw the figure and its reflection in the y-axis. Identify the coordinates of the image.

- **22.** Q(-4,2), R(-2,4), S(-1,1)
- **23.** T(4,-2), U(4,2), V(6,-2)
- **24.** W(2,-1), X(5,-2), Y(5,-5), Z(2,-4) **25.** f(2,2), K(7,4), L(9,-2), M(3,-1)
- 26. MP REASONING Which letters look the same when reflected in the line?

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

STRUCTURE The coordinates of a point and its image after a reflection are given. Identify the line of reflection.

**27.**  $(2, -2) \rightarrow (2, 2)$ 


**28.**  $(-4,1) \rightarrow (4,1)$ 

**29.**  $(-2, -5) \longrightarrow (4, -5)$ 


**30.**  $(-3, -4) \rightarrow (-3, 0)$ 

TRANSFORMING FIGURES Find the coordinates of the figure after the transformations.

31. Translate the triangle 1 unit right and 5 units down. Then reflect the image in the y-axis.




**32.** Reflect the trapezoid in the x-axis. Then translate the image 2 units left and 3 units up.



33. REASONING In Exercises 31 and 32, is the original figure identical to the final image? Explain.



- 34. CRITICAL THINKING Hold a mirror to the left side of the photo of the vehicle.
  - a. What word do you see in the mirror?
  - b. Why do you think it is written that way on the front of the vehicle?
- **DIG DEEPER!** Reflect the triangle in the line y = x. How are the x- and y-coordinates of the image related to the x- and y-coordinates of the original triangle?



54

# **2.3** Rotations

Learning Target: Rotate figures in the coordinate plane.

Success Criteria: • I can identify a rotation.

- . I can find the coordinates of a figure rotated about the origin.
- . I can use coordinates to rotate a figure about the origin.

#### **EXPLORATION 1**

#### FLORIDA STANDARDS

MAFS.8.G.1.1a MAFS.8.G.1.1b MAFS.8.G.1.1c MAFS.8.G.1.3

#### **Math Practice**

#### Explain the Meaning


What does it mean to rotate a figure about the origin?

#### **Rotating Figures**

#### Work with a partner.

- a. For each figure below, draw the figure in the coordinate plane. Then copy the axes and the figure onto a piece of transparent paper. Turn the transparent paper and align the origin and the axes with the coordinate plane. For each pair of figures, describe the angle of rotation.
  - · point
  - line segment
  - line

- triangle
- · rectangle



- b. When you rotate figures, what do you notice about sides, angles, and parallel lines?
- c. Describe the relationship between each point below and the point A(3, 6) in terms of rotations.

$$B(-3, -6)$$

$$C(6, -3)$$

$$D(-6,3)$$


d. What are the coordinates of a point P(x, y) after a rotation 90° counterclockwise about the origin? 180°? 270°?

### Lesson

#### Key Vocabulary

rotation, p. 56 center of rotation, p. 56 angle of rotation, p. 56

A rotation, or turn, is a transformation in which a figure is rotated about a point called the center of rotation. The number of degrees a figure rotates is the angle of rotation.



#### EXAMPLE 1

#### **Identifying a Rotation**

You must rotate the puzzle piece 270° clockwise about point P to fit it into a puzzle. Which piece fits in the puzzle as shown?



A.






C.






When rotating figures, it may help to sketch the rotation in several steps, as shown in Example 1. Rotate the puzzle piece 270° clockwise about point P.




So, the correct answer is C.

Try It Tell whether the blue figure is a rotation of the red figure about the origin. If so, give the angle and direction of rotation.



2.



You can use coordinate rules to find the coordinates of a point after a rotation of 90°, 180°, or 270° about the origin.




A counterclockwise rotation of  $n^{\circ}$  is the same as a clockwise rotation of  $(360 - n)^{\circ}$ . Similarly, a clockwise rotation of  $n^{\circ}$  is the same as a counterclockwise rotation of  $(360 - n)^{\circ}$ .

#### **Rotations in the Coordinate Plane**

When a point (x, y) is rotated counterclockwise about the origin, the following are true.

- For a rotation of 90°, (x, y) → (-y, x).
- For a rotation of 180°, (x, y) → (-x, -y).
- For a rotation of 270°, (x, y) → (y, -x).



In a rotation, the original figure and its image are identical.

### EXAMPLE 2

#### **Rotating a Figure**

.

A 180° clockwise
rotation and a 180°
counterclockwise rotation
have the same image. So,
you do not need to specify
direction when rotating
a figure 180°.

The vertices of a trapezoid are W(-4, 2), X(-3, 4), Y(-1, 4), and Z(-1, 2). Rotate the trapezoid 180° about the origin. What are the coordinates of the image?

A point (x, y) rotated 180° about the origin results in an image with coordinates (-x, -y).


$$(x, y) \longrightarrow (-x, -y)$$

$$W(-4,2) \longrightarrow W'(4,-2)$$

$$X(-3,4) \longrightarrow X'(3,-4)$$

$$Y(-1, 4) \longrightarrow Y'(1, -4)$$

$$Z(-1,2) \longrightarrow Z'(1,-2)$$



The coordinates of the image are W'(4, −2), X'(3, −4), Y'(1, −4), and Z'(1, −2).

**Try It** The vertices of a figure are given. Rotate the figure as described. Find the coordinates of the image.


- 3. J(-4, -4), K(-4, 2), L(-1, 0), M(-2, -3); 180° about the origin
- P(-3, 2), Q(6, 1), R(-1, -5); 90° counterclockwise about the origin
- **5.** A(5,3), B(4,-1), C(1,-1);  $90^{\circ}$  clockwise about the origin


#### EXAMPLE 3 Using More Than One Transformation

The vertices of a rectangle are A(-3, -3), B(1, -3), C(1, -5), and D(-3, -5). Rotate the rectangle 90° clockwise about the origin,

#### Common Error

Be sure to pay attention to whether a rotation is clockwise or counterclockwise.





The coordinates of the image are A''(3,3), B''(3,-1), C''(5,-1), and D''(5, 3).


#### Try It

 The vertices of a triangle are P(−1, 2), Q(−1, 0), and R(2, 0). Rotate the triangle 180° about the origin, and then reflect it in the x-axis. What are the coordinates of the image?



### Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.



- 2 4 3 2 2 3
- 7. **IDENTIFYING A ROTATION** Tell whether the blue figure is a rotation of the red figure about point P. If so, give the angle and direction of rotation.
- 8. DIFFERENT WORDS, SAME QUESTION Which is different? Find "both" answers.

What are the coordinates of the image after a 90° clockwise rotation about the origin?

What are the coordinates of the image after a 270° clockwise rotation about the origin?

What are the coordinates of the image after turning the figure 90° to the right about the origin?

What are the coordinates of the image after a 270° counterclockwise rotation about the origin?

#### **Modeling Real Life**



A carousel is represented in a coordinate plane with the center of the carousel at the origin. You and three friends sit at A(-4, -4), B(-3, 0), C(-1, -2), and D(-2, -3). At the end of the ride, your positions have rotated 270° clockwise about the center of the carousel. What are your locations at the end of the ride?

A rotation of 270° clockwise about the origin is the same as a rotation of 90° counterclockwise about the origin. Use coordinate rules to find the locations after a rotation of 90° counterclockwise about the origin.

A point (x, y) rotated 90° counterclockwise about the origin results in an image with coordinates (-y, x).


$$(x,y) \longrightarrow (-y,x)$$

$$A(-4,-4) \longrightarrow A'(4,-4)$$

$$B(-3,0) \longrightarrow B'(0,-3)$$

$$C(-1,-2) \longrightarrow C'(2,-1)$$

$$D(-2,-3) \longrightarrow D'(3,-2)$$




Your locations at the end of the ride are A'(4, -4), B'(0, -3), C'(2, -1), and D'(3, -2).



### Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

9. You move the red game piece to the indicated location using a rotation about the origin, followed by a translation. What are the coordinates of the vertices of the game piece after the rotation? Justify your answer.





that airplanes use to write messages in the sky. The coordinate plane shows a message typed in the sky over a city, where the positive y-axis represents north. What does the message say? How can you transform the message so that it is read from north to south?

### Review & Refresh

Tell whether the blue figure is a reflection of the red figure.


1.





Find the circumference of the object. Use 3.14 or  $\frac{22}{7}$  for  $\pi$ .

3.



4.



5.




## Concepts, Skills, & Problem Solving

DESCRIBING RELATIONSHIPS Describe the relationship between the given point and the point A(2, 7) in terms of rotations. (See Exploration 1, p. 55.)


6. 
$$B(7, -2)$$

8. 
$$D(-2, -7)$$


IDENTIFYING A ROTATION Tell whether the blue figure is a rotation of the red figure about the origin. If so, give the angle and direction of rotation.




10.



11.



12.




**ROTATING A FIGURE** The vertices of a figure are given. Rotate the figure as described. Find the coordinates of the image.

- **13.** A(2, -2), B(4, -1), C(4, -3), D(2, -4) 90° counterclockwise about the origin
- **14.** *F*(1, 2), *G*(3, 5), *H*(3, 2) 180° about the origin

**15.** J(-4, 1), K(-2, 1), L(-4, -3)90° clockwise about the origin


- **16.** P(−3, 4), Q(−1, 4), R(−2, 1), S(−4, 1) 270° clockwise about the origin
- **17.** W(-6, -2), X(-2, -2), Y(-2, -6), Z(-5, -6) 270° counterclockwise about the origin
- **18.** A(1, -1), B(5, -6), C(1, -6)90° counterclockwise about the origin
- 19. YOU BE THE TEACHER The vertices of a triangle are A(4, 4), B(1, -2), and C(-3, 0). Your friend finds the coordinates of the image after a rotation 90° clockwise about the origin. Is your friend correct? Explain your reasoning.



20. PROBLEM SOLVING A game show contestant spins the prize wheel shown. The arrow remains in a fixed position while the wheel rotates. The wheel stops spinning, resulting in an image that is a rotation 270° clockwise about the center of the wheel. What is the result?

PATTERNS A figure has rotational symmetry if a rotation of 180° or less produces an image that fits exactly on the original figure. Determine whether the figure has rotational symmetry. Explain your reasoning.






22.



23.



USING MORE THAN ONE TRANSFORMATION The vertices of a figure are given. Find the coordinates of the image after the transformations given.

**24.** R(-7, -5), S(-1, -2), T(-1, -5)


Rotate  $90^{\circ}$  counterclockwise about the origin. Then translate 3 units left and 8 units up.

**25.** J(-4, 4), K(-3, 4), L(-1, 1), M(-4, 1)


Reflect in the x-axis, and then rotate  $180^{\circ}$  about the origin.

CRITICAL THINKING Describe two different sequences of transformations in which the blue figure is the image of the red figure.

26.



27.



- REASONING A trapezoid has vertices A(-6, -2), B(-3, -2), C(-1, -4), and D(-6, -4).
  - a. Rotate the trapezoid 180° about the origin. What are the coordinates of the image?
  - b. Describe a way to obtain the same image without using rotations.

ROTATING A FIGURE The vertices of a figure are given. Rotate the figure as described. Find the coordinates of the image.

**29.** 
$$D(2, 1), E(2, -2), F(-1, 4)$$
  
90° counterclockwise about vertex  $D$ 

**30.** 
$$L(-4, -3), M(-1, -1), N(2, -2)$$
  
180° about vertex  $M$ 

**32.** 
$$D(-3, -4)$$
,  $E(-5, 2)$ ,  $F(1, -1)$ ,  $G(3, -7)$  270° clockwise about vertex  $E$ 



- 33. WD LOGIC You want to find the treasure located on the map at X. You are located at . The following transformations will lead you to the treasure, but they are not in the correct order. Find the correct order. Use each transformation exactly once.
  - Rotate 180° about the origin.
  - Reflect in the y-axis.
  - Rotate 90° counterclockwise about the origin.
  - Translate 1 unit right and 1 unit up.
- 34. DIG DEEPER! You rotate a triangle 90° counterclockwise about the origin. Then you translate its image 1 unit left and 2 units down. The vertices of the final image are (-5,0), (-2,2), and (-2,-1). What are the vertices of the original triangle?

62

# 2.4. Congruent Figures

Learning Target: Understand the concept of congruent figures.

Success Criteria: • I can identify congruent figures.

I can describe a sequence of rigid motions between two congruent figures.


#### **EXPLORATION 1**

#### **Transforming Figures**

FLORIDA STANDARDS MAFS.8.G.1.2

#### Work with a partner.

- a. For each pair of figures whose vertices are given below, draw the figures in a coordinate plane. Then copy one of the figures onto a piece of transparent paper. Use transformations to try to obtain one of the figures from the other figure.
  - A(-5,1), B(-5,-4), C(-2,-4) and D(1,4), E(1,-1), F(-2,-1)
  - G(1, 2), H(2, −6), J(5, 0) and L(−1, −2), M(−2, 6), N(−5, 0)
  - P(0,0), Q(2,2), R(4,-2) and X(0,0), Y(3,3), Z(6,-3)
  - A(0, 4), B(3, 8), C(6, 4), D(3, 0) and
     F(-4, -3), G(-8, 0), H(-4, 3), J(0, 0)
  - P(-2, 1), Q(-1, -2), R(1, -2), S(1, 1) and W(7, 1), X(5, -2), Y(3, -2), Z(3, 1)



#### **Math Practice**

#### Interpret Results

When you can use translations, reflections, and rotations to obtain one figure from another, what do you know about the side lengths and angle measures of the figures?

- b. Which pairs of figures in part (a) are identical? Explain your reasoning.
- c. Figure A and Figure B are identical. Do you think there must be a sequence of transformations that obtains Figure A from Figure B? Explain your reasoning.

### 2.4 Lesson

#### Key Vocabulary



rigid motion, p. 64 congruent figures, p. 64 congruent angles, p. 64 congruent sides, p. 64


A rigid motion is a transformation that preserves length and angle measure. Translations, reflections, and rotations are rigid motions.



#### Congruent Figures

Two figures are congruent figures when one can be obtained from the other by a sequence of rigid motions. Congruent figures have the same size and the same shape. Angles with the same measure are called congruent angles. Sides with the same measure are congruent sides.

The triangles below are congruent.



 $\triangle ABC \cong \triangle DEF.$ 

In the Key Idea,

The symbol  $\triangle$  means triangle. The symbol ≅

means is congruent to.

Reading

In diagrams, matching arcs indicate congruent angles.

#### Sides

Angles

$$\overline{AB} \cong \overline{DE}, \overline{BC} \cong \overline{EF}, \overline{AC} \cong \overline{DF}$$

$$\angle A \cong \angle D$$
,  $\angle B \cong \angle E$ ,  $\angle C \cong \angle F$ 

#### EXAMPLE 1

#### **Identifying Congruent Figures**


#### Common Error

When writing a congruence statement, make sure to list the vertices of the figures in the correct order.

Identify any congruent figures in the coordinate plane.

△DEF is a translation 1 unit left and 5 units down of  $\triangle MNP$ . So,  $\triangle DEF$  and  $\triangle MNP$  are congruent.

 $\triangle ABC$  is a reflection in the x-axis of  $\triangle JKL$ . So,  $\triangle ABC$  and  $\triangle JKL$ are congruent.




#### Try It

**1.** A triangle has vertices X(0, 4), Y(4, 4), and Z(4, 2). Is  $\triangle XYZ$ congruent to any of the triangles in Example 1? Explain.

#### EXAMPLE 2

#### **Describing a Sequence of Rigid Motions**




The red figure is congruent to the blue figure. Describe a sequence of rigid motions between the figures.

The orientations of the figures are different. You can rotate the red figure 90° to match the orientation of the blue figure.

After rotating the red figure, you can translate its image to the blue figure.



So, one possible sequence of rigid motions is to rotate the red figure 90° counterclockwise about the origin and then translate the image 4 units up.




#### Try It

2. Describe a different sequence of rigid motions between the figures.



### Self-Assessment for Concepts & Skills


Solve each exercise. Then rate your understanding of the success criteria in your journal.




- 3. IDENTIFYING CONGRUENT FIGURES Use the coordinate plane shown.
  - a. Identify any congruent figures.
  - b. A rectangle has vertices W(−4, −1), X(−4, 2), Y(−1, 2), and Z(−1, −1). Is Rectangle WXYZ congruent to any of the rectangles in the coordinate plane? Explain.

RIGID MOTIONS The red figure is congruent to the blue figure.

Describe a sequence of rigid motions between the figures.





#### EXAMPLE 3

#### **Modeling Real Life**





You can use the buttons shown at the left to transform objects in a computer program. You can rotate objects 90° in either direction and reflect objects in a horizontal or vertical line. How can you transform the emoji as shown below?









When you rotate the emoji 90° counterclockwise, the tongue is in the wrong place. Reflect the emoji in a horizontal line to move the tongue to the correct location.











To transform the emoji as shown, you can use a 90° counterclockwise rotation followed by a reflection in a horizontal line.

## Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

- -4-3-2 O 1 x
- In the coordinate plane at the left, each grid line represents 50 feet. Each figure represents a pasture.
  - a. Are the figures congruent? Use rigid motions to justify your answer.
  - b. How many feet of fencing do you need to enclose each pasture?
- 7. A home decorator uses a computer to design a floor tile. How can the decorator transform the tile as shown?





## 2.4 Practice



### Review & Refresh

The vertices of a figure are given. Rotate the figure as described. Find the coordinates of the image.

- **1.** A(1,3), B(2,5), C(3,5), D(2,3) 90° counterclockwise about the origin
- 2. F(-2, 1), G(-1, 3), H(3, 1)180° about the origin

Factor the expression using the greatest common factor.

3. 
$$4n - 32$$

4. 
$$3w + 66$$

5. 
$$2y - 18$$


## Description of the Concepts, Skills, & Problem Solving


TRANSFORMING FIGURES The vertices of a pair of figures are given. Determine whether the figures are identical. (See Exploration 1, p. 63.)

**6.** 
$$G(0,0)$$
,  $H(3,2)$ ,  $J(1,-2)$  and  $L(-1,0)$ ,  $M(2,2)$ ,  $N(0,-3)$ 


7. 
$$A(-2,-1)$$
,  $B(-2,2)$ ,  $C(-1,1)$ ,  $D(-1,-2)$  and  $F(-2,0)$ ,  $G(-1,1)$ ,  $H(2,1)$ ,  $J(1,0)$ 


**IDENTIFYING CONGRUENT FIGURES** Identify any congruent figures in the coordinate plane.






**DESCRIBING A SEQUENCE OF RIGID MOTIONS** The red figure is congruent to the blue figure. Describe a sequence of rigid motions between the figures.






12. YOU BE THE TEACHER Your friend describes a sequence of rigid motions between the figures. Is your friend correct? Explain your reasoning.

Reflect the red figure in the x-axis, and then translate it left 5 units.




NAMING CORRESPONDING PARTS 'The figures are congruent. Name the corresponding angles and the corresponding sides.

13.



14.




15. MODELING REAL LIFE You use a computer program to transform an emoji. How can you transform the emoji as shown?






- 16. CRITICAL THINKING Two figures are congruent. Are the areas of the two figures the same? the perimeters? Explain your reasoning.
- 17. DIG DEEPER! The houses are identical.
  - a. What is the length of side LM?
  - b. Which angle of JKLMN corresponds to ZD?
  - c. Side AB is congruent to side AE. What is the length of side AB? What is the perimeter of ABCDE?









18. REASONING Two constellations are represented by the figures in the coordinate plane shown. Are the figures congruent? Justify your answer.

# 25 Dilations

Learning Target: Dilate figures in the coordinate plane.

Success Criteria: • I can identify a dilation.

- I can find the coordinates of a figure dilated with respect to the origin.
- . I can use coordinates to dilate a figure with respect to the origin.

### The Meaning of a Word Dilate



When you have your eyes checked, the optometrist sometimes



dilates one or both of the pupils of your eyes.



#### **EXPLORATION 1**

**Math Practice** 

Consider Similar

previous work with

scale drawings help

you understand the

concept of dilations?


Problems

How does your

#### **Dilating a Polygon**

Work with a partner. Use geometry software.

a. Draw a polygon in the coordinate plane. Then dilate the polygon with respect to the origin. Describe the scale factor of the image.



Available at BigIdeasMath.com.



Points A(1, 1)

B(2, 1)

C(2, 0)

Segments

AB = 1

BC = 1

AC = 1.41

---

Angles

 $m\angle A = 45^{\circ}$ 

 $m\angle B = 90^{\circ}$ 

 $m\angle C = 45^{\circ}$ 

- b. Compare the image and the original polygon in part (a). What do you notice about the sides? the angles?
- c. Describe the relationship between each point below and the point A(x, y) in terms of dilations.

B(3x, 3y)


C(5x, 5y)

D(0.5x, 0.5y)

d. What are the coordinates of a point P(x, y) after a dilation with respect to the origin by a scale factor of k?

### 2.5 Lesson

A scale drawing is an example of a dilation. A dilation is a transformation in which a figure is made larger or smaller with respect to a point called the center of dilation. In a dilation, the angles of the image and the original figure are congruent.



#### EXAMPLE 1


#### **Identifying a Dilation**

Tell whether the blue figure is a dilation of the red figure.


Key Vocabulary

dilation, p. 70 center of dilation, p. 70 scale factor, p. 70


a.



Lines connecting corresponding vertices meet at a point.



So, the blue figure is a dilation of the red figure.



The figures have the same size and shape. The red figure slides to form the blue figure.

So, the blue figure is not a dilation of the red figure. It is a translation.

Try It Tell whether the blue figure is a dilation of the red figure.









B

In a dilation, the value of the ratio of the side lengths of the image to the corresponding side lengths of the original figure is the scale factor of the dilation.

### Key Idea

#### Dilations in the Coordinate Plane

Words To dilate a figure with respect to the origin, multiply the coordinates of each vertex by the scale factor k.

Algebra  $(x, y) \rightarrow (kx, ky)$ 

- When k > 1, the dilation is an enlargement.
- When k > 0 and k < 1, the dilation is a reduction.

### EXAMPLE 2


### **Dilating a Figure**


The vertices of a triangle are A(1,3), B(2,3), and C(2,1). Draw the image after a dilation with a scale factor of 3. Identify the type of dilation.

Multiply each x- and y-coordinate by the scale factor 3.

•

You can check your answer by drawing a line from the origin through each vertex of the original figure. The vertices of the image should lie on these lines.





The image is shown at the right. The dilation is an enlargement because the scale factor is greater than 1.

### Try It

3. WHAT IF? Triangle ABC is dilated by a scale factor of 2. What are the coordinates of the image?

### EXAMPLE 3

### **Dilating a Figure**

The vertices of a rectangle are W(-4, -6), X(-4, 8), Y(4, 8), and Z(4, -6). Draw the image after a dilation with a scale factor of 0.5. Identify the type of dilation.

Multiply each x- and y-coordinate by the scale factor 0.5.


$$(x, y) \longrightarrow (0.5x, 0.5y)$$

$$W(-4, -6) \longrightarrow W'(0.5 \cdot (-4), 0.5 \cdot (-6)) \longrightarrow W'(-2, -3)$$

$$X(-4,8) \longrightarrow X'(0.5 \cdot (-4), 0.5 \cdot 8) \longrightarrow X'(-2,4)$$

$$Y(4,8) \longrightarrow Y'(0.5 \cdot 4, 0.5 \cdot 8) \longrightarrow Y'(2,4)$$

$$Z(4,-6) \longrightarrow Z'(0.5 \cdot 4, 0.5 \cdot (-6)) \longrightarrow Z'(2,-3)$$



The image is shown at the right. The dilation is a reduction because the scale factor is greater than 0 and less than 1.


### Try It

4. WHAT IF? Rectangle WXYZ is dilated by a scale factor of <sup>1</sup>/<sub>4</sub>. What are the coordinates of the image?

### **EXAMPLE 4** Using More than One Transformation

The vertices of a trapezoid are A(-2, -1), B(-1, 1), C(0, 1), and D(0, -1). Dilate the trapezoid using a scale factor of 2. Then translate it 6 units right and 2 units up. What are the coordinates of the image?

Draw ABCD. Then dilate it with respect to the origin using a scale factor of 2.



Translate the dilated figure 6 units right and 2 units up.



The coordinates of the image are A''(2,0), B''(4,4), C''(6,4), and D''(6, 0).

### Try It

5. WHAT IF? Trapezoid ABCD is dilated using a scale factor of 3, and then rotated 180° about the origin. What are the coordinates of the image?




# Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

IDENTIFYING A DILATION Tell whether the blue figure is a dilation of the red figure.

6.









- DILATING A FIGURE The vertices of a rectangle are J(4, 8), K(12, 8), L(12, 4), and M(4, 4). Draw the image after a dilation with a scale factor of  $\frac{1}{4}$ . Identify the type of dilation.
- VOCABULARY How is a dilation different from other transformations?

### **EXAMPLE 5**

### **Modeling Real Life**



A wildlife refuge is mapped on a coordinate plane, where each grid line represents 1 mile. The refuge has vertices J(0,0), K(1,3), and L(4,0). An expansion of the refuge can be represented by a dilation with a scale factor of 1.5. How much does the area of the wildlife refuge increase?


Multiply each x- and y-coordinate by the scale factor 1.5. Then find the area of each figure.

$$(x, y) \longrightarrow (1.5x, 1.5y)$$

$$J(0, 0) \longrightarrow J'(1.5 \cdot 0, 1.5 \cdot 0) \longrightarrow J'(0, 0)$$

$$K(1, 3) \longrightarrow K'(1.5 \cdot 1, 1.5 \cdot 3) \longrightarrow K'(1.5, 4.5)$$

$$L(4, 0) \longrightarrow L'(1.5 \cdot 4, 1.5 \cdot 0) \longrightarrow L'(6, 0)$$



The original figure is a triangle with a base of 4 miles and a height of 3 miles. The image has a base of 6 miles and a height of 4.5 miles. Use the formula for the area of a triangle to find the areas of the original figure and the image.

#### Original Figure

$$A = \frac{1}{2}bh$$
 Write the formula.  $A = \frac{1}{2}bh$ 

$$= \frac{1}{2}(4)(3)$$
 Substitute for  $b$  and  $h$ . 
$$= \frac{1}{2}(6)(4.5)$$

$$= 6$$
 Simplify. 
$$= 13.5$$



So, the area of the wildlife refuge increases 13.5 - 6 = 7.5 square miles.



## Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



- 10. A photograph is dilated to fit in a frame, so that its area after the dilation is 9 times greater than the area of the original photograph. What is the scale factor of the dilation? Explain.
- 11. DIG DEEPER! The location of a water treatment plant is mapped using a coordinate plane, where each unit represents 1 foot. The plant has vertices (0, 0), (0, 180), (240, 180), and (240, 0). You dilate the figure with a scale factor of \frac{1}{3}. What are the coordinates of the image? What do you need to change so that the image accurately represents the location of the plant? Explain your reasoning.


## 2.5 Practice




### Review & Refresh

The red figure is congruent to the blue figure. Describe a sequence of rigid motions between the figures.

1.



2.



Tell whether the ratios form a proportion.

- 3. 3:5 and 15:20
- 4. 2 to 3 and 12 to 18
- 5. 7:28 and 12:48

### Concepts, Skills, & Problem Solving

DESCRIBING RELATIONSHIPS Describe the relationship between the given point and the point A(8, 12) in terms of dilations. (See Exploration 1, p. 69.)


B(16, 24)

C(2, 3)


8. D(6, 9)

IDENTIFYING A DILATION Tell whether the blue figure is a dilation of the red figure.


9.




10.




11.




12.





14.



DILATING A FIGURE The vertices of a figure are given. Draw the figure and its image after a dilation with the given scale factor. Identify the type of dilation.

**15.** 
$$A(1, 1), B(1, 4), C(3, 1); k = 4$$

**16.** 
$$D(0,2)$$
,  $E(6,2)$ ,  $F(6,4)$ ;  $k=0.5$ 

**17.** 
$$G(-2, -2)$$
,  $H(-2, 6)$ ,  $J(2, 6)$ ;  $k = 0.25$  **18.**  $M(2, 3)$ ,  $N(5, 3)$ ,  $P(5, 1)$ ;  $k = 3$ 

**18.** 
$$M(2,3), N(5,3), P(5,1); k=3$$

**19.** 
$$Q(-3,0)$$
,  $R(-3,6)$ ,  $T(4,6)$ ,  $U(4,0)$ ;  $k=\frac{1}{3}$ 

**20.** 
$$V(-2, -2), W(-2, 3), X(5, 3), Y(5, -2); k = 5$$

21. YOU BE THE TEACHER Your friend finds the coordinates of the image of  $\triangle ABC$  after a dilation with a scale factor of 2. Is your friend correct? Explain your reasoning.


$$A(2,5) \longrightarrow A'(2 \cdot 2, 2 \cdot 5) \longrightarrow A'(4,10)$$

$$B(2,0) \longrightarrow B'(2 \cdot 2, 2 \cdot 0) \longrightarrow B'(4,0)$$


$$C(4,0) \longrightarrow C'(2 \cdot 4, 2 \cdot 0) \longrightarrow C'(8,0)$$

FINDING A SCALE FACTOR The blue figure is a dilation of the red figure. Identify the type of dilation and find the scale factor.


22.




23.



24.



25.



USING MORE THAN ONE TRANSFORMATION The vertices of a figure are given. Find the coordinates of the image after the transformations given.

- **26.** A(-5,3), B(-2,3), C(-2,1), D(-5,1)Reflect in the y-axis. Then dilate using a scale factor of 2.
- **27.** F(-9, -9), G(-3, -6), H(-3, -9)Dilate using a scale factor of 2. Then translate 6 units up.
- 28. J(1, 1), K(3, 4), L(5, 1) Rotate 90° clockwise about the origin. Then dilate using a scale factor of 3.

- 29. LOGIC You can use a flashlight and a shadow puppet (your hands) to project shadows on the wall.
  - a. Identify the type of dilation.
  - b. What does the flashlight represent?
  - c. The length of the ears on the shadow puppet is 3 inches. The length of the ears on the shadow is 4 inches. What is the scale factor?
  - d. Describe what happens as the shadow puppet moves closer to the flashlight. How does this affect the scale factor?





30. REASONING A triangle is dilated using a scale factor of 3. The image is then dilated using a scale factor of  $\frac{1}{2}$ . What scale factor can you use to dilate the original triangle to obtain the final image? Explain.

CRITICAL THINKING The coordinate notation shows how the coordinates of a figure are related to the coordinates of its image after transformations. What are the transformations? Are the figure and its image congruent? Explain.


**31.** 
$$(x, y) \rightarrow (2x + 4, 2y - 3)$$
 **32.**  $(x, y) \rightarrow (-x - 1, y - 2)$ 

**32.** 
$$(x, y) \rightarrow (-x - 1, y - 2)$$


**33.** 
$$(x, y) \rightarrow \left(\frac{1}{3}x, -\frac{1}{3}y\right)$$

STRUCTURE The blue figure is a transformation of the red figure. Use coordinate notation to describe the transformation. Explain your reasoning.

34.



35.



- 36. WD NUMBER SENSE You dilate a figure using a scale factor of 2, and then translate it 3 units right. Your friend translates the same figure 3 units right and then dilates it using a scale factor of 2. Are the images congruent? Explain.
- PROBLEM SOLVING The vertices of a trapezoid are A(-2, 3), B(2, 3), C(5, -2), and D(-2, -2). Dilate the trapezoid with respect to vertex A using a scale factor of 2. What are the coordinates of the image? Explain the method you used.
- 38. DIG DEEPER! A figure is dilated using a scale factor of -1. How can you obtain the image without using a dilation? Explain your reasoning.

76

# 26 Similar Figures

Learning Target: Understand the concept of similar figures.

Success Criteria: • I can identify similar figures.


I can describe a similarity transformation between two similar figures.

### **EXPLORATION 1**

### **Transforming Figures**

FLORIDA STANDARDS MAFS.8.G.1.4 Work with a partner. Use geometry software.

- a. For each pair of figures whose vertices are given below, draw the figures in a coordinate plane. Use dilations and rigid motions to try to obtain one of the figures from the other figure.
  - A(-3,6), B(0,-3), C(3,6) and G(-1,2), H(0,-1), J(1,2)
  - D(0,0), E(3,0), F(3,3) and L(0,0), M(0,6), N(-6,6)
  - P(1,0), Q(4,2), R(7,0) and X(−1,0), Y(−4,6), Z(−7,0)
  - A(-3,2), B(-1,2), C(-1,-1), D(-3,-1) and F(6,4), G(2,4), H(2,-2), J(6,-2)
  - P(-2, 2), Q(-1, -1), R(1, -1), S(2, 2) and
     W(2, 8), X(3, 3), Y(7, 3), Z(8, 8)



Available at BigldeasMath.com.

### **Math Practice**

#### Interpret Results

When you need a dilation to obtain one figure from another, what does it tell you about the side lengths and angle measures of the figures?

- b. Is a scale drawing represented by any of the pairs of figures in part (a)? Explain your reasoning.
- c. Figure A is a scale drawing of Figure B. Do you think there must be a sequence of transformations that obtains Figure A from Figure B? Explain your reasoning.

### 2.6 Lesson

#### Key Vocabulary




similarity transformation, p. 78 similar figures, p. 78 Dilations do not preserve length, so dilations are not rigid motions. A **similarity transformation** is a dilation or a sequence of dilations and rigid motions.



#### **Similar Figures**

Two figures are **similar figures** when one can be obtained from the other by a similarity transformation. Similar figures have the same shape but not necessarily the same size. The triangles below are similar.



### Reading



The symbol ~ means is similar to. In the Key Idea,

 $\triangle ABC \sim \triangle DEF.$ 

Common Error

make sure to list the vertices of the figures

in the correct order.

When writing a similarity statement,

#### Side Lengths

$$\frac{AB}{DE} = \frac{BC}{EF} = \frac{AC}{DF}$$

#### Angles

$$\angle A \cong \angle D$$
,  $\angle B \cong \angle E$ ,  $\angle C \cong \angle F$ 

### EXAMPLE 1

### **Identifying Similar Figures**

Determine whether  $\triangle ABC$  and  $\triangle JKL$  are similar.


Compare the coordinates of the vertices.

$$A(0,3) \longrightarrow A'(2 \cdot 0, 2 \cdot 3) \longrightarrow J(0,6)$$

$$B(3,3) \longrightarrow B'(2 \cdot 3, 2 \cdot 3) \longrightarrow K(6,6)$$

$$C(3,0) \longrightarrow C'(2 \cdot 3, 2 \cdot 0) \longrightarrow L(6,0)$$

 $\triangle JKL$  is a dilation of  $\triangle ABC$  using a scale factor of 2.



Multi-Language Glossary at BigldeasMath.com




So,  $\triangle ABC$  and  $\triangle JKL$  are similar.


### Try It

**1.** A triangle has vertices D(0, 4), E(5, 4), and F(5, 0). Is  $\triangle DEF$  similar to  $\triangle ABC$  and  $\triangle JKL$  in Example 1? Explain.

### EXAMPLE 2 Describing a Similarity Transformation

The red figure is similar to the blue figure. Describe a similarity transformation between the figures.





By comparing corresponding side lengths, you can see that the blue figure is one-half the size of the red figure. So, begin by dilating the red figure with respect to the origin using a scale factor of 1

After dilating the red figure, you need to reflect the figure in the x-axis.

So, one possible similarity transformation is to dilate the red figure with respect to the origin using a scale factor of  $\frac{1}{2}$  and then reflect the image in the x-axis.


### Try It

2. Can you reflect the red figure first, and then perform the dilation to obtain the blue figure? Explain.




### Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.



- 3. IDENTIFYING SIMILAR FIGURES In the coordinate plane at the left, determine whether Rectangle ABCD is similar to Rectangle EFGH. Explain your reasoning.
- 4. SIMILARITY TRANSFORMATION 'The red triangle is similar to the blue triangle. Describe a similarity transformation between the figures.



### **EXAMPLE 3**

### **Modeling Real Life**




An artist draws a replica of a painting that is on a remaining piece of the Berlin Wall. The painting includes a red trapezoid. The shorter base of the similar trapezoid in the replica is 3.75 inches. What is the height h of the trapezoid in the replica?

to write and solve a proportion to find h.

replica is 3.75 inches. What is the height h
of the trapezoid in the replica?

Because the trapezoids are similar, corresponding
side lengths are proportional. So, the ratios 3.75: 15
and h: 12 are equivalent. Use the values of the ratios



Painting

3.75 in.

Replica

$$\frac{3.75}{15} = \frac{h}{12}$$

Write a proportion.

$$12 \cdot \frac{3.75}{15} = 12 \cdot \frac{h}{12}$$

Multiplication Property of Equality

$$3 = 1$$

Simplify.



So, the height of the trapezoid in the replica is 3 inches.

**Another Method** The replica is a scale drawing of the painting with a scale factor of  $\frac{3.75}{15} = \frac{1}{4}$ . So, the height of the trapezoid in the replica is  $\frac{1}{4}$  the height of the trapezoid in the painting,  $\frac{1}{4}(12) = 3$  inches.



### Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.




- 5. A medical supplier sells gauze in large and small rectangular sheets. A large sheet has a length of 9 inches and an area of 45 square inches. A small sheet has a length of 4 inches and a width of 3 inches. Are the sheets similar? Justify your answer.
- 6. The sail on a souvenir boat is similar in shape to the sail on a sailboat. The sail on the sailboat is in the shape of a right triangle with a base of 9 feet and a height of 24 feet. The height of the souvenir's sail is 3 inches. What is the base of the souvenir's sail?
- 7. **DIG DEEPER!** A coordinate plane is used to represent a cheerleading formation. The vertices of the formation are A(-4, 4), B(0, 8), C(4, 4), and D(0, 6). A choreographer creates a new formation similar to the original formation. Three vertices of the new formation are J(-2, -2), K(0, -4), and L(2, -2). What is the location of the fourth vertex? Explain.


### 2.6 Practice

### Review & Refresh

Tell whether the blue figure is a dilation of the red figure.

1.





3. You solve the equation  $S = \ell w + 2wh$  for w. Which equation is correct?

$$A. \ \ w = \frac{S - \ell}{2h}$$

$$B. \quad w = \frac{S - 2h}{\ell}$$

C. 
$$w = \frac{S}{\ell + 2h}$$


$$D. w = S - \ell - 2h$$

# Concepts, Skills, & Problem Solving


TRANSFORMING FIGURES The vertices of a pair of figures are given. Determine whether a scale drawing is represented by the pair of figures. (See Exploration 1, p. 77.)

**4.** 
$$A(-8, -2)$$
,  $B(-4, 2)$ ,  $C(-4, -2)$  and  $G(2, -1)$ ,  $H(4, -1)$ ,  $J(2, -3)$ 

IDENTIFYING SIMILAR FIGURES Determine whether the figures are similar. Explain your reasoning.



7.



IDENTIFYING SIMILAR FIGURES Draw the figures with the given vertices in a coordinate plane. Which figures are similar? Explain your reasoning.

8. Rectangle A: (0, 0), (4, 0), (4, 2), (0, 2)

Rectangle B: (0,0), (-6,0), (-6,3), (0,3)

Rectangle C: (0, 0), (4, 0), (4, 2), (0, 2)


**9.** Figure A: (-4, 2), (-2, 2), (-2, 0), (-4, 0)

Figure B: (1, 4), (4, 4), (4, 1), (1, 1)


Figure C: (2, -1), (5, -1), (5, -3), (2, -3)

**DESCRIBING A SIMILARITY TRANSFORMATION** The red figure is similar to the blue figure. Describe a similarity transformation between the figures.

10.



11






12. MODELING REAL LIFE A barrier in the shape of a rectangle is used to retain oil spills. On a blueprint, a similar barrier is 9 inches long and 2 inches wide. The width of the actual barrier is 1.2 miles. What is the length of the actual barrier?


- 13. LOGIC Are the following figures always, sometimes, or never similar? Explain.
  - a. two triangles
- b. two squares
- c. two rectangles
- 14. CRITICAL THINKING Can you draw two quadrilaterals each having two 130° angles and two 50° angles that are not similar? Justify your answer.
- 15. REASONING The sign is rectangular.
  - a. You increase each side length by 20%. Is the new sign similar to the original? Explain your reasoning.
  - b. You increase each side length by 6 inches. Is the new sign similar to the original? Explain your reasoning.





16. DIG DEEPER! A person standing 20 feet from a streetlight casts a shadow as shown. How many times taller is the streetlight than the person? Assume the triangles are similar.

- GEOMETRY Use a ruler to draw two different isosceles triangles similar to the one shown. Measure the heights of each triangle.
  - a. Are the ratios of the corresponding heights equivalent to the ratios of the corresponding side lengths?
  - b. Do you think this is true for all similar triangles? Explain.
- CRITICAL THINKING Given △ABC ~ △DEF and △DEF ~ △JKL, is △ABC ~ △JKL? Justify your answer.



82

# 2.7 Perimeters and Areas of Similar Figures

Learning Target: Find perimeters and areas of similar figures.

Success Criteria: • I can use corresponding side lengths to compare perimeters of similar figures.


I can use corresponding side lengths to compare areas of similar figures.

I can use similar figures to solve real-life problems involving perimeter and area.

### **EXPLORATION 1**

### **Comparing Similar Figures**

Work with a partner. Draw a rectangle in the coordinate plane.



a. Dilate your rectangle using each indicated scale factor k. Then complete the table for the perimeter P of each rectangle. Describe the pattern.

Original Side Lengths	k = 2	k = 3	k = 4	k = 5	k = 6
P =					

#### FLORIDA STANDARDS

Applying MAFS.8.G.1.4

- b. Compare the ratios of the perimeters to the ratios of the corresponding side lengths. What do you notice?
- c. Repeat part (a) to complete the table for the area A of each rectangle. Describe the pattern.


Original Side Lengths	k = 2	k = 3	k = 4	k = 5	k = 6
A =					

### **Math Practice**

#### Look for Patterns

How can you use the pattern in part (c) to find the area of the rectangle after a dilation using any scale factor?

- d. Compare the ratios of the areas to the ratios of the corresponding side lengths. What do you notice?
- e. The rectangles shown are similar. You know the perimeter and the area of the red rectangle and a pair of corresponding side lengths. How can you find the perimeter of the blue rectangle? the area of the blue rectangle?




### 2.7 Lesson



#### **Perimeters of Similar Figures**

When two figures are similar, the value of the ratio of their perimeters is equal to the value of the ratio of their corresponding side lengths.

$$\frac{\text{Perimeter of }\triangle ABC}{\text{Perimeter of }\triangle DEF} = \frac{AB}{DE} = \frac{BC}{EF} = \frac{AC}{DF}$$



### EXAMPLE 1

### **Comparing Perimeters of Similar Figures** Find the value of the ratio

You can think of the red rectangle as a scale drawing of the blue rectangle, where the ratio of the side lengths is the scale, and the value of the ratio is the scale factor.

(red to blue) of the perimeters of the similar rectangles.



The value of the ratio of the perimeters is  $\frac{2}{n}$ .

### Try It


1. The height of Figure A is 9 feet. The height of a similar Figure B is 15 feet. What is the value of the ratio of the perimeter of A to the perimeter of B?

6



### Areas of Similar Figures

When two figures are similar, the value of the ratio of their areas is equal to the square of the value of the ratio of their corresponding side lengths.



$$\frac{\text{Area of }\triangle ABC}{\text{Area of }\triangle DEF} = \left(\frac{AB}{DE}\right)^2 = \left(\frac{BC}{EF}\right)^2 = \left(\frac{AC}{DF}\right)^2$$

84


### **EXAMPLE 2** Comparing Areas of Similar Figures

Find the value of the ratio (red to blue) of the areas of the similar triangles.

Area of red triangle
Area of blue triangle
$$= \left(\frac{6}{10}\right)^{2}$$

$$= \left(\frac{3}{5}\right)^{2}$$

$$= \frac{9}{25}$$





The value of the ratio of the areas is  $\frac{9}{25}$ .

### Try It

2. The base of Triangle P is 8 meters. The base of a similar Triangle Q is 7 meters. What is the value of the ratio of the area of P to the area of Q?




### Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

COMPARING PERIMETERS OF SIMILAR FIGURES Find the value of the ratio (red to blue) of the perimeters of the similar figures.

3.






COMPARING AREAS OF SIMILAR FIGURES Find the value of the ratio (red to blue) of the areas of the similar figures.

5. 12







### EXAMPLE 3

18 yd



Area =  $200 \text{ yd}^2$ Perimeter = 60 yd

### **Modeling Real Life**

A swimming pool is similar in shape to a volleyball court. Find the perimeter P and the area A of the pool.

The rectangular pool and the court are similar. So, use the ratio of corresponding side lengths to write and solve proportions to find the perimeter and the area of the pool.

#### Perimeter

$$\frac{\text{Perimeter of court}}{\text{Perimeter of pool}} = \frac{\text{Width of court}}{\text{Width of pool}}$$

$$\frac{60}{10} = \frac{10}{10}$$

$$1080 = 10P$$

$$108 = P$$

#### Area

$$\frac{\text{Area of court}}{\text{Area of pool}} = \left(\frac{\text{Width of court}}{\text{Width of pool}}\right)^2$$

$$\frac{200}{10} = \left(\frac{10}{10}\right)^2$$

$$\frac{200}{A} = \frac{100}{324}$$

$$64,800 = 100A$$

$$648 - A$$



So, the perimeter of the pool is 108 yards, and the area is 648 square yards.




### Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

Two similar triangular regions are prepared for development.



Grassland Grassland Perimeter = 240 yd 60 vd Grassland Area = 2400 yd2




- a. It costs \$6 per foot to install fencing. How much does it cost to surround the forest with a fence?
- b. The cost to prepare 1 square yard of grassland is \$15 and the cost to prepare 1 square yard of forest is \$25. Which region costs more to prepare? Justify your answer.
- 8. DIG DEEPER! You buy a new television with a screen similar in shape to your old television screen, but with an area four times greater. The size of a television screen is often described using the distance between opposite corners of the screen. Your old television has a 30-inch screen. What is the size of your new television screen? Explain.




### Review & Refresh

The red figure is similar to the blue figure. Describe a similarity transformation between the figures.

1.




2.




Find the area of the figure.


3.



4.



5.



# Concepts, Skills, & Problem Solving

COMPARING SIMILAR FIGURES Dilate the figure using the indicated scale factor k. What is the value of the ratio (new to original) of the perimeters? the areas? (See Exploration 1, p. 83.)

**6.** a triangle with vertices (0, 0), (0, 2), and (2, 0); k = 3

7. a square with vertices (0, 0), (0, 4), (4, 4), and (4, 0); k = 0.5

PERIMETERS AND AREAS OF SIMILAR FIGURES Find the values of the ratios (red to blue) of the perimeters and areas of the similar figures.

8.




9.






10.



4

11.




14


#### USING SIMILAR FIGURES The figures are similar. Find x.

12. The ratio of the perimeters is 7:10.





13. The ratio of the perimeters is 8:5.






14. COMPARING AREAS The playing surfaces of two foosball tables are similar. The ratio of the corresponding side lengths is 10:7. What is the ratio of the areas?




- 15. CRITICAL THINKING The ratio of the side length of Square A to the side length of Square B is 4:9. The side length of Square A is 12 yards. What is the perimeter of Square B?
- 16. MODELING REAL LIFE The cost of the piece of fabric shown is \$1.31. What would you expect to pay for a similar piece of fabric that is 18 inches by 42 inches?
- PROBLEM SOLVING A scale model of a merry-go-round and the actual merry-go-round are similar.
  - a. How many times greater is the base area of the actual merry-go-round than the base area of the scale model? Explain.
  - b. What is the base area of the actual merry-go-round in square feet?







- 18. STRUCTURE The circumference of Circle K is π. The circumference of Circle L is 4π. What is the value of the ratio of their circumferences? of their radii? of their areas?
- 19. GEOMETRY A triangle with an area of 10 square meters has a base of 4 meters. A similar triangle has an area of 90 square meters. What is the height of the larger triangle?
- 20. PROBLEM SOLVING You need two bottles of fertilizer to treat the flower garden shown. How many bottles do you need to treat a similar garden with a perimeter of 105 feet?






### **Connecting Concepts**

### Using the Problem-Solving Plan

 A scale drawing of a helipad uses a scale of 1 ft: 20 ft. The scale drawing has an area of 6.25 square feet. What is the area of the actual helipad?



You know the scale of the drawing and the area of the helipad in the drawing. You are asked to find the area of the actual helipad.




Make a plan.

A scale drawing is similar to the actual object. So, use the scale 1 ft: 20 ft and the ratio  $6.25 \text{ ft}^2$ :  $A \text{ ft}^2$  to write and solve a proportion that represents the area A of the actual helipad.



Use the plan to solve the problem. Then check your solution.



2. The locations of three cargo ships are shown in the coordinate plane. Each ship travels at the same speed in the same direction. After 1 hour, the x- and y-coordinates of Ship A increase 80%. Use a translation to describe the change in the locations of the ships. Then find the new coordinates of each ship.



 All circles are similar. A circle with a radius of 2 inches is dilated, resulting in a circle with a circumference of 22 π inches. What is the scale factor? Justify your answer.

### **Performance Task**



### Master Puppeteer

At the beginning of this chapter, you watched a STEAM Video called "Shadow Puppets." You are now ready to complete the performance task related to this video, available at **BigIdeasMath.com**. Be sure to use the problem-solving plan as you work through the performance task.



### Review Vocabulary


Write the definition and give an example of each vocabulary term.

transformation, p. 44 image, p. 44 translation, p. 44 reflection, p. 50 line of reflection, p. 50 rotation, p. 56

center of rotation, p. 56 angle of rotation, p. 56 rigid motion, p. 64 congruent figures, p. 64 congruent angles, p. 64 congruent sides, p. 64 dilation, p. 70 center of dilation, p. 70 scale factor, p. 70 similarity transformation, p. 78 similar figures, p. 78


### Graphic Organizers

You can use a **Summary Triangle** to explain a concept. Here is an example of a Summary Triangle for *translating a figure*.



Choose and complete a graphic organizer to help you study the concept.

- 1. reflecting a figure
- 2. rotating a figure
- 3. congruent figures
- 4. dilating a figure
- 5. similar figures
- perimeters of similar figures
- 7. areas of similar figures



"I hope my owner sees my Summary Triangle.
I just can't seem to learn 'roll over."

# Chapter Self-Assessment

As you complete the exercises, use the scale below to rate your understanding of the success criteria in your journal.

I do not understand.

2 I can do it with help. 3 I can do it on my own.

I can teach someone else.



### 2.1 Translations (pp. 43-48)

Learning Target: Translate figures in the coordinate plane.

Tell whether the blue figure is a translation of the red figure.

1.





2.







- The vertices of a quadrilateral are W(1, 2), X(1, 4), Y(4, 4), and Z(4, 2). Draw
  the figure and its image after a translation 3 units left and 2 units down.
- The vertices of a triangle are A(-1, -2), B(-2, 2), and C(-3, 0). Draw the figure and its image after a translation 5 units right and 1 unit up.
- Your locker number is 20 and your friend's locker number is 33. Describe the location of your friend's locker relative to the location of your locker.



6. Translate the triangle 4 units left and 1 unit down. What are the coordinates of the image?



Describe a translation of the airplane from point A to point B.






### 2.2 Reflections (pp. 49-54)


Learning Target: Reflect figures in the coordinate plane.

Tell whether the blue figure is a reflection of the red figure.


8.



9



10.



Draw the figure and its reflection in (a) the x-axis and (b) the y-axis. Identify the coordinates of the image.

**12.** 
$$D(-5, -5)$$
,  $E(-5, 0)$ ,  $F(-2, -2)$ ,  $G(-2, -5)$ 


The vertices of a rectangle are E(-1, 1), F(-1, 3), G(-5, 3), and H(-5, 1).
 Find the coordinates of the figure after reflecting in the x-axis, and then translating 3 units right.

The coordinates of a point and its image after a reflection are given. Identify the line of reflection.

**14.** 
$$(-1, -3) \rightarrow (1, -3)$$

**15.** 
$$(2, 1) \longrightarrow (2, -1)$$

16. You perform an experiment involving angles of refraction with a laser pen. You point a laser pen from point L at a mirror along the red path and the image is a reflection in the y-axis.




- a. Does the light reach a cat at point C? Explain.
- b. You bounce the light off the top mirror so its path is a reflection. What line of reflection is needed for the light to reach the cat?

#### 2.3 Rotations (pp. 55-62)


Learning Target: Rotate figures in the coordinate plane.

Tell whether the blue figure is a rotation of the red figure about the origin. If so, give the angle and the direction of rotation.

17.



18.



The vertices of a triangle are A(-4, 2), B(-2, 2), and C(-3, 4). Rotate the triangle as described. Find the coordinates of the image.

19. 180° about the origin

- 20. 270° clockwise about the origin
- 21. A bicycle wheel is represented in a coordinate plane with the center of the wheel at the origin. Reflectors are placed on the bicycle wheel at points (7, 4) and (-5, -6). After a bike ride, the reflectors have rotated 90° counterclockwise about the origin. What are the locations of the reflectors at the end of the bike ride?




#### 2.4 **Congruent Figures** (pp. 63-68)


Learning Target: Understand the concept of congruent figures.

Identify any congruent figures in the coordinate plane.

22.




23.




The red figure is congruent to the blue figure. Describe a sequence of rigid motions between the figures.


24.




25.



26. The figures are congruent. Name the corresponding angles and the corresponding sides.



- Trapezoids EFGH and QRST are congruent.
  - a. What is the length of side OR?
  - b. Which angle in QRST corresponds to  $\angle H$ ?
  - c. What is the perimeter of QRST?







### 2.5 Dilations (pp. 69-76)

Learning Target: Dilate figures in the coordinate plane.


Tell whether the blue figure is a dilation of the red figure.

28.





29.




The vertices of a figure are given. Draw the figure and its image after a dilation with the given scale factor. Identify the type of dilation.

**30.** 
$$P(-3, -2), Q(-3, 0), R(0, 0); k = 4$$

**31.** 
$$B(3,3), C(3,6), D(6,6), E(6,3); k = \frac{1}{3}$$

- The blue figure is a dilation of the red figure. Identify the type of dilation and find the scale factor.
- 33. The vertices of a rectangle are Q(-6, 2), R(6, 2), S(6, -4), and T(-6, -4). Dilate the rectangle with respect to the origin using a scale factor of <sup>3</sup>/<sub>2</sub>. Then translate it 5 units right and 1 unit down. What are the coordinates of the image?






### 2.6 Similar Figures (pp. 77-82)

Learning Target: Understand the concept of similar figures.

- Determine whether the two figures are similar. Explain your reasoning.
- 35. Draw figures with the given vertices in a coordinate plane. Which figures are similar? Explain your reasoning.


Triangle A: 
$$(-4, 4), (-2, 4), (-2, 0)$$

Triangle B: 
$$(-2, 2), (-1, 2), (-1, 0)$$



The figures are similar. Find x.

36.



37.








#### **Perimeters and Areas of Similar Figures** (pp. 83-88)

Learning Target: Find perimeters and areas of similar figures.

Find the values of the ratios (red to blue) of the perimeters and areas of the similar figures.


38.






39.






#### The figures are similar. Find x.

40. The ratio of the perimeters is 5:7.



41. The ratio of the perimeters is 6:5.



- 42. Two photos are similar. The ratio of the corresponding side lengths is 3:4. What is the ratio of the areas?
- 43. The ratio of side lengths of Square A to Square B is 2:3. The perimeter of Square A is 16 inches. What is the area of Square B?
- 44. The TV screen is similar to the computer screen. What is the area of the TV screen?








### **Practice Test**

#### Triangles ABC and DEF are congruent.

- **1.** Which angle of *DEF* corresponds to  $\angle C$ ?
- 2. What is the perimeter of DEF?




Tell whether the blue figure is a translation, reflection, rotation, or dilation of the red figure.


3.




4.



5.




6.




The vertices of a triangle are A(2, 5), B(1, 2), and C(3, 1). Find the coordinates of the image after the transformations given.

Reflect in the y-axis.

- 8. Rotate 90° clockwise about the origin.
- 9. Reflect in the x-axis, and then rotate 90° counterclockwise about the origin.
- **10.** Dilate with respect to the origin using a scale factor of 2. Then translate 2 units left and 1 unit up.
- In a coordinate plane, draw Rectangle A: (-4, 4), (0, 4), (0, 2), (-4, 2);
   Rectangle B: (-2, 2), (0, 2), (0, 1), (-2, 1); and Rectangle C: (-6, 6), (0, 6), (0, 3), (-6, 3). Which figures are similar? Explain your reasoning.
- 12. Translate a point (x, y) 3 units left and 5 units up. Then translate the image 5 units right and 2 units up. What are the coordinates of the point after the translations?
- The two figures are similar. (a) Find the value of x.
   (b) Find the values of the ratios (red to blue) of the perimeters and of the areas.



- 14. A wide-screen television measures 36 inches by 54 inches. A movie theater screen measures 42 feet by 63 feet, Are the screens similar? Explain.
- 15. You want to use the rectangular piece of fabric shown to make a pair of curtains for your window. Name the types of congruent shapes you can make with one straight cut. Draw an example of each type.



### **Cumulative Practice**





1. A clockwise rotation of 90° is equivalent to a counterclockwise rotation of how many degrees?


2. The formula K = C + 273.15 converts temperatures from degrees Celsius C to Kelvin K. Which of the following formulas is not correct?

**A.** 
$$K - C = 273.15$$

**B.** 
$$C = K - 273.15$$

C. 
$$C - K = -273.15$$

**D.** 
$$C = K + 273.15$$



**3.** You want to solve the equation -3(x+2) = 12x. What should you do first?

F. Subtract 2 from each side.

H. Multiply each side by −3.

G. Add 3 to each side.

Divide each side by −3.

**4.** Which value of x makes the equation  $\frac{3}{4}x = 12$  true?

A. 9

B.  $11\frac{1}{4}$ 

C. 16

D. 48


5. A triangle is graphed in the coordinate plane. What are the coordinates of the image after a translation 3 units right and 2 units down?

F. 
$$A'(1, 4), B'(1, 1), C'(3, 1)$$

**G.** 
$$A'(1,2), B'(1,-1), C'(3,-1)$$

**H.** 
$$A'(-2,2), B'(-2,-1), C'(0,-1)$$

1. 
$$A'(0,1), B'(0,-2), C'(2,-2)$$



6. Your friend solved the equation in the box shown. What should your friend do to correct the error that he made?

**A.** Add 
$$\frac{2}{5}$$
 to each side to get  $-\frac{x}{3} = -\frac{1}{15}$ .

**B.** Multiply each side by 
$$-3$$
 to get  $x + \frac{2}{5} = \frac{7}{5}$ .

**C.** Multiply each side by 
$$-3$$
 to get  $x = 2\frac{3}{5}$ .

**D.** Subtract 
$$\frac{2}{5}$$
 from each side to get  $-\frac{x}{3} = -\frac{5}{10}$ .

$$-\frac{x}{3} + \frac{2}{5} = -\frac{7}{15}$$

$$-\frac{x}{3} + \frac{2}{5} - \frac{2}{5} = -\frac{7}{15} - \frac{2}{5}$$

$$-\frac{x}{3} = -\frac{13}{15}$$

$$3 \cdot \left(-\frac{x}{3}\right) = 3 \cdot \left(-\frac{13}{15}\right)$$

$$x = -2\frac{3}{5}$$

7. Your teacher dilates the rectangle using a scale factor of  $\frac{1}{2}$ .




What is the area of the dilated rectangle in square inches?


8. Your cousin earns \$9.25 an hour at work. Last week she earned \$222.00 How many hours did she work last week?

F. 
$$\frac{1}{24}$$
 hour

Triangle EFG is a dilation of Triangle HIJ.

Which proportion is *not* true for Triangle *EFG* and Triangle *HIJ*?






A. 
$$\frac{EF}{FG} = \frac{HI}{IJ}$$

C. 
$$\frac{GE}{EF} = \frac{JH}{HI}$$


**B.** 
$$\frac{EG}{HI} = \frac{FG}{IJ}$$

**D.** 
$$\frac{EF}{HI} = \frac{GE}{JH}$$

10. The red figure is congruent to the blue figure. Which of the following is a sequence of rigid motions between the figures?




- Reflect the red triangle in the x-axis, and then translate it 3 units right.
- H. Reflect the red triangle in the y-axis, and then translate it 3 units left.
- Rotate the red triangle 90° clockwise about the origin.




 Several transformations are used to create the pattern.



- Part A Describe the transformation of Triangle GLM to Triangle DGH.
- Part B Describe the transformation of Triangle ALQ to Triangle GLM.
- Part C Triangle DFN is a dilation of Triangle GHM. Find the scale factor.



12. A rectangle is graphed in the coordinate plane.



What are the coordinates of the image after a reflection in the y-axis?

**A.** 
$$J'(4,1), K'(4,3), L'(-1,3), M'(-1,1)$$

**B.** 
$$J'(-4, -1), K'(-4, -3), L'(1, -3), M'(1, -1)$$

C. 
$$J'(1, 4), K'(3, 4), L'(3, -1), M'(1, -1)$$

**D.** 
$$J'(-4, 1), K'(-4, 3), L'(1, 3), M'(1, 1)$$



- 3.1 Parallel Lines and Transversals
- 3.2 Angles of Triangles
- 3.3 Angles of Polygons
- 3.4 Using Similar Triangles

#### Chapter Learning Target:

Understand angles.

#### **Chapter Success Criteria:**

- I can identify angle relationships.
- I can find angle measurements.
- I can compare angles.
- I can apply angle relationships to solve real-life problems.



### **STEAM Video**




### Honeycombs

Each cell in a honeycomb is in the shape of a regular hexagon. Why might bees use this shape?

Watch the STEAM Video "Honeycombs." Then answer the following questions.

1. Enid and Tony show regular tilings made out of squares, equilateral triangles, and regular hexagons. What is the sum of the interior angle measures of the tiling made from equilateral triangles, outlined below in yellow?




2. The cells in a honeycomb use a tiling pattern of the regular hexagon shown. A cell is 10 millimeters deep. About how much honey can one cell hold? Explain.





### **Performance Task**



After completing this chapter, you will be able to use the concepts you learned to answer the questions in the STEAM Video Performance Task. You will be given angle measures of shapes seen on a turtle shell.







You will be asked to find angle sums and missing angle measures. What other animals have features that resemble geometric shapes?

# **Getting Ready for Chapter**




### **Chapter Exploration**


When an object is **transverse**, it is lying or extending across something. In the drawing, the fallen tree lying across the railroad track is transverse to the track.



#### 1. Work with a partner.

- Discuss what it means for two lines to be parallel. Decide on a strategy for drawing parallel lines. Then draw two parallel lines.
- Draw a third line that intersects the parallel lines. This line is called a transversal.





- a. How many angles are formed by the parallel lines and the transversal? Label each angle.
- b. Which of these angles have equal measures? Explain your reasoning.

### Vocabulary

The following vocabulary terms are defined in this chapter. Think about what the terms might mean and record your thoughts.

transversal interior angles of a polygon exterior angles of a polygon regular polygon

# Parallel Lines and Transversals

Learning Target: Find missing angle measures created by the intersections of lines.

Success Criteria: • I can identify congruent angles when a transversal intersects parallel lines.


I can find angle measures when a transversal intersects parallel lines.

### **EXPLORATION 1**

### **Exploring Intersections of Lines**

Work with a partner. Use geometry software and the lines A and B shown.





### **Math Practice**

#### Use Clear Definitions


What does it mean for two lines to be parallel? How does this help you answer the question in part (a)?

- a. Are line A and line B parallel? Explain your reasoning.
- b. Draw a line C that intersects both line A and line B. What do you notice about the measures of the angles that are created?
- c. Rotate line A or line B until the angles created by the intersection of line A and line C are congruent to the angles created by the intersection of line B and line C. What do you notice about line A and line B?
- d. Rotate line C to create different angle measures. Are the angles that were congruent in part (c) still congruent?
- e. Make a conjecture about the measures of the angles created when a line intersects two parallel lines.

### Lesson

#### Key Vocabulary

transversal, p. 104 interior angles, p. 105 exterior angles, p. 105 Lines in the same plane that do not intersect are called parallel lines. Lines that intersect at right angles are called perpendicular lines.




A line that intersects two or more lines is called a transversal. When parallel lines are cut by a transversal, several pairs of congruent angles are formed.

# Key Idea

Corresponding angles lie on the same side of the transversal in corresponding positions.

#### Corresponding Angles

When a transversal intersects parallel lines, corresponding angles are congruent.



Corresponding angles

### **EXAMPLE 1**

### **Finding Angle Measures**

1100

Use the figure to find the measures of (a)  $\angle 1$  and (b)  $\angle 2$ .


- a. ∠1 and the 110° angle are corresponding angles formed by a transversal intersecting parallel lines. e angles are congruent.
  - So, the measure of  $\angle 1$  is  $110^{\circ}$ .
- b. ∠1 and ∠2 are supplementary.

$$\angle 1 + \angle 2 = 180^{\circ}$$
 Definition of supplementary angles   
  $110^{\circ} + \angle 2 = 180^{\circ}$  Substitute 110° for  $\angle 1$ .  
 $\angle 2 = 70^{\circ}$  Subtract 110° from each side.

So, the measure of  $\angle 2$  is  $70^{\circ}$ .


Try It Use the figure to find the measure of the angle. Explain your reasoning.

- 1. ∠1
- 2. \( \alpha 2



### EXAMPLE 2

### **Using Corresponding Angles**



Use the figure to find the measures of the numbered angles.

∠1: ∠1 and the 75° angle are vertical angles. They are congruent.
So, the measure of ∠1 is 75°.

 $\angle$  2 and  $\angle$  3: The 75° angle is supplementary to both  $\angle$  2 and  $\angle$  3.


$$75^{\circ} + \angle 2 = 180^{\circ}$$
 Definition of supplementary angles  $\angle 2 = 105^{\circ}$  Subtract 75° from each side.

So, the measures of  $\angle 2$  and  $\angle 3$  are  $105^{\circ}$ .

 $\angle$  **4**,  $\angle$  **5**,  $\angle$  **6**, and  $\angle$  **7**: Corresponding angles are congruent because they are formed by a transversal intersecting parallel lines. So, the measures of  $\angle$  4 and  $\angle$  6 are 75°, and the measures of  $\angle$  5 and  $\angle$  7 are 105°.


### Try It

Use the figure to find the measures of the numbered angles.



When two parallel lines are cut by a transversal, four **interior angles** are formed on the inside of the parallel lines and four **exterior angles** are formed on the outside of the parallel lines.








### Key Ideas

### **Alternate Interior Angles and Alternate Exterior Angles**

When a transversal intersects parallel lines, alternate interior angles are congruent and alternate exterior angles are congruent.



-----

Alternate interior angles

Alternate exterior angles

Alternate interior angles and alternate exterior angles lie on opposite sides of the transversal.

### **EXAMPLE 3** Identifying Angle Relationships

The photo shows a portion of an airport. Describe the relationship between each pair of angles.

a. ∠3 and ∠6

∠3 and ∠6 are alternate exterior angles formed by a transversal intersecting parallel lines.



So,  $\angle 3$  is congruent to  $\angle 6$ .

b. ∠2 and ∠7

∠2 and ∠7 are alternate interior angles formed by a transversal intersecting parallel lines.



So,  $\angle 2$  is congruent to  $\angle 7$ .



Try It In Example 3, the measure of ∠4 is 84°. Find the measure of the angle. Explain your reasoning.

4. 23

5. Z5

6. Z6




### Self-Assessment for Concepts & Skills


Solve each exercise. Then rate your understanding of the success criteria in your journal.

FINDING ANGLE MEASURES Use the figure to find the measures of the numbered angles.

7.



8.



WHICH ONE DOESN'T BELONG? Which angle measure does not belong with the other three? Explain your reasoning.




the measure of ∠2

the measure of  $\angle 6$ 


the measure of ∠5

the measure of ∠8



#### EXAMPLE 4

#### **Modeling Real Life**



The stairs have a 45° incline. At what angles do you need to attach a rail to two parallel posts so that the rail is parallel to the incline of the steps?

Use angle relationships to find the measures of  $\angle 4$ ,  $\angle 5$ ,  $\angle 6$ , and  $\angle 7$  that make the rail parallel to the incline of the steps.

 $\angle$ 1: The 45° angle is complementary to  $\angle$ 1.

$$45^{\circ} + \angle 1 = 90^{\circ}$$

Definition of complementary angles

$$\angle 1 = 45^{\circ}$$

Subtract 45° from each side.

∠5: ∠1 and ∠5 are congruent because they are corresponding angles formed by a transversal intersecting parallel lines.

So, the measure of  $\angle 5$  is  $45^{\circ}$ .

 $\angle 4$ :  $\angle 4$  and  $\angle 5$  are supplementary.

$$\angle 4 + \angle 5 = 180^{\circ}$$

Definition of supplementary angles

$$\angle 4 + 45^{\circ} = 180^{\circ}$$

Substitute 45° for ∠5.

$$\angle 4 = 135^{\circ}$$

Subtract 45° from each side.


 $\angle$ 6 and  $\angle$ 7: Using alternate interior angles, the measure of  $\angle$ 6 is 45° and the measure of  $\angle$ 7 is 135°.




You need to attach the rail so that the measures of  $\angle 5$  and  $\angle 6$  are  $45^{\circ}$  and the measures of  $\angle 4$  and  $\angle 7$  are  $135^{\circ}$ .

# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



- A cross section of a pier is shown. Find the value of a. Justify your answer.
- 11. The head tube angle of a bike determines how easy the bike is to steer. A bike frame with angle approximations is shown. What is the head tube angle of the bike?




# Practice


## Review & Refresh


Find the values of the ratios (red to blue) of the perimeters and areas of the similar figures.

1.



2.





Evaluate the expression.


3. 
$$4+3^2$$

4. 
$$5(2)^2 - 6$$


**4.** 
$$5(2)^2 - 6$$
 **5.**  $11 + (-7)^2 - 9$ 

# Concepts, Skills, & Problem Solving

**EXPLORING INTERSECTIONS OF LINES** Use a protractor to determine whether lines a and b are parallel. (See Exploration 1, p. 103.)





7.




FINDING ANGLE MEASURES Use the figure to find the measures of the numbered angles. Explain your reasoning.

8.






10.



11. YOU BE THE TEACHER Your friend describes a relationship between the angles shown. Is your friend correct? Explain your reasoning.







- 12. PROBLEM SOLVING The painted lines that separate parking spaces are parallel. The measure of ∠1 is 60°. What is the measure of ∠2? Explain.
- OPEN-ENDED Describe two real-life situations that use parallel lines.

**USING CORRESPONDING ANGLES** Use the figure to find the measures of the numbered angles.


14.



15.




16.



USING CORRESPONDING ANGLES Complete the statement. Explain your reasoning.


17. If the measure of  $\angle 1 = 124^{\circ}$ , then the measure of  $\angle 4 = 24^{\circ}$ .








- **19.** If the measure of  $\angle 4 = 55^{\circ}$ , then the measure of  $\angle 2 = 250^{\circ}$ .
- **20.** If the measure of  $\angle 6 = 120^{\circ}$ , then the measure of  $\angle 8 = 20^{\circ}$ .
- **21.** If the measure of  $\angle 7 = 50.5^{\circ}$ , then the measure of  $\angle 6 =$
- **22.** If the measure of  $\angle 3 = 118.7^{\circ}$ , then the measure of  $\angle 2 =$
- 23. MODELING REAL LIFE A rainbow forms when sunlight reflects off raindrops at different angles. For blue light, the measure of ∠2 is 40°. What is the measure of ∠1?
- 24. REASONING Is there a relationship between exterior angles that lie on the same side of a transversal? interior angles that lie on the same side of a transversal? Explain.




25. REASONING When a transversal is perpendicular to two parallel lines, all the angles formed measure 90°. Explain why.

- 26. REASONING Two horizontal lines are cut by a transversal. What is the least number of angle measures you need to know to find the measure of every angle? Explain your reasoning.
- 27. WD LOGIC Describe two ways you can show that ∠1 is congruent to ∠7.




#### FINDING A VALUE Find the value of x.


28.




29.



**30.** PROJECT Trace line p and line t on a piece of paper. Label  $\angle 1$ . Move the paper so that  $\angle 1$  aligns with  $\angle 8$ . Describe the transformations that you used to show that  $\angle 1$  is congruent to  $\angle 8$ .



- 31. OPEN-ENDED Refer to the figure.
  - a. Do the horizontal lines appear to be parallel? Explain.
  - b. Draw your own optical illusion using parallel lines.



- 32. DIG DEEPER! The figure shows the angles used to make a shot on an air hockey table.
  - Find the value of x.
  - b. How does the angle the puck hits the edge of the table relate to the angle it leaves the edge of the table?

# 3 2 Angles of Triangles

Learning Target: Understand properties of interior and exterior angles of triangles.

Success Criteria: • I can use equations to find missing angle measures of triangles.

I can use interior and exterior angles of a triangle to solve real-life problems.

#### **EXPLORATION 1**


STANDARDS

MAFS.8.G.1.5

# Exploring Interior and Exterior Angles of Triangles

FLORIDA Work with a partner.

- a. Draw several triangles using geometry software. What can you conclude about the sums of the angle measures?
- b. You can extend one side of a triangle to form an exterior angle, as shown.



Use geometry software to draw a triangle and an exterior angle.

Compare the measure of the exterior angle with the measures of the interior angles. Repeat this process for several different triangles.

What can you conclude?


#### **EXPLORATION 2**

#### **Using Parallel Lines and Transversals**

Work with a partner. Describe what is shown in the figure below. Then use what you know about parallel lines and transversals to justify your conclusions in Exploration 1.

#### **Math Practice**

Look for Structure Which angle labeled in the diagram is an exterior angle of △ABC?




# Lesson

#### Key Vocabulary

interior angles of a polygon, p. 112 exterior angles of a polygon, p. 112

The angles inside a polygon are called interior angles. When the sides of a polygon are extended, other angles are formed. The angles outside the polygon that are adjacent to the interior angles are called exterior angles.




# Key Idea

#### Interior Angle Measures of a Triangle

Words The sum of the interior angle measures of a triangle is 180°.

Algebra x + y + z = 180




#### **EXAMPLE 1**

#### **Using Interior Angle Measures**

Find the measures of the interior angles of each triangle.

a.




$$x + 32 + 48 = 180$$

$$x + 80 = 180$$

$$x = 100$$

So, the measures of the interior angles are 100°, 48°, and 32°.

b.



$$x + (x + 28) + 90 = 180$$

$$2x + 118 = 180$$

$$2x = 62$$


$$x = 31$$

So, the measures of the interior angles are 
$$(31 + 28)^{\circ} = 59^{\circ}$$
,


31°, and 90°.

#### Try It Find the measures of the interior angles of the triangle.

1.




2.





#### **Exterior Angle Measures of a Triangle**

Words The measure of an exterior angle of a triangle is equal to the sum of the measures of the two nonadjacent interior angles.




Algebra z = x + y

### EXAMPLE 2

#### **Finding Exterior Angle Measures**


Find the measure of the exterior angle.

a.



$$x = 36 + 72$$


$$x = 108$$



$$2a = (a - 5) + 80$$

$$2a = a + 75$$

$$a = 75$$



Each vertex has a pair of


congruent exterior angles.

However, it is common to

show only one exterior

angle at each vertex.

So, the measure of the exterior angle is 108°.



#### Try It

Find the measure of the exterior angle of the triangle at the left.




# Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.


4. VOCABULARY How many exterior angles does a triangle have at each vertex? Explain.

FINDING ANGLE MEASURES Find the value of x.

5.



6.



### EXAMPLE 3

#### **Modeling Real Life**

An airplane leaves Miami and travels around the Bermuda Triangle as shown in the diagram. What is the measure of the interior angle at Miami?

Understand the problem.

You are given expressions representing the interior angle measures of the Bermuda Triangle. You are asked to find the measure of the interior angle at Miami.



Use what you know about interior angle measures of triangles to write and solve an equation for x.



Solve and check

$$x + (2x - 44.8) + 62.8 = 180$$

$$3x + 18 = 180$$

$$3x = 162$$

$$x = 54$$

Write an equation.

Combine like terms.

Subtract 18 from each side.

Divide each side by 3.



$$x + (2x - 44.8) + 62.8 = 180$$

$$54 + [2(54) - 44.8] + 62.8 \stackrel{?}{=} 180$$

$$54 + 63.2 + 62.8 \stackrel{?}{=} 180$$

$$180 = 180$$




So, the measure of the interior angle at Miami is 54°.



# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

7. The Historic Triangle in Virginia connects Jamestown, Williamsburg, and Yorktown. The interior angle at Williamsburg is 120°. The interior angle at Jamestown is twice the measure of the interior angle at Yorktown. Find the measures of the interior angles at Jamestown and Yorktown, Explain your reasoning.



8. A helicopter travels from point C to point A to perform a medical supply drop. The helicopter then needs to land at point B. How many degrees should the helicopter turn at point A to travel towards point B? Justify your answer.

114

# 3.2 Practice



# Review & Refresh


Use the figure to find the measure of the angle. Explain your reasoning.

1. 72

2. ∠6


3. Z4

4. ∠1



You spin the spinner shown.

- What are the favorable outcomes of spinning a number less than 4?
- 6. In how many ways can spinning an odd number occur?




# Concepts, Skills, & Problem Solving

USING PARALLEL LINES AND TRANSVERSALS Consider the figure below.


(See Exploration 2, p. 111.)

- 7. Use a protractor to find the measures of the labeled angles.
- **8.** Is  $\angle F$  an exterior angle of Triangle ABC? Justify your answer.





USING INTERIOR ANGLE MEASURES Find the measures of the interior angles of the triangle.


9.




10.








13.




14.



115

#### FINDING EXTERIOR ANGLE MEASURES Find the measure of the exterior angle.


15.




16.




17.




18. MODELING REAL LIFE A tornado is located between city hall and a cell phone tower and is heading towards the cell phone tower. By what angle does the tornado's direction need to change so that it passes over the radar station instead? Justify your answer.



 YOU BE THE TEACHER Your friend finds the measure of the exterior angle shown. Is your friend correct? Explain your reasoning.






- 20. REASONING The ratio of the interior angle measures of a triangle is 2:3:5. What are the angle measures?
- 21. PROBLEM SOLVING The support for a window air-conditioning unit forms a triangle and an exterior angle. What is the measure of the exterior angle?

ANGLES OF TRIANGLES Determine whether the statement is always, sometimes, or never true. Explain your reasoning.

- 23. Given three angle measures, you can construct a triangle.
- 24. The acute interior angles of a right triangle are complementary.
- 25. A triangle has more than one vertex with an acute exterior angle.
- **26. DIG DEEPER!** Using the figure at the right, show that z = x + y. (*Hint*: Find two equations involving w.)



# 3 Angles of Polygons

Learning Target: Find interior angle measures of polygons.

Success Criteria: • I can explain how to find the sum of the interior angle measures of a polygon.

I can use an equation to find an interior angle measure of a polygon.

· I can find the interior angle measures of a regular polygon.

### **EXPLORATION 1**

#### FLORIDA STANDARDS

Applying MAFS.8.G.1.5

#### **Math Practice**


#### View as Components

How does dividing the figure into triangles help you find the sum of the interior angle measures?


#### **Exploring Interior Angles of Polygons**

Work with a partner. In parts (a)–(f), use what you know about the interior angle measures of triangles to find the sum of the interior angle measures of each figure.


a.




b.




c.




d.



e.



f.



g. REPEATED REASONING Use your results in parts (a)-(f) to complete the table. Then write an equation that represents the sum S of the interior angle measures of a polygon with n sides.

Number of Sides, n	3	4	5	6	7	8	9
Number of Triangles							
Interior Angle Sum, S		,					


# Lesson

#### Key Vocabulary



regular polygon, p. 120

A polygon is a closed plane figure made up of three or more line segments that intersect only at their endpoints.






Polygons

Not polygons

### Reading





#### Interior Angle Measures of a Polygon

The sum S of the interior angle measures of a polygon with n sides is

$$S = (n-2) \cdot 180^{\circ}$$
.

#### EXAMPLE 1

#### Finding the Sum of Interior Angle Measures

Find the sum of the interior angle measures of the school crossing sign.

The sign is in the shape of a pentagon. It has 5 sides.

$$S = (n-2) \cdot 180^{\circ}$$

Write the formula.

$$= (5-2) \cdot 180^{\circ}$$

Substitute 5 for n.

$$= 3 \cdot 180^{\circ}$$

Subtract.

$$=540^{\circ}$$

Multiply.





The sum of the interior angle measures is 540°.


#### Try It Find the sum of the interior angle measures of the green polygon.





### EXAMPLE 2

#### Finding an Interior Angle Measure of a Polygon



Find the value of x.

Step 1: The polygon has 7 sides. Find the sum of the interior angle measures.

$$S = (n-2) \cdot 180^{\circ}$$
 Write the formula.  
 $= (7-2) \cdot 180^{\circ}$  Substitute 7 for  $n$ .  
 $= 900^{\circ}$  Simplify. The sum of the interior angle

measures is 900°.

Step 2: Write and solve an equation.

$$140 + 145 + 115 + 120 + 130 + 128 + x = 900$$

$$778 + x = 900$$


$$x = 122$$




The value of x is 122.

### Try It Find the value of x.

3.



4.





# Self-Assessment for Concepts & Skills


Solve each exercise. Then rate your understanding of the success criteria in your journal.




- WRITING Explain how to find the sum of the interior measures of a polygon.
- FINDING THE SUM OF INTERIOR ANGLE MEASURES Find the sum of the interior angle measures of the green polygon.

#### FINDING AN INTERIOR ANGLE MEASURE Find the value of x.

7.



8.



In a regular polygon, all the sides are congruent, and all the interior angles are congruent.

### EXAMPLE 3

#### **Modeling Real Life**



The hexagon is about 15,000 miles across. Approximately four Earths can fit inside it.

A cloud system discovered on Saturn is in the approximate shape of a regular hexagon. Find the measure of each interior angle of the hexagon.

A hexagon has 6 sides. Use the formula to find the sum of the interior angle measures.

$$S = (n-2) \cdot 180^{\circ}$$
 Write the formula.  
 $= (6-2) \cdot 180^{\circ}$  Substitute 6 for  $n$ .  
 $= 720^{\circ}$  Simplify. The sum of the interior angle measures is  $720^{\circ}$ .

In a regular polygon, each interior angle is congruent. So, divide the sum of the interior angle measures by the number of interior angles, 6.

$$720^{\circ} \div 6 = 120^{\circ}$$




The measure of each interior angle is 120°.



# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

- 9. A company installs an octagonal swimming pool.
  - a. Find the value of a for the pool shown at the left.





- 10. DIG DEEPER! A Bronze Star Medal is shown.
  - a. How many interior angles are there?
  - b. What is the sum of the interior angle measures?

120


# Review & Refresh

Find the value of x.


1.



2.



3.



Solve the proportion.

4. 
$$\frac{x}{12} = \frac{3}{4}$$

5. 
$$\frac{14}{21} = \frac{x}{3}$$

6. 
$$\frac{9}{x} = \frac{6}{2}$$

# Concepts, Skills, & Problem Solving

EXPLORING INTERIOR ANGLES OF POLYGONS Use triangles to find the sum of the interior angle measures of the polygon. (See Exploration 1, p. 117.)

7.




8.






FINDING THE SUM OF INTERIOR ANGLE MEASURES Find the sum of the interior angle measures of the polygon.


10.




11.




12.




13. YOU BE THE TEACHER Your friend finds the sum of the interior angle measures of a 13-gon. Is your friend correct? Explain your reasoning.




FINDING AN INTERIOR ANGLE MEASURE Find the value of x.





16.



#### FINDING A MEASURE Find the measure of each interior angle of the regular polygon.

17.



18.



19.



 YOU BE THE TEACHER Your friend finds the measure of each interior angle of a regular 20-gon. Is your friend correct? Explain your reasoning.



- MODELING REAL LIFE A fire hydrant bolt is in the shape of a regular pentagon.
  - a. What is the measure of each interior angle?
  - b. RESEARCH Why are fire hydrants made this way?
- $5 = (n-2) \cdot 180^{\circ}$ =  $(20-2) \cdot 180^{\circ}$ =  $18 \cdot 180^{\circ}$ =  $3240^{\circ}$  $3240^{\circ} \div 18 = 180^{\circ}$ The measure of each interior angle is  $180^{\circ}$ .
- 22. PROBLEM SOLVING The interior angles of a regular polygon each measure 165°. How many sides does the polygon have?
- 23. STRUCTURE A molecule can be represented by a polygon with interior angles that each measure 120°. What polygon represents the molecule? Does the polygon have to be regular? Justify your answers.



- 24. PROBLEM SOLVING The border of a Susan B. Anthony dollar is in the shape of a regular polygon.
  - a. How many sides does the polygon have?
  - b. What is the measure of each interior angle of the border? Round your answer to the nearest degree.



- 26. GEOMETRY Draw a pentagon that has two right interior angles, two 45° interior angles, and one 270° interior angle.
- 27. DIG DEEPER The floor of a gazebo is in the shape of a heptagon, a seven-sided polygon. Four of the interior angles measure 135°. The other interior angles have equal measures. Find their measures.



# 3 4 Using Similar Triangles

Learning Target: Use similar triangles to find missing measures.

Success Criteria: • I can use angle measures to determine whether triangles are similar.

I can use similar triangles to solve real-life problems.


### **EXPLORATION 1**

#### **Drawing Triangles Given Two Angle Measures**

Work with a partner. Use geometry software.

STANDARDS a. MAFS.8.G.1.5

- a. Draw a triangle that has a 50° angle and a 30° angle. Then draw a triangle that is either larger or smaller that has the same two angle measures. Are the triangles congruent? similar? Explain your reasoning.
- b. Choose any two angle measures whose sum is less than 180°. Repeat part (a) using the angle measures you chose.



c. Compare your results in parts (a) and (b) with other pairs of students. Make a conjecture about two triangles that have two pairs of congruent angles.


### **EXPLORATION 2**

### **Using Indirect Measurement**

Math Practice
Make Sense

What do you know about the sides of similar triangles?

of Quantities



# Lesson

#### Key Vocabulary


indirect measurement, p. 126




#### **Angles of Similar Triangles**

Words When two angles in one triangle are congruent to two angles in another triangle, the third angles are also congruent and the triangles are similar.

Example






Triangle ABC is similar to Triangle DEF:  $\triangle ABC \sim \triangle DEF$ .

### EXAMPLE 1

### **Identifying Similar Triangles**

Tell whether the triangles are similar. Explain.




The triangles have two pairs of congruent angles.



So, the third angles are congruent, and the triangles are similar.

b.



Write and solve an equation to find x.

$$x + 90 + 42 = 180$$

$$x + 132 = 180$$


$$x = 48$$

The triangles do not have two pairs of congruent angles.




So, the triangles are not similar.

Tell whether the triangles are similar. Explain.




2.



### **EXAMPLE 2** Identifying Similar Triangles

Can you determine whether  $\triangle JKL$  and  $\triangle JMN$  are similar? Explain.



You can also use corresponding angles to show that ∠JKL is congruent to  $\angle M$ .


Side KL and side MN are parallel, and each is intersected by side JN. So,  $\angle JLK$  and  $\angle N$  are congruent corresponding angles. Each triangle also shares  $\angle I$ .



Because two angles in  $\triangle JKL$  are congruent to two angles in  $\triangle JMN$ , the third angles are also congruent and the triangles are similar.

#### Try It

**3.** Can you determine whether  $\triangle PQR$ and  $\triangle TSR$  are similar? Explain.







# Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

4. IDENTIFYING SIMILAR TRIANGLES Tell whether the triangles are similar, Explain.







5. DIFFERENT WORDS, SAME QUESTION Which is different? Find "both" answers.

Are  $\triangle PQR$  and  $\triangle TSR$  similar?

Are  $\triangle PQR$  and  $\triangle TSR$ the same size and shape?


Is  $\triangle PQR$  a dilation of  $\triangle TSR$ ?

Is  $\triangle PQR$  a scale drawing of  $\triangle TSR$ ?

**Indirect measurement** uses similar figures to find a missing measure when it is difficult to find directly.

### EXAMPLE 3

#### **Modeling Real Life**



You plan to cross a river and want to know how far it is to the other side. You take measurements on your side of the river and make the drawing shown. What is the distance x across the river?

Notice that  $\angle B$  and  $\angle E$  are right angles, so they are congruent.  $\angle ACB$  and  $\angle DCE$  are vertical angles, so they are congruent. Because two angles in  $\triangle ABC$  are congruent to two angles in  $\triangle DEC$ , the third angles are also congruent and the triangles are similar.

Ratios of corresponding side lengths in similar triangles are equivalent. So, the ratios x: 60 and 40: 50 are equivalent. Write and solve a proportion to find x.

$$\frac{x}{60} = \frac{40}{50}$$
 Write a proportion.
$$60 \cdot \frac{x}{60} = 60 \cdot \frac{40}{50}$$
 Multiplication Property of Equality
$$x = 48$$
 Simplify.



So, the distance across the river is 48 feet.




# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



DIG DEEPER! Engineers plan to construct an aqueduct to transport
water from the top of a ridge to farmland. A portion of the project is
complete. Find the length of the entire aqueduct.



# 3.4 Practice



### Review & Refresh

Find the measure of each interior angle of the regular polygon.

1. octagon

2. decagon

3. 18-gon

Solve the equation. Check your solution.

4. 
$$3.5 + y = -1$$


5. 
$$9x = 54$$


6. 
$$-4 = \frac{2}{7}p$$

# Concepts, Skills, & Problem Solving


CREATING SIMILAR TRIANGLES Draw a triangle that is either larger or smaller than the one given and has two of the same angle measures. Explain why the new triangle is similar to the original triangle. (See Exploration 1, p. 123.)

7.





IDENTIFYING SIMILAR TRIANGLES Tell whether the triangles are similar. Explain.




10.






11.





12.






13. GEOMETRY Which of the rulers are similar in shape? Explain.





STRUCTURE Tell whether the triangles are similar. Explain.


14.




15. 29° 91°

**IDENTIFYING SIMILAR TRIANGLES** Can you determine whether the triangles are similar? Explain.

**16.**  $\triangle PQS$  and  $\triangle RQS$ 



17.  $\triangle ABC$  and  $\triangle EDC$ 



50 ft 18.

5 ft d

Not drawn to scale


PROBLEM SOLVING A water sample must be taken from water at least 20 feet deep. Find the depth of the water 50 feet from shore. Is this an appropriate location for a water sample?

19. MODELING REAL LIFE A map shows the number of steps you must take to get to a treasure. However, the map is old, and the last dimension is unreadable. Explain why the triangles are similar. How many steps do you take from the pyramids to the treasure?





- 20. PROBLEM SOLVING A person who is 6 feet tall casts a 3-foot-long shadow. A nearby pine tree casts a 15-foot-long shadow. What is the height h of the pine tree?
- 21. OPEN-ENDED You place a mirror on the ground 6 feet from the lamppost. You move back 3 feet and see the top of the lamppost in the mirror. What is the height of the lamppost?
- 22. DIG DEEPER! In each of two right triangles, one angle measure is two times another angle measure. Can you determine that the triangles are similar? Explain your reasoning.
- 23. GEOMETRY In the diagram, BG, CF, and DE are parallel. The length of BD is 6.32 feet, and the length of DE is 6 feet. Name all pairs of similar triangles in the diagram. Then find the lengths of BG and CF.




128



# **Connecting Concepts**


# Using the Problem-Solving Plan

A dog park is divided into sections for large and small dogs.
 The ratio of the perimeter of the small dog section to the perimeter of the entire dog park is 7:12. Find the area of each section.



Understand the problem.

You know two dimensions of a dog park and the ratio of the perimeter of the small dog section to the perimeter of the entire park. You are asked to find the area of each section.




Verify that the small triangle and the large triangle are similar. Then use the ratio of the perimeters to find the base or the height of each triangle and calculate the areas.



Use the plan to solve the problem. Then check your solution.

- You rotate lines m and t 180° about point P. The image of line m is parallel to the original line. Use the diagram to show that when a transversal intersects parallel lines, each of the following pairs of angles are congruent. Explain your reasoning.
  - a. alternate interior angles
  - b. alternate exterior angles
  - c. corresponding angles



#### **Performance Task**



#### Turtle Shells

At the beginning of this chapter, you watched a STEAM Video called "Honeycombs." You are now ready to complete the performance task related to this video, available at **BigIdeasMath.com**. Be sure to use the problem-solving plan as you work through the performance task.





# Review Vocabulary

Write the definition and give an example of each vocabulary term.


transversal, p. 104 interior angles, p. 105 exterior angles, p. 105 interior angles of a polygon, p. 112 exterior angles of a polygon,

regular polygon, p. 120 indirect measurement, p. 126

# Graphic Organizers

You can use an Example and Non-Example Chart to list examples and non-examples of a concept. Here is an Example and Non-Example Chart for transversals.

#### Transversals



#### Choose and complete a graphic organizer to help you study the concept.

- interior angles formed by parallel lines and a transversal
- exterior angles formed by parallel lines and a transversal
- 3. interior angles of a triangle
- 4. exterior angles of a triangle
- 5. polygons
- 6. similar triangles



"What do you think of my Example & Non-Example Chart for popular cat toys?"

# Chapter Self-Assessment

As you complete the exercises, use the scale below to rate your understanding of the success criteria in your journal.

I do not understand.

2 I can do it

with help.

3 I can do it on my own.

I can teach someone else.




#### 3.1 Parallel Lines and Transversals (pp. 103-110)

Learning Target: Find missing angle measures created by the intersections of lines.


Use the figure to find the measure of the angle. Explain your reasoning.

- ∠8
- 2. Z5
- ∠7
- 4. Z2
- **5**. ∠6




Complete the statement. Explain your reasoning.

- **6.** If the measure of  $\angle 1 = 123^{\circ}$ , then the measure of  $\angle 7 =$
- 7. If the measure of  $\angle 2 = 58^{\circ}$ , then the measure of  $\angle 5 =$



- **8.** If the measure of  $\angle 5 = 119^\circ$ , then the measure of  $\angle 3 = 119^\circ$ .
- **9.** If the measure of  $\angle 4 = 60^{\circ}$ , then the measure of  $\angle 6 = 20^{\circ}$ .
- **10.** In Exercises 6–9, describe the relationship between  $\angle 2$  and  $\angle 8$ .



11. In a park, a bike path and a horse riding path are parallel. In one part of the park, a hiking trail intersects the two paths. Find the measures of ∠1 and ∠2. Explain your reasoning.




#### 3.2 Angles of Triangles (pp. 111–116)


Learning Target: Understand properties of interior and exterior angles of triangles.

Find the measures of the interior angles of the triangle.

12.




13




Find the measure of the exterior angle.


14.



15.



- 16. What is the measure of each interior angle of an equilateral triangle? Explain.
- 17. You draw the Leo constellation. You notice that the three stars Denebola, Zosma, and Chertan form a triangle. In your drawing, you find the measure of the interior angle at Denebola is 30° and the measure of the interior angle of the triangle at Zosma is 56°. What is the measure of the interior angle of the triangle at Chertan?





#### 3.3 Angles of Polygons (pp. 117–122)

Learning Target: Find interior angle measures of polygons.

Find the sum of the interior angle measures of the polygon.

18.




19.




Find the value of x.


20.



21.



22.



 Find the measure of each interior angle of the regular polygon.






### 3.4 Using Similar Triangles (pp. 123–128)


Learning Target: Use similar triangles to find missing measures.

Tell whether the triangles are similar. Explain.


24.




25.



26.



27.




28. A person who is 5 feet tall casts a shadow that is 4 feet long. A nearby building casts a shadow that is 24 feet long. What is the height of the building?

# **Practice Test**


Use the figure to find the measure of the angle. Explain your reasoning.




5. Find the value of x.




7. Find the measure of the exterior angle.



Find the value of x.



- 6. Find the measures of the interior angles.



8. Find the sum of the interior angle measures of the border of the coin.





10. Find the measure of each interior angle of the regular polygon.




Tell whether the triangles are similar. Explain.


11.





13. Describe two ways you can find the measure of  $\angle 5$ .





14. You swim 3.6 kilometers per hour. How long (in minutes) will it take you to swim the distance d across the pond?

134

# 3

# **Cumulative Practice**



1. The border of a Canadian one-dollar coin is shaped like an 11-sided regular polygon. The shape was chosen to help visually impaired people identify the coin. How many degrees are in each interior angle along the border? Round your answer to the nearest degree.


 A public utility charges its residential customers for natural gas based on the number of therms used each month. The formula shows how the monthly cost C in dollars is related to the number t of therms used.

$$C = 11 + 1.6t$$

Solve this formula for t.

**A.** 
$$t = \frac{C}{12.6}$$

**C.** 
$$t = \frac{C}{1.6} - 11$$



**B.** 
$$t = \frac{C - 11}{1.6}$$


**D.** 
$$t = C - 12.6$$

3. What is the value of x?

$$5(x-4) = 3x$$

H. 
$$2\frac{1}{2}$$

**4.** In the figures,  $\triangle PQR$  is similar to  $\triangle STU$ . What is the value of x?



**B.** 
$$10\frac{2}{3}$$

#### 5. What is the value of x?





6. Your friend was solving an equation in the box shown.

$$-\frac{2}{5}(10x - 15) = -30$$

$$10x - 15 = -30\left(-\frac{2}{5}\right)$$

$$10x - 15 = 12$$

$$10x - 15 + 15 = 12 + 15$$

$$10x = 27$$


$$\frac{10x}{10} = \frac{27}{10}$$

$$x = \frac{27}{10}$$

What should your friend do to correct the error that she made?


- **F.** Multiply both sides by  $-\frac{5}{2}$  instead of  $-\frac{2}{5}$ .
- **G.** Multiply both sides by  $\frac{2}{5}$  instead of  $-\frac{2}{5}$ .
- **H.** Distribute  $-\frac{2}{5}$  to get -4x 6.
- Add 15 to −30.

In the coordinate plane below, △XYZ is plotted and its vertices are labeled.




Which of the following shows  $\triangle X'Y'Z'$ , the image of  $\triangle XYZ$  after it is reflected in the y-axis?

A.




B.




Think Solve

Explain



D.




8. The sum S of the interior angle measures of a polygon with n sides can be found by using a formula.






Part B A quadrilateral has angles measuring 100°, 90°, and 90°. Find the measure of its fourth angle. Show your work and explain your reasoning.

Part C The sum of the measures of the angles of the pentagon shown is 540°. Divide the pentagon into triangles to show why this must be true. Show your work and explain your reasoning.





- 4.1 Graphing Linear Equations
- 4.2 Slope of a Line
- 4.3 Graphing Proportional Relationships
- 4.4 Graphing Linear Equations in Slope-Intercept Form
- 4.5 Graphing Linear Equations in Standard Form
- 4.6 Writing Equations in Slope-Intercept Form
- 4.7 Writing Equations in Point-Slope Form

#### **Chapter Learning Target:**

Understand graphing linear equations.

#### **Chapter Success Criteria:**

- I can identify key features of a graph.
- I can explain the meaning of different forms of linear equations.
- I can interpret the slope and intercepts of a line.
- I can create graphs of linear equations.



### **STEAM Video**



Wind Speed

Distance from eye (miles)

#### Hurricane!

A hurricane is a storm with violent winds. How can you prepare your home for a hurricane?

Watch the STEAM Video "Hurricane!" Then answer the following questions.

- Robert says that the closer you are to the eye of a hurricane, the stronger the winds become. The wind speed on an island is 50 miles per hour when the eye of a hurricane is 140 miles away.
  - Describe the wind speed on the island when the eye of the hurricane is 100 miles away.
  - b. Describe the distance of the island from the eye of the hurricane when the wind speed on the island is 25 miles per hour.
  - c. Sketch a line that could represent the wind speed y (in miles per hour) on the island when the eye of the hurricane is x miles away from the island.
- 2. A storm dissipates as it travels over land. What does this mean?

#### **Performance Task**



#### Anatomy of a Hurricane

After completing this chapter, you will be able to use the concepts you learned to answer the questions in the STEAM Video Performance Task. You will be given information about the atmospheric pressure inside a hurricane.

Time, x (hours)	Atmospheric Pressure, y (millibars)
18	1008
36	999
84	975


You will be asked to use a model to find the strength of a hurricane after x hours of monitoring. Why is it helpful to predict how strong the winds of a hurricane will become?


# **Getting Ready for Chapter**



### **Chapter Exploration**

- 1. Work with a partner.
  - **a.** Use the equation  $y = \frac{1}{2}x + 1$  to complete the table. (Choose any two x-values and find the y-values.)
  - b. Write the two ordered pairs given by the table. These are called *solutions* of the equation.
  - c. PRECISION Plot the two solutions. Draw a line exactly through the points.
  - **d.** Find a different point on the line. Check that this point is a solution of the equation  $y = \frac{1}{2}x + 1$ .
  - **e. LOGIC** Do you think it is true that *any* point on the line is a solution of the equation  $y = \frac{1}{2}x + 1$ ? Explain.





f. Choose five additional x-values for the table below. (Choose both positive and negative x-values.) Plot the five corresponding solutions. Does each point lie on the line?

	Solutions			
x				
$y=\frac{1}{2}x+1$				

- **g. LOGIC** Do you think it is true that any solution of the equation  $y = \frac{1}{2}x + 1$  is a point on the line? Explain.
- **h.** Why do you think y = ax + b is called a *linear equation*?

### Vocabulary

The following vocabulary terms are defined in this chapter. Think about what each term might mean and record your thoughts.

linear equation

slope

y-intercept

solution of a linear equation

x-intercept

# 4.1 Graphing Linear Equations

Learning Target: Graph linear equations.

Success Criteria: • I can create a table of values and write ordered pairs given a linear equation.

I can plot ordered pairs to create a graph of a linear equation.

I can use a graph of a linear equation to solve a real-life problem.


### **EXPLORATION 1**

# Creating Graphs

FLORIDA STANDARDS

Preparing for MAFS.8.EE.2.5 Work with a partner. It starts snowing at midnight in Town A and Town B. The snow falls at a rate of 1.5 inches per hour.

a. In Town A, there is no snow on the ground at midnight. How deep is the snow at each hour between midnight and 6 A.M.? Make a graph that represents this situation.



- b. Repeat part (a) for Town B, which has 4 inches of snow on the ground at midnight.
- c. The equations below represent the depth y (in inches) of snow x hours after midnight in Town C and Town D. Graph each equation.

Town D

$$y = 2x + 3$$

$$y = 8$$

 Use your graphs to compare the snowfall in each town.



How can you use each


Use a Graph

Math Practice

# 4.1 Lesson

#### Key Vocabulary

linear equation, p. 142 solution of a linear equation, p. 142






#### **Linear Equations**

A **linear equation** is an equation whose graph is a line. The points on the line are **solutions** of the equation.

You can use a graph to show the solutions of a linear equation. The graph below represents the equation y = x + 1.

×	у	(x, y)
-1	0	(-1,0)
0	1	(0, 1)
2	3	(2, 3)



### EXAMPLE 1

### **Graphing a Linear Equation**


Graph y = -2x + 1.

Step 1: Make a table of values.

x	y = -2x + 1	У	(x, y)
-1	y = -2(-1) + 1	3	(-1, 3)
0	y = -2(0) + 1	1	(0, 1)
2	y = -2(2) + 1	-3	(2, -3)

Step 2: Plot the ordered pairs.

Step 3: Draw a line through the points.



Try It Graph the linear equation.

1. 
$$y = 3x$$

**2.** 
$$y = -2x - 1$$


3. 
$$y = -\frac{1}{2}x + 2$$

Every point that is a solution of y = b has a y-coordinate of b. These points lie on a horizontal line through (0, b). You can use similar reasoning to understand why the graph of x = a is a vertical line through (a, 0).




#### **Graphing Horizontal and Vertical Lines**

The graph of y = b is a horizontal line passing through (0, b).



The graph of x = a is a vertical line passing through (a, 0).




### EXAMPLE 2

#### Graphing a Horizontal Line and a Vertical Line


a. Graph y = -3.

The graph of y = -3 is a horizontal line passing through (0, −3). Draw a horizontal line through this point.



b. Graph x = 2.

The graph of x = 2 is a vertical line passing through (2,0). Draw a vertical line through this point.



Try It Graph the linear equation. **4.** y = 3 **5.** y = -1.5 **6.** x = -4 **7.**  $x = \frac{1}{2}$ 

4. 
$$y = 3$$

5. 
$$y = -1.5$$

6. 
$$x = -4$$

7. 
$$x = \frac{1}{2}$$



# Self-Assessment for Concepts & Skills-

Solve each exercise. Then rate your understanding of the success criteria in your journal.

GRAPHING A LINEAR EQUATION Graph the linear equation.

8. 
$$y = -x + 1$$

9. 
$$y = 0.8x - 2$$

**10.** 
$$x = 2.5$$

**11.** 
$$y = \frac{2}{3}$$

12. WHICH ONE DOESN'T BELONG? Which equation does not belong with the other three? Explain your reasoning.

$$y = x - 2$$

$$4x + 3 = y$$

$$y = x - 2$$
  $4x + 3 = y$   $y = x^2 + 6$   $x + 5 = y$ 

$$x + 5 = y$$

#### EXAMPLE 3

#### **Modeling Real Life**




A tropical storm becomes a hurricane when wind speeds are at least 74 miles per hour.

The wind speed y (in miles per hour) of a tropical storm is y = 2x + 66, where x is the number of hours after the storm enters the Gulf of Mexico. When does the storm become a hurricane?

Use a graph to find the time it takes for the storm to become a hurricane. Make a table of values. Plot the ordered pairs and draw a line through the points.

x	y=2x+66	У	(x, y)
0	y = 2(0) + 66	66	(0, 66)
1	y = 2(1) + 66	68	(1, 68)
2	y = 2(2) + 66	70	(2, 70)
3	y = 2(3) + 66	72	(3, 72)




Another Method Use the equation y = 2x + 66to find x when y = 74.

$$74 = 2x + 66$$

$$8 = 2x$$

$$4 = y \checkmark$$

From the graph, you can see that y = 74 when x = 4.





# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.




- **13.** A game show contestant earns y dollars for completing a puzzle in x minutes. This situation is represented by the equation y = -250x + 5000. How long did a contestant who earned \$500 take to complete the puzzle? Justify your answer.
- **14.** The total cost y (in dollars) to join a cheerleading team and attend x competitions is represented by the equation y = 10x + 50.
  - a. Graph the linear equation.
  - b. You have \$75 to spend. How many competitions can you attend?
- 15. The seating capacity y for a banquet hall is represented by y = 8x + 56, where x is the number of extra tables you need. How many extra tables do you need to double the original seating capacity?

# 4.1 Practice




# Review & Refresh

Tell whether the triangles are similar. Explain.



2.



Describe the translation of the point to its image.

3. 
$$(1, -4) \rightarrow (3, 0)$$

3. 
$$(1, -4) \rightarrow (3, 0)$$
 4.  $(6, 4) \rightarrow (-4, -6)$  5.  $(4, -2) \rightarrow (-9, 3)$ 

5. 
$$(4, -2) \rightarrow (-9, 3)$$

# Concepts, Skills, & Problem Solving

CREATING GRAPHS Make a graph of the situation. (See Exploration 1, p. 141.)

- **6.** The equation y = -2x + 8 represents the amount y (in fluid ounces) of dish detergent in a bottle after x days of use.
- 7. The equation y = 15x + 20 represents the cost y (in dollars) of a gym membership after x months.

PRECISION Copy and complete the table with two solutions. Plot the ordered pairs and draw the graph of the linear equation. Use the graph to find a third solution of the equation.

x	
y = 3x - 1	

x	
$y=\frac{1}{3}x+2$	

GRAPHING A LINEAR EQUATION Graph the linear equation.

**10.** 
$$y = -5x$$
 **11.**  $y = 9x$ 

**11.** 
$$y = 9x$$

**12.** 
$$y = 5$$

**13.** 
$$x = -6$$

**14.** 
$$y = x - 3$$

**15.** 
$$y = -7x - 1$$

**16.** 
$$y = -\frac{x}{3} + 4$$

**14.** 
$$y = x - 3$$
 **15.**  $y = -7x - 1$  **16.**  $y = -\frac{x}{3} + 4$  **17.**  $y = 0.75x - 0.5$ 


**18.** 
$$y = -\frac{2}{3}$$
 **19.**  $y = 6.75$  **20.**  $x = -0.5$  **21.**  $x = \frac{1}{4}$ 

**19.** 
$$y = 6.75$$

**20.** 
$$x = -0.5$$

**21.** 
$$x = \frac{1}{4}$$

- YOU BE THE TEACHER Your friend graphs the equation y = 4. Is your friend correct? Explain your reasoning.
- 23. MODELING REAL LIFE The equation y = 20 represents the cost y (in dollars) for sending x text messages in a month. Graph the linear equation. What does the graph tell you about your texting plan?





- 24. MODELING REAL LIFE The equation y = 2x + 3 represents the cost y (in dollars) of mailing a package that weighs x pounds.
  - Use a graph to estimate how much it costs to mail the package.
  - b. Use the equation to find exactly how much it costs to mail the package.

SOLVING A LINEAR EQUATION Solve for y. Then graph the linear equation.

**25.** 
$$y - 3x = 1$$

**26.** 
$$5x + 2y = 4$$

**27.** 
$$-\frac{1}{3}y + 4x = 3$$

**28.** 
$$x + 0.5y = 1.5$$

29. MODELING REAL LIFE The depth y (in inches) of a lake after x years is represented by the equation y = 0.2x + 42. How much does the depth of the lake increase in four years? Use a graph to justify your answer.



- **30. MODELING REAL LIFE** The amount y (in dollars) of money in your savings account after x months is represented by the equation y = 12.5x + 100.
  - a. Graph the linear equation.
  - b. How many months will it take you to save a total of \$237.50?



- **31. OPEN SOLVING** The radius y (in millimeters) of a chemical spill after x days is represented by the equation y = 6x + 50.
  - a. Graph the linear equation.
  - b. The leak is noticed after two weeks. What is the area of the leak when it is noticed? Justify your answer.
- **32. GEOMETRY** The sum *S* of the interior angle measures of a polygon with *n* sides is  $S = (n-2) \cdot 180^{\circ}$ .
  - a. Plot four points (n, S) that satisfy the equation. Is the equation a linear equation? Explain your reasoning.
  - b. Does the value n = 3.5 make sense in the context of the problem? Explain your reasoning.
- 33. DIG DEEPER One second of video on your cell phone uses the same amount of memory as two pictures. Your cell phone can store 2500 pictures.
  - a. Create a graph that represents the number y of pictures your cell phone can store when you take x seconds of video.
  - b. How many pictures can your cell phone store in addition to a video that is one minute and thirty seconds long?

# 4.2 Slope of a Line

Learning Target: Find and interpret the slope of a line.

Success Criteria: • I can explain the meaning of slope.

- · I can find the slope of a line.
- . I can interpret the slope of a line in a real-life problem.

#### **EXPLORATION 1**

#### Measuring the Steepness of a Line


FLORIDA STANDARDS MAFS.8.EE.2.6 Work with a partner. Draw any nonvertical line in a coordinate plane.

- a. Develop a way to measure the steepness of the line. Compare your method with other pairs.
- b. Draw a line that is parallel to your line. What can you determine about the steepness of each line? Explain your reasoning.

#### **EXPLORATION 2**

#### **Using Right Triangles**

Work with a partner. Use the figure shown.



#### **Math Practice**

#### Construct Arguments

Do your answers to parts (b) and (c) change when you draw \(\triangle DEF\) in a different location in part (a)? Explain.

- a. △ABC is a right triangle formed by drawing a horizontal line segment from point A and a vertical line segment from point B. Use this method to draw another right triangle, △DEF, with its longest side on the line.
- b. What can you conclude about the two triangles in part (a)? Justify your conclusion. Compare your results with other pairs.
- c. Based on your conclusions in part (b), what is true about  $\frac{BC}{AC}$  and the corresponding measure in  $\triangle DEF$ ? Explain your reasoning. What do these values tell you about the line?

## Lesson

#### Key Vocabulary

slope, p. 148 rise, p. 148 run, p. 148

#### Reading



In the slope formula, x, is read as "x sub one," and y, is read as "y sub two." The numbers 1 and 2 in  $x_1$  and  $y_2$  are called subscripts.

# Key Idea


#### Slope

The slope m of a line is the value of the ratio of the change in y (the rise) to the change in x (the run) between any two points,  $(x_1, y_1)$  and  $(x_2, y_2)$ , on the line. The slope of a line is a measure of the steepness of the line.

$$m = \frac{\text{rise}}{\text{run}}$$

$$= \frac{\text{change in } y}{\text{change in } x}$$

$$= \frac{y_2 - y_1}{x_2 - x_1}$$




Lines with positive slopes rise from left to right.

Lines with negative slopes fall from left to right.


#### **EXAMPLE 1**

#### Finding Slopes of Lines

Describe the slope of each line. Then find each slope.



b.



The methods in parts (a) and (b) show that you can find the slope of a line by using the graph or by using a formula.

The line rises from left to right. So, the slope is positive. Use the graph to find the rise and the run of the line.

$$m = \frac{\text{rise}}{\text{run}}$$


The line falls from left to right. So, the slope is negative. Use the coordinates  $(x_1, y_1) = (-1, 1)$  and  $(x_2, y_2) = (1, -2)$  to find the slope.

$$m = \frac{\frac{y_2 - y_1}{x_2 - x_1}}{\frac{-2 - 1}{1 - (-1)}}$$
$$= \frac{\frac{-3}{2}, \text{ or } -\frac{3}{2}}$$


148

Try It Find the slope of the line.

1.




2.




### **EXAMPLE 2** Finding Slopes of Horizontal and Vertical Lines

Find the slope of each line.

a.



b.



The slope of every horizontal line is 0. The slope of every vertical line is undefined.

$$m = \frac{y_2 - y_1}{x_2 - x_1}$$

$$=\frac{5-5}{6-(-1)}$$

$$=\frac{0}{7}$$
, or 0



The slope is 0.



$$=\frac{4}{0}$$

Division by zero is undefined. So, the slope is undefined.


Try It Find the slope of the line through the given points.




## Summary

Slope

Positive Slope




Negative Slope



The line is horizontal.

Slope of 0

Undefined Slope



The line is vertical.


The line rises from left to right. The line falls from left to right.



#### Parallel Lines and Slope

Lines in the same plane that do not intersect are parallel lines. Nonvertical parallel lines have the same slope.

All vertical lines are parallel.



### EXAMPLE 3

#### **Identifying Parallel Lines**

#### Which lines are parallel? How do you know?

Find the slope of each line.

Blue Line

$$y_{2} - y_{1}$$

$$m = \frac{y_2 - y_1}{x_2 - x_1} \qquad \qquad m = \frac{y_2 - y_1}{x_2 - x_1} \qquad \qquad m = \frac{y_2 - y_1}{x_2 - x_1}$$

$$m = \frac{y_2 - y_1}{x_2 - x_1}$$

$$=\frac{-2-2}{-4-(-3)}$$


$$=\frac{-2-3}{0-1}$$

$$=\frac{-3-1}{3-4}$$

$$=\frac{-4}{-1}$$
, or 4

$$=\frac{-5}{-1}$$
, or 5  $=\frac{-4}{-1}$ , or 4

$$=\frac{-4}{-4}$$
, or 4



The slopes of the blue and green lines are 4.The slope of the red line is 5.



The blue and green lines have the same slope, so they are parallel.

#### Try It


WHAT IF? The blue line passes through (-4, -3) and (-3, 2). Are any of the lines parallel? Explain.



# Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

6. VOCABULARY What does it mean for a line to have a slope of 4?



FINDING THE SLOPE OF A LINE Find the slope of the line through the given points.

FINDING SLOPE Are the lines parallel? Explain your reasoning.

150

#### EXAMPLE 4

#### **Modeling Real Life**


The table shows the distance y (in miles) of a space probe from a comet x minutes after it begins its approach. The points in the table lie on a line. Find and interpret the slope of the line.


x	1	4	7	10
y	8	6	4	2



Use the points  $(x_1, y_1) = (1, 8)$  and  $(x_2, y_2) = (4, 6)$ .

$$m = \frac{y_2 - y_1}{x_2 - x_1}$$
$$= \frac{6 - 8}{4 - 1}$$
$$= \frac{-2}{3}, \text{ or } -\frac{2}{3}$$





The slope is  $-\frac{2}{3}$ . So, the distance between the probe and the comet decreases 2 miles every 3 minutes, or  $\frac{2}{3}$  mile every minute.

# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

- x y
  1 0.5
  2 1
  3 1.5
  4 2
- 10. The table shows the lengths y (in inches) of your hair x months after your last haircut. The points in the table lie on a line. Find and interpret the slope of the line. After how many months is your hair 4 inches long?
- 11. A customer pays an initial fee and a daily fee to rent a snowmobile. The total payment for 3 days is 92 dollars. The total payment for 5 days is 120 dollars. What is the daily fee? Justify your answer.
- 12. You in-line skate from an elevation of 720 feet to an elevation of 750 feet in 30 minutes. Your friend in-line skates from an elevation of 600 feet to an elevation of 690 feet in one hour. Compare your rates of change in elevation.



# 4.2 Practice



# Review & Refresh

Graph the linear equation.

1. 
$$y = 4x - 3$$

3. 
$$y = 2$$

2. 
$$x = -3$$


**4.** 
$$y = \frac{3}{2}x - \frac{1}{2}$$

Find the missing values in the ratio table.

5.	Yards	1		5	7
	Feet	3	10		


# Concepts, Skills, & Problem Solving


USING RIGHT TRIANGLES Use the figure shown. (See Exploration 2, p. 147.)





- 7. Find the slope of the line.
- **8.** Let point *D* be at (-4, 1). Use the sides of  $\triangle BDA$  to find the slope of the line.


#### FINDING THE SLOPE OF A LINE Find the slope of the line.
















FINDING THE SLOPE OF A LINE Find the slope of the line through the given points.

**18.** 
$$(-3, 1), (-1, 5)$$

**20.** 
$$(-3, 6), (2, 6)$$




- 21. REASONING Draw a line through each point using a slope of  $m = \frac{1}{4}$ . Do the lines intersect? Explain.
- 22. YOU BE THE TEACHER Your friend finds the slope of the line shown. Is your friend correct? Explain your reasoning.




IDENTIFYING PARALLEL LINES Which lines are parallel? How do you know?

23.



24.



IDENTIFYING PARALLEL LINES Are the given lines parallel? Explain your reasoning.

**25.** 
$$y = -5$$
,  $y = 3$ 

**26.** 
$$y = 0, x = 0$$

**27.** 
$$x = -4, x = 1$$

FINDING SLOPE The points in the table lie on a line. Find the slope of the line.

28.

x	1	3	5	7
y	2	10	18	26


29.

x	-3	2	7	12
у	0	2	4	6



30. MODELING REAL LIFE Carpenters refer to the slope of a roof as the pitch of the roof. Find the pitch of the roof.

- 31. PROJECT The guidelines for a wheelchair ramp suggest that the ratio of the rise to the run be no greater than 1:12.
  - CHOOSE TOOLS Find a wheelchair ramp in your school or neighborhood. Measure its slope. Does the ramp follow the guidelines?
  - Design a wheelchair ramp that provides access to a building with a front door that is 2.5 feet above the sidewalk. Illustrate your design.




**32.** 
$$(1,3), (5,k); m=2$$


**33.** 
$$(-2, k), (2, 0); m = -1$$


**34.** 
$$(-4, k), (6, -7); m = -\frac{1}{5}$$
 **35.**  $(4, -4), (k, -1); m = \frac{3}{4}$ 

**35.** 
$$(4, -4), (k, -1); m = \frac{3}{4}$$



- a. Find the slope of the line.
- b. Explain the meaning of the slope as a rate of change.







- 37. CRITICAL THINKING Which is steeper: the boat ramp, or a road with a 12% grade? Explain. (Note: Road grade is the vertical increase divided by the horizontal distance.)
- **38.** WP REASONING Do the points A(-2, -1), B(1, 5), and C(4, 11) lie on the same line? Without using a graph, how do you know?
- 39. PROBLEM SOLVING A small business earns a profit of \$6500 in January and \$17,500 in May. What is the rate of change in profit for this time period? Justify your answer.

40. STRUCTURE Choose two points in the coordinate plane. Use the slope formula to find the slope of the line that passes through the two points.

Then find the slope using the formula  $\frac{y_1 - y_2}{x_1 - x_2}$ . Compare your results.



- a. What is the slope of the main portion of the slide?
- b. Describe the change in the slope when the bottom of the slide is only 12 inches above the ground. Explain your reasoning.



1 ft

# 4.3 Graphing Proportional Relationships

Learning Target: Graph proportional relationships.

Success Criteria:

- I can graph an equation that represents a proportional relationship.
- I can write an equation that represents a proportional relationship.
- I can use graphs to compare proportional relationships.


#### **EXPLORATION 1**

#### Using a Ratio Table to Find Slope

**FLORIDA** STANDARDS

MAFS.8.EE.2.5 MAFS.8.EE.2.6 Work with a partner. The graph shows amounts of vinegar and water that can be used to make a cleaning product.


- Use the graph to make a ratio table relating the quantities. Explain how the slope of the line is represented in the table.
- Make a ratio table that represents a different ratio of vinegar to water. Use the table to describe the slope of the graph of the new relationship.



#### **EXPLORATION 2**

#### **Deriving an Equation**

Work with a partner. Let (x, y) represent any point on the graph of a proportional relationship.



#### **Math Practice**

#### Use a Graph

How can you find the side lengths of the triangles in the graph?

- Describe the relationship between the corresponding side lengths of the triangles shown in the graph. Explain your reasoning.
- b. Use the relationship in part (a) to write an equation relating y, m, and x. Then solve the equation for y.
- c. What does your equation in part (b) describe? What does m represent? Explain your reasoning.

# 4.3 Lesson




In the equation y = mx, m represents the constant of proportionality, the slope, and the unit rate.

#### **Proportional Relationships**

Words When two quantities x and y are proportional, the relationship can be represented by the equation y = mx, where m is the constant of

proportionality.

**Graph** The graph of y = mx is a line with a slope of m that passes through the origin.



#### EXAMPLE 1

#### **Graphing a Proportional Relationship**

The cost y (in dollars) for x ounces of frozen yogurt is represented by y = 0.5x. Graph the equation and interpret the slope.

Method 1: Make a table of values.

x	y = 0.5x	У	(x, y)
0	y = 0.5(0)	0	(0, 0)
1	y = 0.5(1)	0.5	(1, 0.5)
2	y = 0.5(2)	1	(2, 1)
3	y = 0.5(3)	1.5	(3, 1.5)


Method 2: Use the slope.

The equation shows that the slope m is 0.5. So, the graph passes through (0,0) and (1,0.5).

Plot the ordered pairs and draw a line through the points. Because negative values of x do not make sense in this context, graph in the first quadrant only.



The slope indicates that the unit cost is \$0.50 per ounce.



#### Try It

 WHAT IF? The cost of frozen yogurt is represented by y = 0.75x. Graph the equation and interpret the slope.

#### **EXAMPLE 2** Writing and Using an Equation

The weight y of an object on Titan, one of Saturn's moons, is proportional to the weight x of the object on Earth. An object that weighs 105 pounds on Earth would weigh 15 pounds on Titan.



The slope indicates that the weight of an object on Titan is one-seventh its weight on Earth.

Write an equation that represents the situation.

Use the point (105, 15) to find the slope of the line.

$$y = mx$$
 Equation of a proportional relationship

$$15 = m(105)$$
 Substitute 15 for y and 105 for x.

$$\frac{1}{7} = m$$
 Simplify.



So, an equation that represents the situation is  $y = \frac{1}{2}x$ .

b. How much would a chunk of ice that weighs 3.5 pounds on Titan weigh on Earth?

$$\frac{3.5}{7} = \frac{1}{7}x$$

$$24.5 = x$$

Multiply each side by 7.



So, the chunk of ice would weigh 24.5 pounds on Earth.

#### Try It

2. How much would a spacecraft that weighs 3500 kilograms on Earth weigh on Titan?



# Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

GRAPHING A PROPORTIONAL RELATIONSHIP Graph the equation.

3. 
$$y = 4x$$

**4.** 
$$y = -3x$$

5. 
$$y = 8x$$

6. WRITING AND USING AN EQUATION The number y of objects a machine produces is proportional to the time x (in minutes) that the machine runs. The machine produces five objects in four minutes.

Write an equation that represents the situation.

b. Graph the equation in part (a) and interpret the slope.

c. How many objects does the machine produce in one hour?

#### EXAMPLE 3

#### **Modeling Real Life**

Two-Person Lift 12 (6, 12)Distance (meters) 10 (2, 4)4 5 6 2 3 Time (seconds)

The distance y (in meters) that a four-person ski lift travels in x seconds is represented by the equation y = 2.5x. The graph shows the distance that a two-person ski lift travels.

#### a. Which ski lift is faster?

Identify the slope of the graph for each lift. Then interpret each slope as a unit rate.

#### Four-Person Lift

$$y = 2.5x$$
The slope is 2.5.

The four-person lift travels 2.5 meters per second.

#### Two-Person Lift

slope = 
$$\frac{\text{change in } y}{\text{change in } x}$$
  
=  $\frac{8}{4}$  = 2

The two-person lift travels 2 meters per second.




So, the four-person lift is faster than the two-person lift.

 Graph the equation that represents the four-person lift in the same coordinate plane as the two-person lift. Compare and interpret the steepness of each graph.




The graph that represents the four-person lift is steeper than the graph that represents the two-person lift. So, the four-person lift is faster.





# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



- 7. The amount y (in liters) of water that flows over a natural waterfall in x seconds is represented by the equation y = 500x. The graph shows the number of liters of water that flow over an artificial waterfall. Which waterfall has a greater flow? Justify your answer.
- 8. The speed of sound in air is 343 meters per second. You see lightning and hear thunder 12 seconds later.
  - a. Is there a proportional relationship between the amount of time that passes and your distance from a lightning strike? Explain.
  - Estimate your distance from the lightning strike.


158


# 4.3 Practice

# Review & Refresh

Find the slope of the line.

(3, 0)(0, 3)





Solve the equation. Check your solution.

**4.** 
$$2x + 3x = 10$$


**5.** 
$$x + \frac{1}{6} = 4 - 2x$$
 **6.**  $2(1 - x) = 11$ 

**6.** 
$$2(1-x)=11$$

# Concepts, Skills, & Problem Solving

USING EQUIVALENT RATIOS The graph shows amounts of water and flour that can be used to make dough. (See Exploration 1, p. 155.)

- Use the graph to make a ratio table relating the quantities. Explain how the slope of the line is represented in the table.
- 8. Make a ratio table that represents a different ratio of flour to water. Use the table to describe the slope of the graph of the new relationship.
- 9. GRAPHING AN EQUATION The amount y (in dollars) that you raise by selling x fundraiser tickets is represented by the equation y = 5x. Graph the equation and interpret the slope.




159

IDENTIFYING PROPORTIONAL RELATIONSHIPS Tell whether x and y are in a proportional relationship. Explain your reasoning. If so, write an equation that represents the relationship.

10. 35 30 25 20 15 10

> 2 3



5

6


4

11. 28 24 20 12 2 3 4 5

13.	x	2	5	8	10
	y	4	8	13	23

- 14. MODELING REAL LIFE The cost y (in dollars) to rent a kayak is proportional to the number x of hours that you rent the kayak. It costs \$27 to rent the kayak for 3 hours.
  - Write an equation that represents the situation.
  - b. Interpret the slope of the graph of the equation.
  - c. How much does it cost to rent the kayak for 5 hours? Justify your answer.






- 15. MODELING REAL LIFE The distance y (in miles) that a truck travels on x gallons of gasoline is represented by the equation y = 18x. The graph shows the distance that a car travels.
  - Which vehicle gets better gas mileage? Explain how you found your answer.
  - b. How much farther can the vehicle you chose in part (a) travel on 8 gallons of gasoline?
- 16. PROBLEM SOLVING Toenails grow about 13 millimeters per year. The table shows fingernail growth.

Weeks	1	2	3	4
Fingernail Growth (millimeters)	0.7	1.4	2.1	2.8

- a. Do fingernails or toenails grow faster? Explain.
- b. In the same coordinate plane, graph equations that represent the growth rates of toenails and fingernails. Compare and interpret the steepness of each graph.
- 18. DIG DEEPER! The graph relates the temperature change y (in degrees Fahrenheit) to the altitude change x (in thousands of feet).
  - a. Is the relationship proportional? Explain.
  - Write an equation of the line. Interpret the slope.
  - c. You are at the bottom of a mountain where the temperature is 74°F. The top of the mountain is 5500 feet above you. What is the temperature at the top of the mountain? Justify your answer.



19. CRITICAL THINKING Consider the distance equation d = rt, where d is the distance (in feet), r is the rate (in feet per second), and t is the time (in seconds). You run for 50 seconds. Are the distance you run and the rate you run at proportional? Use a graph to justify your answer.

# 4.4 Graphing Linear Equations in Slope-Intercept Form

Learning Target: Graph linear equations in slope-intercept form.

Success Criteria: • I can identify the slope and y-intercept of a line given an equation.


I can rewrite a linear equation in slope-intercept form.

I can use the slope and y-intercept to graph linear equations.

#### **EXPLORATION 1**

#### **Deriving an Equation**

FLORIDA STANDARDS MAFS.8.EE.2.6 Work with a partner. In the previous section, you learned that the graph of a proportional relationship can be represented by the equation y = mx, where m is the constant of proportionality.




#### **Math Practice**

#### Understand Quantities

How does the meaning of the equation y = mx help you make a conjecture in part (a)?

a. You translate the graph of a proportional relationship 3 units up as shown below. Let (x, y) represent any point on the graph. Make a conjecture about the equation of the line. Explain your reasoning.



- b. Describe the relationship between the corresponding side lengths of the triangles. Explain your reasoning.
- c. Use the relationship in part (b) to write an equation relating y, m, and x. Does your equation support your conjecture in part (a)? Explain.
- d. You translate the graph of a proportional relationship b units up. Write an equation relating y, m, x, and b. Justify your answer.

## Lesson

#### Key Vocabulary

x-intercept, p. 162 y-intercept, p. 162 slope-intercept form, p. 162




# Key Ideas

#### Intercepts

The x-intercept of a line is the x-coordinate of the point where the line crosses the x-axis. It occurs when y = 0.

The y-intercept of a line is the y-coordinate of the point where the line crosses the y-axis. It occurs when x = 0.




Linear equations can, but do not always, pass through the origin. So, proportional relationships are a special type of linear equation in which b = 0.

#### Slope-Intercept Form

**Words** A linear equation written in the form y = mx + b is in slope-intercept form. The slope of the line is  $m_i$ and the y-intercept of the line is b.

Algebra



#### EXAMPLE 1

#### Identifying Slopes and y-Intercepts

Find the slope and the y-intercept of the graph of each linear equation.

**a.** 
$$y = -4x - 2$$

$$y = -4x + (-2)$$

Write in slope-intercept form.



The slope is −4, and the y-intercept is −2.

**b.** 
$$y-5=\frac{3}{2}x$$

$$y = \frac{3}{2}x + 5$$

Add 5 to each side.

The slope is 3, and the y-intercept is 5.

Try It Find the slope and the y-intercept of the graph of the linear equation.

1. 
$$y = 3x - 7$$

**2.** 
$$y-1=-\frac{2}{3}x$$

Graph y = -3x + 3. Identify the x-intercept.


Step 1: Find the slope and the y-intercept.

Step 2: The y-intercept is 3. So, plot (0, 3).

Step 3: Use the slope to find another point and draw the line.

$$m = \frac{\text{rise}}{\text{run}} = \frac{-3}{1}$$

Plot the point that is 1 unit right and 3 units down from (0, 3). Draw a line through the two points.



The line crosses the x-axis at (1, 0). So, the x-intercept is 1.

Try It Graph the linear equation. Identify the x-intercept.

3. 
$$y = x - 4$$

**4.** 
$$y = -\frac{1}{2}x + 1$$



# Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

- 5. IN YOUR OWN WORDS Consider the graph of the equation y = mx + b.
  - a. How does changing the value of m affect the graph of the equation?
  - b. How does changing the value of b affect the graph of the equation?

IDENTIFYING SLOPE AND y-INTERCEPT Find the slope and the y-intercept of the graph of the linear equation.

**6.** 
$$y = -x + 0.25$$

7. 
$$y-2=-\frac{3}{4}x$$

GRAPHING A LINEAR EQUATION Graph the linear equation. Identify the x-intercept.

**8.** 
$$y = x - 7$$

9. 
$$y = 2x + 8$$

#### EXAMPLE 3

#### **Modeling Real Life**

The cost y (in dollars) of taking a taxi x miles is represented by the equation y = 2.5x + 2. Graph the equation. Interpret the y-intercept and the slope.



You are given an equation that represents the cost of taking a taxi. You are asked to graph the equation and interpret the y-intercept and the slope.






Use the equation to identify the slope and the y-intercept. Then graph the equation and interpret the y-intercept and the slope.




The equation is already written in the form y = mx + b. So, the slope is  $2.5 = \frac{5}{9}$  and the y-intercept is 2. Use the slope and the y-intercept to graph the equation.

#### Check

Use a graphing calculator to graph y = 2.5x + 2.



The y-intercept is 2. So, plot (0, 2).



Use the slope to plot another point, (2, 7). Draw a line through the points.



The y-intercept is 2. So, there is an initial fee of \$2 to take the taxi. The slope is 2.5. So, the cost per mile is \$2.50.



# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



- 10. The height y (in feet) of a movable bridge after rising for x seconds is represented by the equation y = 3x + 16. Graph the equation. Interpret the y-intercept and slope. How many seconds does it take the bridge to reach a height of 76 feet? Justify your answer.
- 11. The number y of perfume bottles in storage after x months is represented by the equation y = -20x + 460. Graph the equation. Interpret the y-intercept and the slope. In how many months will there be no perfume bottles left in storage? Justify your answer.



164

# 4.4 Practice

# Review & Refresh

Tell whether x and y are in a proportional relationship. Explain your reasoning. If so, write an equation that represents the relationship.

Solve the equation for y.

3. 
$$x = 4y - 2$$

4. 
$$3y = -6x + 1$$

**4.** 
$$3y = -6x + 1$$
 **5.**  $1 + y = -\frac{4}{5}x - 2$ 

**6.** 
$$2.5y = 5x - 5$$

7. 
$$1.3y + 5.2 = -3.9x$$

**6.** 
$$2.5y = 5x - 5$$
 **7.**  $1.3y + 5.2 = -3.9x$  **8.**  $y - \frac{2}{3}x = -6$ 

# Concepts, Skills, & Problem Solving

GRAPHING A LINEAR EQUATION Graph the equation. (See Exploration 1, p. 161.)

**9.** The graph of y = 3.5x is translated up 2 units.


**10.** The graph of y = -5x is translated down 3 units.


MATCHING EQUATIONS AND GRAPHS Match the equation with its graph. Identify the slope and the y-intercept.


**11.** 
$$y = 2x + 1$$

**12.** 
$$y = \frac{1}{3}x - 2$$

**13.** 
$$y = -\frac{2}{3}x + 1$$







IDENTIFYING SLOPES AND y-INTERCEPTS Find the slope and the y-intercept of the graph of the linear equation.

**14.** 
$$y = 4x - 5$$

**15.** 
$$y = -7x + 12$$

**16.** 
$$y = -\frac{4}{5}x - 2$$

**17.** 
$$y = 2.25x + 3$$
 **18.**  $y + 1 = \frac{4}{3}x$  **19.**  $y - 6 = \frac{3}{8}x$ 

**18.** 
$$y+1=\frac{4}{3}x$$

**19.** 
$$y - 6 = \frac{3}{8}x$$

**20.** 
$$y - 3.5 = -2x$$

**20.** 
$$y - 3.5 = -2x$$
 **21.**  $y = -5 - \frac{1}{2}x$ 

**22.** 
$$y = 11 + 1.5x$$

23. YOU BE THE TEACHER Your friend finds the slope and y-intercept of the graph of the equation y = 4x - 3. Is your friend correct? Explain your reasoning.

y = 4x - 3; The slope is 4 and the y-intercept is 3.

- 24. MODELING REAL LIFE The number y of seasonal allergy shots available at a facility x days after receiving a shipment is represented by y = -15x + 375.
  - a. Graph the linear equation.
  - Interpret the slope and the y-intercept.

#### GRAPHING AN EQUATION Graph the linear equation. Identify the x-intercept.

**25.** 
$$y = x + 3$$

**26.** 
$$y = 4x - 8$$

**27.** 
$$y = -3x + 9$$

**28.** 
$$y = -5x - 5$$

**29.** 
$$y + 14 = -7x$$
 **30.**  $y = 8 - 2x$ 

**30.** 
$$y = 8 - 2x$$

- 31. PRECISION You go to a harvest festival and pick apples.
  - a. Which equation represents the cost (in dollars) of going to the festival and picking x pounds of apples? Explain.

$$y = 5x + 0.75$$

$$y = 0.75x + 5$$

b. Graph the equation you chose in part (a).



32. REASONING Without graphing, identify the equations of the lines that are parallel. Explain your reasoning.

$$y = 2x + 4$$

$$y = \frac{1}{2}x + 1$$

$$y = 2x - 3$$

$$y = 2x + 1$$

$$y = \frac{1}{2}x + 2$$

- 33. PROBLEM SOLVING A skydiver parachutes to the ground. The height y (in feet) of the skydiver after x seconds is y = -10x + 3000.
  - a. Graph the linear equation.
  - b. Interpret the slope, y-intercept, and x-intercept.
  - 34. DIG DEEPER! Six friends create a website. The website earns money by selling banner ads. It costs \$120 a month to operate the website.
    - A banner ad earns \$0.005 per click. Write a linear equation that represents the monthly profit after paying operating costs.
    - b. Graph the equation in part (a). On the graph, label the number of clicks needed for the friends to start making a profit. Explain.

# 4.5 Graphing Linear Equations in Standard Form

Learning Target: Graph linear equations in standard form.

Success Criteria: • I can rewrite the standard form of a linear equation in slope-intercept form.

· I can find intercepts of linear equations written in standard form.

· I can use intercepts to graph linear equations.

#### **EXPLORATION 1**

#### FLORIDA STANDARDS

Applying MAFS.8.EE.2.6

#### **Using Intercepts**

Work with a partner. You spend \$150 on fruit trays and vegetable trays for a party.

Fruit Tray: \$50



Vegetable Tray: \$25



a. You buy x fruit trays and y vegetable trays. Complete the verbal model. Then use the verbal model to write an equation that relates x and y.


Number of fruit trays



Number of vegetable trays



- b. What is the greatest number of fruit trays that you can buy? vegetable trays? Can you use these numbers to graph your equation from part (a) in the coordinate plane? Explain.
- c. Use a graph to determine the different combinations of fruit trays and vegetable trays that you can buy. Justify your answers algebraically.



#### **Math Practice**

#### Make Sense of Quantities


What does the slope of the line represent in this context?

d. You are given an extra \$50 to spend. How does this affect the intercepts of your graph in part (c)? Explain your reasoning.

# Lesson

#### Key Vocabulary

standard form, p. 168





#### Standard Form of a Linear Equation

The standard form of a linear equation is

$$Ax + By = C$$

where A and B are not both zero.

#### EXAMPLE 1

#### Graphing a Linear Equation in Standard Form

Graph -2x + 3y = -6.

Step 1: Write the equation in slope-intercept form.

$$-2x + 3y = -6$$

-2x + 3y = -6 Write the equation.


$$3y = 2x - 6$$

3y = 2x - 6 Add 2x to each side.


$$y = \frac{2}{3}x - 2$$

 $y = \frac{2}{3}x - 2$  Divide each side by 3.

Step 2: Use the slope and the y-intercept to graph the equation.







Use the slope to plot another point, (3, 0).

Draw a line through the points.

#### Try It Graph the linear equation.

1. 
$$x + y = -2$$

2. 
$$-\frac{1}{2}x + 2y = 6$$

3. 
$$-\frac{2}{3}x + y = 0$$

**4.** 
$$2x + y = 5$$

168

Graph x + 3y = -3 using intercepts.

Step 1: To find the x-intercept, substitute 0 for y.

$$x + 3y = -3$$

$$x + 3(0) = -3$$

$$x = -3$$


To find the y-intercept, substitute 0 for x.

$$x + 3y = -3$$

$$0 + 3y = -3$$

$$y = -1$$

Step 2: Graph the equation.



Try It Graph the linear equation using intercepts.

5. 
$$2x - y = 8$$

**6.** 
$$x + 3y = 6$$



# Self-Assessment for Concepts & Skills .

Solve each exercise. Then rate your understanding of the success criteria in your journal.

STRUCTURE Determine whether the equation is in standard form. If not, rewrite the equation in standard form.

7. 
$$y = x - 6$$

**8.** 
$$y - \frac{1}{6}x + 5 = 0$$
 **9.**  $4x + y = 5$ 

9. 
$$4x + y = 5$$

**10.** WRITING Describe two ways to graph the equation 4x + 2y = 6.

GRAPHING A LINEAR EQUATION Graph the linear equation.

**11.** 
$$4x + y = 5$$

**12.** 
$$\frac{1}{3}x + 2y = 8$$

**13.** 
$$5x - y = 10$$

**14.** 
$$x - 3y = 9$$

#### EXAMPLE 3


#### **Modeling Real Life**




You have \$6 to spend on apples and bananas. The equation 1.5x + 0.6y = 6 represents this situation, where x is the number of pounds of apples and y is the number of pounds of bananas. Graph the equation. Interpret the intercepts.

Find the intercepts. Then use the intercepts to graph the equation and interpret the intercepts.

x-intercept	y-intercept
1.5x + 0.6y = 6	1.5x + 0.6y = 6
1.5x + 0.6(0) = 6	1.5(0) + 0.6y = 6
x = 4	y = 10







# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

15. You have \$30 to spend on paint and clay. The equation 2x + 6y = 30 represents this situation, where x is the number of paint bottles and y is the number of tubs of clay. Graph the equation. Interpret the intercepts. How many bottles of paint can you buy if you buy 3 tubs of clay? Justify your answer.



- 16. You complete two projects for a class in 60 minutes. The equation x + y = 60 represents this situation, where x is the time (in minutes) you spend assembling a birdhouse and y is the time (in minutes) you spend writing a paper.
  - a. Graph the equation. Interpret the intercepts.
  - b. You spend twice as much time assembling the birdhouse as you do writing the paper. How much time do you spend writing the paper? Justify your answer.

# Review & Refresh

Find the slope and the y-intercept of the graph of the linear equation.


1. 
$$y = x - 1$$

2. 
$$y = -2x + 1$$


3. 
$$y = \frac{8}{9}x - 8$$

Tell whether the blue figure is a reflection of the red figure.


4.



5.



6.



# Concepts, Skills, & Problem Solving

USING INTERCEPTS Define two variables for the verbal model. Write an equation in slope-intercept form that relates the variables. Graph the equation using intercepts. (See Exploration 1, p. 167.)

7. 
$$\frac{$2.00}{\text{pound}}$$
 • Pounds of peaches +  $\frac{$1.50}{\text{pound}}$  • Pounds of apples = \$15

8. 
$$\frac{16 \text{ miles}}{\text{hour}} \cdot \frac{\text{Hours}}{\text{biked}} + \frac{2 \text{ miles}}{\text{hour}} \cdot \frac{\text{Hours}}{\text{walked}} = \frac{32}{\text{miles}}$$

REWRITING AN EQUATION Write the linear equation in slope-intercept form.

**9.** 
$$2x + y = 17$$

**10.** 
$$5x - y = \frac{1}{4}$$

**11.** 
$$-\frac{1}{2}x + y = 10$$

**GRAPHING AN EQUATION** Graph the linear equation.

**12.** 
$$-18x + 9y = 72$$

**13.** 
$$16x - 4y = 2$$

**14.** 
$$\frac{1}{4}x + \frac{3}{4}y = 1$$


MATCHING Match the equation with its graph.

**15.** 
$$15x - 12y = 60$$


**16.** 
$$5x + 4y = 20$$

17. 
$$10x + 8y = -40$$


A.




В



C



**18. YOU BE THE TEACHER** Your friend finds the *x*-intercept of -2x + 3y = 12. Is your friend correct? Explain your reasoning.



- 19. MODELING REAL LIFE A charm bracelet costs \$65, plus \$25 for each charm. The equation -25x + y = 65 represents the cost y (in dollars) of the bracelet, where x is the number of charms.
  - a. Graph the equation.
  - b. How much does a bracelet with three charms cost?

#### USING INTERCEPTS TO GRAPH Graph the linear equation using intercepts.

**20.** 
$$3x - 4y = -12$$

**21.** 
$$2x + y = 8$$

**22.** 
$$\frac{1}{3}x - \frac{1}{6}y = -\frac{2}{3}$$

**23. MODELING REAL LIFE** Your cousin has \$90 to spend on video games and movies. The equation 30x + 15y = 90 represents this situation, where x is the number of video games purchased and y is the number of movies purchased. Graph the equation. Interpret the intercepts.



- **24. PROBLEM SOLVING** A group of friends go scuba diving. They rent a boat for x days and scuba gear for y people, represented by the equation 250x + 50y = 1000.
  - a. Graph the equation and interpret the intercepts.
  - b. How many friends can go scuba diving if they rent the boat for 1 day? 2 days?
  - c. How much money is spent in total?
- 25. DIG DEEPER! You work at a restaurant as a host and a server. You earn \$9.45 for each hour you work as a host and \$3.78 for each hour you work as a server.
  - Write an equation in standard form that models your earnings.
  - your earnings.



- b. Graph the equation.

  - CRITICAL THINKING For a house call, a veterinarian charges \$70, plus \$40 per hour.
    - a. Write an equation that represents the total fee y (in dollars) the veterinarian charges for a visit lasting x hours.
    - b. Find the x-intercept. Does this value make sense in this context? Explain your reasoning.
    - c. Graph the equation.

# 4.6 Writing Equations in Slope-Intercept Form

Learning Target: Write equations of lines in slope-intercept form.

Success Criteria: • I can find the slope and the y-intercept of a line.

- I can use the slope and the y-intercept to write an equation of a line.
- I can write equations in slope-intercept form to solve real-life problems.

#### **EXPLORATION 1**

STANDARDS MAFS.8.F.2.4

# Writing Equations of Lines


Work with a partner. For each part, answer the following questions.


- What are the slopes and the y-intercepts of the lines?
- · What are equations that represent the lines?
- What do the lines have in common?

# Math Practice

Analyze Givens
Why are the slope
and y-intercept
enough information
to write an equation

for a line?






#### **EXPLORATION 2**

#### Interpreting the Slope and the y-Intercept

Work with a partner. The graph represents the distance y (in miles) of a car from Phoenix after t hours of a trip.

- a. Find the slope and the y-intercept of the line. What do they represent in this situation?
- Write an equation that represents the graph.
- c. How can you determine the distance of the car from Phoenix after 11 hours?




### EXAMPLE 1

#### Writing Equations in Slope-Intercept Form

Write an equation in slope-intercept form of the line that passes through the given points.

a



Find the slope and the y-intercept.

$$m = \frac{y_2 - y_1}{x_2 - x_1}$$

$$= \frac{2 - 5}{2 - 0}$$

$$= \frac{-3}{2}, \text{ or } -\frac{3}{2}$$

After writing an equation, check that the given points are solutions of the equation.


Remember

any two points on a

line to find slope.

You can use

Because the line crosses the y-axis at (0, 5), the y-intercept is 5.






h.

٥.	x	У
	0	-3
	3	2
	6	7
	9	12


Find the slope and the *y*-intercept. Use the points (0, -3) and (3, 2).

$$m = \frac{y_2 - y_1}{x_2 - x_1}$$
$$= \frac{-3 - 2}{0 - 3}$$
$$= \frac{-5}{-3}, \text{ or } \frac{5}{3}$$

Because y = -3 when x = 0, the *y*-intercept is -3.



Try It Write an equation in slope-intercept form of the line that passes through the given points.



2.	X	у
	-3	3
	0	-1
	3	-5
	6	-9


Remember

The graph of

y = a is a horizontal line that passes through (0, a).

Which equation is shown in the graph?

- A. y = -4
- C. y=0
- D. y = -3x



Find the slope and the y-intercept. The line is horizontal, so the change in y is 0.

$$m = \frac{\text{change in } y}{\text{change in } x} = \frac{0}{3} = 0$$

Because the line crosses the y-axis at (0, -4), the y-intercept is -4.

So, the equation is y = 0x + (-4), or y = -4.




The correct answer is A.

Try It Write an equation of the line that passes through the given points.

3.

X	-4	0	4
у	5	5	5

4.






# Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

WRITING EQUATIONS IN SLOPE-INTERCEPT FORM Write an equation in slope-intercept form of the line that passes through the given points.

5.

x	у	
-2	-4	
-1	-1	
0	2	
1	5	



7. WRITING AN EQUATION Write an equation of the line that passes through (0, -5) and (2, -5).

#### EXAMPLE 3 Modeling Real Life



Engineers used tunnel boring machines like the ones shown above to dig an extension of the Metro Gold Line in Los Angeles. The tunnels are 1.7 miles long and 21 feet wide.

Engineers are digging a 3500-foot long tunnel at a constant rate. After 4 months, the engineers still need to dig 1500 feet to finish the project. How much time does it take to complete the tunnel from start to finish?

Write an equation of the line that represents the distance y (in feet) remaining after x months.

When the project starts, the engineers still need to dig 3500 feet, represented by (0, 3500). So, the y-intercept is 3500.

After 4 months, the engineers still need to dig 1500 feet, represented by (4, 1500). Use the points (0, 3500) and (4, 1500) to find the slope.

$$m = \frac{\text{change in } y}{\text{change in } x} = \frac{-2000}{4} = -500$$

So, an equation is y = -500x + 3500.

The tunnel is complete when the distance remaining is 0 feet. So, find the value of x when y = 0.

$$y = -500x + 3500$$
 Write the equation.

$$0 = -500x + 3500$$
 Substitute 0 for y.

$$-3500 = -500x$$
 Subtract 3500 from each side.

$$7 = x$$
 Divide each side by  $-500$ .



It takes 7 months to complete the tunnel from start to finish.



# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

- 8. You load boxes onto an empty truck at a constant rate. After 3 hours, there are 100 boxes on the truck. How much longer do you work if you load a total of 120 boxes? Justify your answer.
- x 0 6 12 9 15 y
- 9. The table shows the amounts y (in tons) of waste left in a landfill after x months of waste relocation. Interpret the slope and the y-intercept of the line that passes through the given points. How many months does it take to empty the landfill? Justify your answer.
  - 10. DIG DEEPER! A lifetime subscription to a website costs \$250. A monthly subscription to the website costs \$10 to join and \$15 per month. Write equations to represent the costs of each plan. If you want to be a member for one year, which plan is less expensive? Explain.

# 4.6 Practice

# Review & Refresh

Write the linear equation in slope-intercept form.

1. 
$$4x + y = 1$$

2. 
$$x-y=\frac{1}{5}$$

3. 
$$-\frac{2}{3}x + 2y = -7$$

Plot the ordered pair in a coordinate plane.

5. 
$$(-1, -2)$$

# Concepts, Skills, & Problem Solving


INTERPRETING THE SLOPE AND THE y-INTERCEPT The graph represents the cost y (in dollars) to open an online gaming account and buy x games. (See Exploration 2, p. 173.)

- 8. Find the slope and the y-intercept of the line. What do they represent in this situation?
- 9. Write an equation that represents the graph.
- 10. How can you determine the total cost of opening an account and buying 6 games?




WRITING EQUATIONS IN SLOPE-INTERCEPT FORM Write an equation in slope-intercept form of the line that passes through the given points.


11.



12.



13.



14.

×	y	
-2	2	
0	1	
2	0	
4	-1	

15.

X	y
-3	-4
0	-3
3	-2
6	-1

16.


X	у	
-4	9	
-2	4	
0	-1	
2	-6	

WRITING EQUATIONS Write an equation of the line that passes through the given points.

**18.** 
$$(-1,0),(0,0)$$

177

20. YOU BE THE TEACHER Your friend writes an equation of the line shown. Is your friend correct? Explain your reasoning.






21. MODELING REAL LIFE A boa constrictor is 18 inches long at birth and grows 8 inches per year. Write an equation in slope-intercept form that represents the length y (in feet) of a boa constrictor that is x years old.

22. MODELING REAL LIFE The table shows the speeds y (in miles per hour) of a car after x seconds of braking. Write an equation of the line that passes through the points in the table. Interpret the slope and the y-intercept of the line.

x	0	1	2	3
у	70	60	50	40

- 23. MODELING REAL LIFE A dentist charges a flat fee for an office visit, plus an additional fee for every tooth removed. The graph shows the total cost y (in dollars) for a patient when the dentist removes x teeth. Interpret the slope and the y-intercept.
- 24. MODELING REAL LIFE One of your friends gives you \$10 for a charity walkathon. Another friend gives you an amount per mile. After 5 miles, you have raised \$13.50 total. Write an equation that represents the amount y of money you have raised after x miles.



25. PROBLEM SOLVING You have 500 sheets of notebook paper. After 1 week, you have 72% of the sheets left. You use the same number of sheets each week. Write an equation that represents the number y of sheets remaining after x weeks.

- 26. DIG DEEPER! The palm tree on the left is 10 years old. The palm tree on the right is 8 years old. The trees grow at the same rate.
  - Estimate the height y (in feet) of each tree.
  - b. Plot the two points (x, y), where x is the age of each tree and y is the height of each tree.
  - c. What is the rate of growth of the trees?
  - d. Write an equation that represents the height of a palm tree in terms of its age.



# 4.7 Writing Equations in Point-Slope Form

Learning Target: Write equations of lines in point-slope form.


Success Criteria: • I can use a point on a line and the slope to write an equation of the line.

- I can use any two points to write an equation of a line.
- I can write equations in point-slope form to solve real-life problems.

## **EXPLORATION 1**

# **Deriving an Equation**

FLORIDA STANDARDS MAFS.8.F.2.4 Work with a partner. Let  $(x_1, y_1)$  represent a specific point on a line. Let (x, y) represent any other point on the line.



# **Math Practice**

Recognize Usefulness of Tools How does the graph help you derive an equation?

- Write an equation that represents the slope m of the line. Explain your reasoning.
- b. Multiply each side of your equation in part (a) by the expression in the denominator. What does the resulting equation represent? Explain your reasoning.

# **EXPLORATION 2**

## **Writing an Equation**

#### Work with a partner.

For 4 months, you saved \$25 a month. You now have \$175 in your savings account.

- a. Draw a graph that shows the balance in your account after t months.
- b. Use your result from Exploration 1 to write an equation that represents the balance A after t months.




## Key Vocabulary


point-slope form, p. 180



### Point-Slope Form

**Words** A linear equation written in the form  $y - y_1 = m(x - x_1)$ is in point-slope form . The line passes through the point  $(x_1, y_1)$ , and the slope of the line is m.





## **EXAMPLE 1**

# Writing an Equation Using a Slope and a Point

Write an equation in point-slope form of the line that passes through the point (-6, 1) with slope  $\frac{2}{3}$ .

$$y - y_1 = m(x - x_1)$$

 $y - y_1 = m(x - x_1)$  Write the point-slope form.

$$y-1=\frac{2}{3}[x-(-6)]$$

 $y-1=\frac{2}{3}[x-(-6)]$  Substitute  $\frac{2}{3}$  for  $m_1-6$  for  $x_1$ , and 1 for  $y_1$ .

$$y-1=\frac{2}{3}(x+6)$$



So, an equation is  $y-1=\frac{2}{3}(x+6)$ .

Check Check that (-6, 1) is a solution of the equation.

$$y-1=\frac{2}{3}(x+6)$$
 Write the equation.

$$1-1=\frac{?}{3}(-6+6)$$
 Substitute.

$$0 = 0$$
 Simplify.

Try It Write an equation in point-slope form of the line that passes through the given point and has the given slope.

**1.** 
$$(1, 2)$$
;  $m = -4$ 

**2.** 
$$(7,0)$$
;  $m=1$ 


**1.** 
$$(1,2); m=-4$$
 **2.**  $(7,0); m=1$  **3.**  $(-8,-5); m=-\frac{3}{4}$ 

## **EXAMPLE 2** Writing an Equation Using Two Points

Write an equation in slope-intercept form of the line that passes through the given points.

Find the slope. Use the points (2, 4) and (5, -2).

$$m = \frac{y_2 - y_1}{x_2 - x_1} = \frac{-2 - 4}{5 - 2} = \frac{-6}{3} = -2$$



#### **Another Method**

You can use any of the given points to write an equation of the line.

Use 
$$m = -2$$
 and  $(5, -2)$ .

$$y - (-2) = -2(x - 5)$$

$$y + 2 = -2x + 10$$

$$y = -2x + 8$$

Then use the slope m = -2 and the point (2, 4) to write an equation of the line.

$$y - y_1 = m(x - x_1)$$
 Write the point-slope form.

$$y-4=-2(x-2)$$

y-4=-2(x-2) Substitute -2 for m, 2 for  $x_1$ , and 4 for  $y_1$ .

$$y - 4 = -2x + 4$$

y-4=-2x+4 Distributive Property

$$y = -2x + 8$$

y = -2x + 8 Write in slope-intercept form.

Try It Write an equation in slope-intercept form of the line that passes through the given points.



# Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

WRITING AN EQUATION Write an equation in point-slope form of the line that passes through the given point and has the given slope.

**6.** 
$$(2,0)$$
;  $m=1$ 

7. 
$$(-3, -1)$$
;  $m = -\frac{1}{3}$  8.  $(5, 4)$ ;  $m = 3$ 

8. 
$$(5,4)$$
;  $m=3$ 

181

- 3 5 7 X -2-5y 1
- WRITING AN EQUATION Write an equation of the line that passes through the points given in the table.
- DIFFERENT WORDS, SAME QUESTION Which is different? Sketch "both" graphs.

What is the graph of the equation y = 4x + 3?

Graph the line that passes through the points (4, 5) and (5, 9).

Graph 
$$y = 4x + 3$$
.

Graph the linear equation y - 7 = 4(x - 1).

# EXAMPLE 3

## **Modeling Real Life**



You finish parasailing and are being pulled back to the boat. After 2 seconds, you are 25 feet above the boat. At what height were you parasailing?

You are 25 feet above the boat after 2 seconds, which can be represented by the point (2, 25). You are being pulled down at a rate of 10 feet per second. So, the slope is -10.

Because you know a point and the slope, use point-slope form to write an equation that represents your height y (in feet) above the boat after x seconds.

$$y - y_1 = m(x - x_1)$$
 Write the point-slope form.

Substitute for  $m, x_1$ , and  $y_1$ .

$$y - 25 = -10(x - 2)$$
$$y - 25 = -10x + 20$$

Distributive Property

$$y = -10x + 45$$

Write in slope-intercept form.

The height at which you were parasailing is represented by the y-intercept.



So, you were parasailing at a height of 45 feet.



# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

- A writer finishes a project that a coworker started at a rate of 3 pages per hour. After 3 hours, 25% of the project is complete.
  - a. The project is 200 pages long. Write and graph an equation for the total number y of pages that have been finished after the writer works for x hours.
  - b. The writer has a total of 45 hours to finish the project. Will the writer meet the deadline? Explain your reasoning.
- 12. DIG DEEPER! You and your friend begin to run along a path at different constant speeds. After 1 minute, your friend is 45 meters ahead of you. After 3 minutes, your friend is 105 meters ahead of you.
  - Write and graph an equation for the distance y (in meters) your friend is ahead of you after x minutes. Justify your answer.
  - b. Did you and your friend start running from the same spot? Explain your reasoning.


# 4.7 Practice

# Review & Refresh

Write an equation in slope-intercept form of the line that passes through the given points.

1.

x	-2	0	2
у	4	5	6



Solve the equation. Check your solution, if possible.

3. 
$$2x + 3 = 2x$$

**4.** 
$$6x - 7 = 1 - 3x$$

**5.** 
$$0.1x - 1 = 1.2x - 5.4$$

# > Concepts, Skills, & Problem Solving

WRITING AN EQUATION The value of a new car decreases \$4000 each year. After 3 years, the car is worth \$18,000. (See Exploration 2, p. 179.)

- Draw a graph that shows the value of the car after t years.
- Write an equation that represents the value V of the car after t years.

WRITING AN EQUATION Write an equation in point-slope form of the line that passes through the given point and has the given slope.

**8.** (3,0); 
$$m = -\frac{2}{3}$$
 **9.** (4,8);  $m = \frac{3}{4}$ 

**9.** 
$$(4,8)$$
;  $m=\frac{3}{4}$ 

**10.** 
$$(1, -3)$$
;  $m = 4$ 

**11.** 
$$(7, -5)$$
;  $m = -\frac{1}{7}$  **12.**  $(3, 3)$ ;  $m = \frac{5}{3}$  **13.**  $(-1, -4)$ ;  $m = -2$ 

**12.** (3, 3); 
$$m = \frac{5}{3}$$

**13.** 
$$(-1, -4)$$
;  $m = -2$ 


WRITING AN EQUATION Write an equation in slope-intercept form of the line that passes through the given points.

 MODELING REAL LIFE At 0°C, the volume of a gas is 22 liters. For each degree the temperature T (in degrees Celsius) increases, the volume V (in liters) of the gas increases by  $\frac{2}{25}$ . Write an equation that represents the volume of the gas in terms of the temperature.


183

WRITING AN EQUATION Write an equation of the line that passes through the given points in any form. Explain your choice of form.


21.



22.



23.



24.

x	У
-1	3.5
1	-0.5
3	-4.5

25.

x	у
-3	-1
0	1
3	3

26.

х	у
-7	6
-3	4
1	2

- **27. WEASONING** Write an equation of the line that passes through the point (8, 2) and is parallel to the graph of the equation y = 4x 3.
- MODELING REAL LIFE The table shows the amount y (in fluid ounces) of carpet cleaner in a tank after x minutes of cleaning.
  - a. Write an equation that represents the amount of cleaner in the tank after x minutes.
  - b. How much cleaner is in the tank when the cleaning begins?
  - c. After how many minutes is the tank empty? Justify your answer.
- x
   y

   5
   108

   10
   88

   15
   68

Leaning Tower of Pisa



- predict the temperature *T* (in degrees Fahrenheit) by counting the number *x* of chirps made by a snowy tree cricket in 1 minute. When the temperature is 50°F, a cricket chirps 40 times in 1 minute. For each rise in temperature of 0.25°F, the cricket makes an additional chirp each minute.
  - a. You count 100 chirps in 1 minute. What is the temperature?
  - b. The temperature is 96°F. How many chirps do you expect the cricket to make? Justify your answer.
- PROBLEM SOLVING The Leaning Tower of Pisa in Italy was built between 1173 and 1350.
  - a. Write an equation that represents the yellow line.
  - b. The tower is 56 meters tall. How far from the center is the top of the tower? Justify your answer.



# **Connecting Concepts**



 Every item in a retail store is on sale for 40% off. Write and graph an equation that represents the sale price y of an item that has an original price of x dollars.



You know the percent discount of items in a retail store. You are asked to write and graph an equation that represents the sale price of an item that has an original price of x dollars.



Make a plan.

Selling an item for 40% off is the same as selling an item for 60% of its original price. Use this information to write and graph an equation that represents the situation.



Use the plan to solve the problem. Then check your solution.

- Two supplementary angles have angle measures of x° and y°. Write and graph an equation that represents the relationship between the measures of the angles.
- 3. A mechanic charges a diagnostic fee plus an hourly rate. The table shows the numbers of hours worked and the total costs for three customers. A fourth customer pays \$285. Find the number of hours that the mechanic worked for the fourth customer.

Hours, x	1	3	5
Cost, y (dollars)	90	210	330

# **Performance Task**



## Anatomy of a Hurricane

At the beginning of this chapter, you watched a STEAM Video called "Hurricane!" You are now ready to complete the performance task related to this video, available at *BigldeasMath.com*. Be sure to use the problem-solving plan as you work through the performance task.



# **Chapter Review**



# Review Vocabulary

Write the definition and give an example of each vocabulary term.

linear equation, p. 142 solution of a linear equation, p. 142 slope, p. 148 rise, p. 148 run, p. 148 x-intercept, p. 162 y-intercept, p. 162

slope-intercept form, p. 162 standard form, p. 168 point-slope form, p. 180

# Graphic Organizers


You can use a **Definition and Example Chart** to organize information about a concept. Here is an example of a Definition and Example Chart for the vocabulary term *linear equation*.

Linear equation: an equation whose graph is a line

Example
$$y = 2x + 1$$
Example
$$y = 8$$
Example
$$x = -2$$

Choose and complete a graphic organizer to help you study the concept.

- 1. slope
- 2. slope of parallel lines
- 3. proportional relationship
- 4. slope-intercept form
- 5. standard form
- point-slope form



"Here is my Definition and Example Chart.
Wednesday, Thursday, and Friday
(Freya's day) are all named after
mythical beings."

# Chapter Self-Assessment

As you complete the exercises, use the scale below to rate your understanding of the success criteria in your journal.

ı

2

3

4

I do not understand.

I can do it with help.

I can do it on my own. I can teach someone else.



## 4.1 Graphing Linear Equations (pp. 141-146)

Learning Target: Graph linear equations.

#### Graph the linear equation.

1. 
$$y = \frac{3}{5}x$$

2. 
$$y = -2$$

3. 
$$y = 9 - x$$

**4.** 
$$y = -0.25x + 4$$

**5.** 
$$y = \frac{2}{3}x + 2$$

6. 
$$x = -5$$



- 7. The equation y = 0.5x + 3 represents the cost y (in dollars) of riding in a taxi x miles.
  - Use a graph to estimate how much it costs to ride 5.25 miles in a taxi.
  - b. Use the equation to find exactly how much it costs to ride 5.25 miles in a taxi.
- The equation y = 9.5x represents the earnings y (in dollars) of an aquarium gift shop employee that works x hours.
  - a. Graph the linear equation.
  - b. How much does the employee earn for working 40 hours?
- **9.** Is  $y = x^2$  a linear equation? Explain your reasoning.
- The sum S of the exterior angle measures of a polygon with n sides is S = 360°.
  - a. Plot four points (n, S) that satisfy the equation. Is the equation a linear equation? Explain your reasoning.
  - b. Does the value n = 2 make sense in the context of the problem? Explain your reasoning.






## 4.2 Slope of a Line (pp. 147-154)


Learning Target: Find and interpret the slope of a line.

Describe the slope of the line. Then find the slope of the line.

11.



12.



Find the slope of the line through the given points.

The points in the table lie on a line. Find the slope of the line.

15.

X	0	1	2	3
у	-1	0	1	2

16.

х	-2	0	2	4
У	3	4	5	6

- How do you know when two lines are parallel? Use an example to justify your answer.
- Draw a line through the point (-1, 2) that is parallel to the graph of the line in Exercise 11.




## 4.3 Graphing Proportional Relationships (pp. 155–160)


Learning Target: Graph proportional relationships.

Tell whether x and y are in a proportional relationship. Explain your reasoning. If so, write an equation that represents the relationship.

19.



20.



- **21.** The cost *y* (in dollars) to provide food for guests at a dinner party is proportional to the number *x* of guests attending the party. It costs \$30 to provide food for 4 guests.
  - a. Write an equation that represents the situation.
  - b. Interpret the slope of the graph of the equation.
  - c. How much does it cost to provide food for 10 guests? Justify your answer.
- **22.** The distance y (in miles) you run after x weeks is represented by the equation y = 8x. Graph the equation and interpret the slope.
- 23. You research that hair grows 15 centimeters per year on average. The table shows your friend's hair growth.

Months	1	2	3	4
Hair Growth (centimeters)	1.5	3	4.5	6

- a. Does your friend's hair grow faster than average? Explain.
- b. In the same coordinate plane, graph the average hair growth and the hair growth of your friend. Compare and interpret the steepness of each of the graphs.



## 4.4 Graphing Linear Equations in Slope-Intercept Form (pp. 161-166)

Learning Target: Graph linear equations in slope-intercept form.

Find the slope and the y-intercept of the graph of the linear equation.

**24.** 
$$y = -4x + 1$$

**25.** 
$$y = \frac{2}{3}x - 12$$

**26.** 
$$y - 7 = 0.5x$$

Graph the linear equation. Identify the x-intercept.

**27.** 
$$y = 2x - 6$$

**28.** 
$$y = -4x + 8$$

**29.** 
$$y = -x - 8$$

- **30.** The cost y (in dollars) of one person buying admission to a fair and going on x rides is y = x + 12.
  - a. Graph the equation.
  - b. Interpret the y-intercept and the slope.
- Graph the linear equation with slope −5 and y-intercept 0.





# 4.5 Graphing Linear Equations in Standard Form (pp. 167-172)

Learning Target: Graph linear equations in standard form.

Write the linear equation in slope-intercept form.

**32.** 
$$4x + 2y = -12$$

**33.** 
$$x-y=\frac{1}{4}$$

Graph the linear equation.

**34.** 
$$\frac{1}{4}x + y = 3$$

**35.** 
$$-4x + 2y = 8$$

**36.** 
$$x + 5y = 10$$

37. 
$$-\frac{1}{2}x + \frac{1}{8}y = \frac{3}{4}$$

**38.** A dog kennel charges \$30 per night to board your dog and \$6 for each hour of playtime. The amount of money you spend is given by 30x + 6y = 180, where x is the number of nights and y is the number of hours of playtime. Graph the equation and interpret the intercepts.




## 4.6 Writing Equations in Slope-Intercept Form (pp. 173–178)


Learning Target: Write equations of lines in slope-intercept form.

Write an equation in slope-intercept form of the line that passes through the given points.

39.



40



41.

x	у
-2	4
0	1
2	-2
4	-5

42.

x	У
0	-3
1	-1
2	1
3	3

- 43. Write an equation of the line that passes through (0, 8) and (6, 8).
- **44.** Write an equation of the line that passes through (0, -5) and (-5, -5).

45. A construction crew is extending a highway sound barrier that is 13 miles long. The crew builds <sup>1</sup>/<sub>2</sub> of a mile per week. Write an equation in slope-intercept form that represents the length y (in miles) of the barrier after x weeks.



## 4.7 Writing Equations in Point-Slope Form (pp. 179–184)

Learning Target: Write equations of lines in point-slope form.

Write an equation in point-slope form of the line that passes through the given point and has the given slope.

**46.** 
$$(4,4)$$
;  $m=3$ 

**47.** 
$$(2, -8)$$
;  $m = -\frac{2}{3}$ 

Write an equation in slope-intercept form of the line that passes through the given points.

50. The table shows your elevation y (in feet) on a ski slope after x minutes.

x	1	2	3
у	800	600	400

- a. Write an equation that represents your elevation after x minutes.
- b. What is your starting elevation?
- c. After how many minutes do you reach the bottom of the ski slope? Justify your answer.
- A company offers cable television at \$29.95 per month plus a one-time installation fee. The total cost for the first six months of service is \$214.70.
  - a. Write an equation in point-slope form that represents the total cost you pay for cable television after x months.
  - b. How much is the installation fee? Justify your answer.
- 52. When might it be better to represent an equation in point-slope form rather than slope-intercept form? Use an example to justify your answer.

# **Practice Test**



1. 
$$y = 6x - 5$$

**2.** 
$$y-1=3x+8.4$$

3. 
$$-\frac{1}{2}x + 2y = 7$$


Graph the linear equation.

**4.** 
$$y = -\frac{1}{2}x - 5$$

5. 
$$-3x + 6y = 12$$

**6.** 
$$y = \frac{2}{3}x$$

7. Which lines are parallel? Explain.




The points in the table lie on a line. Find the slope of the line.

x	у
-1	-4
0	-1
1	2
2	5

# Write an equation in slope-intercept form of the line that passes through the given points.






10.

х	у
-2	2
0	2
2	2
4	2

- Write an equation in point-slope form of the line that passes through (-4, 1) and (4, 3).
- **12.** The number y of new vocabulary words that you learn after x weeks is represented by the equation y = 15x.
  - Graph the equation and interpret the slope.
  - b. How many new vocabulary words do you learn after 5 weeks?
  - c. How many more vocabulary words do you learn after 6 weeks than after 4 weeks?
- **13.** You used \$90 worth of paint for a school float. The amount of money you spend is given by 18x + 15y = 90, where x is the number of gallons of blue paint and y is the number of gallons of white paint. Graph the equation and interpret the intercepts.

# **Cumulative Practice**

1. Which equation matches the line shown in the graph?




**A.** 
$$y = 2x - 2$$

**B.** 
$$y = 2x + 1$$

C. 
$$y = x - 2$$


**D.** 
$$y = x + 1$$



2. Which point lies on the graph of 6x - 5y = 14?

**H.** 
$$(-1, -4)$$

3. You reflect the triangle in the x-axis. What are the coordinates of the image?




**A.** 
$$X'(4,1), Y'(2,3), Z'(-2,1)$$

**B.** 
$$X'(4,-1), Y'(2,-3), Z'(-2,-1)$$

C. 
$$X'(-4,-1), Y'(-2,-3), Z'(2,-1)$$
 D.  $X'(1,4), Y'(3,2), Z'(1,-2)$ 

**D.** 
$$X'(1, 4), Y'(3, 2), Z'(1, -2)$$

4. Which of the following is the equation of a line parallel to the line shown in the graph?



**F.** 
$$y = 3x - 10$$


**G.** 
$$y = \frac{1}{3}x + 12$$

**H.** 
$$y = -3x + 5$$

1. 
$$y = -\frac{1}{3}x - 18$$

5. What is the value of x?





- 6. An emergency plumber charges \$49.00 plus \$70.00 per hour of the repair. A bill to r epair your sink is \$241.50. This can be modeled by 70.00h + 49.00 = 241.50, where h represents the number of hours for the repair. How many hours did it take to repair your sink?
  - A. 2.75 hours
  - C. 4.15 hours

- B. 3.45 hours
- D. 13,475 hours

Think Solve Explain

It costs \$40 to rent a car for one day.
 In addition, the rental agency charges you for each mile driven, as shown in the graph.

Part A Determine the slope of the line joining the points on the graph.

Part B Explain what the slope represents.




8. What value of x makes the equation true?



$$7 + 2x = 4x - 5$$

9. Trapezoid KLMN is graphed in the coordinate plane shown.



Rotate Trapezoid KLMN 90° clockwise about the origin. What are the coordinates of point M', the image of point M after the rotation?

**G.** 
$$(-2, -3)$$

H. 
$$(-2,3)$$

**10.** Solve the formula K = 3M - 7 for M.


**A.** 
$$M = K + 7$$

**B.** 
$$M = \frac{K+7}{3}$$

**C.** 
$$M = \frac{K}{3} + 7$$

**D.** 
$$M = \frac{K - 7}{3}$$

11. What is the distance d across the canyon?





- 5.1 Solving Systems of Linear Equations by Graphing
- 5.2 Solving Systems of Linear Equations by Substitution
- 5.3 Solving Systems of Linear Equations by Elimination
- 5.4 Solving Special Systems of Linear Equations

#### **Chapter Learning Target:**

Understand systems of linear equations.

#### Chapter Success Criteria:

- I can identify a linear equation.
- I can describe a system of linear equations.
- I can solve a system of linear equations.
- I can model solving systems with different numbers of solutions.



# **STEAM Video**



## **Gold Alloys**

An alloy is a mixture of different metals melted together at high temperatures. A dental filling is created using a gold alloy. What are other uses of alloys?

Watch the STEAM Video "Gold Alloys." Then answer the following questions.

- Enid says that the proportion of gold in an alloy can be measured in *karats*. For example, 24 karats represents 100% gold and 18 karats represents 75% gold.
  - a. A dental filling is 9 karats. What percent of the filling is gold?
  - b. A watch is 60% gold. How many karats is the watch?
- 2. What percent gold is each described alloy?
  - A mixture of 2 grams 10-karat gold and 2 grams 14-karat gold
  - A mixture of 6 grams 24-karat gold and 4 grams 9-karat gold

## **Performance Task**



## Mixing Alloys

After completing this chapter, you will be able to use the concepts you learned to answer the questions in the STEAM Video Performance Task. You will be given a list of gold alloys available at a jewelry store.

#### Alloys at Jewelry Store

Alloy 1: 25% gold

Alloy 2: 50% gold

Alloy 3: 82% gold

You will use a *system of equations* to determine the amounts of the given alloys that a jeweler needs to create a new alloy. Why might a jeweler need to create a mixture with a specific proportion of gold?

# **Getting Ready for Chapter**



# **Chapter Exploration**

- Work with a partner. Your family starts a bed-and-breakfast. You spend \$500
  fixing up a bedroom to rent. The cost for food and utilities is \$10 per night. Your
  family charges \$60 per night to rent the bedroom.
  - Write an equation that represents the costs.

$$\frac{\text{Cost, } C}{\text{(in dollars)}} = \frac{\$10}{\text{per night}} \cdot \frac{\text{Number of}}{\text{nights, } x} + \$500$$


b. Write an equation that represents the revenue (income).


Revenue, 
$$R$$
 (in dollars) =  $\begin{array}{c} \$60 \\ \text{per night} \end{array}$  • Number of nights,  $x$ 

- c. A set of two (or more) linear equations is called a system of linear equations. Write the system of linear equations for this problem.
- 2. Work with a partner. Use a graphing calculator to solve the system.

$$y = 10x + 500$$
 Equation 1  
 $y = 60x$  Equation 2

- a. Enter the equations into your calculator. Then graph the equations. What is an appropriate window?
- b. On your graph, how can you determine which line is the graph of which equation? Label the equations on the graph shown.
- Visually estimate the point of intersection of the graphs.
- d. To find the solution, use the intersect feature to find the point of intersection.





# Vocabulary

The following vocabulary terms are defined in this chapter. Think about what each term might mean and record your thoughts.

system of linear equations

solution of a system of linear equations

# 5.1 Solving Systems of Linear Equations by Graphing

Learning Target: Understand how to solve systems of linear equations by graphing.

Success Criteria: • I can graph a linear equation.

I can find the point where two lines intersect.

I can solve a system of linear equations by graphing.

## **EXPLORATION 1**

#### FLORIDA STANDARDS

MAFS.8.EE.3.8b MAFS.8.EE.3.8c

# Using a Graph to Solve a Problem

Work with a partner. You charge your headphones and your phone. The equations below represent the battery powers p% of the devices after x minutes of charging.

$$p = \frac{5}{3}x$$

Headphones


$$p = x + 25$$

Phone

a. You check the battery power of each device every 10 minutes. Copy and complete the table. How do the devices' battery powers compare?

x (minutes)	10	20	30	40	50	60
p (headphones)						
p (phone)	ij		ľ			

b. After how much time do the devices have the same battery power? What is the battery power at that time? Justify your answer.



Math Practice

#### Use Technology to Explore

What features of a graphing calculator can you use to check your answers in part (b)?

- d. Graph the battery power equations in the same coordinate plane. What do you notice?
- Use a graphing calculator to check your answers in part (b).
   Explain your method.

# Lesson

### Key Vocabulary

system of linear equations, p. 200 solution of a system of linear equations, p. 200

A system of linear equations is a set of two or more linear equations in the same variables. An example is shown below. A system of linear equations is also called a linear system.

$$y = x + 1$$

Equation 1

$$y = 2x - 7$$
 Equation 2

A solution of a system of linear equations in two variables is an ordered pair that is a solution of each equation in the system. The solution of a system of linear equations is the point of intersection of the graphs of the equations.

# **EXAMPLE 1**

# Solving a System of Linear Equations by Graphing

Solve the system by graphing.


$$y = 2x + 5$$

Equation 1

$$y = -4x - 1$$

Equation 2


Graph each equation.



Always check that the estimated intersection point is a solution of each equation.

The graphs appear to intersect at (-1, 3). Check that the point is a solution of each equation.

### Check



$$y = 2x + 5$$

$$3 \stackrel{?}{=} 2(-1) + 5$$

#### Equation 2

$$y = -4x - 1$$

$$3 \stackrel{?}{=} 2(-1) + 5$$
  $3 \stackrel{?}{=} -4(-1) - 1$ 

The solution is (-1, 3).

Try It Solve the system by graphing.

**1.** 
$$y = x - 1$$

$$y = -x + 3$$

**2.** 
$$y = -5x + 14$$

$$y = x - 10$$

3. 
$$y = x$$

$$y = 2x + 1$$

# EXAMPLE 2 Solving a System of Linear Equations by Graphing

Solve the system by graphing.

$$y=2x-2$$


Equation 1

$$-x + 2y = -4$$

Equation 2

Graph each equation.

The graphs appear to intersect at (0, -2). Check that the point is a solution of each equation.



#### Equation 1 Equation 2

$$y = 2x - 2$$

$$-x+2y=-a$$

$$-2 \stackrel{?}{=} 2(0) - 2$$

$$y = 2x - 2$$
  $-x + 2y = -4$   
 $-2 \stackrel{?}{=} 2(0) - 2$   $-0 + 2(-2) \stackrel{?}{=} -4$ 

$$-2 = -2$$

$$-4 = -4$$



The solution is (0, -2).

Try It Solve the system by graphing.

**4.** 
$$y = -4x - 7$$
 **5.**  $x - y = 5$ 

**5.** 
$$x - y = 5$$

**6.** 
$$\frac{1}{2}x + y = -6$$

$$x + y = 2$$

$$x + y = 2 \qquad \qquad -3x + y = -1$$

$$6x + 2y = 8$$



# Self-Assessment for Concepts & Skills .

Solve each exercise. Then rate your understanding of the success criteria in your journal.

SOLVING A SYSTEM OF LINEAR EQUATIONS Solve the system by graphing.

7. 
$$y = x + 1$$
  
 $y = 4x + 7$ 

**8.** 
$$3x - y = -1$$
  
 $y = -x + 5$ 

9. 
$$x + 2y = 3$$
  
 $-x + 3y = 7$ 

- WRITING Explain why the solution of a system of linear equations is the point of intersection of their graphs.
- 11. DIFFERENT WORDS, SAME QUESTION Which is different? Find "both" answers.

y = -2x + 8Equation 1 y = 4x + 2Equation 2

What is the solution of the system?

What ordered pair makes both equations true?

At what point do the graphs of the equations intersect?

What are the solutions of each equation?

# EXAMPLE 3

## **Modeling Real Life**

In football, each extra point made is 1 point and each field goal made is 3 points. A kicker makes a total of 8 extra points and field goals in a game and scores 12 points. How many field goals did the kicker make?

Use a verbal model to write a system of linear equations. Let x represent the number of extra points and let y represent the number of field goals.




Number	
of extra	
points, x	

$$x + y = 8$$

$$x + 3y = 12$$

Graph each equation.

The graphs appear to intersect at (6, 2). Check that the point is a solution of each equation.



$$x + y = 8$$

$$x + y = 8 \qquad \qquad x + 3y = 12$$

$$6+2 = 8$$

$$6+2\stackrel{?}{=}8$$
  $6+3(2)\stackrel{?}{=}12$   $8=8$ 

The solution is (6, 2). So, the kicker made 2 field goals.



# Self-Assessment for Problem Solving



Solve each exercise. Then rate your understanding of the success criteria in your journal.

- 12. Your family attends a comic convention. Each autograph costs \$20 and each photograph costs \$50. Your family buys a total of 5 autographs and photographs for \$160. How many photographs does your family buy?
- 13. DIG DEEPER! Two apps on your phone take away points for using your phone at school. You have 140 points on the first app and 80 points on the second app when a school day begins. Each time you check your phone, you lose 10 points on your first app and p points on your second app. After you check your phone ten times, you have the same number of points on each app. Find the value of p.

# 5.1 Practice



# Review & Refresh

Write an equation in point-slope form of the line that passes through the given point and has the given slope.

1. 
$$(3, -4)$$
;  $m = 1$ 

**2.** (5, 6); 
$$m = \frac{3}{5}$$

**2.** (5, 6); 
$$m = \frac{3}{5}$$
 **3.** (1, 0);  $m = -\frac{1}{4}$ 

Solve the equation. Check your solution.

**4.** 
$$\frac{3}{4}c - \frac{1}{4}c + 3 = 7$$

**5.** 
$$5(2-y)+y=-6$$
 **6.**  $6x-3(x+8)=9$ 

**6.** 
$$6x - 3(x + 8) = 9$$

# Concepts, Skills, & Problem Solving

USING A GRAPH TO SOLVE A PROBLEM The equations below represent the numbers y of tickets sold after x weeks for two different local music festivals. (See Exploration 1, p. 199.)

$$y = 10x + 150$$

Country Music Festival

$$y = 20x + 115$$

Pop Music Festival

- 7. You check the ticket sales for both festivals each week for 10 weeks. Create a table for the ticket sales each week. How do the festivals' ticket sales compare?
- 8. After how much time have the same number of tickets been sold for both festivals? What is the number of tickets sold at that time?

SOLVING A SYSTEM OF LINEAR EQUATIONS Solve the system by graphing.

9. 
$$y = 2x + 9$$

$$y = 6 - x$$

$$y = 6 - x$$

**12.** 
$$x + y = 27$$

$$y = x + 3$$

10. 
$$y = -x - 4$$

$$y = \frac{3}{5}x + 4$$

**13.** 
$$y - x = 17$$

$$y = 4x + 2$$

**11.** 
$$y = 2x + 5$$

$$y = \frac{1}{2}x - 1$$

**14.** 
$$x - y = 7$$

$$0.5x + y = 5$$

USING A GRAPHING CALCULATOR Use a graphing calculator to solve the system.

**15.** 
$$2.2x + y = 12.5$$

$$1.4x - 4y = 1$$

**16.** 
$$2.1x + 4.2y = 14.7$$

$$-5.7x - 1.9y = -11.4$$


**17.** 
$$-1.1x - 5.5y = -4.4$$

18. YOU BE THE TEACHER Your friend solves the system of linear equations below. Is your friend correct? Explain your reasoning.

$$y = 0.5x + 1$$

Equation 1

$$y = -x + 7$$
 Equation 2




- 19. MODELING REAL LIFE You have a total of 42 math and science problems for homework. You have 10 more math problems than science problems. How many problems do you have in each subject? Use a system of linear equations to justify your answer.
- 20. PROBLEM SOLVING A generator contains 60 gallons of fuel and uses 2.5 gallons per hour. A more efficient power generator contains 40 gallons of fuel and uses 1.5 gallons per hour. After how many hours do the generators have the same amount of fuel? Which generator runs longer? Justify your answers.



- 21. PROBLEM SOLVING You and your friend are in a canoe race. Your friend is a half mile in front of you and paddling 3 miles per hour. You are paddling 3.4 miles per hour.
  - a. You are 8.5 miles from the finish line. How long will it take you to catch up to your friend?
  - b. You both maintain your paddling rates for the remainder of the race. How far ahead of your friend will you be when you cross the finish line?

OPEN-ENDED Write a system of linear equations that fits the description. Use a graph to justify your answer.

- **22.** The solution of the system is a point on the line y = -9x + 1.
- **23.** The solution of the system is (3, -1).
- 24. DIG DEEPER! A graph of a system of two linear equations is shown. Write the system of linear equations represented by the graph. What is the solution of the system?



- Month Friend's Cousin's Hair (in.)

  March 4 7

  August 6.5 9
- 25. CRITICAL THINKING Your friend is trying to grow her hair as long as her cousin's hair. The table shows their hair lengths (in inches) in different months.
  - a. Write a system of linear equations that represents this situation. Let x = 1 represent January.
  - b. Will your friend's hair ever be as long as her cousin's hair? If so, in what month?
- 26. REASONING Is it possible for a system of two linear equations to have multiple solutions? Explain your reasoning.
- 27. GEOMETRY The length of a rectangle is 8 feet more than its width. The perimeter of the rectangle is 72 feet. Find the width of the rectangle.

# 5.2 Solving Systems of Linear Equations by Substitution

Learning Target: Understand how to solve systems of linear equations by substitution.

Success Criteria: • I can solve a linear equation in two variables for either variable.

I can solve a system of linear equations by substitution.

## **EXPLORATION 1**

# Solving Systems Algebraically

FLORIDA STANDARDS

MAFS.8.EE.3.8b MAFS.8.EE.3.8c Work with a partner.

a. Find the value of each symbol in the systems below. Compare your solution methods with other pairs of students.

System 1: 
$$\mathbf{D} + \mathbf{D} - 1 = \mathbf{+}$$
 Equation 1  
  $\mathbf{D} + \mathbf{+} + \mathbf{+} = 8$  Equation 2

Math Practice

Make a Plan How does your work

in part (a) help you make a plan for solving the system in part (b)? b. Use a method similar to your method in part (a) to solve the system below. Then explain how to solve a system of linear equations in two variables algebraically.

$$3x + y = 1$$
 Equation 1  
  $x - y = -5$  Equation 2

# **EXPLORATION 2**

# Writing and Solving Systems of Equations

Work with a partner. Roll two number cubes that are different colors. Then write the ordered pair shown by the number cubes.

- a. Write a system of linear equations that has your ordered pair as its solution. Explain how you found your system.
- b. Exchange systems with another pair of students. Use a method from Exploration 1 to solve the system.



Another way to solve a system of linear equations is to use substitution to obtain an equation in one variable. Then solve the resulting equation and substitute to find the value of the other variable.

## EXAMPLE 1

You can substitute -1

for x in either equation.

Using Equation 2,

7(-1) - 2y = 5

-2y = 12

y = -6.

# Solving a System of Linear Equations by Substitution

Solve the system by substitution.

$$y = 2x - 4$$
 Equation 1

$$7x - 2y = 5$$
 Equation 2

**Step 1:** Notice that Equation 1 is solved for y. So, you can substitute 2x - 4for y in Equation 2 to obtain an equation in one variable, x. Then solve the equation to find the value of x.

$$7x - 2y = 5$$

Equation 2

$$7x - 2(2x - 4) = 5$$

Substitute 2x - 4 for y.

$$7x - 4x + 8 = 5$$

Distributive Property

$$3x + 8 = 5$$

Combine like terms.

$$3x = -3$$

Subtract 8 from each side.

$$x = -1$$

Divide each side by 3.

**Step 2:** Substitute -1 for x in Equation 1 and solve for y.

$$y = 2x - 4$$

Equation 1

$$=2(-1)-4$$

Substitute -1 for x.

$$= -2 - 4$$

Multiply.

$$= -6$$

$$= -6$$

Subtract.

The solution is (-1, -6).

## Check

Equation 1

$$y = 2x - 4$$

$$7x - 2y = 5$$

$$-6 = 2(-1) - 4$$

$$7(-1)-2(-6)\stackrel{?}{=}5$$

$$-6 = -6$$

Try It Solve the system by substitution. Check your solution.

1. 
$$y = 2x + 3$$

2. 
$$4x + 2y = 0$$

3. 
$$x = 5y + 3$$

$$y = 5x$$

$$y = \frac{1}{2}x - 5$$

$$2x + 4y = -1$$

$$2x + 3y = -3$$

Equation 1

$$2x = y + 5$$

Equation 2

Another way to solve the system in Example 2 is to solve Equation 2 for y and then substitute for y in Equation 1. Which method do you prefer? Step 1: Both equations have a term of 2x. So, one solution method is to substitute y + 5 for 2x in Equation 1 and solve to find the value of y.

$$2x + 3y = -3$$
 Equation 1

$$y + 5 + 3y = -3$$
 Substitute  $y + 5$  for  $2x$ .

$$4y + 5 = -3$$
 Combine like terms.

$$4y = -8$$
 Subtract 5 from each side.

$$y = -2$$
 Divide each side by 4.

Step 2: Substitute -2 for y in Equation 2 and solve for x.

$$2x = y + 5$$

Equation 2

$$2x = -2 + 5$$

Substitute -2 for v.

$$2x = 3$$

Add.

$$x = 1.5$$

Divide each side by 2.



The solution is (1.5, -2).

Try It Solve the system, Explain your choice of method.

**4.** 
$$y = -3x + 2$$
 **5.**  $4y = x$ 

$$y = 2$$

5. 
$$4y = x$$

$$x + 4y = -8$$

**6.** 
$$2x + 2y = 1$$

$$-x + 2y = -3$$



# Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

7. REASONING Does solving a system of linear equations by graphing give the same solution as solving by substitution? Explain.

SOLVING A SYSTEM OF LINEAR EQUATIONS Solve the system by substitution. Check your solution.

**8.** 
$$y = x - 8$$
  
 $y = 2x - 14$ 

9. 
$$x = 2y + 2$$
  
 $2x - 5y = 1$ 

**10.** 
$$x - 5y = 1$$
  
 $-2x + 9y = -1$ 

CHOOSING A SOLUTION METHOD Solve the system. Explain your choice of method.

**11.** 
$$y = -x + 3$$
  $y = 2x$ 

**12.** 
$$0.5x + y = 2$$
  $0.5x = 1 + y$ 

**13.** 
$$x = 5y$$
  
 $y = 22 - 2x$ 

# EXAMPLE 3

## **Modeling Real Life**



You are planning a birthday party. You buy a total of 50 turkey burgers and veggie burgers for \$90.00. You pay \$2.00 per turkey burger and \$1.50 per veggie burger. How many of each burger do you buy?

Use a verbal model to write a system of linear equations. Let x represent the number of turkey burgers and let y represent the number of veggie burgers.

> Number of turkey Number of veggie burgers, x

burgers, y

Total number of burgers

Cost per turkey burger

Number of turkey burgers, x

Cost per veggie burger

Number of veggie burgers, y

Total cost

The system is:

$$x + y = 50$$

Equation 1

$$2x + 1.5y = 90$$

Equation 2

**Step 1:** One solution method is to rewrite Equation 1 as x = 50 - y. Then substitute 50 - y for x in Equation 2 and solve to find the value of y.

$$2x + 1.5y = 90$$

Equation 2

$$2(50 - y) + 1.5y = 90$$

Substitute 50 - y for x.

$$100 - 2y + 1.5y = 90$$

Distributive Property

$$-0.5y = -10$$

Simplify.

$$y = 20$$

Divide each side by -0.5.

**Step 2:** Substitute 20 for y in Equation 1 and solve for x.

$$x + y = 50$$

Equation 1

$$x + 20 = 50$$


Substitute 20 for y.

$$x = 30$$

Subtract 20 from each side.



You buy 30 turkey burgers and 20 veggie burgers.





# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

- 14. To stock your school store, you buy a total of 25 sweatshirts and hats for \$172.50. You pay \$8.00 per sweatshirt and \$2.50 per hat. How many of each item do you buy?
- 15. DIG DEEPER! The length of a volleyball court is twice its width. The perimeter of the court is 180 feet. Find the area of the volleyball court. Justify your answer.

208

# 5.2 Practice



# Review & Refresh

Solve the system by graphing.

1. 
$$y = 2x - 3$$

**2.** 
$$6x + y = -2$$


3. 
$$4x + 2y = 2$$

$$y = -x + 9$$

$$y = -3x + 1$$

$$3x = 4 - y$$

Use the figure to find the measure of ∠2.



# 📂 Concepts, Skills, & Problem Solving

SOLVING A SYSTEM ALGEBRAICALLY Find the value of each symbol in the system. (See Exploration 1, p. 205.)

5. 
$$\mathbb{D} + 1 = \bigstar + \bigstar$$
 Equation 1

Equation 1

$$\mathcal{D} = 3 + \star$$

$$) = 3 + \star$$
 Equation 2  $\bigcirc - - = 1 + \bigcirc$  Equation 2

SOLVING A SYSTEM OF LINEAR EQUATIONS Solve the system by substitution. Check your solution.

7. 
$$y = x - 4$$

8. 
$$y = 2x + 5$$

9. 
$$x = 2y + 7$$

$$y = 4x - 10$$

$$y = 3x - 1$$

$$3x - 2y = 3$$

**10.** 
$$4x - 2y = 14$$

$$y = \frac{1}{2}x - 1$$

**11.** 
$$2x = y - 10$$

$$2x + 7 = 2y$$

**12.** 
$$8x - \frac{1}{3}y = 0$$
  
 $12x + 3 = y$ 

**13.** 
$$y - x = 0$$

$$2x - 5y = 9$$

**14.** 
$$x + 4y = 14$$

$$3x + 4y = 22$$

**15.** 
$$-2x - 5y = 3$$

$$3x + 8y = -6$$

- 16. MODELING REAL LIFE There are a total of 64 students in a filmmaking club and a yearbook club. The filmmaking club has 14 more students than the yearbook club.
  - a. Write a system of linear equations that represents this situation.
  - b. How many students are in the filmmaking club? the yearbook club?



- MODELING REAL LIFE A drama club earns \$1040 from a production by selling 64 adult tickets and 132 student tickets. An adult ticket costs twice as much as a student ticket.
  - a. Write a system of linear equations that represents this situation.
  - b. What is the cost of each ticket?
- OPEN-ENDED Write a system of linear equations that has the ordered pair (1, 6) as its solution.

### CHOOSING A SOLUTION METHOD Solve the system. Explain your choice of method.

**19.** 
$$y - x = 4$$

$$x + y = 6$$


**20.** 
$$0.5x + y = 4$$

$$0.5x - y = -1$$

**21.** 
$$y = 2x + 5$$

$$y = -3x$$

- 22. CRITICAL THINKING A system consists of two different proportional relationships. What is the solution of the system? Justify your answer.
- 23. GEOMETRY The measure of the obtuse angle in the isosceles triangle is two and a half times the measure of one of the acute angles. Write and solve a system of linear equations to find the measure of each angle.



- 24. When the digits are reversed, the number increases by 36. Find the original number.
- 25. DIG DEEPER: A hospital employs a total of 77 nurses and doctors. The ratio of nurses to doctors is 9:2. How many nurses are employed at the hospital? How many doctors are employed at the hospital?



REPEATED REASONING A DJ has a total of 1075 dance, rock, and country songs on her system. The dance selection is three times the rock selection. The country selection has 105 more songs than the rock selection. How many songs on the system are dance? rock? country?

# 5.3 Solving Systems of Linear Equations by Elimination

Learning Target: Understand how to solve systems of linear equations by elimination.

Success Criteria: • I can add or subtract equations in a system.

I can use the Multiplication Property of Equality to produce equivalent equations.

I can solve a system of linear equations by elimination.

## **EXPLORATION 1**

# Solving a System Algebraically

Work with a partner. A student found the value of x in the system using substitution as shown.

MAFS.8.EE.3.8b MAFS.8.EE.3.8c

$$3x + y = 1$$
 Equation 1  
  $x - y = -5$  Equation 2

**Step 1:** 
$$3x + y = 1$$
 Equation 1  
  $x + 5 = y$  Revised Equation 2

**Step 2:** 
$$3x + x + 5 = 1$$
 Substitute  $x + 5$  for  $y$  in Equation 1.  
 $4x + 5 = 1$  Combine like terms.  
 $4x = -4$  Subtract 5 from each side.  
 $x = -1$  Divide each side by 4.

- a. Find another way to obtain the equation 4x = -4 from the original system. Does your method produce an equation in one variable for any system? Explain.
- b. Can you use your method in part (a) to solve each system below? If so, solve the system. If not, replace one of the equations with an equivalent equation that allows you to use your method in part (a). Then solve the system.

## **Math Practice**

#### Finding an Entry Point

What do you look for when deciding how to solve a system of equations?

System 1: 
$$2x + 3y = -4$$
 Equation 1 
$$2x - 3y = 8$$
 Equation 2

System 2: 
$$x + 4y = -5$$
 Equation 1  
  $3x - 2y = 13$  Equation 2

c. Compare your solution methods in part (b) with other pairs of students.

# Lesson

When the equations in a linear system have a pair of like terms with the same or opposite coefficients, you can add or subtract the equations to eliminate one of the variables. Then use the resulting equation to solve the system.

# **EXAMPLE 1**

# Solving a System of Linear Equations by Elimination

Solve the system by elimination.

$$x + 3y = -2$$
 Equation 1

$$x - 3y = 16$$
 Equation 2

Because the coefficients of x are the same, you can also subtract the equations in Step 1.

$$x + 3y = -2$$
  
 $x - 3y = 16$   
 $6y = -18$   
 $50, y = -3$ .

Step 1: Notice that the coefficients of the y-terms are opposites. So, you can add the equations to obtain an equation in one variable, x.

$$x + 3y = -2$$

$$x - 3y = 16$$

$$2x = 14$$

Add the equations.

Step 2: Solve for x.

$$2x = 14$$

Equation from Step 1

$$x = 7$$

Divide each side by 2.

**Step 3:** Substitute 7 for x in one of the original equations and solve for y.

$$x + 3y = -2$$

Equation 1

$$7 + 3y = -2$$

7 + 3y = -2 Substitute 7 for x.

$$3y = -9$$

Subtract 7 from each side.

$$y = -3$$

y = -3 Divide each side by 3.



The solution is (7, -3).

Check

Equation 1

Equation 2

$$x + 3y = -2$$
  $x - 3y = 16$   
 $7 + 3(-3) \stackrel{?}{=} -2$   $7 - 3(-3) \stackrel{?}{=} 16$ 

$$7-3(-3) = 1$$

$$-3(-3)=16$$

 $7+3(-3) \stackrel{?}{=} -2$  -2=-2  $7-3(-3) \stackrel{?}{=} 16$  16=16

Try It Solve the system by elimination. Check your solution.

1. 
$$2x - y = 9$$

**2.** 
$$-5x + 2y = 13$$

3. 
$$3x + 4y = -6$$

$$4x + y = 21$$

$$5x + y = -1$$

$$7x + 4y = -14$$

To solve a system by elimination, you may need to multiply one or both equations by a constant so a pair of like terms has the same or opposite coefficients.

# EXAMPLE 2

Notice that you can also

multiply Equation 2 by -3 and then

add the equations.

# Solving a System of Linear Equations by Elimination

Solve the system by elimination.

$$-6x + 5y = 25$$

Equation 1

$$-2x - 4y = 14$$

Equation 2

Step 1: Notice that no pairs of like terms have the same or opposite coefficients. One way to solve by elimination is to multiply Equation 2 by 3 so that the x-terms have a coefficient of -6.

$$-6x + 5y = 25$$

$$-6x + 5y = 25$$

Equation 1

$$-2x-4y=14$$
 Multiply by 3.

$$-6x - 12y = 42$$

-6x - 12y = 42 Revised Equation 2

Step 2: Subtract the equations to obtain an equation in one variable, y.

$$-6x + 5y = 25$$

$$-6x - 12y = 42$$

Revised Equation 2

$$17y = -17$$

Subtract the equations,

Step 3: Solve for y.

$$17y = -17$$

Equation from Step 2

$$y = -1$$

Divide each side by 17.

Step 4: Substitute -1 for y in one of the original equations and solve for x.

$$-2x - 4y = 14$$

Equation 2

$$-2x-4(-1)=14$$

Substitute −1 for y.

$$-2x + 4 = 14$$


Multiply.

$$-2x = 10$$

Subtract 4 from each side.

$$x = -5$$

Divide each side by -2.



The solution is (-5, -1).

Try It Solve the system by elimination. Check your solution.

**4.** 
$$3x + y = 11$$

**5.** 
$$4x - 5y = -19$$

**6.** 
$$5y = 15 - 5x$$

$$6x + 3y = 24$$

$$-x - 2y = 8$$

$$y = -2x + 3$$

Which are efficient approaches to solving the system?

$$x - 2y = 6$$
 Equation 1

$$-x + 4y = 6$$
 Equation 2

- A. Add the equations.
- B. Multiply Equation 1 by 2 and subtract the equations.
- **C.** Solve Equation 1 for x and substitute the result in Equation 2.
- **D.** Substitute -x + 4y for 6 in Equation 1.

The methods in Choices A and C result in an equation in one variable, *y*. You can solve these equations and use the results to find the value of *x*.

The methods in Choices B and D will not result in an equation in one variable.



So, Choices A and C are efficient approaches to solving the system.

## Try It

Change one word in Choice B so that it represents an efficient approach to solving the system.



# Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

SOLVING A SYSTEM OF LINEAR EQUATIONS Solve the system by elimination. Check your solution.

**8.** 
$$2x + y = 4$$

$$-2x + 2y = 5$$

**9.** 
$$-x + y = 1$$

$$-3x + y = 7$$

**10.** 
$$y = -2x + 3$$

$$4x - 5y = 13$$

CHOOSING A SOLUTION METHOD Solve the system. Explain your choice of method.

**11.** 
$$y = 6x - 1$$

$$y = 3x - 4$$

**12.** 
$$3x = y + 2$$

$$3x + 2y = 5$$

**13.** 
$$2x - y = 7$$

$$x + y = 5$$

14. WHICH ONE DOESN'T BELONG? Which system does not belong with the other three? Explain your reasoning.

$$3x + 3y = 3$$

$$2x - 3y = 7$$

$$-2x + y = 6$$
$$2x - 3y = -10$$

$$2x + 3y = 11$$

$$3x - 2y = 10$$

$$x + y = 5$$
$$3x - y = 3$$

## **EXAMPLE 4**

### **Modeling Real Life**



You buy 8 hostas and 15 daylilies for \$193. Your friend buys 3 hostas and 12 daylilies for \$117. Find the cost of each daylily.

Use a verbal model to write a system of linear equations. Let x represent the cost of each hosta and let y represent the cost of each daylily.

Number	Cost of each	4	Number of	Cost of each	Total
of hostas	hosta, x	, i	daylilies	daylily, y	cost

The system is: 
$$8x + 15y = 193$$
 Equation 1 (You)  
 $3x + 12y = 117$  Equation 2 (Your friend)

**Step 1:** One way to find the cost of each daylily is to eliminate the *x*-terms and solve for *y*. Multiply Equation 1 by 3 and Equation 2 by 8.

$$8x + 15y = 193$$
 Multiply by 3.  $24x + 45y = 579$  Revised Equation 1  $3x + 12y = 117$  Multiply by 8.  $24x + 96y = 936$  Revised Equation 2

Step 2: Subtract the revised equations.

$$24x + 45y = 579$$
 Revised Equation 1  
 $24x + 96y = 936$  Revised Equation 2  
 $-51y = -357$  Subtract the equations.

**Step 3:** Solving the equation -51y = -357 gives y = 7.



So, each daylily costs \$7.



# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

15. A fitness instructor purchases exercise bikes and treadmills for two gyms. For the first gym, 2 exercise bikes and 3 treadmills cost \$2200. For the second gym, 3 exercise bikes and 4 treadmills cost \$3000. How much does a treadmill cost?



16. DIG DEEPER! At your school, cooking club members raise \$5 per member for a charity and woodshop club members raise \$10 per member for a different charity. The cooking club has three times as many members as the woodshop club. The difference of the number of members in the two clubs is 12 members. How much does each club raise?

# 5.3 Practice



# Review & Refresh

Solve the system by substitution. Check your solution.

1. 
$$x = 5 - y$$
  
 $x - y = 3$ 

**2.** 
$$x - 5y = 1$$
  
 $-x + y = 7$ 

3. 
$$x + 6y = -2$$
  
 $-x = 3y - 10$ 

The vertices of a triangle are given. Draw the triangle and its image after a dilation with the given scale factor. Identify the type of dilation.

**4.** 
$$A(-1, 1), B(1, 3), C(3, 1); k = 2$$

5. 
$$D(-8, -4), E(-4, 8), F(0, 0); k = 0.5$$

# Concepts, Skills, & Problem Solving

SOLVING A SYSTEM ALGEBRAICALLY Explain how to obtain the equation 3x = 6 from the given system. (See Exploration 1, p. 211.)

**6.** 
$$2x + y = 5$$
  
 $x - y = 1$ 

7. 
$$5x + 2y = 2$$

$$x + y = -2$$

**8.** 
$$-x + y = -3$$

6x - 3y = 15

SOLVING A SYSTEM OF LINEAR EQUATIONS Solve the system by elimination. Check your solution.

9. 
$$x + 3y = 5$$
  
 $-x - y = -3$ 

**10.** 
$$x - 2y = -7$$

$$3x + 2y = 3$$

11. 
$$4x + 3y = -5$$
  
 $-x + 3y = -10$ 

**12.** 
$$2x + 7y = 1$$
  
 $2x - 4y = 12$ 

13. 
$$2x + 5y = 16$$
  
 $3x - 5y = -1$ 

**14.** 
$$3x - 2y = 4$$
  
 $6x - 2y = -2$ 

- 15. YOU BE THE TEACHER Your friend solves the system. Is your friend correct? Explain your reasoning.
- 16. MODELING REAL LIFE You and your friend are selling raffle tickets for a new laptop. You sell 14 more tickets than

5x + 2y = 9 Equation 1 3x - 2y = -1 Equation 2 = 10 x = 5The solution is (5, -8).

your friend sells. Together, you and your friend sell 58 tickets.

- Write a system of linear equations that represents this situation.
- How many tickets do each of you sell?
- 17. MODELING REAL LIFE You can jog around your block twice and the park once in 10 minutes. You can jog around your block twice and the park 3 times in 22 minutes. Write a system of linear equations that represents this situation. How long does it take you to jog around the park?

# **SOLVING A SYSTEM OF LINEAR EQUATIONS** Solve the system by elimination. Check your solution.

**18.** 
$$2x - y = 0$$

$$3x - 2y = -3$$

**19.** 
$$x + 4y = 1$$

$$3x + 5y = 10$$

**20.** 
$$-2x + 3y = 7$$

$$5x + 8y = -2$$

**21.** 
$$3x + 3 = 3y$$

$$2x - 6y = 2$$


**22.** 
$$2x - 6 = 4y$$

$$7y = -3x + 9$$

**23.** 
$$5x = 4y + 8$$

3y = 3x - 3

24. YOU BE THE TEACHER Your friend solves the system. Is your friend correct? Explain your reasoning.



#### CHOOSING A SOLUTION METHOD Solve the system. Explain your choice of method.

**25.** 
$$x + y = 4$$

$$x - y = 4$$

**26.** 
$$y = x - 3$$

$$y = -2x + 3$$

**27.** 
$$x + 2y = 0$$

$$2x - y = 4$$

**28.** 
$$y + 5x = 1$$

$$5y - x = 5$$

**29.** 
$$2 = x - 3y$$

$$-2x + y = 4$$

**30.** 
$$8x + 5y = 6$$

$$8x = 3 - 2y$$

NUMBER SENSE For what value of a might you choose to solve the system by elimination? Explain.

**31.** 
$$4x - y = 3$$

$$ax + 10y = 6$$

**32.** 
$$x - 7y = 6$$

$$-6x + ay = 9$$


CRITICAL THINKING Determine whether the line through the first pair of points intersects the line through the second pair of points. Explain.

Line 2: 
$$(-4, -1)$$
,  $(0, 5)$ 

35. REASONING Two airplanes are flying to the same airport.

Their positions are shown in the graph. Write a system of linear equations that represents this situation. Solve the system by elimination to justify your answer.





217

- 36. MODELING REAL LIFE A laboratory uses liquid nitrogen tanks of two different sizes. The combined volume of 3 large tanks and 2 small tanks is 24 liters. The combined volume of 2 large tanks and 3 small tanks is 21 liters. What is the volume of each size of tank? Justify your answer.
- 37. PROBLEM SOLVING The table shows the numbers of correct answers on a practice standardized test. You score 86 points on the test and your friend scores 76 points. How many points is each type of question worth?

	You	Your Friend
Multiple Choice	23	28
Short Response	10	5



- 39. PROBLEM SOLVING The table shows the activities of two tourists at a vacation resort. You want to go parasailing for 1 hour and horseback riding for 2 hours. How much do you expect to pay?

	Parasailing	Horseback Riding	Total Cost
Tourist 1	2 hours	5 hours	\$205
Tourist 2	3 hours	3 hours	\$240

- **40. Write** a system of linear equations containing 2x + y = 0 and that has the solution (2, -4).
- 41. PREASONING A metal alloy is a mixture of two or more metals. A jeweler wants to make 8 grams of 18-karat gold, which is 75% gold. The jeweler has an alloy that is 90% gold and an alloy that is 50% gold. How much of each alloy should the jeweler use?



- 42. PROBLEM SOLVING It takes a powerboat tra eling with the current 30 minutes to go 10 miles. The return trip takes 50 minutes traveling against the current. What is the speed of the current?
- 43. DIG DEEPER! Solve the system of equations by elimination.

$$2x - y + 3z = -1$$
$$x + 2y - 4z = -1$$
$$y - 2z = 0$$

# 5.4 Solving Special Systems of Linear Equations

Learning Target: Solve systems with different numbers of solutions.

Success Criteria: • I can determine the number of solutions of a system.

I can solve a system of linear equations with any number of solutions.

### **EXPLORATION 1**


#### FLORIDA STANDARDS

MAFS.8.EE.3.8b MAFS.8.EE.3.8c

### **Exploring Solutions of Systems**

Work with a partner. You spend \$50 on a sewing machine to make dog backpacks. Each backpack costs you \$15 for materials.

a. Represent the cost y (in dollars) to make x backpacks in the coordinate plane.



- b. You charge \$25 per backpack. How many backpacks do you have to sell to break even? Use a graph to justify your answer.
- c. Can you break even when you sell each backpack for \$20? \$15? Use graphs to justify your answers.

### Math Practice

#### Look for Structure

How can you use slopes and y-intercepts to determine the number of solutions of a system of linear equations?

- d. Explain whether it is possible for a system of linear equations to have the numbers of solutions below.
  - no solution
  - · exactly one solution
  - · exactly two solutions
  - · infinitely many solutions





# Lesson



#### Solutions of Systems of Linear Equations

A system of linear equations can have one solution, no solution, or infinitely many solutions.





One solution

The lines intersect.

different slopes

No solution

The lines are parallel.

- same slope
- different y-intercepts
   same y-intercept

Infinitely many solutions

The lines are the same.

- same slope

### EXAMPLE 1

# Solving a System with No Solution

Solve the system using any method.

$$y = 3x + 1$$


Equation 1

$$y = 3x - 3$$

Equation 2

Method 1: Solve by graphing.

The lines have the same slope, 3, and different y-intercepts, 1 and —3. So, the lines are parallel. Because parallel lines do not intersect, there is no point that is a solution of both equations.



So, the system has no solution.

You can also solve by substituting 3x - 3 for y in Equation 1.

$$3x - 3 = 3x + 1$$
  
 $-3 = 1$ 

The equation -3 = 1 is never true. So, the system has no solution.

Method 2: Solve by inspection.

Notice that you can rewrite the system as

$$-3x + y = 1$$

-3x + y = 1 Revised Equation 1

$$-3x + y = -3.$$

Revised Equation 2



The expression -3x + y cannot be equal to 1 and -3 at the same time. So, the system has no solution.

Try It Solve the system. Explain your choice of method.

1. 
$$y = -x + 3$$

2. 
$$y = -5x - 2$$

3. 
$$x = 2y + 10$$

$$y = -x + 5$$

$$5x + y = 0$$

$$2x + 3y = -1$$


Solve the system using any method.

$$x + 2y = 6$$

Equation 1

$$3x + 6y = 18$$
 Equation 2

Method 1: Solve by graphing.



The lines have the same slope,  $-\frac{1}{2}$ , and the same y-intercept, 3. So, the two equations in the system represent the same line.

All the points on the line are solutions of the system. So, the system has infinitely many solutions.

Method 2: Solve by elimination.

Multiply Equation 1 by 3 and subtract the equations.

$$x + 2y = 6$$

x + 2y = 6 Multiply by 3.

$$3x + 6y = 18$$

Revised Equation 1

$$3x + 6y = 18$$

$$3x + 6y = 18$$

Equation 2

$$0 = 0$$

Subtract.

The equation 0 = 0 is always true. You can also see from Revised Equation 1 that the two equations in the system are equivalent.



All the points on the line are solutions of the system. So, the system has infinitely many solutions.

Try It Solve the system. Explain your choice of method.

**4.** 
$$x + y = 3$$

$$x = y - 3$$

**5.** 
$$2x + y = 5$$

$$4x + 2y = 0$$

**6.** 
$$2x - 4y = 10$$

$$-12x + 24y = -60$$



# Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

MP STRUCTURE Without graphing or solving, determine the number of solutions of the system. Explain your reasoning.

7. 
$$y = 5x - 9$$
  
 $y = 5x + 9$ 

8. 
$$y = 6x + 2$$
  
 $y = 3x + 1$ 

9. 
$$y = 8x - 2$$
  
 $y - 8x = -2$ 

CHOOSING A METHOD Solve the system. Explain your choice of method.

**10.** 
$$2x + y = 6$$
  
 $x - y = 3$ 

11. 
$$4y - 4x = 8$$
  
 $y = x + 2$ 

**12.** 
$$5x - 4y = 12$$
  
 $7.5x = 6(y - 1)$ 

13. 
$$-6x = 9$$
  
 $6x - y = 3$ 

**14.** 
$$0.5x + 4y = -11$$
  
 $-1.5x - 12y = 33$ 

**15.** 
$$x = y + 2$$
  
  $3x = 6(y + 2)$ 

### **EXAMPLE 3**

### **Modeling Real Life**

You and your friend plant an urban garden. You pay \$15.00 for 6 tomato plants and 6 pepper plants. Your friend pays \$22.50 for 9 tomato plants and 9 pepper plants. How much does each plant cost?



You are given the total costs of two different combinations of tomato plants and pepper plants. You are asked to find the cost of each plant.



Use a verbal model to write a system of linear equations. Let x represent the cost of each tomato plant and let y represent the cost of each pepper plant. Then solve the system.



Number of tomato plants • Cost of each tomato plant, 
$$x$$
 + Number of pepper plants • Cost of each pepper plant,  $y$  = Total cost

The system is: 
$$6x + 6y = 15$$
  
 $9x + 9y = 22.5$ 



One way to solve is to use elimination. Multiply Equation 1 by 1.5 and subtract the equations.

$$6x + 6y = 15$$
 Multiply by 1.5.

$$9x + 9y = 22.5$$
 Revised Equation 1

$$9x + 9y = 22.5$$

$$9x + 9y = 22.5$$

$$0 = 0$$

Subtract.

The equation 0 = 0 is always true. The system has infinitely many solutions.



So, there is not enough information to find the cost of each plant. Look Back Revised Equation 1 shows that the two equations in the system are equivalent.

So, the system has infinitely many solutions.



# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



- 16. Your friend wants to sell painted rocks. He spends \$10.00 on startup costs, and each painted rock costs him \$0.75 to make. A store offers to pay your friend's startup costs and buy his painted rocks for \$0.75 each. How many painted rocks does your friend need to sell to make a profit?
- 17. DIG DEEPER! The difference in age of two orangutans is 6 years. In 4 years, is it possible for the older orangutan to be twice as old as the younger orangutan? three times as old? Justify your answers.

# 5.4 Practice



# Review & Refresh

Solve the system by elimination. Check your solution.

1. 
$$x + 2y = 4$$
  
 $-x - y = 2$ 

2. 
$$2x - y = 1$$
  
 $x + 3y - 4 = 0$ 

3. 
$$3x = -4y + 10$$
  
 $4x + 3y = 11$ 

Write an equation of the line that passes through the given points.

5. 
$$(0, -3), (3, 3)$$

6. 
$$(-6,5), (0,2)$$

# Concepts, Skills, & Problem Solving

**EXPLORING SOLUTIONS OF SYSTEMS** Use a graph to determine the number of solutions of the system. (See Exploration 1, p. 219.)

7. 
$$y = 2x + 1$$
  
 $y = 2x + 5$ 

8. 
$$y + 8 = 0$$
  
 $y = -8$ 

9. 
$$x + y = 2$$
  
 $5x + y = 9$ 

SOLVING A SYSTEM Solve the system. Explain your choice of method.

10. 
$$y = 2x - 2$$
  
 $y = 2x + 9$ 

11. 
$$y = 3x + 1$$
  
 $-x + 2y = -3$ 

12. 
$$y = \frac{\pi}{3}x + \pi$$
  
 $-\pi x + 3y = -6\pi$ 

**13.** 
$$y = -\frac{1}{6}x + 5$$
  
 $x + 6y = 30$ 

**14.** 
$$\frac{1}{3}x + y = 1$$
  $2x + 6y = 6$ 

**15.** 
$$-2x + y = 1.3$$
  
  $2(0.5x - y) = 4.6$ 

**16.** 
$$2(x+y) = 9$$
  
  $1 = -4(x+y)$ 

**17.** 
$$y = 9x$$
  $x + y = 1$ 

**18.** 
$$0.2y = 4.6x + 1.2$$
  
 $-2.3x = -0.1y + 0.6$ 

 YOU BE THE TEACHER Your friend finds the number of solutions of the system. Is your friend correct? Explain your reasoning.

$$y = -2x + 4$$

$$y = -2x + 6$$
The lines have the same slope, so

there are infinitely many solutions.



20. REASONING In a pig race, your pig has a head start of 3 feet and runs at a rate of 2 feet per second. Your friend's pig also runs at a rate of 2 feet per second. A system of linear equations that represents this situation is y = 2x + 3 and y = 2x. Does your friend's pig catch up to your pig? Explain.

- **21. Proof.** REASONING One equation in a system of linear equations has a slope of -3. The other equation has a slope of 4. How many solutions does the system have? Explain.
- 22. LOGIC How can you use the slopes and the y-intercepts of equations in a system of linear equations to determine whether the system has one solution, infinitely many solutions, or no solution?
  - 23. PROBLEM SOLVING You and a friend both work two different jobs. The system of linear equations represents the total earnings (in dollars) for x hours worked at the first job and y hours worked at the second job. Your friend earns twice as much as you.



$$4x + 8y = 64$$
 You  $8x + 16y = 128$  Your Friend

- a. One week, both of you work 4 hours at the first job. How many hours do you and your friend work at the second job?
- Both of you work the same number of hours at the second job. Compare the numbers of hours you and your friend work at the first job.
- 24. MODELING REAL LIFE You download a digital album for \$10.00. Then you and your friend each download the same number of individual songs for \$0.99 each. Write a system of linear equations that represents this situation. Will you and your friend spend the same amount of money? Explain.
- 25. MODELING REAL LIFE The table shows the research activities of two students at an observatory. How much does a student pay to use the telescope for one hour? the supercomputer for one hour?

	Telescope Use	Supercomputer Use	Total Cost
Student 1	5 hours	3 hours	\$70.50
Student 2	6 hours	2 hours	\$67.00

**26.** We **REASONING** Does the system shown *always, sometimes,* or *never* have a solution when a = b?  $a \ge b$ ? a < b? Explain your reasoning.

$$y = ax + 1$$
$$y = bx + 4$$

Group	1	2	3
Number of Lift Tickets	36	24	18
Number of Ski Rentals	18	12	18
Total Cost (dollars)	684	456	432

- 27. LOGIC The table shows the numbers of lift tickets and ski rentals sold to different groups. Is it possible to determine how much each lift ticket costs using the information for Groups 1 and 2? Groups 1 and 3? Justify your answers.
- 28. DIG DEEPER. Find the values of a and b so the system shown has the solution (2, 3). Does the system have any other solutions for these values of a and b? Explain.

$$12x - 2by = 12$$

$$3ax - by = 6$$



# **Connecting Concepts**

# Using the Problem-Solving Plan

 An animal shelter has a total of 65 cats and dogs. The ratio of cats to dogs is 6:7. Find the number of cats and the number of dogs in the shelter.



You know the total number of cats and dogs in an animal shelter, and the ratio of cats to dogs. You are asked to find the number of cats and the number of dogs in the shelter.




Make a plan.

Write a system of equations. Use the total number of cats and dogs to write an equation relating the number x of cats and the number y of dogs. Use the ratio of cats to dogs to write a second equation. Then solve the system.



Use the plan to solve the problem. Then check your solution.

 The measure of ∠1 is 15 degrees less than two times the measure of ∠2. Find the measure of each of the four angles formed by the intersecting lines. Justify your answer.





3. A landscaper plants grass seed over the entire area of two parks that are similar in shape. The ratio of the perimeter of Park A to the perimeter of Park B is 2: 1. The parks have a combined area of 9000 square feet. How many square feet does the landscaper cover with grass seed at Park A? Park B? Justify your answer.

# **Performance Task**



### Mixing Alloys

At the beginning of this chapter, you watched a STEAM Video called "Gold Alloys." You are now ready to complete the performance task related to this video, available at **BigldeasMath.com**. Be sure to use the problem-solving plan as you work through the performance task.

# Review Vocabulary


Write the definition and give an example of each vocabulary term.

system of linear equations, p. 200

solution of a system of linear equations, p. 200

# Graphic Organizers

You can use a **Four Square** to organize information about a concept. Each of the four squares can be a category, such as definition, vocabulary, example, non-example, words, algebra, table, numbers, visual, graph, or equation. Here is an example of a Four Square for *solving systems of linear equations by graphing*.



# Choose and complete a graphic organizer to help you study the concept.

- solving systems of linear equations by substitution
- solving systems of linear equations by elimination
- systems of linear equations with no solution
- systems of linear equations with infinitely many solutions



"Here is my Four Square about bonsai.This bonsai tree is over 90 years old."

# Chapter Self-Assessment

As you complete the exercises, use the scale below to rate your understanding of the success criteria in your journal.

I do not understand.

2 I can do it

with help.

I can do it on my own.

3

I can teach someone else.



### 5.1 Solving Systems of Linear Equations by Graphing

(pp. 199-204)

Learning Target: Understand how to solve systems of linear equations by graphing.

Solve the system by graphing.

1. 
$$y = 2x - 3$$

$$y = x + 2$$

2. 
$$y = -x + 4$$

$$x + 3y = 0$$

3. 
$$x - y = -2$$

$$2x - 3y = -2$$

Use a graphing calculator to solve the system.

**4.** 
$$y = -0.5x$$

$$y = 0.75x + 1.25$$


**5.** 
$$y = 0.2x - 3$$

$$10x + 3y = 5$$

**6.** 
$$2.6x + 1.3y = 7.8$$

$$1.2x - 3.6y = 12$$

- The sum of two numbers is 38. Find each number when one number is 8 more than the other number. Use a system of linear equations to justify your answer.
- 8. You observe the heights of two plants for an experiment. Plant A has a height of 8 centimeters and grows 1 centimeter each week. Plant B has a height of 4 centimeters and grows 2 centimeters each week.



b. Will the plants ever have the same height? If so, what is the height?



**9.** Write a system of linear equations containing the equation y = -3x + 2 and that has a solution of (-1, 5). Use a graph to justify your answer.



### 5.2 Solving Systems of Linear Equations by Substitution (pp. 205-210)

Learning Target: Understand how to solve systems of linear equations by substitution.

Solve the system by substitution. Check your solution.

**10.** 
$$y = -3x - 7$$

11. 
$$\frac{1}{2}x + y = -4$$

$$y = x + 9$$

$$y = 2x + 16$$

**12.** 
$$-x + 5y = 28$$

$$x + 3y = 20$$

- Zoo admission costs \$6 for children and \$9 for adults. On Monday, 2200 people visit the zoo and the zoo collects \$14,850 in admissions.
  - Write a system of linear equations that represents this situation.
  - b. How many zoo visitors are children? adults?



Solve the system. Explain your choice of method.

**14.** 
$$y = x - 2$$

y = -2x + 1

**15.** 
$$3y + 9 = 3x$$

$$y = -\frac{1}{2}x + 1$$

**16.** 
$$-x + 2y = -4$$

$$4y = x$$

17. The measure of an acute angle in a right triangle is one-fourth the measure of the other acute angle. Write a system of linear equations that represents this situation and use it to find the measures of the acute angles of the triangle.



### 5.3 Solving Systems of Linear Equations by Elimination (pp. 211–218)

Learning Target: Understand how to solve systems of linear equations by elimination.

Solve the system by elimination. Check your solution.

**18.** 
$$2x + 5y = 60$$

$$2x - 5y = -20$$

**19.** 
$$4x - 3y = 15$$

$$2x + y = -5$$

- 20. A gift basket that contains jars of jam and packages of bread mix costs \$45. There are 8 items in the basket. Jars of jam cost \$6 each, and packages of bread mix cost \$5 each. Write and solve a system of linear equations to find the number of each item in the gift basket.
- 21. When might it be easier to solve a system by elimination instead of graphing?

22. You have a total of 10 coins consisting of nickels and dimes in your pocket. The value of the coins is \$0.70. Write and solve a system of linear equations to find the numbers of nickels and dimes in your pocket.



#### **Solving Special Systems of Linear Equations** (pp. 219-224)

Learning Target: Solve systems with different numbers of solutions.

Solve the system. Explain your choice of method.

**23.** 
$$x + 2y = -5$$

$$x - 2y = -5$$

**24.** 
$$3x - 2y = 1$$

$$9x - 6y = 3$$

**25.** 
$$8x - 2y = 16$$

$$-4x + y = 8$$

**26.** 
$$4y = x - 8$$

$$-\frac{1}{4}x + y = -1$$

**27.** 
$$-2x + y = -2$$

$$3x + y = 3$$

**26.** 
$$4y = x - 8$$
 **27.**  $-2x + y = -2$  **28.**  $3x = \frac{1}{3}y + 2$ 

$$9x - y = -6$$

- 29. You have \$50 in your savings account and plan to deposit \$10 each week. Your friend has \$25 in her savings account and plans to also deposit \$10 each week.
  - Write a system of linear equations that represents this situation.
  - b. Will your friend's account ever have the same amount of money as your account? Explain.



Write a system of linear equations that fits the description. Use a graph to justify your answer.

- 30. The system has no solution.
- The system has infinitely many solutions.
- The system has one solution.
- 33. Solve the system by graphing, by substitution, and by elimination. Which method do you prefer? Explain your reasoning.

$$5x + y = 8$$

$$2y = -10x + 8$$

Your friend chooses to solve the system of equations by graphing. Would you choose the same method? Why or why not?

$$5x + 2y = 12$$

$$y = x - 8$$

# **Practice Test**



Solve the system by graphing.

$$y = \frac{1}{2}x + 10$$

$$y = 4x - 4$$

3. Solve the system by elimination. Check your solution.

$$x + y = 12$$

$$3x = 2y + 6$$

2. Solve the system by substitution. Check your solution.

$$-3x + y = 2$$

$$-x + y - 4 = 0$$

Solve the system. Explain your choice of method.

$$-2x + y + 3 = 0$$

$$3x + 4y = -1$$

Without graphing or solving, determine whether the system of linear equations has one solution, infinitely many solutions, or no solution. Explain your reasoning.

5. 
$$y = 4x + 8$$

$$y = 5x + 1$$


**6.** 
$$2y = 16x - 2$$

$$y = 8x - 1$$

7. 
$$y = -3x + 2$$

$$6x + 2y = 10$$

In the diagram, the measure of ∠1 is three times the measure of ∠2. Find the measure of each angle.



- 9. The price of 2 pears and 6 apples is \$14. The price of 3 pears and 9 apples is \$21. Can you determine the unit prices for pears and apples? Explain.
- 10. A bouquet of lilies and tulips has 12 flowers. Lilies cost \$3 each, and tulips cost \$2 each. The bouquet costs \$32. Write and solve a system of linear equations to find the numbers of lilies and tulips in the bouquet.



11. How much does it cost for 2 specials and 2 glasses of milk?



230




# **Cumulative Practice**

What is the solution of the system of equations?

$$y = -\frac{2}{3}x - 1$$


$$4x + 6y = -6$$

- **A.**  $\left(-\frac{3}{2}, 0\right)$  **B.** (0, -1)
- C. no solution
- D. infinitely many solutions




2. What is the value of x?








 Which of the following shows Rectangle E'F'G'H', the image of Rectangle EFGH after it is translated 4 units down?




E'(1, -1) F'(4, -1)O 1 2 3 4/5 6 x H'(1, -3) G'(4, -3)









4. Which point is a solution of the system of equations?

$$x + 3y = 10$$

$$x = 2y - 5$$

A. (1, 3)


B. (3, 1)

C. (55, -15)

D. (-35, -15)

The graph of a system of two linear equations is shown. Which point is the solution of the system?

F. 
$$(-1, 2)$$



A scenic train ride has one price for adults and one price for children. One family of two adults and two children pays \$62 for the train ride. Another family of one adult and four children pays \$70. Which system of linear equations can you use to find the price x for an adult and the price y for a child?

**A.** 
$$2x + 2y = 70$$

$$x + 4y = 62$$

**B.** 
$$x + y = 62$$

$$x + y = 70$$

**C.** 
$$2x + 2y = 62$$

$$4x + y = 70$$

**D.** 
$$2x + 2y = 62$$

$$x + 4y = 70$$

Which of the following is true about the graph of the linear equation y = -7x + 5?

**F.** The slope is 5, and the y-intercept is -7.

G. The slope is −5, and the y-intercept is −7.

**H.** The slope is -7, and the y-intercept is -5.

The slope is −7, and the y-intercept is 5.

8. What is the measure (in degrees) of the exterior angle of the triangle?



232

9. The graph of which equation is parallel to the line that passes through the points (-1,5) and (4,7)?


**A.** 
$$y = \frac{2}{3}x + 6$$


**B.** 
$$y = -\frac{5}{2}x + 4$$


**C.** 
$$y = \frac{2}{5}x + 1$$


**D.** 
$$y = \frac{5}{2}x - 1$$


10. You buy 3 T-shirts and 2 pairs of shorts for \$42.50. Your friend buys 5 T-shirts and 3 pairs of shorts for \$67.50. Use a system of linear equations to find the cost of each T-shirt. Show your work and explain your reasoning.














- **12.** Which of the following is true about the graph of the linear equation y = 2?
  - A. The graph is a vertical line that passes through (2, 0).
  - B. The graph is a vertical line that passes through (0, 2).
  - C. The graph is a horizontal line that passes through (2, 0).
  - **D.** The graph is a horizontal line that passes through (0, 2).
- 13. The sum of one-third of a number and 10 is equal to 13. What is the number?

**14.** Solve the equation 4x + 7y = 16 for x.

**A.** 
$$x = 4 + \frac{7}{4}y$$

**B.** 
$$x = 4 - \frac{7}{4}y$$

**C.** 
$$x = 4 + \frac{4}{7}y$$

**D.** 
$$x = 16 - 7y$$



- 6.1 Scatter Plots
- 6.2 Lines of Fit
- 6.3 Two-Way Tables
- 6.4 Choosing a Data Display

#### Chapter Learning Target:

Understand data displays.

#### **Chapter Success Criteria:**

- I can identify a data set.
- I can use appropriate data displays to represent a situation.
- I can interpret a data set.
- I can compare different data sets.



# **STEAM Video**




### **Fuel Economy**

The fuel economy of a vehicle is a measure of the efficiency of the vehicle's engine. What are the benefits of using a car with high fuel economy?

Watch the STEAM Video "Fuel Economy." Then answer the following questions.

- 1. Tory says that the footprint of a vehicle is the area of the rectangle formed by the wheel base and the track width. What is the footprint of a car with a wheel base of 106 inches and a track width of 61 inches?
- The graph shows the relationship between the fuel economy and the footprint for four vehicles.
  - a. What happens to the fuel economy as the footprint increases?
  - b. Plot the point (50, 40) on the graph. What does this point represent? Does the point fit in with the other points? Explain.



# Performance Task Cost vs. Fuel Economy



After completing this chapter, you will be able to use the concepts you learned to answer the questions in the STEAM Video Performance Task. You will be given fuel economies and purchase prices of hybrid and nonhybrid car models.

Model	City Fuel Economy (miles per gallon)	Purchase Price (thousands of dollars)
Car A	24	21.8
Car B	22	22.4
Car C	18	40.1

You will be asked to create graphs to compare car models. Why might you want to know the relationship between the fuel economy and the purchase price of a vehicle?

# **Getting Ready for Chapter**





# **Chapter Exploration**


- Work with a partner. The table shows the number of absences and the final grade for each student in a sample.
  - a. Write the ordered pairs from the table. Then plot them in a coordinate plane.
  - Describe the relationship between absences and final grade.
  - c. MODELING A student has been absent 6 days. Use the data to predict the student's final grade. Explain how you found your answer.

Absences	Final Grade
0	95
3	88
2	90
5	83
7	79
9	70
4	85
1	94
10	65
8	75

- Work with a partner. Match the data sets with the most appropriate scatter plot. Explain your reasoning.
  - a. month of birth and birth weight for infants at a day care
  - b. quiz score and test score of each student in a class
  - c. age and value of laptop computers







# Vocabulary

The following vocabulary terms are defined in this chapter. Think about what each term might mean and record your thoughts.

scatter plot line of fit two-way table joint frequency

# **6.1** Scatter Plots

Learning Target: Use scatter plots to describe patterns and relationships between two quantities.

Success Criteria: • I can make a scatter plot.


- I can identify outliers, gaps, and clusters in a scatter plot.
- I can use scatter plots to describe relationships between data.

### **EXPLORATION 1**

## Finding Relationships Between Data

FLORIDA STANDARDS MAFS.8.SP.1.1

Work with a partner. The weights and circumferences of several sports balls are shown.




# Math Practice

#### Recognize Usefulness of Tools

How do you know when graphing data can be used to make a prediction?

- Represent the data in the coordinate plane. Explain your method.
- b. Is there a relationship between the size and the weight of a sports ball? Explain your reasoning.
- c. Is it reasonable to use the graph to predict the weights of the sports balls below? Explain your reasoning.
  - Kickball: circumference = 26 in.
  - Bowling ball: circumference = 27 in.



Weight (ounces)

# 6.1 Lesson

Key Vocabulary of scatter plot, p. 238



🧗 Key Idea

#### **Scatter Plot**

A **scatter plot** is a graph that shows the relationship between two data sets. The two sets of data are graphed as ordered pairs in a coordinate plane.

# **EXAMPLE 1**


## **Making a Scatter Plot**

Age (years)	Data Used (gigabytes)
37	3.2
30	3.3
32	3.1
65	0.9
53	1.8
25	3.5
59	1.3
30	1.8
50	1.9
34	3.3

The table shows the ages of 10 adults and the numbers of gigabytes of cell phone data used by each adult in 1 month. Make a scatter plot of the data. Identify any outliers, gaps, or clusters.

Use ordered pairs (x, y) to represent the data, where x represents age (in years) and y represents data used (in gigabytes). Then plot the ordered pairs in a coordinate plane and analyze the scatter plot.

(37, 3.2)	(25, 3.5)
(30, 3.3)	(59, 1.3)
(32, 3.1)	(30, 1.8)
(65, 0.9)	(50, 1.9)
(53, 1.8)	(34, 3.3)



There appears to be an outlier at (30, 1.8). There is a cluster of data from 25 years old to 37 years old and a gap in the data from 37 years old to 50 years old.


### Try It

 Make a scatter plot of the data. Identify any outliers, gaps, or clusters.

Study Time (min), x	30	20	80	90	45	10	30	75	120	80
Test Score, y	80	74	95	97	85	62	83	90	70	91

A scatter plot can show relationships between two data sets.

#### Positive Linear Relationship



The points lie close to a line. As x increases, y increases.

The closer the points

are to a line, the

stronger the linear


relationship. This

scatter plot shows

a strong linear


relationship.

#### Negative Linear Relationship




The points lie close to a line. As x increases, y decreases.

#### Nonlinear Relationship



The points lie in the shape of a curve.

#### No Relationship



The points show no pattern.

# **EXAMPLE 2**


## **Identifying Relationships**

# Describe the relationship between the data in the scatter plot.

The points appear to lie close to a line with a positive slope. As x increases, y increases.



So, the scatter plot shows a positive linear relationship.




# Try It

2. Describe the relationship between the data in Example 1.



# Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.



SCATTER PLOT Make a scatter plot of the data. Identify any outliers, gaps, or clusters. Then describe the relationship between the data.

Phone Age (months), x	3	22	23	22	8	12	24	4	23
Start-up Time (sec), y	24	34	34	33	36	29	34	27	33

4. WHICH ONE DOESN'T BELONG? Using the scatter plot, which point does not belong with the other three? Explain your reasoning.

(1, 8)

(3, 6.5)

(3.5, 3)

(8, 2)

## EXAMPLE 3

### **Modeling Real Life**


Fat (grams)	Calories
17	400
12	470
29	540
26	510
10	420
42	740
30	600
33	640
44	790
22	510
39	610
28	510

The table shows the amounts of fat and the numbers of calories in 12 restaurant sandwiches. How many grams of fat do you expect in a sandwich that contains 650 calories?

Use a scatter plot to determine whether a relationship exists between the data. If so, use the data to make a prediction.

Use ordered pairs (x, y), where x represents grams of fat and y represents the number of calories.

(17, 400)	(30, 600)
(12, 470)	(33, 640)
(29, 540)	(44, 790)
(26, 510)	(22, 510)
(10, 420)	(39, 610)
(42, 740)	(28, 510)



The points appear to lie close to a line with a positive slope. As x increases, y increases. So, the scatter plot shows a positive linear relationship.



Looking at the graph, you can expect a sandwich that contains 650 calories to have about 35 grams of fat.




# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

5. The table shows the high school and college grade point averages (GPAs) of 10 students. What college GPA do you expect for a high school student with a GPA of 2.7?

High School	2.6	2.8	3.2	4.0	3.8	3.7	3.5	3.5	3.4	1.4
College	2.4	2.5	3.0	3.6	3.5	3.6	3.6	3.4	3.2	0.5

6. The scatter plot shows the ages of 12 people and the numbers of pets each person owns. Identify any outliers, gaps, or clusters. Then describe the relationship between the data.



240

# 6.1 Practice



# Review & Refresh

Solve the system. Check your solution.

1. 
$$y = -5x + 1$$

y = -5x - 2

**2.** 
$$2x + 2y = 9$$
  
 $x = 4.5 - y$ 

$$6x + y = 4$$

4. When graphing a proportional relationship represented by y = mx, which point is not on the graph?

# Concepts, Skills, & Problem Solving

USING A SCATTER PLOT The table shows the average prices (in dollars) of jeans sold at different stores and the numbers of pairs of jeans sold at each store in one month. (See Exploration 1, p. 237.)

Represent the data in a coordinate plane.


Average Price (dollars)	22	40	28	35	46
Number Sold	152	94	134	110	81


6. Is there a relationship between the average price and the number sold? Explain your reasoning.


MAKING A SCATTER PLOT Make a scatter plot of the data. Identify any outliers, gaps, or clusters.

- 7. Temperature (°F), x 82 102 32 40 44 86 84 83 89 43 Number of Tourists, y 102 22 38 100 110 40
- Social Media (hours), x 0 1.5 2.5 5.5 2 1.5 1.5 2 4.5 5 Homework (hours), y 5.5 2 1 0.5 1 1 2 1.5 0.5

IDENTIFYING RELATIONSHIPS Describe the relationship between the data. Identify any outliers, gaps, or clusters.









12. CRITICAL THINKING The table shows the average price per pound for honey at a store from 2014 to 2017. Describe the relationship between the data.

450				
Year, x	2014	2015	2016	2017
Average Price per Pound, y	\$4.65	\$5.90	\$6.50	\$7.70

13. MODELING REAL LIFE 'The scatter plot shows the amount of rainfall and the amount of corn produced by a farm over the last 10 years. Describe the relationship between the amount of rainfall and the amount of corn produced.



 OPEN-ENDED Describe a set of real-life data that has a negative linear relationship.



 MODELING REAL LIFE The scatter plot shows the total earnings (wages and tips) of a food server during one day.

a. About how many hours must the server work to earn \$70?


b. About how much does the server earn for 5 hours of work?

c. Describe the relationship shown by the data.

16. PROBLEM SOLVING The table shows the memory capacities (in gigabytes) and prices (in dollars) of tablet computers. (a) Make a scatter plot of the data. Then describe the relationship between the data. (b) Identify any outliers, gaps, or clusters. Explain why they might exist.

Memory (GB), x	128	16	64	32	64	16	64	32	16	128	16	128
Price (dollars), y	320	50	250	230	260	200	270	250	180	300	210	280

 PATTERNS The scatter plot shows the numbers of drifting scooters sold by a company.



- b. About how many scooters were sold in 2015?
- c. Describe the relationship shown by the data.
- d. Assuming this trend continues, in what year are about 500 drifting scooters sold?

18. DIG DEEPER! Sales of sunglasses and beach towels at a store show a positive linear relationship in the summer. Does this mean that the sales of one item cause the sales of the other item to increase? Explain.



242

# **6.2** Lines of Fit

Learning Target: Use lines of fit to model data.

Success Criteria: • I can write and interpret an equation of a line of fit.

- . I can find an equation of a line of best fit.
- . I can use a line of fit to make predictions.

### **EXPLORATION 1**

#### FLORIDA STANDARDS

MAFS.8.SP.1.1 MAFS.8.SP.1.2 MAFS.8.SP.1.3

### Representing Data by a Linear Equation

Work with a partner. You have been working on a science project for 8 months. Each month, you measured the length of a baby alligator.



The table shows your measurements.


(3	Septembe	er)						April
Month, x	0	1	2	3	4	5	6	7
Length (in.), y	22.0	22.5	23.5	25.0	26.0	27.5	28.5	29.5

### **Math Practice**

#### Use a Graph

How can you draw a line that "fits" the data? How should the line be positioned with respect to the points?

- a. Use a scatter plot to draw a line that you think best describes the relationship between the data.
- Write an equation for your line in part (a).
- c. MODELING Use your equation in part (b) to predict the length of the baby alligator next September.



Section 6.2 Lines of Fit

# 6.2 Lesson

#### Key Vocabulary



line of fit, p. 244 line of best fit, p. 245

A line of fit is a line drawn on a scatter plot close to most of the data points. It can be used to estimate data on a graph.

### **EXAMPLE 1**

# Finding a Line of Fit

8


73

The table shows the number of absences in a school year and the final exam scores for several students. (a) Make a scatter plot of the data and draw a line of fit. (b) Write an equation of the line of fit. (c) Interpret the slope and the y-intercept of the line of fit.

- a. Plot the points in a coordinate plane. The scatter plot shows a negative linear relationship. Draw a line that is close to the data points. Try to have as many points above the line as below it.
- The line passes through (3, 88) and (8, 73).

slope = 
$$\frac{\text{rise}}{\text{run}} = \frac{-15}{5} = -3$$

You can use the slope −3 and the point (3, 88) to determine that the y-intercept is 97.



A line of fit does not need to pass through any of the data points.

So, an equation of the line of fit is y = -3x + 97.

c. The slope is −3 and the y-intercept is 97. So, a student with 0 absences is expected to earn a 97 on the exam, and the score decreases by about 3 points per absence.

### Try It

 The table shows the numbers of people who attend a festival over an eight-year period. (a) Make a scatter plot of the data and draw a line of fit. (b) Write an equation of the line of fit. (c) Interpret the slope and the y-intercept of the line of fit.

Year, x	1	2	3	4	5	6	7	8
Attendance, y	420	500	650	900	1100	1500	1750	2400

Graphing calculators use *linear regression* to find a **line of best fit**. Calculators often give a value r called the *correlation coefficient*. Values of r range from -1 to 1, with values close to -1 indicating a strong negative correlation, values close to 1 indicating a strong positive correlation, and values close to 0 indicating no correlation.


# EXAMPLE 2

## **Identifying Relationships**

The table shows the numbers of goals scored and games won by 8 hockey teams. Use a graphing calculator to find an equation of the line of best fit. Identify and interpret the correlation coefficient.

Step 1: Enter the data from the table into your calculator.

Step 2: Use the linear regression feature.





An equation of the line of best fit is y = 0.3x - 23. The correlation coefficient is about 0.977. This means that the relationship between goals scored and games won is a strong positive correlation and the equation closely models the data.

### Try It

Find an equation of the line of best fit for the data in Example 1. Identify and interpret the correlation coefficient.



# Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

- Days Race Time Training, x (minutes), y 2 25.45 14 22.30 7 23.85 24.10 5 21 20.90 18 21.20
- FINDING A LINE OF FIT The table shows the numbers of days spent training and the race times for several people in a race.
  - a. Make a scatter plot of the data and draw a line of fit.
  - b. Write an equation of the line of fit.
  - ${f c.}$  Interpret the slope and the *y*-intercept of the line of fit.
- IDENTIFYING RELATIONSHIPS Find an equation of the line of best fit for the data at the left. Identify and interpret the correlation coefficient.

## EXAMPLE 3

### **Modeling Real Life**


The table shows the number of bats in a cave each year from 2010 to 2017, where x = 0represents the year 2010. Assuming this trend continues, in what year will there be 65,000 bats in the cave?



You are given the number of bats in a cave each year from 2010 to 2017. You are asked to predict in which year there will be 65,000 bats in the cave.



Use a graphing calculator to find an equation of the line of best fit. Then solve the equation for x when y = 65.






Enter the data from the table into your calculator and use the *linear regression* feature.

> An equation of the line of best fit is y = -18.8x + 328. Solve the equation for x wh

LinRe9 9=ax+b a=-18.833333 b=328.416666 r<sup>2</sup>=.99380698

Use a graphing calculator to make a scatter plot and graph the line of best fit.



O.O.L	320. Solve the equation	
ien y =	65.	

$$y = -18.8x + 328$$
 Write the equation.

$$65 = -18.8x + 328$$
 Substitute 65 for y.

$$-263 = -18.8x$$
 Subtract 328 from each side,

$$14 \approx x$$
 Divide each side by  $-18.8$ .



There should be 65,000 bats in the cave in 2024.



# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

Height (ft), x	Completions,
4	27
4.2	22
4.4	18
4.5	16
4.6	11
4.7	8


5. The ordered pairs show amounts y (in inches) of rainfall equivalent to x inches of snow. About how many inches of rainfall are equivalent to 6 inches of snow? Justify your answer.


6. The table shows the heights (in feet) of a high jump bar and the number of people who successfully complete each jump. Identify and interpret the correlation coefficient.


# 6.2 Practice

# Review & Refresh

Describe the relationship between the data. Identify any outliers, gaps, or clusters.







Write the fraction as a decimal and a percent.

5. 
$$\frac{7}{25}$$

6. 
$$\frac{33}{50}$$

# > Concepts, Skills, & Problem Solving

REPRESENTING DATA BY A LINEAR EQUATION Use a scatter plot to draw a line that you think best describes the relationship between the data. (See Exploration 1, p. 243.)

7.	Blueberries (pints), x	0	1	2	3	4	5
	Weight (pounds), y	0	0.8	1.50	2.20	3.0	3.75

8.	Age (years), x	0	2	4	6	8	10
	Value (dollars), y	91	82	74	65	55	43

FINDING A LINE OF FIT The table shows the daily high temperatures (°F)
and the numbers of hot chocolates sold at a coffee shop for eight randomly
selected days.

Temperature (°F), x	30	36	44	51	60	68	75	82
Hot Chocolates, y	45	43	36	35	30	27	23	17

- a. Make a scatter plot of the data and draw a line of fit.
- b. Write an equation of the line of fit.
- c. Interpret the slope and the y-intercept of the line of fit.
- NUMBER SENSE Which correlation coefficient indicates a stronger relationship: -0.98 or 0.91? Explain.

11. IDENTIFYING RELATIONSHIPS The table shows the admission costs (in dollars) and the average number of daily visitors at an amusement park each year for the past 8 years. Find an equation of the line of best fit. Identify and interpret the correlation coefficient.

Cost (dollars), x	20	21	22	24	25	27	28	30
Daily Attendance, y	940	935	940	925	920	905	910	890

- REASONING The table shows the weights (in pounds) and the prescribed dosages (in milligrams) of medicine for six patients.
  - a. Find an equation of the line of best fit. Identify and interpret the correlation coefficient.
  - b. Interpret the slope of the line of best fit.
  - c. A patient who weighs 140 pounds is prescribed 135 milligrams of medicine. How does this affect the line of best fit?

Weight (lb), x	Dosage (mg), y			
94	72			
119	90			
135	103			
150	115			
185	140			
202	156			

Population (millions), x	Electoral Votes, y		
4.4	8		
0.7	3		
20.6	29		
6.6	11		
8.9	14		
8.4	13		
27.9	38		
39.3	55		

- 13. MODELING REAL LIFE The table shows the populations (in millions) and the numbers of electoral votes assigned for eight states in the 2016 presidential election.
  - a. Find an equation of the line of best fit. Identify and interpret the correlation coefficient.
  - b. Interpret the slope of the line of best fit.
  - c. Interpret the y-intercept of the line of best fit.
  - d. RESEARCH Research the Electoral College to explain the meaning of your answer in part (c).
- 14. MODELING REAL LIFE The table shows the numbers (in millions) of active accounts for two social media websites over the past five years. Assuming this trend continues, how many active accounts will Website B have when Website A has 280 million active accounts? Justify your answer.

Website A, x	Website B, y
312	188
306	215
300	235
299	236
293	253

- Seconds, x
   Height (feet), y

   0
   3

   0.5
   39

   1
   67

   1.5
   87

   2
   99
- 15. DIG DEEPER! The table shows the heights y (in feet) of a baseball x seconds after it was hit.
  - a. Predict the height after 5 seconds.
  - b. The actual height after 5 seconds is about 3 feet. Why might this be different from your prediction?

# **6.3** Two-Way Tables

Learning Target: Use two-way tables to represent data.

Success Criteria: • I can read a two-way table.

I can make a two-way table.

I can use a two-way table to describe relationships between data.

### **EXPLORATION 1**

# **Analyzing Data**

FLORIDA STANDARDS MAFS.8.SP.1.4 Work with a partner. You are the manager of a sports shop. The table shows the numbers of soccer T-shirts that your shop has left in stock at the end of a soccer season.

		S	M	L	XL	XXL	Total
	Blue/White	5	4	1	0	2	,
_	Blue/Gold	3	6	5	2	0	
Color	Red/White	4	2	4	1	3	
0	Black/White	3	4	1	2	1	
	Black/Gold	5	2	3	0	2	
	Total						65

- Complete the table.
- b. Are there any black-and-gold XL T-shirts in stock? Justify your answer.
- c. The numbers of T-shirts you ordered at the beginning of the soccer season are shown below. Complete the table.

		S	M	L	XL	XXL	Total
	Blue/White	5	6	7	6	5	
_	Blue/Gold	5	6	7	6	5	
Color	Red/White	5	6	7	6	5	
٥	Black/White	5	6	7	6	5	
	Black/Gold	5	6	7	6	5	
	Total						

### **Math Practice**

#### Use a Table

What are the advantages of using a table instead of a graph to analyze data?


# Lesson

#### Key Vocabulary

two-way table, p. 250 joint frequency, p. 250 marginal frequency, p. 250

A two-way table displays two categories of data collected from the same source.

You randomly survey students about their grades on a test and whether they studied for the test. The two-way table shows the results. Each entry in the table is called a joint frequency.



# EXAMPLE 1

### Reading a Two-Way Table

How many students in the survey above studied for the test and passed?

The entry in the "Studied" column and "Passed" row is 21.



So, 21 of the students in the survey studied for the test and passed.

### Try It

How many students in the survey above studied for the test and failed?

The sums of the rows and columns in a two-way table are called marginal frequencies.

# EXAMPLE 2

### **Finding Marginal Frequencies**

Find and interpret the marginal frequencies for the survey above.

Create a new column and a new row for the sums. Then add the entries.

				Student		
			Studied	Did Not Study	Total	
	de	Passed	21	2	23 🕶	23 students passed
	Grade	Failed	1	6	7 <	7 students failed.
		Total	22	8	30 <	30 students
22 students studie	d.)			8 students did no	t study.	were surveyed.

### Try It

		Football Game				
		Attend	Not Attend			
Jce	Attend	35	5			
Dar	Not Attend	16	20			

2. You randomly survey students in a cafeteria about their plans for a football game and a school dance. The two-way table shows the results. Find and interpret the marginal frequencies for the survey.

## EXAMPLE 3

## Making a Two-Way Table

0	Rides Bus				
	Age	Tally			
	12-13	主手等亲亲手			
	14-15	11#1#			
	16-17	#####			

Does	Not Ride Bus
Age	Tally
12-13	美美美
14-15	WW.W.
16-17	1#####

You randomly survey students between the ages of 12 and 17 about whether they ride the bus to school. The results are shown in the tally sheets. Make a two-way table that includes the marginal frequencies.

The two categories for the table are the ages and whether or not students ride the bus. Use the tally sheets to calculate each joint frequency. Then add to find each marginal frequency.

		Age				
		12-13	14-15	16-17	Total	
Student	Rides Bus	24	12	14	50	
Stuc	Does Not Ride Bus	16	13	21	50	
	Total	40	25	35	100	

## Try It

You randomly survey students about whether they buy a school lunch or pack a lunch. The results are shown. Make a two-way table that includes the marginal frequencies.

	Grade 6 Students	Grade 7 Students	Grade 8 Students
0	11 pack lunch,	23 pack lunch,	16 pack lunch,
	9 buy school lunch	27 buy school lunch	14 buy school lunch



## Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

	1	200
C	Gender	Tally
-	Male	三米米米
	Female	主素等等
	_	Elitar construction and an action

M	useum
Gender	Tally
Male	1111111
Female	#K#K
remate	luk ur litt

4. READING A TWO-WAY TABLE The results of a music survey are shown in the two-way table. How many students dislike both country and jazz? How many students like country but dislike jazz?

		Jazz	
		Likes	Dislikes
ntry	Likes	26	14
Cou	Dislikes	17	8

MAKING A TWO-WAY TABLE You randomly survey students about their preference for a class field trip. The results are shown in the tally sheets. Make a two-way table that includes the marginal frequencies.

## **EXAMPLE 4**

## **Modeling Real Life**

For each age group in Example 3, what percent of the students ride the bus? do not ride the bus? Determine whether there is a relationship between age and riding the bus to school.

Divide each joint frequency by the total number of students in the corresponding age group. Organize the results in a two-way table.

		Age		
		12-13	14-15	16-17
Student	Rides Bus	$\frac{24}{40} = 60\%$	$\frac{12}{25} = 48\%$	$\frac{14}{35} = 40\%$
Stuc	Does Not Ride Bus	$\frac{16}{40} = 40\%$	$\frac{13}{25} = 52\%$	$\frac{21}{35} = 60\%$

#### Check

The percents in each column of the table should sum to 100%.

$$60\% + 40\% = 100\%$$

$$48\% + 52\% = 100\%$$

$$40\% + 60\% = 100\%$$

.

who do not ride the bus.

So, the table shows that as age increases, students are less likely to ride the bus to school.

Each age group increase corresponds with a decrease in the percent

of students who ride the bus and an increase in the percent of students



## Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

		Voter's Age		
		18-34	35-64	65+
Candidate	A	36	25	6
Cand	В	12	32	24

- 6. The results of a voting survey are shown in the two-way table.
  For each age group, what percent of voters prefer Candidate A?
  Candidate B? Determine whether there is a relationship between age and candidate preference.
- 7. You randomly survey 40 students about whether they play an instrument. You find that 8 males play an instrument and 13 females do not play an instrument. A total of 17 students in the survey play an instrument. Make a two-way table that includes the marginal frequencies.
- 8. Collect data from each student in your math class about whether they like math and whether they like science. Is there a relationship between liking math and liking science? Justify your answer.

252

## 6.3 Practice



## Review & Refresh

Find an equation of the line of best fit for the data.

x	0	1	2	3	4
V	75	91	101	109	129

The vertices of a triangle are A(1, 2), B(3, 1), and C(1, -1). Draw the figure and its image after the translation.

- 3. 4 units left
- 4. 2 units down
- 5. (x-2, y+3)

## Concepts, Skills, & Problem Solving

ANALYZING DATA In Exploration 1, determine how many of the indicated T-shirt are in stock at the end of the soccer season. (See Exploration 1, p. 249.)

- 6. black-and-white M
- 7. blue-and-gold XXL
- 8. blue-and-white L

READING A TWO-WAY TABLE You randomly survey students about participating in a yearly fundraiser. The two-way table shows the results.

- 9. How many female students participate in the fundraiser?
- 10. How many male students do not participate in the fundraiser?

		Fundraiser		
		No	Yes	
ender	Female	22	51	
Gen	Male	30	29	

FINDING MARGINAL FREQUENCIES Find and interpret the marginal frequencies.

11.

		School Play		
		Attend	Not Attend	
ass	Junior	41	30	
Ü	Senior	52	23	

12.

		Cell Phone Company	
		А	В
ta	Limited	78	94
Data	Unlimited	175	135


- Treatment
  Improved: 34
  Did not improve: 10
  No Treatment
  Improved: 12
  Did not improve: 29
- 13. MAKING A TWO-WAY TABLE A researcher randomly surveys people with a medical condition about whether they received a treatment and whether their condition improved. The results are shown. Make a two-way table that includes the marginal frequencies.

 MODELING REAL LIFE You randomly survey students in your school about the color of their eyes. The results are shown in the tables.

Eye Colo	r of Males	Surveyed
Green	Blue	Brown
5	16	27

Eye Color of Females Surveyed			
Green	Blue	Brown	
3	19	18	

- a. Make a two-way table.
- Find and interpret the marginal frequencies for the survey.
- c. For each eye color, what percent of the students in the survey are male? female? Organize the results in a two-way table.
- 15. WP REASONING Use the information from Exercise 14. For each gender, what percent of the students in the survey have green eyes? blue eyes? brown eyes? Organize the results in a two-way table.






17. MODELING REAL LIFE You randomly survey people in your neighborhood about whether they have at least \$1000 in savings. The results are shown in the tally sheets. For each age group, what percent of the people have at least \$1000 in savings? do not have at least \$1000 in savings? Determine whether there is a relationship between age and having at least \$1000 in savings.

Age	Tally
20-29	******
30-39	<b>************************************</b>
40-49	苯苯苯苯

Age	Tally
20-29	<b>美亲亲亲亲亲</b>
30-39	**************************************
40-49	Mark Street



- bld DEEPER. The three-dimensional bar graph shows information about the numbers of hours students at a high school work at part-time jobs during the school year.
  - a. Make a two-way table that represents the data. Use estimation to find the entries in your table.
  - b. A newspaper article claims that more males than females drop out of high school to work full-time. Do the data support this claim? Explain your reasoning.

# 6,4. Choosing a Data Display

Learning Target: Use appropriate data displays to represent situations.

Success Criteria: • I can choose appropriate data displays for situations.

- I can identify misleading data displays.
- · I can analyze a variety of data displays.

## **EXPLORATION 1**

#### FLORIDA STANDARDS

Applying MAFS.8.SP.1.1

## **Displaying Data**

Work with a partner. Analyze and display each data set in a way that best describes the data. Explain your choice of display.

a. NEW ENGLAND ROADKILL A group of schools in New England participated in a two-month study. They reported 3962 dead animals.

Birds: 307 Mammals: 2746 Amphibians: 145 Reptiles: 75

Unknown: 689





b. BLACK BEAR ROADKILL The data below show the numbers of black bears killed on a state's roads each year for 20 years.

Year 1:	30	Year 8:	47	Year 15:	99
Year 2:	37	Year 9:	49	Year 16:	129
Year 3:	46	Year 10:	61	Year 17:	111
Year 4:	33	Year 11:	74	Year 18:	127
Year 5:	43	Year 12:	88	Year 19:	141
Year 6:	35	Year 13:	82	Year 20:	135
Year 7:	43	Year 14:	109		

## Math Practice

## Choose Tools

For each set of data, is there more than one way that you can accurately display the data? c. RACCOON ROADKILL A one-week study along a four-mile section of road found the following weights (in pounds) of

raccoons that had been killed by vehicles.

13.4	14.8	17.0	12.9
21.3	21.5	16.8	14.8
15.2	18.7	18.6	17.2
18.5	9.4	19.4	15.7
14.5	9.5	25.4	21.5
17.3	19.1	11.0	12.4
20.4	13.6	17.5	18.5
21.5	14.0	13.9	19.0

d. What can be done to minimize the number of animals killed by vehicles?

## Lesson



Data Display	What does it do?
Pictograph	shows data using pictures
Bar Graph	shows data in specific categories
Circle Graph	shows data as parts of a whole
Line Graph	shows how data change over time
Histogram	shows frequencies of data values in intervals of the same size
Stem-and-Leaf Plot	orders numerical data and shows how they are distributed
Box-and-Whisker Plot	shows the variability of a data set by using quartiles
Dot Plot	shows the number of times each value occurs in a data set
Scatter Plot	shows the relationship between two data sets by using ordered pairs in a coordinate plane

## EXAMPLE 1

## Choosing an Appropriate Data Display

Choose an appropriate data display for the situation. Explain your reasoning.

- a. the number of students in a marching band each year
  - A line graph shows change over time. So, a line graph is an appropriate data display.
- a comparison of people's shoe sizes and their heights
  - You want to compare two different data sets. So, a scatter plot is an appropriate data display.

## Try It Choose an appropriate data display for the situation. Explain your reasoning.

- the population of the United States divided into age groups
- 2. the number of students in your school who play basketball, football, soccer, or lacrosse

## EXAMPLE 2

## **Identifying an Appropriate Data Display**



You record the number of hits for your school's new website for 5 months. Tell whether each data display is appropriate for representing how the number of hits changed during the 5 months. Explain your reasoning.


3	٦	ŀ	
•	۰	۰	۰

١	Month	Hits
	August	250
	September	320
	October	485
	November	650
	December	975



The bar graph shows the number of hits for each month. So, it is an appropriate data display.

b.



The histogram does not show the number of hits for each month or how the number of hits changes over time. So, it is not an appropriate data display.

c.




The line graph shows how the number of hits changes over time. So, it is an appropriate data display.

Try It Tell whether the data display is appropriate for representing the data in Example 2. Explain your reasoning.

- 3. dot plot
- 4. circle graph
- 5. stem-and-leaf plot

## **Identifying a Misleading Data Display**

Which line graph is misleading? Explain.





The vertical axis of the line graph on the left has a break (\$) and begins at 9. This graph makes it appear that the total revenue fluctuated drastically from 2009 to 2016. The graph on the right has an unbroken axis. It is more honest and shows that the total revenue changed much less from 2009 to 2016.



So, the graph on the left is misleading.

## Try It

6. Which bar graph is misleading? Explain.








## Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

CHOOSING A DATA DISPLAY Choose an appropriate data display for the situation. Explain your reasoning.

- 7. the percent of band students playing each instrument
- 8. a comparison of the amount of time spent using a tablet computer and the remaining battery life



9. IDENTIFYING A MISLEADING DISPLAY Is the box-and-whisker plot misleading? Explain.

258

Canned food Boxed food Juice - 20 cans - 20 boxes - 20 bottles

The organizer of a food drive creates the pictograph shown.

(a) A volunteer concludes that the numbers of cans of food and boxes of food donated were about the same. Determine whether this conclusion is accurate. (b) Estimate the number of each item that has been donated.

- a. Each icon represents the same number of items. Because the box icon is larger than the can icon, it looks like the number of boxes is about the same as the number of cans. The number of boxes is actually about half of the number of cans.
  - So, the conclusion is not accurate.
- Each icon represents 20 items. Multiply each number of icons by 20.

$$11 \times 20 = 220 \text{ cans}$$

$$6 \times 20 = 120$$
 boxes

$$2\frac{1}{2} \times 20 = 50$$
 bottles




So, about 220 cans, 120 boxes, and 50 bottles have been donated.




## Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.







11. DIG DEEPER! A business manager creates the line graph shown.
(a) How do the data appear to change over time? Explain why this conclusion may not be accurate. (b) Why might the business manager want to use this line graph?

## 6.4 Practice



## Review & Refresh

You randomly survey students about whether they recycle. The two-way table shows the results.

- 1. How many male students recycle? How many female students do not recycle?
- Find and interpret the marginal frequencies.

		Recycle	
		Yes No	
der	Female	28	9
Gender	Male	24	14

Find the slope and the y-intercept of the graph of the linear equation.

3. 
$$y = 4x + 10$$

4. 
$$y = -3.5x - 2$$

5. 
$$y - 8 = -x$$

## Concepts, Skills, & Problem Solving

6. DISPLAYING DATA Analyze and display the data in a way that best describes the data. Explain your choice of display. (See Exploration 1, p. 255.)

Noteboo	oks Sold in O	ne Week
192 red	170 green	203 black
183 pink	230 blue	165 yellow
210 purple	250 orange	179 white

CHOOSING A DATA DISPLAY Choose an appropriate data display for the situation. Explain your reasoning.


- a student's test scores and how the scores are spread out
- 8. the prices of different televisions and the numbers of televisions sold
- 9. the outcome of rolling a number cube 10. the distance a person drives each month


#### 11. IDENTIFYING AN APPROPRIATE DISPLAY

A survey asked 800 students to choose their favorite school subject. The results are shown in the table. Tell whether each data display is appropriate for representing the portion of students who prefer math. Explain your reasoning.

Favorite School Subject				
Subject	Number of Students			
Science	224			
Math	176			
Literature	240			
Social studies	160			


Favorite School Subject





12. IDENTIFYING AN APPROPRIATE DISPLAY The table shows how many hours you worked as a lifeguard from May to August. Tell whether each data display is appropriate for representing how the number of hours worked changed during the 4 months. Explain your reasoning.

Lifeguard Schedule				
Month	Hours Worked			
May	40			
June	80			
July	160			
August	120			






13. WRITING When should you use a histogram instead of a bar graph to display data? Use an example to support your answer.

#### IDENTIFYING MISLEADING DISPLAYS Which data display is misleading? Explain.

14.

15.





Travel Time to School 24 20 Frequency 16 12 8 4

1-5

6-10

Time (minutes)

11-15


16-20



16. REASONING What type of data display is appropriate for showing the mode of a data set?




- 17. CRITICAL THINKING The director of a music festival creates the data display shown. A customer concludes that the ticket price for Group C is more than double the ticket price for Group A. Determine whether this conclusion is accurate. Explain.
- PATTERNS A scientist gathers data about a decaying chemical compound and creates the scatter plot shown.
  - a. The scientist concludes that there is a negative linear relationship between the data. Determine whether this conclusion is accurate, Explain.
  - b. Estimate the amount of the compound remaining after 1 hour, 3 hours, 5 hours, and 7 hours.




19. REASONING A survey asks 100 students to choose

their favorite sports. The results are shown in the circle graph.

- Explain why the graph is misleading.
- What type of data display is more appropriate for the data? Explain.



- 20. **STRUCTURE** With the help of computers, mathematicians have computed and analyzed trillions of digits of the irrational number  $\pi$ . One of the things they analyze is the frequency of each of the numbers 0 through 9. The table shows the frequency of each number in the first 100,000 digits of  $\pi$ .
  - a. Display the data in a bar graph.
  - b. Display the data in a circle graph.
  - c. Which data display is more appropriate? Explain.
  - d. Describe the distribution.







## **Connecting Concepts**

## Using the Problem-Solving Plan

 You randomly survey middle school students about whether they prefer action, comedy, or animation movies. The two-way table shows the results. Estimate the probability that a randomly selected middle school student prefers action movies.

		Grade			
		6	7	8	
en .	Action	12	18	10	
Genre	Comedy	8	6	3	
0	Animation	9	11	14	

Understand the problem.

You know the results of a survey about movie preference. You are asked to estimate the probability that a randomly selected middle school student prefers action movies.

Make a plan.

Find the marginal frequencies for the data. Then use the marginal frequencies to find the probability that a randomly selected middle school student prefers action movies.

Solve and check.

Use the plan to solve the problem. Then check your solution.

- An equation of the line of best fit for a data set is
   y = -0.68x + 2.35. Describe what happens to the slope
   and the y-intercept of the line when each y-value in the
   data set increases by 7.
- 3. On a school field trip, there must be 1 adult chaperone for every 16 students. There are 8 adults who are willing to be a chaperone for the trip, but only the number of chaperones that are necessary will attend. In a class of 124 students, 80 attend the trip. Make a two-way table that represents the data.



#### **Performance Task**

## Cost vs. Fuel Economy



At the beginning of this chapter, you watched a STEAM Video called "Fuel Economy." You are now ready to complete the performance task related to this video, available at **BigIdeasMath.com**. Be sure to use the problem-solving plan as you work through the performance task.






## Review Vocabulary

Write the definition and give an example of each vocabulary term.

scatter plot, p. 238 line of fit, p. 244 line of best fit, p. 245 two-way table, p. 250 joint frequency, p. 250 marginal frequency, p. 250


## Graphic Organizers

You can use an **Information Frame** to help organize and remember a concept. Here is an example of an Information Frame for *scatter plots*.



Choose and complete a graphic organizer to help you study the concept.

- 1. lines of fit
- 2. two-way tables
- 3. data displays



"Dear Teacher, I am emailing my Information Frame showing the characteristics of circles."

## Chapter Self-Assessment

As you complete the exercises, use the scale below to rate your understanding of the success criteria in your journal.

I do not understand.

2 I can do it with help.

I can do it on my own.

3

I can teach someone else.




#### 6.1 Scatter Plots (pp. 237–242)


Learning Target: Use scatter plots to describe patterns and relationships between two quantities.


Make a scatter plot of the data. Identify any outliers, gaps, or clusters.

Age (years), x	15	3	14	12	8	11	9	4	13	10
Height (inches), y	67	38	65	70	50	58	53	41	63	56

Describe the relationship between the data. Identify any outliers, gaps, or clusters.








- Your school is ordering custom T-shirts. The scatter plot shows the numbers of T-shirts ordered and the cost per shirt. Describe the relationship between the numbers of T-shirts ordered and the cost per T-shirt.
- Describe a set of real-life data that has each relationship.
  - a. positive linear relationship
  - b. no relationship
- 7. The table shows the numbers of hours a waitress works and the amounts she earns in tips. How many hours do you expect the waitress to work when she earns \$42 in tips?

Hours Worked, x	2	5.5	1	7	2.5	8	3	5
Tips (dollars), y	15	40	7	50	18	55	20	36





## 6.2 Lines of Fit (pp. 243-248)

Learning Target: Use lines of fit to model data.

- The table shows the numbers of students at a middle school over a 10-year period.
  - a. Make a scatter plot of the data and draw a line of fit.
  - b. Write an equation of the line of fit.
  - c. Interpret the slope and the y-intercept of the line of fit.
  - d. Predict the number of students in year 11.
- Find an equation of the line of best fit for the data in Exercise 8. Identify and interpret the correlation coefficient.
- 10. The table shows the revenue (in millions of dollars) for a company over an eight-year period. Assuming this trend continues, how much revenue will there be in year 9?

Year, x	1	2	3	4	5	6	7	8
Revenue (millions of dollars), y	20	35	46	56	68	82	92	108



## 6.3 Two-Way Tables (pp. 249-254)

Learning Target: Use two-way tables to represent data.

You randomly survey students about participating in the science fair. The two-way table shows the results.

- 11. How many male students participate in the science fair?
- 12. How many female students do not participate in the science fair?
- 13. You randomly survey students in your school about whether they liked a recent school play. The two-way table shows the results. Find and interpret the marginal frequencies.

		Science Fair		
		No	Yes	
nder	Female	15	22	
Gen	Male	12	32	

Number of

Students, y

492

507

520

535

550

562

577

591

604

618

Year,

X

1

2

3

4

5

6

7

8

9

10

		Student				
		Liked	Did Not Like			
der	Male	48	12			
Gender	Female	56	14			

You randomly survey people at a mall about whether they like the new food court. The results are shown.

- Make a two-way table that includes the marginal frequencies.
- 15. For each group, what percent of the people surveyed like the food court? dislike the food court? Organize your results in a two-way table.
- 16. Does your table in Exercise 15 show a relationship between age and whether people like the food court?

	Teenagers
_	
90	6 likes, A dislikes
- 150	
	Adults
71	likes, 79 dislikes
- And	IINGS, 17 MININGS
-	Senior Citizens
	likes, 82 dislikes




## 6.4 Choosing a Data Display (pp. 255-262)


Learning Target: Use appropriate data displays to represent situations.

Choose an appropriate data display for the situation. Explain your reasoning.

- 17. the numbers of pairs of shoes sold by a store each week
- 18. the percent of votes that each candidate received in an election
- 19. Bird banding is attaching a tag to a bird's wing or leg to track the movement of the bird. This provides information about the bird's migration patterns and feeding behaviors. The table shows the numbers of robins banded in Pennsylvania over 5 years. Tell whether each data display is appropriate for representing how the number of bandings changed during the 5 years. Explain your reasoning.

Year	Number of Bandings
2012	168
2013	142
2014	355
2015	330
2016	345






- Give an example of a bar graph that is misleading. Explain your reasoning.
- Give an example of a situation where a dot plot is an appropriate data display. Explain your reasoning.

## **Practice Test**

- The graph shows the population (in millions) of the United States from 1960 to 2010.
  - a. In what year was the population of the United States about 180 million?
  - b. What was the approximate population of the United States in 1990?
  - c. Describe the relationship shown by the data.



- 2. The table shows the weight of a baby over several months.
  - a. Make a scatter plot of the data and draw a line of fit.
  - b. Write an equation of the line of fit.
  - c. Interpret the slope and the y-intercept of the line of fit.
  - d. Predict how much the baby will weigh at 7 months.

Age (months)	Weight (pounds)
1	8
2	9.25
3	11.75
4	13
5	14.5
6	16

		Non	fiction
		Likes	Dislikes
ion	Likes	26	20
Fict	Dislikes	22	2

 You randomly survey students at your school about what type of books they like to read.
 The two-way table shows your results. Find and interpret the marginal frequencies.

## Choose an appropriate data display for the situation. Explain your reasoning.

- 4. magazine sales grouped by price range 5. the distance a person hikes each week
- 6. The table shows the numbers y of AP exams (in thousands) taken from 2012 to 2016, where x = 12 represents the year 2012. Find an equation of the line of best fit. Identify and interpret the correlation coefficient.

Year, x	12	13	14	15	16
Number of AP Exams, y	3698	3938	4176	4479	4705

7. You randomly survey shoppers at a supermarket about whether they use reusable bags. Of 60 male shoppers, 15 use reusable bags. Of 110 female shoppers, 60 use reusable bags. Organize your results in a two-way table. Include the marginal frequencies. Estimate the probability that a randomly selected male shopper uses reusable bags.



## **Cumulative Practice**

1. What is the solution of the system of linear equations?


$$y = 2x - 1$$

$$y = 3x + 5$$

C. 
$$(-13, 6)$$

D. 
$$(-6, 13)$$

2. The diagram shows parallel lines cut by a transversal. Which angle is the corresponding angle for ∠6?



3. You randomly survey students in your school. You ask whether they have jobs. You display your results in the two-way table. How many male students do not have a job?





		Jo	ob
		Yes	No
nder	Male	27	12
Gen	Female	31	17


Test-Taking Strategy




4. Which scatter plot shows a negative relationship between x and y?









- 5. A system of two linear equations has no solution. What can you conclude about the graphs of the two equations?
  - F. The lines have the same slope and the same y-intercept.
  - G. The lines have the same slope and different y-intercepts.
  - H. The lines have different slopes and the same y-intercept.
  - The lines have different slopes and different y-intercepts.
- 6. What is the solution of the equation?

$$0.22(x+6) = 0.2x + 1.8$$

**A.** 
$$x = 2.4$$

**B.** 
$$x = 15.6$$

C. 
$$x = 24$$

**D.** 
$$x = 156$$

7. A person who is  $5\frac{1}{2}$  feet tall casts a  $3\frac{1}{2}$ -foot-long shadow. A nearby




flagpole casts a 28-foot-long shadow. What is the height (in feet) of the flagpole?

- 8. A store records total sales (in dollars) each month for three years. Which type of graph can best show how sales increase over this time period?
  - F. circle graph

G. line graph

H. histogram

- I. stem-and-leaf plot
- 9. Trapezoid KLMN is graphed in the coordinate plane shown.



Rotate Trapezoid KLMN 90° clockwise about the origin. What are the coordinates of point M', the image of point M after the rotation?

C. 
$$(-2,3)$$

 The table shows the numbers of hours students spent watching television from Monday through Friday for one week and their scores on a test that Friday.



Hours of Television, x	5	2	10	15	3	4	8	2	12	9
Test Score, y	92	98	79	66	97	88	82	95	72	81

- Part A Make a scatter plot of the data.
- Part B Describe the relationship between the hours of television watched and the test scores.
- Part C Explain how to justify your answer in Part B using the linear regression feature of a graphing calculator.

# Functions

- 7.1 Relations and Functions
- 7.2 Representations of Functions
- 7.3 Linear Functions
- 7.4 Comparing Linear and Nonlinear Functions
- 7.5 Analyzing and Sketching Graphs

#### Chapter Learning Target:

Understand functions.

#### **Chapter Success Criteria:**

- I can identify functions.
- I can represent functions in a variety of ways.
- I can evaluate functions.
- I can solve problems using function rules.



## **STEAM Video**



## **Apparent Temperature**

Sometimes it feels hotter or colder outside than the actual temperature. How hot or cold it feels is called the *apparent temperature*. What weather factors might contribute to the apparent temperature?

Watch the STEAM Video "Apparent Temperature." Then answer the following questions.

 Robert says that the Wet-Bulb Globe Temperature (WBGT) index is used as a measure of apparent temperature.

$$WBGT = 0.7T_W + 0.2T_G + 0.1T_D$$


**WBGT Categories** 

Category	WBGT, °F	Flag Color
1	< 82	White
2	82-84.9	Green
3	85-87.9	Yellow
4	88-89.9	Red
5	≥ 90	Black

In the formula,  $T_W$  is the natural wet-bulb temperature,  $T_G$  is the black-globe temperature, and  $T_D$  is the dry-bulb temperature. Find WBGT when  $T_W=75^\circ\mathrm{F}$ ,  $T_G=100^\circ\mathrm{F}$ , and  $T_D=84^\circ\mathrm{F}$ .

2. Different categories of Wet-Bulb Globe Temperatures are shown in the chart. Each category can be represented by a different-colored flag. Which flag color is displayed when WGBT = 87.5°F?

## **Performance Task**



#### **Heat Index**

After completing this chapter, you will be able to use the concepts you learned to answer the questions in the STEAM Video Performance Task. You will be given information about temperature and the heat index.

Temperature (°F)	83	84	85	86	87	88	
Heat Index (°F)	91						

You will be asked to create a graph of the temperatures and heat indices. Why is it useful to know the heat index?


## **Getting Ready for Chapter**




## **Chapter Exploration**

Work with a partner. Copy and complete the diagram.


1. Area A




Input, x Output, A



3. Circumference C




Input, r Output, C




2. Perimeter P




Input, x Output, P



4. Volume V



Input, h Output, V



## Vocabulary

The following vocabulary terms are defined in this chapter. Think about what each term might mean and record your thoughts.

input

mapping diagram

nonlinear function

output

linear function

## **Relations and Functions**

Learning Target: Understand the concept of a function.


Success Criteria: • I can represent a relation as a set of ordered pairs.


- I can determine whether a relation is a function.
- I can use functions to solve real-life problems.

## **EXPLORATION 1**

## **Interpreting Diagrams**

FLORIDA STANDARDS MAFS.8.F.1.1 Work with a partner. Describe the relationship between the *inputs* and *outputs* in each diagram. Then complete each diagram. Is there more than one possible answer? Explain your reasoning.





## **EXPLORATION 2**


## **Describing Relationships Between Quantities**


Work with a partner. The diagrams show the numbers of tickets bought by customers for two different plays and the total costs (in dollars).

## **Math Practice**

#### Analyze Relationships

Is it possible for one person to pay \$16 for 2 tickets to Play B and another person to pay \$8 for 2 tickets to Play B? Explain.






- a. For each diagram, how many outputs does each input have?
- b. Describe the prices of tickets for each play.
- c. A person buys 4 tickets for each play. Can you determine the total cost of all 8 tickets? Explain.

## Lesson

## Key Vocabulary

input, p. 276 output, p. 276 relation, p. 276 mapping diagram, p. 276 function, p. 277

Ordered pairs can be used to show inputs and outputs.




## M Key Ideas

#### **Relations and Mapping Diagrams**

A relation pairs inputs with outputs. A relation can be represented by ordered pairs or a mapping diagram.

## **Ordered Pairs** (0, 1)


#### Mapping Diagram Input Output




#### EXAMPLE 1 **Listing Ordered Pairs of Relations**


List the ordered pairs shown in each mapping diagram.

Input




Input






## Try It List the ordered pairs shown in the mapping diagram.

1.







## EXAMPLE 2

## **Determining Whether Relations Are Functions**

Determine whether each relation is a function.







Each input has exactly one output. So, the relation is a function.

The input 0 has two outputs, 5 and 6. So, the relation is not a function.

## Try It Determine whether the relation is a function.

3. Input








## Self-Assessment for Concepts & Skills


Solve each exercise. Then rate your understanding of the success criteria in your journal.

PRECISION Describe how relations and functions are different.


IDENTIFYING FUNCTIONS List the ordered pairs shown in the mapping diagram. Then determine whether the relation is a function.



7.



Input



Output

- 8. OPEN-ENDED Copy and complete the mapping diagram at the left to represent a relation that is a function. Then describe how you can modify the mapping diagram so that the relation is not a function.

## EXAMPLE 3


## **Modeling Real Life**


Input, Output, Zone Price **>\$2.00** 0 1-**►\$3.50 >\$5.00** 2 **►\$6.50** 

The mapping diagram represents the prices of one-way subway tickets to different zones of a city.

- a. Is the price of a subway ticket a function of the zone number? Each input has exactly one output.
  - So, the price of a subway ticket is a function of the zone number.
- b. Describe the relationship between the price and the zone number.

Identify the relationship between the inputs and the outputs.





As each input increases by 1, the output increases by \$1.50.




So, the price of a one-way subway ticket increases by \$1.50 for each additional zone traveled.



## Self-Assessment for Problem Solving


Solve each exercise. Then rate your understanding of the success criteria in your journal.

- 9. The mapping diagram represents the costs of reserving a hotel room for different numbers of nights.
  - a. Is the cost a function of the number of
  - b. Describe the relationship between the cost and the number of nights reserved.



nights reserved?

- 10. DIG DEEPER! The graph represents the number of contestants in each round of a talent competition.
  - a. Is the number of contestants a function of the round number?
  - b. Predict the number of contestants in the talent competition during Round 7. Explain your reasoning.



## 7.1 Practice



## Review & Refresh

Choose an appropriate data display for the situation. Explain your reasoning.

- 1. the number of runners in each age group at a marathon
- 2. the high temperature and the attendance at a water park each day

Graph the linear equation.

3. 
$$y = 2x - 3$$

4. 
$$y = -0.5x$$

5. 
$$y = -3x + 4$$

6. Which word best describes two figures that have the same size and the same shape?

A. congruent


B. adjacent


C. parallel

D. similar

## Concepts, Skills, & Problem Solving


INTERPRETING DIAGRAMS Describe the relationship between the inputs and outputs in the diagram. Then complete the diagram. Is there more than one possible answer? Explain your reasoning. (See Exploration 1, p. 275.)







LISTING ORDERED PAIRS List the ordered pairs shown in the mapping diagram.

9.






11.




IDENTIFYING FUNCTIONS Determine whether the relation is a function.


12.




13.



14.




15. YOU BE THE TEACHER Your friend determines whether the relation shown in the mapping diagram is a function. Is your friend correct? Explain your reasoning.




REASONING Draw a mapping diagram that represents the relation. Then determine whether the relation is a function. Explain.


16.




17.




18.



19. MODELING REAL LIFE The normal pressure at sea level is 1 atmosphere of pressure (1 ATM). As you dive below sea level, the pressure changes. The mapping diagram represents the pressures at different depths.



- b. Is pressure a function of depth?
- Describe the relationship between pressure and depth.
- d. List the ordered pairs. Then plot the ordered pairs in a coordinate plane. What do you notice about the points?
- e. RESEARCH What are common depths for beginner scuba divers? What are common depths for experienced scuba divers?



- 20. DIG DEEPER. The table shows the cost of purchasing 1, 2, 3, or 4 T-shirts from a souvenir shop.
  - a. Is the cost a function of the number of T-shirts purchased?
  - b. Describe the relationship between the cost and the number of T-shirts purchased. How does the cost per T-shirt change as you purchase more T-shirts?

T-Shirts	Cost
1	\$10
2	\$18
3	\$24
4	\$28

21. REPEATED REASONING The table shows the outputs for several inputs. Use two methods to predict the output for an input of 200.

Input, x	0	1	2	3	4
Output, y	25	30	35	40	45

# 7.2 Representations of Functions

Learning Target: Represent functions in a variety of ways.

Success Criteria: • I can write a function rule that describes a relationship.

- I can evaluate functions for given inputs.
- I can represent functions using tables and graphs.

## **EXPLORATION 1**





FLORIDA STANDARDS

MAFS.8.F.1.1 MAFS.8.F.2.4

## Using a Table to Describe Relationships

Work with a partner. Make a table that shows the relationship between the figure number  $\boldsymbol{x}$  and the area  $\boldsymbol{A}$  of each figure. Then use an equation to find which figure has an area of 81 square units when the pattern continues.





## EXPLORATION 2

## **Math Practice**

#### Construct Arguments

How does the graph help you determine whether the statement is true?

## **Using a Graph**

Work with a partner. Use a graph to test the truth of each statement. If the statement is true, write an equation that shows how to obtain one measurement from the other.

a. "You can find the horsepower of a race-car engine if you know its volume in cubic inches."

Volume (cubic inches), x	200	350	350	500
Horsepower, y	375	650	250	600

b. "You can find the volume of a race-car engine in cubic centimeters if you know its volume in cubic inches."

Volume (cubic inches), x	100	200	300
Volume (cubic centimeters), y	1640	3280	4920

## 7.2 Lesson

#### Key Vocabulary

function rule, p. 282


#### Remember

An independent variable represents a quantity that can change freely. A dependent variable depends on the independent variable.



#### **Functions as Equations**

A function rule is an equation that describes the relationship between inputs (independent variable) and outputs (dependent variable).



## **EXAMPLE 1**

## **Writing Function Rules**

a. Write a function rule for "The output is five less than the input."

Words The output is five less than the input.

Equation

-

x - 5

-

A function rule is y = x - 5.

b. Write a function rule for "The output is the square of the input."

Words The output is the square of the input.

Equation

\_

 $x^2$ 

b

A function rule is  $y = x^2$ .

## Try It

1. Write a function rule for "The output is one-fourth of the input."

## EXAMPLE 2

## **Evaluating a Function**

What is the value of y = 2x + 5 when x = 3?

y = 2x + 5

Write the equation.

=2(3)+5

Substitute 3 for x.

= 11

Simplify.

**Try It** Find the value of y when x = 5.

**2.** y = 4x - 1

**3.** y = 10x


**4.** y = 7 - 3x



## **Functions as Tables and Graphs**

A function can be represented by an input-output table and by a graph. The table and graph below represent the function y = x + 2.

Input,	Output,	Ordered Pair, (x, y)
1	3	(1, 3)
2	4	(2, 4)
3	5	(3, 5)



By drawing a line through the points, you graph all of the solutions of the function y = x + 2.


## **EXAMPLE 3** Graphing a Function

#### Graph the function y = -2x + 1.

Make an input-output table using inputs of -1, 0, 1, and 2.

Input, x	-2x + 1	Output, y	Ordered Pair, (x, y)
-1	-2(-1)+1	3	(-1, <mark>3</mark> )
0	-2(0) + 1	1	(0, 1)
1	-2(1)+1	-1	(1, -1)
2	-2(2)+1	-3	(2, - <mark>3</mark> )

Plot the ordered pairs and draw a line through the points.



## Try It Graph the function.

5. 
$$y = x + 1$$

**6.** 
$$y = -3x$$

7. 
$$y = 3x + 2$$



#### **Representations of Functions**

Words The output is 2 more than the input.

Equation y = x + 2


#### Input-Output Table

Input, x	Output, y
-1	1
0	2
1	3
2	4

#### **Mapping Diagram**

1 0 1 2 1 3 2 4

#### Graph



## Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

#### WRITING FUNCTION RULES Write a function rule for the statement.

- 8. The output is three times the input.
- 9. The output is eight more than one-seventh of the input.

## **EVALUATING A FUNCTION** Find the value of y when x = -5.

**10.** 
$$y = 6x$$

**11.** 
$$y = 11 - x$$

**12.** 
$$y = \frac{1}{5}x + 1$$

#### GRAPHING A FUNCTION Graph the function.

**13.** 
$$y = -2x$$

**14.** 
$$y = x - 3$$

**15.** 
$$y = 9 - 3x$$

16. DIFFERENT WORDS, SAME QUESTION Which is different? Find "both" answers.

What output is 4 more than twice the input 3?

What output is twice the sum of the input 3 and 4?

What output is the sum of 2 times the input 3 and 4?

What output is 4 increased by twice the input 3?



## **Modeling Real Life**



A car produces 20 pounds of carbon dioxide for every gallon of gasoline burned. Write and graph a function that describes the relationship.

Use a verbal model to write a function rule.

Verbal Model

Carbon dioxide (pounds)

Pounds per gallon Gasoline used (gallons)

g

Variable

Let p represent the number of pounds of carbon dioxide, and let g represent the number of gallons of gasoline used.

20

Equation


D

Make an input-output table that represents the function p = 20g.

Input, g	20 <i>g</i>	Output, p	Ordered Pair, (g, p)		
1 20(1)		20	(1, 20)		
2	20(2)	40	(2, 40)		
3	20(3)	60	(3, 60)		


Plot the ordered pairs and draw a line through the points.

Because you cannot burn a negative number of gallons of gasoline, use only positive values of g.





## Self-Assessment for Problem Solving



- 17. The World Health Organization (WHO) suggests having 23 health-care workers for every 10,000 people. How many health-care workers are needed to meet the WHO suggestion for a population of 250,000 people? Justify your answer using a graph.
- 18. DIG DEEPER! A truck produces 22 pounds of carbon dioxide for every gallon of diesel fuel burned. The fuel economy of the truck is 18 miles per gallon. Write and graph a function that describes the relationship between carbon dioxide produced and distance traveled.




## 7.2 Practice




## Review & Refresh

Determine whether the relation is a function.


1. Input




2.




3.




Find the slope of the line.



5.





## Concepts, Skills, & Problem Solving

USING A GRAPH Use a graph to test the truth of the statement. If the statement is true, write an equation that shows how to obtain one measurement from the other measurement. (See Exploration 2, p. 281.)

7. "You can find the weight of a cell phone in ounces if you know its screen size in inches."

Screen Size (inches), x	4	4.7	5	5.5
Weight (ounces), y	4	4.8	4.8	6.4

8. "You can find the age of a child in years if you know the age of the child in months."

Age (months), x	9	12	15	24
Age (years), y	0.75	1	1.25	2

#### WRITING FUNCTION RULES Write a function rule for the statement.

- The output is half of the input.
- 10. The output is eleven more than the input.
- 11. The output is three less than the input.
- The output is the cube of the input.
   The output is six times the input.
- 14. The output is one more than twice the input.

EVALUATING A FUNCTION Find the value of y for the given value of x.

**15.** 
$$y = x + 5$$
;  $x = 3$ 

**16.** 
$$y = 7x$$
;  $x = -5$ 

**17.** 
$$y = 1 - 2x$$
;  $x = 9$ 

**18.** 
$$y = 3x + 2$$
;  $x = 0.5$ 

**19.** 
$$y = 2x^3$$
;  $x = 3$ 

**18.** 
$$y = 3x + 2$$
;  $x = 0.5$  **19.**  $y = 2x^3$ ;  $x = 3$  **20.**  $y = \frac{x}{2} + 9$ ;  $x = -12$ 

GRAPHING A FUNCTION Graph the function.

**21.** 
$$y = x + 4$$

**22.** 
$$y = 2x$$

**23.** 
$$y = -5x + 3$$


**24.** 
$$y = \frac{x}{4}$$

**25.** 
$$y = \frac{3}{2}x + 1$$


**26.** 
$$y = 1 + 0.5x$$

MATCHING Match the graph with the function it represents.


27.




**A.**  $y = \frac{x}{2}$ 




**B.** 
$$y = x + 1$$



C. 
$$y = -2x + 6$$



Input, x	-4	-2	0	2
Output, y	-1	1	3	5





- 31. MODELING REAL LIFE A dolphin eats 30 pounds of fish per day.
  - Write and graph a function that relates the number p of pounds of fish that a dolphin eats in d days.
  - b. How many total pounds of fish does a dolphin eat in 30 days?
- 32. MODELING REAL LIFE You fill a fish tank with 55 gallons of water on Saturday. The water evaporates at a rate of 1.5 gallons per day. You plan to add water when the tank reaches 49 gallons. When will you add water? Justify your answer.

USING AN EQUATION Find the value of x for the given value of y.

**33.** 
$$y = 5x - 7$$
;  $y = -22$  **34.**  $y = 9 - 7x$ ;  $y = 37$ 

**34.** 
$$y = 9 - 7x$$
;  $y = 37$ 

**35.** 
$$y = \frac{x}{4} - 7$$
;  $y = 2$ 

- PROBLEM SOLVING You decide to make and sell bracelets. The cost of your materials is \$84.00. You charge \$3.50 for each bracelet.
  - a. Write a function that represents the profit P for selling b bracelets.
  - b. Which variable is independent? dependent? Explain.
  - c. You will break even when the cost of your materials equals your income. How many bracelets must you sell to break even?



- a. Write and graph a function that represents the amount of discount on an item at regular price.
- b. You buy a bookshelf that has a regular price of \$85. What is the sale price of the bookshelf?








- 39. We REASONING The graph of a function is a line that passes through the points (3, 2), (5, 8), and (8, y). What is the value of y?
- 40. CRITICAL THINKING Make a table where the independent variable is the side length of a square and the dependent variable is the perimeter. Make a second table where the independent variable is the side length of a square and the dependent variable is the area. Graph both functions in the same coordinate plane. Compare the functions.
- 41. PUZZLE The blocks that form the diagonals of each square are shaded. Each block has an area of one square unit. Find the "green area" of Square 20. Find the "green area" of Square 21. Explain your reasoning.











Square 5

# 7/3 Linear Functions

Learning Target: Use functions to model linear relationships.

Success Criteria: • I can write linear functions to model relationships.

I can interpret linear functions in real-life situations.

## **EXPLORATION 1**

#### FLORIDA STANDARDS

MAFS.8.F.1.2 MAFS.8.F.1.3 MAFS.8.F.2.4

### **Math Practice**

#### Interpret Results

How can you determine whether a function is a linear function using a graph? an equation?

## Writing and Graphing Functions


Work with a partner. Each table shows a familiar pattern from geometry.


- · Determine what the variables x and y represent. Then write a function rule that relates y to x.
- Is the function a linear function? Explain your reasoning.

x	1	2	3	4
у	10	12	14	16

b.

x	1	2	3	4
У	π	$4\pi$	9π	16π







c.

x	1	2	3	4
y	5	6	7	8

d.

x	1	2	3	4
У	28	40	52	64





## Lesson


Key Vocabulary

linear function, p. 290

A linear function is a function whose graph is a nonvertical line. A linear function can be written in the form y = mx + b, where m is the slope and b is the y-intercept.

## **EXAMPLE 1**

## Writing a Linear Function Using a Graph



(0, -3)

Use the graph to write a linear function that relates y to x.

Find the slope of the line using the points (2, 0) and (4, 3).


$$m = \frac{\text{change in } y}{\text{change in } x} = \frac{3-0}{4-2} = \frac{3}{2}$$

Because the line crosses the y-axis at (0, -3), the y-intercept is -3.

So, the linear function is  $y = \frac{3}{2}x - 3$ .

## Try It

1. Use the graph to write a linear function that relates y to x.




## EXAMPLE 2

## Writing a Linear Function Using a Table

Use the table to write a linear function that relates y to x.

x	-3	-2	-1	0
у	9	7	5	3



Plot the points in the table. Draw a line through the points.

Find the slope of the line using the points (-2, 7) and (-3, 9).

$$m = \frac{\text{change in } y}{\text{change in } x} = \frac{9-7}{-3-(-2)} = \frac{2}{-1} = -2$$

Because the line crosses the y-axis at (0, 3), the y-intercept is 3.

Functions

So, the linear function is y = -2x + 3.

## Try It


Use the table to write a linear function that relates y to x.

х	-2	-1	0	1
у	2	2	2	2

## **EXAMPLE 3** Interpreting a Linear Function

An unmanned aerial vehicle (UAV) is used for surveillance. The table shows the height y (in thousands of feet) of the UAV x minutes after it begins to descend from cruising altitude.

Minutes,	Height (thousands of feet), y
0	65
10	60
20	55



a. Write and graph a linear function that relates y to x.

The table shows a constant rate of change, so you can write a linear function that relates the dependent variable y to the independent variable x.

The point (0, 65) indicates that the y-intercept is 65. Use the points (0, 65) and (10, 60) to find the slope.

$$m = \frac{\text{change in } y}{\text{change in } x} = \frac{60 - 65}{10 - 0} = \frac{-5}{10} = -0.5$$

So, the linear function is y = -0.5x + 65. Plot the points in the table and draw a line through the points.

Interpret the slope and the y-intercept.



The slope indicates that the height decreases 500 feet per minute. The y-intercept indicates that the descent begins at a cruising altitude of 65,000 feet.


## Try It

3. WHAT IF? The rate of descent doubles. Repeat parts (a) and (b).



## Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.



- 4. WRITING A LINEAR FUNCTION Use the graph to write a linear function that relates y to x.
- 5. INTERPRETING A LINEAR FUNCTION The table shows the revenue R (in millions of dollars) of a company when it spends A (in millions of dollars) on advertising.

Advertising, A	0	2	4	6	8
Revenue, R	2	6	10	14	18

- a. Write and graph a linear function that relates R to A.
- Interpret the slope and the y-intercept.

## EXAMPLE 4

## **Modeling Real Life**

The cost y (in dollars) of buying x cubic yards of mulch from Company A, including a one-time shipping fee, is represented by the linear function y = 29x + 30. The table shows the cost, including a one-time shipping fee, of buying mulch from Company B. Which company charges more per cubic yard of mulch? How much more?

Mulch (cubic yards), x	Cost (dollars), y
1	48.50
2	82.00
3	115.50



You are given functions that represent the costs of buying mulch from two different companies. You are asked to determine which company charges more per cubic yard of mulch and how much more it charges.



The table shows a constant rate of change, so the relationship is linear. The cost per cubic yard of mulch for each company is represented by the slope of the graph of each function. Find and compare the slopes.



#### Company A

$$y = 29x + 30$$
The slope is 29.


#### Company B

$$\frac{\text{change in cost}}{\text{change in amount of mulch}} = \frac{82 - 48.50}{2 - 1}$$
$$= 33.5$$

Company A charges \$29.00 per cubic yard. Company B charges \$33.50 per cubic yard.



So, Company B charges 33.50 - 29.00 = \$4.50 more per cubic yard of mulch.



Check Reasonableness

For Company B, use the points (2, 82) and (3, 115.50)

to find the slope.



## Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



- 6. Manager A earns \$15 per hour and receives a \$50 bonus. The graph shows the earnings of Manager B. (a) Which manager has a greater hourly wage? (b) After how many hours does Manager B earn more money than Manager A?
- 7. Each month, you start with 2 gigabytes of data and use 0.08 gigabyte per day. The table shows the amount y (in gigabytes) of data that your friend has left x days after the start of each month. Who runs out of data first? Justify your answer.

Day, x	Data (gigabytes), y
0	3
7	2.3
14	1.6

## 7.3 Practice



## Review & Refresh

Write a function rule for the statement. Then graph the function.

The output is ten less than the input.
 The output is one-third of the input.

Solve the system.

3. 
$$y = x + 5$$
  
 $y = -3x + 1$ 


**4.** 
$$x + y = -4$$
  
 $6x + 2y = 4$ 


$$y = x + 5$$
 **4.**  $x + y = -4$  **5.**  $-4x + 3y = 14$   $y = -3x + 1$   $6x + 2y = 4$   $y = 2x + 8$ 

## Concepts, Skills, & Problem Solving

WRITING AND GRAPHING FUNCTIONS The table shows a familiar pattern from geometry. (a) Determine what the variables x and y represent. Then write a function rule that relates y to x. (b) Is the function a linear function? Explain your reasoning. (See Exploration 1, p. 289.)









WRITING LINEAR FUNCTIONS Use the graph or table to write a linear function that relates y to x.









10.

x	-8	-4	0	4
у	2	1	0	-1

11

1.	x	-3	0	3	6
	у	3	5	7	9


- 12. INTERPRETING A LINEAR FUNCTION The table shows the length y (in inches) of a person's hair after x months.
  - Write and graph a linear function that relates y to x.
  - Interpret the slope and the y-intercept.

Months,	Hair Length, y
0	11.0
3	12.5
6	14.0

13. INTERPRETING A LINEAR FUNCTION The table shows the percent y (in decimal form) of battery power remaining x hours after you turn on a laptop computer.

Hours, x	0	2	4
Power Remaining, y	1.0	0.6	0.2

- a. Write and graph a linear function that relates y to x.
- b. Interpret the slope, the x-intercept, and the y-intercept.
- c. After how many hours is the battery power at 75%?
- 14. MODELING REAL LIFE The number y of calories burned after x minutes of kayaking is represented by the linear function y = 4.5x. The graph shows the number of calories burned by hiking.




b. You perform each activity for 45 minutes. How many total calories do you burn? Justify your answer.



You and a friend race each other. You give your friend a 50-foot head start. The distance y (in feet) your friend runs after x seconds is represented by the linear function y = 14x + 50. The table shows your distance at various times throughout the race. For what distances will you win the race? Explain.

Time (seconds), x	2	4	6	8
Distance (feet), y	38	76	114	152



 CRITICAL THINKING Is every linear equation a linear function? Explain your reasoning.



18. PROBLEM SOLVING The heat index is calculated using the relative humidity and the temperature. For every 1 degree increase in the temperature from 94°F to 97°F at 75% relative humidity, the heat index rises 4°F. On a summer day, the relative humidity is 75%, the temperature is 94°F, and the heat index is 124°F. Estimate the heat index when the relative humidity is 75% and the temperature is 100°F. Use a function to justify your answer.

294

# 7.4 Comparing Linear and Nonlinear Functions

Learning Target: Understand differences between linear and nonlinear functions.

Success Criteria: • I can recognize linear functions represented as tables, equations, and graphs.

I can compare linear and nonlinear functions.

## **EXPLORATION 1**

FLORIDA

MAFS.8.F.1.3

STANDARDS

Comparing Functions

Work with a partner. Each equation represents the height h (in feet) of a falling object after t seconds.

- · Graph each equation. Explain your method.
- Decide whether each graph represents a linear or nonlinear function.
- · Compare the falling objects.
- a. Skydiver

$$h = 300 - 15t$$




b. Bowling ball


$$h = 300 - 16t^2$$



## **Math Practice**

Label Axes
Did you use the
same scale on
the axes? How does
the scale affect how
you compare the
falling objects?





## 7.4 Lesson

Key Vocabulary



nonlinear function, p. 296 The graph of a linear function shows a constant rate of change. A **nonlinear function** does not have a constant rate of change. So, its graph is *not* a line.

## **EXAMPLE 1**


## **Identifying Functions from Tables**

Does each table represent a linear or nonlinear function? Explain.

a.

х	3	6	9	12
y	40	32	24	16

As x increases by 3, y decreases by 8. The rate of change is constant. So, the function is linear. b.



As x increases by 2, y increases by different amounts. The rate of change is not constant. So, the function is nonlinear.

Try It Does the table represent a linear or nonlinear function? Explain.

1.

•	X	2	4	6	8
	у	-8	-4	0	4

2.

3	x	0	3	7	12
	y	25	20	15	10


## EXAMPLE 2

## **Identifying Functions from Equations**

Does each equation represent a linear or nonlinear function? Explain.

**a.** 
$$y = 4(x - 1)$$

**b.** 
$$y = \frac{4}{x}$$



a constant rate of change. So, the function is linear.



You cannot rewrite  $y = \frac{4}{x}$  in slope-intercept form.

The function does not have a constant rate of change.

So, the function is nonlinear.

Try It Does the equation represent a linear or nonlinear function? Explain.


3. 
$$y = x + 5$$


**4.** 
$$y = \frac{4x}{3}$$

5. 
$$y = 1 - x^2$$

Does each graph represent a linear or nonlinear function? Explain.

a.






The graph is not a line. So, the function is nonlinear.


The graph is a line. So, the function is linear.

Try It Does the graph represent a linear or nonlinear function? Explain.

6.



7.






## Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

IDENTIFYING FUNCTIONS Does the table or graph represent a linear or nonlinear function? Explain.

8.

x	3	-1	-5	-9
у	0	2	4	6



10. WHICH ONE DOESN'T BELONG? Which equation does not belong with the other three? Explain your reasoning.

$$15y = 6x$$

$$y = \frac{2}{5}x$$

$$10y = 4x$$

$$5xy = 2$$

## **EXAMPLE 4** Modeling Real Life


Year, t	Account A Balance	Account B Balance		
0	\$100	\$100		
1	\$110	\$110		
2	\$120	\$121		
3	\$130	\$133.10		
4	\$140	\$146.41		
5	\$150	\$161.05		

Two accounts earn different types of interest. The table shows the balances of each account for five years. Graph the data and compare the balances of the accounts over time.

Plot the points in the table for each account.

The points for Account A lie on a line. Draw a line through the points.

The points for Account B do not lie on a line. Draw a curve through the points.




The graphs show that both balances are positive and increasing. The graphs also show that the balance of Account B grows faster.

The balance of Account A has a constant rate of change of \$10. The balance of Account B increases by different amounts each year. So, Account A shows linear growth and Account B shows nonlinear growth.



## Self-Assessment for Problem Solving



Solve each exercise. Then rate your understanding of the success criteria in your journal.

- 11. The loudness of sound is measured in decibels (dB). The graph shows the loudness y of a sound (in decibels) x meters from the source of the sound. Is the relationship between loudness and distance linear or nonlinear? Approximate the loudness of the sound 12 meters from the source.
- 12. DIG DEEPER! A video blogger is someone who records a video diary. A new website currently hosts 90 video bloggers and projects a gain of 10 video bloggers per month. The table below shows the actual numbers of video bloggers. How does the projection differ from the actual change?

Month	0	1	2	3	4	5	
Video Bloggers	90	97	110	128	153	190	

## 7.4 Practice



## Review & Refresh

Write a linear function that relates y to x.

2.	х	0	1.5	3	4.5
	у	5	4	3	2

The vertices of a figure are given. Draw the figure and its image after a dilation with the given scale factor. Identify the type of dilation.

**3.** 
$$A(-3,1)$$
,  $B(-1,3)$ ,  $C(-1,1)$ ;  $k=3$ 

**3.** 
$$A(-3,1)$$
,  $B(-1,3)$ ,  $C(-1,1)$ ;  $k=3$  **4.**  $J(2,4)$ ,  $K(6,10)$ ,  $L(8,10)$ ,  $M(8,4)$ ;  $k=\frac{1}{4}$ 

## Concepts, Skills, & Problem Solving

COMPARING FUNCTIONS Graph each equation. Decide whether each graph represents a linear or nonlinear function. (See Exploration 1, p. 295.)

**5.** 
$$h = 5 + 6t$$
 Equation 1

$$h = 5 + 6t^2$$
 Equation 2

**6.** 
$$y = -\frac{x}{3}$$
 Equation 1

$$y = -\frac{3}{x}$$
 Equation 2

IDENTIFYING FUNCTIONS FROM TABLES Does the table represent a linear or nonlinear function? Explain.


IDENTIFYING FUNCTIONS FROM EQUATIONS Does the equation represent a linear or nonlinear function? Explain.


9. 
$$2x + 3y = 7$$

**10.** 
$$y + x = 4x + 5$$


**11.** 
$$y = \frac{8}{x^2}$$

IDENTIFYING FUNCTIONS FROM GRAPHS Does the graph represent a linear or nonlinear function? Explain.





14. IDENTIFYING A FUNCTION The graph shows the volume V (in cubic feet) of a cube with an edge length of x feet. Does the graph represent a linear or nonlinear function? Explain.



15. MODELING REAL LIFE The frequency y (in terahertz) of a light wave is a function of its wavelength x (in nanometers). Is the function relating the wavelength of light to its frequency linear or nonlinear?

Color	Red	Yellow	Green	Blue	Violet
Wavelength, x	660	595	530	465	400
Frequency, y	454	504	566	645	749

 DIG DEEPER. The table shows the cost y (in dollars) of x pounds of sunflower seeds.

Pounds, x	Cost, y	
2	2.80	
3	?	
4	5.60	

- a. What is the missing y-value that makes the table represent a linear function?
- b. Write a linear function that represents the cost y of x pounds of seeds. Interpret the slope.
- c. Does the function have a maximum value? Explain your reasoning.
- 17. MODELING REAL LIFE A birch tree is 9 feet tall and grows at a rate of 2 feet per year. The table shows the height h (in feet) of a willow tree after x years.

Years, x	Height, h
0	5
1	11
4	17
9	23

- a. Does the table represent a linear or nonlinear function? Explain.
- b. Which tree is taller after 10 years? Explain.
- 18. CRITICAL THINKING In their first year, Show A has 7 million viewers and Show B has 5 million viewers. Each year, Show A has 90% of the viewers it had in the previous year. Show B loses 200,000 viewers each year.
  - a. Determine whether the function relating the year to the number of viewers is linear or nonlinear for each show.
  - b. Which show has more viewers in its sixth year?
- NUMBER SENSE The ordered pairs represent a function.

- a. Graph the ordered pairs and describe the pattern. Is the function linear or nonlinear?
- b. Write an equation that represents the function.

# 7.5 Analyzing and Sketching Graphs

Learning Target: Use graphs of functions to describe relationships between quantities.

Success Criteria: • I can describe relationships between quantities in graphs.

I can sketch graphs given verbal descriptions of relationships.

## **EXPLORATION 1**


## **Matching Situations to Graphs**


Work with a partner. Each graph shows your speed during a bike ride. Match each situation with its graph. Explain your reasoning.


B.


D.

FLORIDA STANDARDS MAFS.8.F.2.5









## **Math Practice**

#### Analyze Relationships


A graph relating distance and time shows a positive linear relationship. Describe a graph relating speed and time in this situation.

- a. You increase your speed, then ride at a constant speed along a bike path. You then slow down until you reach your friend's house.
- b. You increase your speed, then go down a hill. You then quickly come to a stop at an intersection.
- c. You increase your speed, then stop at a store for a couple of minutes. You then continue to ride, increasing your speed.
- d. You ride at a constant speed, then go up a hill. Once on top of the hill, you increase your speed.

## **EXPLORATION 2**


## Interpreting a Graph

Work with a partner. Write a short paragraph that describes how the height changes over time in the graph shown. What situation can this graph represent?



## Lesson


Graphs can show the relationship between quantities without using specific numbers on the axes.



## EXAMPLE 1

## **Analyzing Graphs**

The graphs show the temperatures throughout the day in two cities.



#### Describe the change in temperature in each city.

Belfast: The temperature increases at the beginning of the day. The rate of increase slows until the temperature begins to decrease. Then the temperature decreases at a faster and faster rate for the rest of the day.


**Newport:** The temperature decreases at a constant rate at the beginning of the day. Then the temperature stays the same for a while before increasing at a constant rate for the rest of the day.

#### Write an explanation for the decrease in temperature and the increase in temperature in Newport, Oregon.

A storm moves through the city in the morning, causing the temperature to drop. When the storm ends, the temperature increases at a constant rate.

The explanation given in Example 1(b) is a sample answer. You can give many other possible explanations.

#### Pelican



## Try It

- The graph shows the location of a pelican relative to your location.
  - Describe the path of the pelican.
  - b. Write an explanation for the decrease in the vertical distance of the pelican.


You can sketch graphs showing relationships between quantities that are described verbally.

## EXAMPLE 2

## **Sketching Graphs**

A stopped subway train gains speed at a constant rate until it reaches its maximum speed. It travels at this speed for a while, and then slows down at a constant rate until coming to a stop at the next station. Sketch a graph that represents this situation.

Draw the axes. Label the vertical axis "Speed" and the horizontal axis "Time." Then sketch the graph.



#### Words

A stopped subway train gains speed at a constant rate...

until it reaches its maximum speed. It travels at this speed for a while, . . .

and then slows down at a constant rate until coming to a stop at the next station.

#### Graph

increasing line segment starting at the origin

horizontal line segment

decreasing line segment ending at the horizontal axis

## Try It

 A fully-charged battery loses its charge at a constant rate until it has no charge left. You plug it in, and it fully recharges at a constant rate. Then it loses its charge at a constant rate until it has no charge left. Sketch a graph that represents this situation.



## Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.



- ANALYZING GRAPHS The graph shows the growth rate of a plant over time.
  - a. Describe the change in growth rate.
  - b. Write an explanation for the decrease in growth rate and the increase in growth rate.
- 4. SKETCHING GRAPHS As you snowboard down a hill, you gain speed at a constant rate. You come to a steep section of the hill and gain speed at a greater constant rate. You then slow down at a constant rate until you come to a stop. Sketch a graph that represents this situation.

## EXAMPLE 3

## **Modeling Real Life**

Runner A Distance Runner B Time

The graph shows the distances traveled by two runners in a race from start to finish. Describe the speed of each runner throughout the race. Then determine who finishes first.

#### Runner A

at the end of the race.

The red line increases at a constant rate at the beginning of the race, stays horizontal for a short time in the middle, and then increases at a constant rate

So, Runner A starts running at a constant speed, stops to rest, and then continues to run at a constant speed.

#### Runner R

The blue line increases at a constant rate for most of the race, and then increases at a faster and faster rate at the end of the race.


So, Runner B starts running at a constant speed and continues to run that speed for most of the race. Near the end of the race, Runner B accelerates through the finish line.




The graph shows that Runner B travels the same distance as Runner A, but in a shorter amount of time. So, Runner B wins the race.

## Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



- Two rowing teams are in a race. The graph shows their distances from the finish line over time. Describe the speed of each team throughout the race. Then determine which team finishes first.
- DIG DEEPER! The graphs show the movements of two airplanes over time. Describe the movement of each airplane.



## 7.5 Practice

## Review & Refresh

Does the table or equation represent a linear or nonlinear function? Explain.

2. 
$$y = x^2 + 8$$

Graph the linear equation.

3. 
$$-4x + y = -1$$

**4.** 
$$2x - 3y = 12$$


5. 
$$5x + 10y = 30$$

## Concepts, Skills, & Problem Solving

MATCHING DESCRIPTIONS WITH GRAPHS The graph shows your speed during a run. Match the verbal description with the part of the graph it describes.

(See Exploration 1, p. 301.)


- 6. You run at a constant speed.
- 7. You slow down at a constant rate.
- 8. You increase your speed at a constant rate.
- 9. You increase your speed at a faster and faster rate.



ANALYZING GRAPHS Describe the relationship between the two quantities.


Time






13. Decay 14.

Time






 ANALYZING GRAPHS Write an explanation for the relationship shown in the graph in Exercise 10.


15.

- MODELING REAL LIFE The graph shows the natural gas usage for a house.
  - a. Describe the change in usage from January to March.
  - b. Describe the change in usage from March to May.




#### SKETCHING GRAPHS Sketch a graph that represents the situation.

- The value of a television decreases at a constant rate, and then remains constant.
- 19. The distance from the ground changes as your friend swings on a swing.
- 20. The value of a rare coin increases at a faster and faster rate.
- You are typing at a constant rate. You pause to think about your next paragraph, and then you resume typing at the same constant rate.
- CRITICAL THINKING The graph shows the speed of an object over time.








- Bowler B

  Bowler B

  Week
- MODELING REAL LIFE 'The graph shows the average scores of two bowlers from the start of a season to the end of the season.
  - Describe each bowler's performance.
  - b. Who had a greater average score most of the season? Who had a greater average score at the end of the season?
  - c. Write an explanation for the change in each bowler's average score throughout the bowling season.
- 24. DIG DEEPER! You can use a supply and demand model to understand how the price of a product changes in a market. The supply curve of a particular product represents the quantity suppliers will produce at various prices. The demand curve for the product represents the quantity consumers are willing to buy at various prices.



- a. Describe and interpret each curve.
- b. Which part of the graph represents a surplus? a shortage? Explain your reasoning.
- c. The curves intersect at the equilibrium point, which is where the quantity produced equals the quantity demanded. Suppose that demand for a product suddenly increases, causing the entire demand curve to shift to the right. What happens to the equilibrium point?

## **Connecting Concepts**



 The table shows the lengths x (in inches) and weights y (in pounds) of several infants born at a hospital. Determine whether weight is a function of length. Then estimate the weight of an infant that is 20 inches long.

Understand the problem.
-------------------------

You know the lengths and weights of several infants. You are asked to determine whether weight is a function of length and to estimate the weight of a 20-inch-long infant.

Make a plan.	)


Determine whether any of the lengths are paired with more than one weight. Then use a graphing calculator to find an equation that represents the data. Evaluate the equation when x = 20 to estimate the weight of a 20-inch-long infant.




Use the plan to solve the problem. Then check your solution.

Each mapping diagram represents a linear function. At what point do the graphs of the functions intersect? Justify your answer.

#### Function 1



#### Function 2



#### **Performance Task**



#### Heat Index

At the beginning of this chapter, you watched a STEAM Video called "Apparent Temperature." You are now ready to complete the performance task related to this video, available at *BigldeasMath.com*. Be sure to use the problem-solving plan as you work through the performance task.



Length, x

19.2

19.3

18.9

19.4

19.7

19.2

Weight, y

6.9

7.3

6.5 7.2

7.6

7.0

7.6

## **Chapter Review**



## Review Vocabulary


Write the definition and give an example of each vocabulary term.

input, p. 276 output, p. 276 relation, p. 276 mapping diagram, p. 276 function, p. 277 function rule, p. 282 linear function, p. 290 nonlinear function, p. 296

## Graphic Organizers

You can use an Example and Non-Example Chart to list examples and non-examples of a concept. Here is an Example and Non-Example Chart for *functions*.

#### Functions



Choose and complete a graphic organizer to help you study the concept.

- 1. linear functions
- 2. nonlinear functions
- linear functions with positive slope
- 4. linear functions with negative slope



"I finished my Example and Non-Example Chart about animals

## Chapter Self-Assessment

As you complete the exercises, use the scale below to rate your understanding of the success criteria in your journal.

I do not understand.

2 I can do it with help.

I can do it on my own.

3


I can teach someone else.




#### 7.1 Relations and Functions (pp. 275–280)


Learning Target: Understand the concept of a function.

List the ordered pairs shown in the mapping diagram. Then determine whether the relation is a function.






- 4. For ordered pairs that represent relations, which coordinate represents the input? the output?
- Draw a mapping diagram that represents the relation shown in the graph. Then determine whether the relation is a function. Explain.



- The mapping diagram represents the lengths (in centimeters) of a rubber band when different amounts of force (in Newtons) are applied.
  - a. Is the length of a rubber band a function of the force applied to the rubber band?
  - b. Describe the relationship between the length of a rubber band and the force applied to the rubber band.





#### **Representations of Functions** (pp. 281-288)

Learning Target: Represent functions in a variety of ways.

Write a function rule for the statement.

- 7. The output is two less than the input.
- 8. The output is two more than one-fourth of the input.

Find the value of y for the given value of x.

**9.** 
$$y = 2x - 3$$
;  $x = -4$ 

**9.** 
$$y = 2x - 3$$
;  $x = -4$  **10.**  $y = 2 - 9x$ ;  $x = \frac{2}{3}$  **11.**  $y = \frac{x}{3} + 5$ ;  $x = 6$ 

**11.** 
$$y = \frac{x}{3} + 5$$
;  $x = 6$ 

Graph the function.

**12.** 
$$y = x + 3$$

**13.** 
$$y = -5x$$

**14.** 
$$y = 3 - 3x$$

- 15. An online music store sells songs for \$0.90 each.
  - a. Write a function that you can use to find the cost C of buying s songs.
  - b. What is the cost of buying 5 songs?




#### Linear Functions (pp. 289-294)

Learning Target: Use functions to model linear relationships.

Use the graph or table to write a linear function that relates y to x.

16.



17.

x	-2	0	2	4
у	-7	-7	-7	-7

The table shows the age x (in weeks) of a puppy and its weight y (in pounds).

Age, x	6	8	10	12
Weight, y	12	15	18	21

- Write and graph a linear function that relates y to x.
- Interpret the slope and the y-intercept.
- c. After how many weeks will the puppy weigh 33 pounds?



## 7.4 Comparing Linear and Nonlinear Functions (pp. 295-300)

Learning Target: Understand differences between linear and nonlinear functions.

Does the table represent a linear or nonlinear function? Explain.


19.

x	3	6	9	12
у	1	10	19	28

20.

x	1	3	5	7
у	3	1	I	3

- Does the graph represent a linear or nonlinear function? Explain.
- Does the equation y = 2.3x represent a linear or nonlinear function? Explain.






## 7.5 Analyzing and Sketching Graphs (pp. 301-306)

Learning Target: Use graphs of functions to describe relationships between quantities.


23. Describe the relationship between the two quantities in the graph.

Sketch a graph that represents the situation.

24. You climb a climbing wall. You climb halfway up the wall at a constant rate, then stop and take a break. You then climb to the top of the wall at a greater constant rate.




- 25. The price of a stock increases at a constant rate for several months before the stock market crashes. The price then quickly decreases at a constant rate.
- The graph shows the sales of two companies during a particular year.
  - Describe the sales of each company.
  - b. Which company has greater total sales for the year?
  - c. Give a possible explanation for the change in each company's sales throughout the year.




## **Practice Test**

 List the ordered pairs shown in the mapping diagram. Then determine whether the relation is a function.



- Write a function rule for "The output is twice the input."
- Use the graph to write a linear function that relates y to x.



5 y 4 3 3 2 1

3 - 2 - 1

is a function, Explain.

**4.** Graph the function y = 1 - 3x.

2

2. Draw a mapping diagram that

represents the relation. Then

determine whether the relation

Does the table represent a linear or nonlinear function? Explain.

x	0	2	4	6
у	8	0	-8	-16

1

600

2

3

1200 1800 2400 3000

4


5

- The table shows the number of meters y a water-skier travels in x minutes.
  - **a.** Write a function that relates y to x.
  - b. Graph the linear function.
  - c. At this rate, how many kilometers will the water-skier travel in 12 minutes?

Minutes, x

Meters, y


- d. Another water-skier travels at the same rate but starts a minute after the first water-skier. Will this water-skier catch up to the first water-skier? Explain.
- 8. The graph shows the prices of two stocks during one day.
  - a. Describe the changes in the price of each stock.
  - b. Which stock has a greater price at the end of the day?
  - c. Give a possible explanation for the change in the price of Stock B throughout the day.



9. You are competing in a footrace. You begin the race by increasing your speed at a constant rate. You then run at a constant speed until you get a cramp and have to stop. You wait until your cramp goes away before you start increasing your speed again at a constant rate. Sketch a graph that represents the situation.

## **Cumulative Practice**

1. What is the slope of the line?



- **A.**  $-\frac{8}{3}$
- C.  $-\frac{2}{3}$

- B.  $-\frac{8}{5}$
- D.  $-\frac{2}{5}$
- Test-Taking Strategy

  Work Backwards

  For x cats, a litter box is changed y = 3x
  times per month. How many cats are
  there when y = 12?

  Al D2 C3 D4 Share a
  litter box?
  Please!
  Please!

  "Work backwards by trying 1, 2, 3,
  and 4. You will see that 3(4) = 12.

  So, D is correct."
- 2. Which value of a makes the equation  $24 = \frac{a}{3} 9$  true?
  - F. 5
  - H. 45


- G. 11
- 1. 99

3. A mapping diagram is shown.



What number belongs in the box so that the equation describes the function represented by the mapping diagram?

$$y =$$
  $x + 5$ 



4. What is the solution of the system of linear equations?

$$3x + 2y = 5$$

$$x = y + 5$$

- A. (3, -2)
- C. (-1, 4)

- B. (-2, 3)
- D. (1, -4)


- 5. The director of a research lab wants to present data to donors. The data show how the lab uses a large amount of donated money for research and only a small amount of money for other expenses. Which type of display best represents these data?
  - F. box-and-whisker plot

G. circle graph


H. line graph

- I. scatter plot
- 6. Which graph shows a nonlinear function?







В.



C.



D.



7. Which equation of a line passes through the point (-2, 3) and has a slope of <sup>3</sup>/<sub>4</sub>?

F. 
$$y-3=\frac{3}{4}(x+2)$$

**G.** 
$$y+3=\frac{3}{4}(x-2)$$

**H.** 
$$y+2=\frac{3}{4}(x-3)$$

1. 
$$y = \frac{3}{4}(x+2)$$

Think
Solve
Explain

 The tables show the sales (in millions of dollars) for two companies over a five-year period.

Part A	Does the first table show a
	linear function? Explain
	your reasoning.

Year	1	2	3	4	5
Sales	2	4	6	8	10

Year	1	2	3	4	5
Sales	1	1	2	3	5

Part B Does the second table show a linear function? Explain your reasoning.

**9.** The equations y = -x + 4 and  $y = \frac{1}{2}x - 8$  form a system of linear equations. The table shows the values of y for given values of x.

x	0	2	4	6	8	10
y=-x+4	4	2	0	-2	-4	-6
$y=\frac{1}{2}x-8$	-8	-7	-6	-5	-4	-3

What can you conclude from the table?

- **A.** The system has one solution, when x = 0.
- **B.** The system has one solution, when x = 4.
- **C.** The system has one solution, when x = 8.
- D. The system has no solution.
- **10.** The vertices of a triangle are A(-1, 3), B(1, 2), and C(-1, -1). Dilate the triangle using a scale factor of 2. What is the *y*-coordinate of the image of B?



# Exponents and Scientific Notation

- 8.1 Exponents
- 8.2 Product of Powers Property
- 8.3 Quotient of Powers Property
- 8.4 Zero and Negative Exponents
- 8.5 Estimating Quantities
- 8.6 Scientific Notation
- 8.7 Operations in Scientific Notation

#### Chapter Learning Target:

Understand exponents and scientific notation.

#### Chapter Success Criteria:

- I can write products using exponents.
- I can describe the value of powers.
- I can evaluate expressions.
- I can compare quantities using scientific notation.



## **STEAM Video**



#### Carbon Atoms

Carbon is one of the four main elements of life. The number of carbon atoms in a compound can be represented using exponents. In what other real-life situations are exponents used?


Watch the STEAM Video "Carbon Atoms." Then answer the following questions.

1. The table shows the percents carbon by weight for humans and plants. How many pounds of carbon are in a 130-pound person? a 25-pound plant?

	Percent Carbon by Weight
Human	18%
Plant	45%

2. Steven says  $5 \times 10^{22}$ , or 50,000,000,000,000,000,000,000, carbon atoms are in 1 gram of carbon. How many carbon atoms are in 3 grams of carbon?

## **Performance Task**



#### Elements in the Universe

After completing this chapter, you will be able to use the concepts you learned to answer the questions in the STEAM Video Performance Task. You will be given information about the atomic masses of the four most common elements in the universe: oxygen, hydrogen, helium, and carbon.



Hydrogen 2° = \_\_\_

Helium 25 = \_\_\_

CCarbon  $(3^2 + 3^1) = \_$ 

You will be asked to solve problems about the amounts of carbon dioxide in Earth's atmosphere for several years. What might cause the amount of carbon dioxide in the atmosphere to increase over time?

## **Getting Ready for Chapter**



## **Chapter Exploration**

- Work with a partner. Write each distance as a whole number. Which numbers do you know how to write in words? For instance, in words, 10<sup>2</sup> is equal to one hundred.
  - a. 10<sup>27</sup> meters: diameter of the observable universe



b. 10<sup>21</sup> meters: diameter of the Milky Way galaxy



c. 10<sup>16</sup> meters: diameter of the solar system



d. 10<sup>7</sup> meters: diameter of Earth



e. 10<sup>4</sup> meters: diameter of Halley's Comet



f. 10<sup>3</sup> meters: diameter of a meteor crater



Work with a partner. Write the numbers of wives, sacks, cats, and kits as powers.

As I was going to St. Ives
I met a man with seven wives
Each wife had seven sacks
Each sack had seven cats
Each cat had seven kits
Kits, cats, sacks, wives
How many were going to St. Ives?

Nursery Rhyme, 1730



## Vocabulary

The following vocabulary terms are defined in this chapter. Think about what each term might mean and record your thoughts.

power

base of a power

exponent of a power scientific notation

# **8.1** Exponents

Learning Target: Use exponents to write and evaluate expressions.

Success Criteria: • I can write products using exponents.

- I can evaluate expressions involving powers.
- I can use exponents to solve real-life problems.

FLORIDA STANDARDS

Preparing for MAFS.8.EE.1.1 The expression 3<sup>5</sup> is called a *power*. The *base* is 3. The *exponent* is 5.



## **EXPLORATION 1**

## Using Exponent Notation

Work with a partner.

a. Copy and complete the table.

Power	Repeated Multiplication Form	Value
$(-3)^{1}$	-3	-3
$(-3)^2$	(-3) • (-3)	9
$(-3)^2$ $(-3)^3$		
$(-3)^4$		
(-3)5		
$(-3)^{6}$		
$(-3)^7$		

## **Math Practice**

**Build Arguments** When is the value

of  $(-3)^n$  positive? negative?

> **b.** Describe what is meant by the expression  $(-3)^n$ . How can you find the value of  $(-3)^n$ ?

## **EXPLORATION 2**

## **Using Exponent Notation**

Work with a partner. On a game show, each small cube is worth \$3. The small cubes are arranged to form a large cube. Show how you can use a power to find the total value of the large cube. Then write an explanation to convince a friend that your answer is correct.




Section 8.1 Exponents

## Lesson

#### Key Vocabulary

power, p. 320 base, p. 320 exponent, p. 320 A power is a product of repeated factors. The base of a power is the repeated factor. The exponent of a power indicates the number of times the base is used as a factor.



## EXAMPLE 1

## Writing Expressions Using Exponents

Use parentheses to write powers with negative bases.

Write each product using exponents.

a. 
$$(-7) \cdot (-7) \cdot (-7)$$

Because -7 is used as a factor 3 times, its exponent is 3.

So, 
$$(-7) \cdot (-7) \cdot (-7) = (-7)^3$$
.

Because  $\pi$  is used as a factor 2 times, its exponent is 2. Because r is used as a factor 3 times, its exponent is 3.

So, 
$$\pi \cdot \pi \cdot r \cdot r \cdot r = \pi^2 r^3$$
.

Try It Write the product using exponents.

1. 
$$\frac{1}{4} \cdot \frac{1}{4} \cdot \frac{1}{4} \cdot \frac{1}{4} \cdot \frac{1}{4}$$

## **EXAMPLE 2** Evaluating Expressions

Evaluate each expression.

b.  $-2^4$ 

$$(-2)^4 = (-2) \cdot (-2) \cdot (-2) \cdot (-2)$$
The base is -2. = 16

Write as repeated multiplication.

Simplify.

The base is 2.

$$-2^4 = -(2 \cdot 2 \cdot 2 \cdot 2)$$

$$= -16$$

Write as repeated multiplication.

Simplify.

Try It Evaluate the expression.

4. 
$$(-2)^6$$

**4.** 
$$(-2)^6$$
 **5.**  $-5^4$  **6.**  $\left(-\frac{1}{6}\right)^3$ 

320

Evaluate each expression.

**a.** 
$$3+2\cdot 3^4=3+2\cdot 81$$

$$=3+162$$

$$=165$$

**b.** 
$$3^3 - 8^2 \div 2 = 27 - 64 \div 2$$

$$= 27 - 32$$

$$= -5$$

Subtract.

**c.** 
$$-3 \cdot (-10^2 + 70) = -3 \cdot (-100 + 70)$$

$$=-3 \cdot (-30)$$

Perform operation in parentheses.

$$= 90$$

Multiply.

Try It Evaluate the expression.

7. 
$$9-2^5 \cdot 0.5$$

8. 
$$|-3^3 \div 27|$$

**8.** 
$$|-3^3 \div 27|$$
 **9.**  $(7 \cdot 4 - 4^3) \div 6$ 



## Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

WRITING EXPRESSIONS USING EXPONENTS Write the product using exponents.

**10.** 
$$(-0.9) \cdot (-0.9) \cdot (-0.9)$$

11. 
$$\frac{1}{8} \cdot \frac{1}{8} \cdot y \cdot y \cdot y$$

**EVALUATING EXPRESSIONS** Evaluate the expression.

13. 
$$-6^3$$

**14.** 
$$(-0.3)^4$$

USING ORDER OF OPERATIONS Evaluate the expression.

**15.** 
$$-24 \div 2^2$$

**16.** 
$$(3^3 - 6 \cdot 8) \div 7$$

17. WHICH ONE DOESN'T BELONG? Which expression does not belong with the other three? Explain your reasoning.

$$(-2)^6$$

$$-8^{2}$$

$$2^{6}$$

## **EXAMPLE 4**

## **Modeling Real Life**

Voor 4



The annual profit P (in thousands of dollars) earned by a technology company x years after opening is represented by the equation  $P = 0.1x^3 + 3$ . How much more profit is earned in year 5 than in year 4?

Use the equation to find the profits earned in year 4 and year 5. Then subtract the profit in year 4 from the profit in year 5 to determine how much more profit is earned in year 5.

rear 4		rear 5	
$P = 0.1x^3 + 3$	Write the equation.	$P=0.1x^3+3$	
$=0.1(4)^3+3$	Substitute.	$=0.1(5)^3+3$	
=0.1(64)+3	Evaluate the power.	= 0.1(125) + 3	
= 9.4 Simplify		= 15.5	



So, the company earns 15.5-9.4=6.1, or \$6100 more profit in year 5 than in year 4.



## Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

18. DIG DEEPER! Consider the diameters of three planets.

Planet A: 109 m

Planet B: 107 m

Planet C: 108 m

- a. Write each diameter as a whole number.
- **b.** A dwarf planet is discovered with a radius that is  $\frac{1}{100}$  the radius of Planet C. Write the diameter of the dwarf planet as a power.
- 19. A fish jumps out of the water at a speed of 12 feet per second. The height y (in feet) of the fish above the surface of the water is represented by the equation y = -16x² + 12x, where x is the time (in seconds) since the jump began. The fish reaches its highest point above the surface of the water after 0.375 second. How far above the surface is the fish at this time?



## 8.1 Practice

## Review & Refresh

Sketch a graph that represents the situation.

- A trading card becomes more valuable over time. The value increases at a constant rate, and then at a faster and faster rate.
- The water level of a river remains constant, and then decreases at a constant rate.

The vertices of a figure are given. Rotate the figure as described. Find the coordinates of the image.

## Concepts, Skills, & Problem Solving

USING EXPONENT NOTATION Write the power in repeated multiplication form. Then find the value of the power. (See Exploration 1, p. 319.)

6. 
$$(-8)^2$$

7. 
$$(-2)^3$$

WRITING EXPRESSIONS USING EXPONENTS Write the product using exponents.

10. 
$$\left(-\frac{1}{2}\right) \cdot \left(-\frac{1}{2}\right) \cdot \left(-\frac{1}{2}\right)$$

12. 
$$\pi \cdot \pi \cdot \pi \cdot x \cdot x \cdot x \cdot x$$

9. 
$$(-6) \cdot (-6)$$

11. 
$$\frac{1}{3} \cdot \frac{1}{3} \cdot \frac{1}{3}$$

**13.** 
$$(-4) \cdot (-4) \cdot (-4) \cdot y \cdot y$$

**15.** 
$$(-t) \cdot (-t) \cdot (-t) \cdot (-t) \cdot (-t)$$

17. 
$$-\left(\frac{1}{4} \cdot \frac{1}{4} \cdot \frac{1}{4} \cdot \frac{1}{4}\right)$$

**EVALUATING EXPRESSIONS** Evaluate the expression.

**19.** 
$$-11^3$$

**20.** 
$$(-1)^6$$

**21.** 
$$\binom{1}{2}^6$$

**22.** 
$$\left(-\frac{1}{12}\right)^2$$

**23.** 
$$-\binom{1}{9}^3$$

24. YOU BE THE TEACHER Your friend evaluates the power −6<sup>2</sup>. Is your friend correct? Explain your reasoning.

$$-6^2 = (-6) \cdot (-6) = 36$$

#### STRUCTURE Write the prime factorization of the number using exponents.

25. 675

26. 280

27. 363



 PATTERNS The largest doll is 12 inches tall. The height of each of the other dolls is  $\frac{7}{10}$  the height of the next larger doll. Write an expression involving a power that represents the height of the smallest doll. What is the height of the smallest doll?

#### USING ORDER OF OPERATIONS Evaluate the expression.

29. 
$$5+3\cdot 2^3$$

**30.** 
$$2+7 \cdot (-3)^2$$

31. 
$$(13^2-12^2)\div 5$$

**32.** 
$$\frac{1}{2}(4^3-6\cdot 3^2)$$

33. 
$$\left| \frac{1}{2} (7 + 5^3) \right|$$

**32.** 
$$\frac{1}{2}(4^3 - 6 \cdot 3^2)$$
 **33.**  $\left| \frac{1}{2}(7 + 5^3) \right|$  **34.**  $\left| \left( -\frac{1}{2} \right)^3 \div \left( \frac{1}{4} \right)^2 \right|$ 

**35.** 
$$(9^2 - 15 \cdot 2) \div 17$$

**36.** 
$$-6 \cdot (-5^2 + 20)$$

**35.** 
$$(9^2 - 15 \cdot 2) \div 17$$
 **36.**  $-6 \cdot (-5^2 + 20)$  **37.**  $(-4 + 12 - 6^2) \div 7$ 

**38.** We **STRUCTURE** Copy and complete the table. Compare the values of  $2^h - 1$ with the values of  $2^{h-1}$ . When are the values the same?

h	1	2	3	4	5
2 <sup>h</sup> - 1					
2 <sup>h-1</sup>					

- 39. MODELING REAL LIFE Scientists use carbon-14 dating to determine the age of a sample of organic material.
  - a. The amount C (in grams) of carbon-14 remaining after t years of a sample of organic material is represented by the equation  $C = 100(0.99988)^t$ . Find the amount of carbon-14 remaining after 4 years.
  - b. What percent of the carbon-14 remains after 4 years?
- 40. DIG DEEPER! The frequency (in vibrations per second) of a note on a piano is represented by the equation  $F = 440(1.0595)^n$ , where n is the number of notes above A440. Each black or white key represents one note.



- a. How many notes do you take to travel from A440 to A?
- b. What is the frequency of A?
- c. Compare the frequency of A to the frequency of A440.

324

# **8.2** Product of Powers Property

Learning Target: Generate equivalent expressions involving products of powers.

Success Criteria: • I can find products of powers that have the same base.

- I can find powers of powers.
- I can find powers of products.

#### **EXPLORATION 1**

### Finding Products of Powers

FLORIDA STANDARDS MAFS.8.EE.1.1

Work with a partner.

 Copy and complete the table. Use your results to write a general rule for finding  $a^m \cdot a^n$ , a product of two powers with the same base.

Product	Repeated Multiplication Form	Power
2 <sup>2</sup> • 2 <sup>4</sup>		
$(-3)^2 \cdot (-3)^4$		
$7^3 \cdot 7^2$		
$5.1^1 \cdot 5.1^6$		
$(-4)^2 \cdot (-4)^2$		
$10^3 \cdot 10^5$		
$\binom{1}{2}^5 \cdot \binom{1}{2}^5$		

#### **Math Practice**

#### Consider Similar Problems

How are the expressions in part (b) similar to the expressions in part (a)?  Show how to use your rule in part (a) to write each expression below as a single power. Then write a general rule for finding  $(a^m)^n$ , a power of a power.

$$(7^3)^2$$
  $(6^2)^2$   $(3^2)^3$ 

$$(6^2)^2$$

$$(3^2)^3$$

$$(2^2)^4$$

$$\left(\left(\frac{1}{2}\right)^2\right)^5$$

#### **EXPLORATION 2**

#### **Finding Powers of Products**

Work with a partner. Copy and complete the table. Use your results to write a general rule for finding  $(ab)^m$ , a power of a product.

Power	Repeated Multiplication Form	Product of Powers
$(2 \cdot 3)^3$		
(2 · 5) <sup>2</sup>		
$(5 \cdot 4)^3$		
$(-2 \cdot 4)^2$		
(-3 · 2) <sup>4</sup>		

## Common Error

When multiplying powers, do not multiply the bases.

$$4^2 \cdot 4^3 = 4^5$$
, not  $16^5$ .

## Key Ideas

#### Product of Powers Property

Words To multiply powers with the same base, add their exponents.

Numbers 
$$4^2 \cdot 4^3 = 4^{2+3} = 4^5$$

Algebra 
$$a^m \cdot a^n = a^{m+n}$$

#### Power of a Power Property

Words To find a power of a power, multiply the exponents.

Numbers 
$$(4^6)^3 = 4^{6 \cdot 3} = 4^{18}$$

Algebra 
$$(a^m)^n = a^{mn}$$

#### Power of a Product Property

Words To find a power of a product, find the power of each factor and multiply.

Numbers 
$$(3 \cdot 2)^5 = 3^5 \cdot 2^5$$

Algebra 
$$(ab)^m = a^m b^m$$

#### **EXAMPLE 1**

When a number is

written without

an exponent,

its exponent is 1.

#### Multiplying Powers with the Same Base

**a.** 
$$2^4 \cdot 2^5 = 2^{4+5}$$

Product of Powers Property

$$= 2^9$$

Simplify.

**b.** 
$$-5 \cdot (-5)^6 = (-5)^1 \cdot (-5)^6$$

Rewrite -5 as  $(-5)^1$ .

$$=(-5)^{1+6}$$

Product of Powers Property

$$=(-5)^7$$

Simplify.

**c.** 
$$x^3 \cdot x^7 = x^{3+7}$$

Product of Powers Property

$$= x^{10}$$

Simplify.

#### Try It Simplify the expression. Write your answer as a power.

1. 
$$6^2 \cdot 6^4$$

**2.** 
$$\left(-\frac{1}{2}\right)^3 \cdot \left(-\frac{1}{2}\right)^6$$
 **3.**  $z \cdot z^{12}$ 

#### **EXAMPLE 2** Finding a Power of a Power

**a.** 
$$(3^4)^3 = 3^{4 \cdot 3}$$

$$=3^{12}$$

Power of a Power Property

Power of a Power Property

**b.** 
$$(w^5)^4 = w^{5 \cdot 4}$$
  
=  $w^{20}$ 

Simplify.

Simplify.

Try It Simplify the expression. Write your answer as a power.

4. 
$$(4^3)^5$$

5. 
$$(y^2)^4$$

6. 
$$((-4)^3)^2$$

#### EXAMPLE 3 Finding a Power of a Product

**a.** 
$$(2x)^3 = 2^3 \cdot x^3$$

Power of a Product Property

$$=8x^{3}$$

Simplify.

**b.** 
$$(3xy)^2 = 3^2 \cdot x^2 \cdot y^2$$
  
=  $9x^2y^2$ 

Power of a Product Property

Try It Simplify the expression.

9. 
$$(0.5mn)^2$$



## Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

FINDING POWERS Simplify the expression. Write your answer as a power.

11. 
$$(g^6)^3$$

**12.** 
$$\left(-\frac{1}{3}\right)^5 \cdot \left(-\frac{1}{3}\right)^7$$

FINDING A POWER OF A PRODUCT Simplify the expression.

14. 
$$(yz)^6$$

15. 
$$\left(\frac{1}{4}gh\right)^3$$

- 16. CRITICAL THINKING Can you use the Product of Powers Property to simplify 52 • 64? Explain.
- 17. OPEN-ENDED Write an expression that simplifies to  $x^{12}$  using the Product of Powers Property.

#### **EXAMPLE 4**


#### **Modeling Real Life**



One gigabyte (GB) of computer storage space is  $2^{30}$  bytes. The storage details of a computer are shown. How many bytes of total storage space does the computer have?

The computer has 64 gigabytes of total storage space. Notice that you can write 64 as a power, 2<sup>6</sup>.

Use a verbal model to solve the problem.





So, the computer has 236 bytes of total storage space.



## Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



- 18. A newborn blue whale weighs 3<sup>7</sup> kilograms. An adult blue whale weighs 81 times the weight of the newborn. How many kilograms does the adult blue whale weigh?
- 19. One megabyte of cell phone storage space is 2<sup>20</sup> bytes. An app uses 4<sup>4</sup> megabytes of storage space. How many bytes of storage space does the app use?
- of a small circular rug. The radius of a large circular rug is 3 times the radius of the small rug. Write an expression for the area of the large rug in terms of x. Justify your answer.



$$A = \frac{1}{4}\pi x^2$$

## Review & Refresh

Write the product using exponents.

2. 
$$(-6) \cdot (-6) \cdot (-6) \cdot z \cdot z$$


Find the value of y for the given value of x.

3. 
$$y = -4x$$
;  $x = 7$ 

**4.** 
$$y = 5x + 6$$
;  $x = -2$ 

**4.** 
$$y = 5x + 6$$
;  $x = -2$  **5.**  $y = 10 - 3x$ ;  $x = 3$ 

6. What is the measure of each interior angle of the regular polygon?



## Concepts, Skills, & Problem Solving

FINDING PRODUCTS OF POWERS Write the expression in repeated multiplication form. Then write the expression as a power. (See Exploration 1, p. 325.)

7. 
$$5^6 \cdot 5^3$$

9. 
$$(-8)^3 \cdot (-8)^4$$

FINDING POWERS Simplify the expression. Write your answer as a power.

10. 
$$3^2 \cdot 3^2$$

**13.** 
$$((-3)^2)^4$$

**14.** 
$$(-4)^5 \cdot (-4)^7$$

**16.** 
$$(b^{12})^3$$

**17.** 
$$\binom{2}{3}^2 \cdot \binom{2}{3}^6$$

**19.** 
$$(n^3)^5$$

**20.** 
$$\left( \left( -\frac{3}{4} \right)^5 \right)^2$$

**21.** 
$$\left(-\frac{5}{7}\right)^8 \cdot \left(-\frac{5}{7}\right)^9$$

YOU BE THE TEACHER Your friend simplifies the expression. Is your friend correct? Explain your reasoning.

22.

$$5^2 \cdot 5^9 = (5 \cdot 5)^{2+9}$$
  
=  $25^{11}$ 

$$(r^6)^4 = r^{6+4}$$
  
=  $r^{10}$ 

FINDING A POWER OF A PRODUCT Simplify the expression.

**25.** 
$$(-3v)^5$$

**26.** 
$$\binom{1}{5}k^2$$


**29.** 
$$\left(-\frac{3}{4}p\right)^3$$



- **30. PRECISION** Is  $3^2 + 3^3$  equal to  $3^5$ ? Explain.
- 31. PROBLEM SOLVING A display case for the artifact shown is in the shape of a cube. Each side of the display case is three times longer than the width w of the artifact.
  - Write a power that represents the volume of the case.
  - b. Simplify your expression in part (a).
- **32.** We LOGIC Show that  $(3 \cdot 8 \cdot x)^7 = 6^7 \cdot 4^7 \cdot x^7$ .
- 33. MODELING REAL LIFE The lowest altitude of an altocumulus cloud is about 38 feet. The highest altitude of an altocumulus cloud is about 3 times the lowest altitude. What is the highest altitude of an altocumulus cloud? Write your answer as a power.



- 34. GEOMETRY A square pyramid has a height h and a base with side length s. The side lengths of the base increase by 50%. Write a formula for the volume of the new pyramid in terms of s and h.
- 35. MODELING REAL LIFE The United States Postal Service delivers about 2<sup>4</sup> 3 5<sup>3</sup> pieces of mail each second. There are 2<sup>8</sup> 3<sup>4</sup> 5<sup>2</sup> seconds in 6 days. How many pieces of mail does the United States Postal Service deliver in 6 days? Write your answer as an expression involving three powers.
- - a. Which locations have 32 pennies in their stacks?
  - b. How much money (in dollars) is in the location with the tallest stack?
  - c. A penny is about 0.06 inch thick. About how tall is the tallest stack?



 CRITICAL THINKING Find the value of x in the equation without evaluating the power.

**a.** 
$$2^5 \cdot 2^x = 256$$

**b.** 
$$\left(\frac{1}{3}\right)^2 \cdot \left(\frac{1}{3}\right)^x = \frac{1}{729}$$

# 8.3 Quotient of Powers Property

Learning Target: Generate equivalent expressions involving quotients of powers.

Success Criteria: • I can find quotients of powers that have the same base.

· I can simplify expressions using the Quotient of Powers Property.

I can solve real-life problems involving quotients of powers.

#### **EXPLORATION 1**

#### **Finding Quotients of Powers**

FLORIDA STANDARDS MAFS.8.EE.1.1 Work with a partner.

**a.** Copy and complete the table. Use your results to write a *general rule* for finding  $\frac{a^m}{a^n}$ , a quotient of two powers with the same base.

#### **Math Practice**

Use Expressions How does writing the expanded form of each expression help you find a general rule?

Quotient	Repeated Multiplication Form	Power
$\frac{2^4}{2^2}$	2 • 2 • 2 • 2 2 2 2 • 2	
$\frac{(-4)^5}{(-4)^2}$		
$\frac{7^7}{7^3}$		
8.5 <sup>9</sup> 8.5 <sup>6</sup>		
$\frac{10^8}{10^5}$		
$\frac{3^{12}}{3^4}$		
$\frac{(-5)^7}{(-5)^5}$		
$\frac{11^4}{11^1}$		
$\frac{x^6}{x^2}$		

b. Use your rule in part (a) to simplify the quotients in the first column of the table above. Does your rule give the results in the third column?

## Lesson



## Key Idea

#### Quotient of Powers Property

Words To divide powers with the same base, subtract their exponents.

Numbers  $\frac{4^5}{4^2} = 4^{5-2} = 4^3$  Algebra  $\frac{a^m}{a^n} = a^{m-n}$ , where  $a \neq 0$ 

#### EXAMPLE 1

#### Dividing Powers with the Same Base

**a.** 
$$\frac{2^6}{2^4} = 2^{6-4}$$

Quotient of Powers Property

$$=2^{2}$$

Simplify.

#### Common Error

When dividing powers, do not divide the bases.

$$\frac{2^6}{2^4} = 2^2$$
, not 1<sup>2</sup>.

**b.** 
$$\frac{(-7)^9}{(-7)^3} = (-7)^{9-3}$$

Quotient of Powers Property

$$=(-7)^6$$

Simplify.

**c.** 
$$\frac{h^7}{h^6} = h^{7-6}$$

Quotient of Powers Property

$$=h^1=h$$

Simplify.

Try It Simplify the expression. Write your answer as a power.

1. 
$$\frac{9^7}{9^4}$$

2. 
$$\frac{4.2^6}{4.2^5}$$

1. 
$$\frac{9^7}{9^4}$$
 2.  $\frac{4.2^6}{4.2^5}$  3.  $\frac{(-8)^8}{(-8)^4}$  4.  $\frac{x^8}{x^3}$ 

4. 
$$\frac{x^8}{x^3}$$

#### EXAMPLE 2

### Simplifying an Expression

Simplify  $\frac{3^4 \cdot 3^2}{3^3}$ . Write your answer as a power.

The numerator is a product of powers. Add the exponents in the numerator.

$$\frac{3^4 \cdot 3^2}{3^3} = \frac{3^4 \cdot 2}{3^3}$$

Product of Powers Property

$$=\frac{3^6}{3^3}$$

Simplify.

$$=3^{6-3}$$

Quotient of Powers Property

$$= 3^{3}$$

Simplify.

Try It Simplify the expression. Write your answer as a power.

5. 
$$\frac{6^7 \cdot 6^3}{6^5}$$

6. 
$$\frac{2^{15}}{2^3 \cdot 2^5}$$

7. 
$$\frac{m^8 \cdot m^6}{m^5}$$

You can also simplify

the expressions in Example 3 by first

multiplying the

numerators and

multiplying the

denominators.

#### **EXAMPLE 3** Simplifying Expressions

**a.** 
$$\frac{(-4)^9}{(-4)^5} \cdot \frac{(-4)^8}{(-4)^2} = (-4)^{9-5} \cdot (-4)^{8-2}$$
$$= (-4)^4 \cdot (-4)^6$$

Simplify.

$$=(-4)^{4+6}$$

Product of Powers Property

Quotient of Powers Property

$$=(-4)^{10}$$

Simplify.

**b.** 
$$\frac{a^{10}}{a^6} \cdot \frac{a^7}{a^4} = a^{10-6} \cdot a^{7-4}$$

$$= a^4 \cdot a^3$$

$$= a^{4+3}$$

 $= a^{7}$ 

Quotient of Powers Property

Simplify.

Product of Powers Property

Simplify.

Try It Simplify the expression. Write your answer as a power.

8. 
$$\frac{(-5)^7 \cdot (-5)^6}{(-5)^5 \cdot (-5)^2}$$
 9.  $\frac{d^5}{d} \cdot \frac{d^9}{d^8}$ 

9. 
$$\frac{d^5}{d} \cdot \frac{d^9}{d^8}$$

10. 
$$\frac{p^3 \cdot p^6}{p^2} \cdot \frac{p^4}{p}$$



## Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

SIMPLIFYING EXPRESSIONS Simplify the expression. Write your answer as a power.

11. 
$$\frac{(-3)^9}{(-3)^2}$$

12. 
$$\frac{8^6 \cdot 8^2}{8^5}$$

13. 
$$\frac{x^{11}}{x^4 \cdot x^6}$$

14. 
$$\frac{5^6}{5} \cdot \frac{5^3}{5^2}$$

**15.** 
$$\frac{(-2)^9 \cdot (-2)^4}{(-2)^4 \cdot (-2)^4}$$
 **16.**  $\frac{b^{10} \cdot b^3}{b^2} \cdot \frac{b^5}{b^3}$ 

**16.** 
$$\frac{b^{10} \cdot b^3}{b^2} \cdot \frac{b^5}{b^3}$$

17. WHICH ONE DOESN'T BELONG? Which quotient does not belong with the other three? Explain your reasoning.

$$\frac{(-10)^7}{(-10)^2}$$

$$\frac{6^3}{6^2}$$

$$\frac{(-4)^8}{(-3)^4}$$

$$\frac{5^{6}}{5^{3}}$$

#### **Modeling Real Life**

Land area: about 5.9<sup>6</sup> mi<sup>2</sup> The projected population of Tennessee in 2030 is about 5 • 5.98. Predict the average number of people per square mile in Tennessee in 2030.

You can find the average number of people per square mile in 2030 by dividing the projected population of Tennessee in 2030 by the land area.

So, you can predict that there will be about 174 people per square mile in Tennessee in 2030.



## Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



- 18. You want to purchase a cat tracker, Tracker A detects your cat within a radius of 4 10<sup>2</sup> feet of your home. Tracker B detects your cat within a radius of 10<sup>4</sup> feet of your home. Which tracker has a greater radius? How many times greater?
- 19. DIG DEEPER. An earthquake of magnitude 3.0 is 10<sup>2</sup> times stronger than an earthquake of magnitude 1.0. An earthquake of magnitude 8.0 is 10<sup>7</sup> times stronger than an earthquake of magnitude 1.0. How many times stronger is an earthquake of magnitude 8.0 than an earthquake of magnitude 3.0?
- 20. The edge length of a cube-shaped crate is the square of the edge length of a cube-shaped box. Write an expression for the number of boxes that can fit in the crate. Justify your answer.

## 8.3 Practice


## Review & Refresh


Simplify the expression. Write your answer as a power.

2. 
$$(a^5)^5$$

3. 
$$(xy)^7$$

The red figure is similar to the blue figure. Describe a similarity transformation between the figures.





## Concepts, Skills, & Problem Solving

FINDING QUOTIENTS OF POWERS Write the quotient as repeated multiplication.

Then write the quotient as a power. (See Exploration 1, p. 331.)

6. 
$$\frac{7^9}{7^6}$$

7. 
$$\frac{(-4.5)^6}{(-4.5)^2}$$

8. 
$$\frac{m^{10}}{m^5}$$

DIVIDING POWERS WITH THE SAME BASE Simplify the expression. Write your answer as a power.

9. 
$$\frac{6^{10}}{6^4}$$

10. 
$$\frac{8^9}{8^7}$$

11. 
$$\frac{(-3)^4}{(-3)^1}$$

12. 
$$\frac{4.5^5}{4.5^3}$$


13. 
$$\frac{64^4}{64^3}$$

14. 
$$\frac{(-17)^5}{(-17)^2}$$

**14.** 
$$\frac{(-17)^5}{(-17)^2}$$
 **15.**  $\frac{(-6.4)^8}{(-6.4)^6}$  **16.**  $\frac{\pi^{11}}{\pi^7}$ 

16. 
$$\frac{\pi^{11}}{\pi^7}$$

17. YOU BE THE TEACHER Your friend simplifies the quotient. Is your friend correct? Explain your reasoning.



SIMPLIFYING AN EXPRESSION Simplify the expression. Write your answer as a power.

18. 
$$\frac{7^5 \cdot 7^3}{7^2}$$

19. 
$$\frac{6^{13}}{6^4 \cdot 6^2}$$

**20.** 
$$\frac{(-6.1)^{11}}{(-6.1)^7 \cdot (-6.1)^2}$$

21. 
$$\frac{\pi^{30}}{\pi^{18} \cdot \pi^4}$$

22. 
$$\frac{c^{22}}{c^8 \cdot c^9}$$

23. 
$$\frac{z^8 \cdot z^6}{z^8}$$

24. MODELING REAL LIFE The sound intensity of a normal conversation is 106 times greater than the quietest noise a person can hear. The sound intensity of a jet at takeoff is 1014 times greater than the quietest noise a person can hear. How many times more intense is the sound of a jet at takeoff than the sound of a normal conversation?



#### SIMPLIFYING AN EXPRESSION Simplify the expression. Write your answer as a power.

25. 
$$\frac{(-4)^8 \cdot (-4)^3}{(-4)^4 \cdot (-4)^2}$$
28. 
$$\frac{z^7 \cdot z^6}{z \cdot z^2}$$

**26.** 
$$\frac{6^2}{6} \cdot \frac{6^{12}}{6^8}$$

27. 
$$\frac{3^2 \cdot 3^6}{3^2} \cdot \frac{3^5}{3}$$

$$28. \ \frac{z^7 \cdot z^6}{z \cdot z^2}$$

**29.** 
$$\frac{x^5}{x^4} \cdot \frac{x^{13}}{x^8}$$

**30.** 
$$\frac{y^8 \cdot y^2}{y^7} \cdot \frac{y^4}{y} \cdot \frac{y^7}{y^2}$$

Device	Storage (GB)	Price
A	25	\$30
В	26	\$50
C	27	\$70
D	28	\$90
Е	2 <sup>9</sup>	\$110

- and prices of five devices are shown in the table.
  - a. How many times more storage does Device D have than Device B?
  - b. Do storage and price have a linear relationship? Explain.



- **32. DIG DEEPER!** Consider the equation  $\frac{9^m}{9^n} = 9^2$ .
  - **a.** Find two numbers *m* and *n* that satisfy the equation.
  - b. Describe the number of solutions that satisfy the equation. Explain your reasoning.



Milky Way galaxy: 10 · 10<sup>10</sup> stars

- MODELING REAL LIFE A scientist estimates that there are about  $10^{24}$  stars in the universe and that each galaxy has, on average, approximately the same number of stars as the Milky Way galaxy. About how many galaxies are in the universe?
- 34. NUMBER SENSE Find the value of x that makes  $\frac{8^{-}}{9^{2x+1}} = 8^9$  true. Explain how you found your answer.

# **8.4** Zero and Negative Exponents

Learning Target: Understand the concepts of zero and negative exponents.

Success Criteria: • I can explain the meanings of zero and negative exponents.

I can evaluate numerical expressions involving zero and negative exponents.

I can simplify algebraic expressions involving zero and negative exponents.

#### **EXPLORATION 1**

FLORIDA STANDARDS MAFS.8.EE.1.1

#### **Math Practice**

#### **Find Entry Points**

How can you use what you know about division to evaluate the expressions in the table?

#### **Understanding Zero Exponents**

#### Work with a partner.

Copy and complete the table.

Quotient	Quotient of Powers Property	Power
$\frac{5^3}{5^3}$		
00.0		
$\frac{6^2}{6^2}$		
(-3) <sup>4</sup>		
( 3) ( 4) <sup>5</sup>		
$\frac{(-4)^5}{(-4)^5}$		

b. Evaluate each expression in the first column of the table in part (a). How can you use these results to define a<sup>0</sup>, where a ≠ 0?

#### **EXPLORATION 2**

#### **Understanding Negative Exponents**

#### Work with a partner.

a. Copy and complete the table.

Product	Product of Powers Property	Power	Value
$5^{-3} \cdot 5^{3}$			
$6^2 \cdot 6^{-2}$			
$(-3)^4 \cdot (-3)^{-4}$			
$(-4)^{-5} \cdot (-4)^5$			

- **b.** How can you use the Multiplicative Inverse Property to rewrite the powers containing negative exponents in the first column of the table?
- **c.** Use your results in parts (a) and (b) to define  $a^{-n}$ , where  $a \neq 0$  and n is an integer.

## Lesson



#### **Zero Exponents**

**Words** For any nonzero number  $a_1 a^0 = 1$ . The power  $0^0$  is undefined.

Numbers 
$$4^0 = 1$$

Algebra 
$$a^0 = 1$$
, where  $a \neq 0$ 

#### **Negative Exponents**

**Words** For any integer n and any nonzero number a,  $a^{-n}$  is the reciprocal of  $a^n$ .

Numbers 
$$4^{-2} = \frac{1}{4^2}$$

Numbers 
$$4^{-2} = \frac{1}{4^2}$$
 Algebra  $a^{-n} = \frac{1}{a^n}$ , where  $a \neq 0$ 

## EXAMPLE 1

#### **Evaluating Expressions**

**a.** 
$$3^{-4} = \frac{1}{3^4}$$
 Definition of a negative exponent 
$$= \frac{1}{81}$$
 Evaluate the power.

**b.** 
$$(-8.5)^{-4} \cdot (-8.5)^4 = (-8.5)^{-4+4}$$
 Product of Powers Property
$$= (-8.5)^0$$
 Simplify.
$$= 1$$
 Definition of a zero exponent

c. 
$$\frac{2^6}{2^8} = 2^{6-8}$$
Quotient of Powers Property $= 2^{-2}$ Simplify. $= \frac{1}{2^2}$ Definition of a negative exponent $= \frac{1}{4}$ Evaluate the power.

#### Try It Evaluate the expression.

2. 
$$(-2)^{-5}$$

3. 
$$6^{-8} \cdot 6^{8}$$

4. 
$$\frac{(-3)^5}{(-3)^6}$$

5. 
$$\frac{1}{5^7} \cdot \frac{1}{5^{-4}}$$

6. 
$$\frac{4^5 \cdot 4^{-3}}{4^2}$$

338

**a.** 
$$-5x^0 = -5(1)$$

Definition of a zero exponent

Multiply.

**b.** 
$$\frac{9y^{-3}}{y^5} = 9y^{-3-5}$$

Quotient of Powers Property

$$=9y^{-8}$$

Simplify.

$$=\frac{9}{y^{11}}$$

Definition of a negative exponent

$$\mathbf{c.} \quad \frac{n^4 \cdot n^{-7}}{6} = \frac{n^{4 + (-7)}}{6}$$

Product of Powers Property

$$=\frac{n^{-3}}{6}$$

Simplify.

$$=\frac{1}{6n^3}$$

Definition of a negative exponent

Try It Simplify. Write the expression using only positive exponents.

7. 
$$8x^{-2}$$

8. 
$$b^0 \cdot b^{-10}$$

9. 
$$\frac{z^6}{15z^5}$$



## Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

**EVALUATING EXPRESSIONS** Evaluate the expression.

11. 
$$4^{-3} \cdot 4^{0}$$

12. 
$$\frac{(-9)^5}{(-9)^7}$$

SIMPLIFYING EXPRESSIONS Simplify. Write the expression using only positive exponents.

13. 
$$10t^{-5}$$

14. 
$$w^3 \cdot w^{-9}$$

15. 
$$\frac{r^8 \cdot r^{-8}}{4}$$

DIFFERENT WORDS, SAME QUESTION Which is different? Find "both" answers.

Write  $\frac{1}{3 \cdot 3 \cdot 3}$  using a negative exponent.

Write 3 to the negative third.

Write  $\frac{1}{3}$  cubed as a power with an integer base.

Write  $(-3) \cdot (-3) \cdot (-3)$  as a power with an integer base.

#### **EXAMPLE 3** Modeling Real Life



Drop of water: 50-2 liter

One drop of water leaks from a faucet every second. How many liters of water leak from the faucet in 1 hour?

Because you know how much water leaks per second, convert 1 hour to seconds.

$$1 \text{ h} \times \frac{60 \text{ min}}{1 \text{ h}} \times \frac{60 \text{ sec}}{1 \text{ min}} = 3600 \text{ sec}$$

Multiply the rate that water leaks by 3600 seconds.

$$3600 \sec \cdot \frac{50^{-2} L}{1 \text{ sec}} = 3600 \cdot \frac{1}{50^2} L \qquad \qquad \text{Definition of a negative exponent}$$
 
$$= 3600 \cdot \frac{1}{2500} L \qquad \qquad \text{Evaluate the power.}$$
 
$$= \frac{3600}{2500} L \qquad \qquad \text{Multiply.}$$
 
$$= 1\frac{11}{25}, \text{ or } 1.44 L \qquad \text{Simplify.}$$



So, 1.44 liters of water leak from the faucet in 1 hour.



## Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

- 17. The mass of a grain of sand is about 10<sup>-3</sup> gram, About how many grains of sand are in a 10-kilogram bag of sand?
- A one-celled, aquatic organism called a dinoflagellate is 1000 micrometers long. A microscope magnifies the dinoflagellate 100 times. What is the magnified length of the dinoflagellate in meters? (1 micrometer is 10<sup>-6</sup> meter.)





Speed: 5-2 foot per second

19. DIG DEEPER! A garden is 12 yards long. Assuming the snail moves at a constant speed, how many minutes does it take the snail to travel the length of the garden? Justify your answer.

## 8.4 Practice



## Review & Refresh

Simplify the expression. Write your answer as a power.


1. 
$$\frac{10^8}{10^4}$$

2. 
$$\frac{y^9}{y^7}$$


3. 
$$\frac{(-3)^8 \cdot (-3)^3}{(-3)^2}$$

Tell whether the triangles are similar. Explain.

4.



5.



- 6. Which data display best orders numerical data and shows how they are distributed?
  - A. bar graph

B. line graph

C. scatter plot

D. stem-and-leaf plot

## Concepts, Skills, & Problem Solving

UNDERSTANDING NEGATIVE EXPONENTS Copy and complete the table.

(See Exploration 2, p. 337.)

	Product	Product of Powers Property	Power	Value
7.	7-4 • 74			
8.	$(-2)^5 \cdot (-2)^{-5}$			

#### EVALUATING EXPRESSIONS Evaluate the expression.

9. 
$$\frac{8^7}{8^7}$$

**10.** 
$$5^0 \cdot 5^3$$
 **11.**  $(-2)^{-8} \cdot (-2)^8$  **12.**  $9^4 \cdot 9^{-4}$ 

13. 
$$6^{-2}$$

15. 
$$\frac{4^3}{4^5}$$

**15.** 
$$\frac{4^3}{4^5}$$
 **16.**  $\frac{-3}{(-3)^2}$ 

17. 
$$2^2 \cdot 2^{-4}$$

19. 
$$\frac{1}{5^{-3}} \cdot \frac{1}{5^6}$$

17. 
$$2^2 \cdot 2^{-4}$$
 18.  $3^{-3} \cdot 3^{-2}$  19.  $\frac{1}{5^{-3}} \cdot \frac{1}{5^6}$  20.  $\frac{(1.5)^2}{(1.5)^2 \cdot (1.5)^4}$ 

 YOU BE THE TEACHER Your friend evaluates 4<sup>-3</sup>. Is your friend correct? Explain your reasoning.

$$4^{-3} = (-4)(-4)(-4)$$
$$= -64$$

22. CRITICAL THINKING How can you write the number 1 as a power with base 2? a power with base 10?

23. WE NUMBER SENSE Without evaluating, order 50, 54, and 5 from least to greatest. Explain your reasoning.

SIMPLIFYING EXPRESSIONS Simplify. Write the expression using only positive exponents.

**25.** 
$$8^{-2} \cdot a^7$$
 **26.**  $\frac{9c^3}{c^{-4}}$ 

27. 
$$\frac{5b^{-2}}{b^{-3}}$$

28. 
$$\frac{8x^3}{2x^9}$$

30. 
$$m^{-2} \cdot n^3$$

**29.** 
$$3d^{-4} \cdot 4d^4$$
 **30.**  $m^{-2} \cdot n^3$  **31.**  $\frac{3^{-2} \cdot k^0 \cdot w^0}{w^{-6}}$ 


- 32. OPEN-ENDED Write two different powers with negative exponents that have the same value. Justify your answer.
- REASONING In Exercises 33-36, use the table.
- 33. How many millimeters are in a decimeter?
- 34. How many micrometers are in a centimeter?
- 35. How many nanometers are in a millimeter?

500 ml

36. How many micrometers are in a meter?

Unit of Length	Length (meter)
Decimeter	$10^{-1}$
Centimeter	$10^{-2}$
Millimeter	10 <sup>-3</sup>
Micrometer	10-6
Nanometer	10 <sup>-9</sup>

- 37. MODELING REAL LIFE A bacterium is 100 micrometers long. A virus is 1000 times smaller than the bacterium.
  - a. Using the table above, find the length of the virus in meters.
  - b. Is the answer to part (a) less than, greater than, or equal to 1 micrometer?



- a. One cubic millimeter of blood contains about 104 white blood cells. How many white blood cells are in the donation?  $(1 \text{ mm}^3 - 10^{-3} \text{ mL})$
- b. One cubic millimeter of blood contains about 5 × 106 red blood cells. How many red blood cells are in the donation?
- Compare your answers for parts (a) and (b).
- 39. PRECISION Describe how to rewrite a power with a positive exponent as a fraction with a power in the denominator. Use the definition of negative exponents to justify your reasoning.
- **40. WEASONING** The definition of a negative exponent states that  $a^{-n} = \frac{1}{a^{n}}$ . Explain why this rule does not apply when a = 0.



# **8** 5 Estimating Quantities

Learning Target: Round numbers and write the results as the product of a single digit and a power of 10.

- Success Criteria: I can round very large and very small numbers.
  - I can write a multiple of 10 as a power.
  - I can compare very large or very small quantities.

#### **EXPLORATION 1**

#### Using Powers of 10

FLORIDA STANDARDS MAFS.8.EE.1.3

Work with a partner. Match each picture with the most appropriate distance. Explain your reasoning.

$$6 \times 10^3 \,\mathrm{m}$$

$$1 \times 10^{1} \, \text{m}$$

$$2 \times 10^{-1} \, \text{m}$$

$$6 \times 10^{-2} \,\mathrm{m}$$







d.



#### **EXPLORATION 2**

#### **Approximating Numbers**

Work with a partner, Match each number in List I with its closest approximation in List 2. Explain your method.

#### **Math Practice**

#### Look for Patterns

How can you use the number of zeros to determine the value of the exponent for each number in List 1?

#### List I

- 180,000,000,000,000 a.
- b. 0.0000000011
- 302,000,000,000
- d. 0.00000028
- 0.0000097 e.
- f. 330,000,000,000,000
- 26,000,000,000,000 g.
- h. 0.000023

#### List 2

- A.  $3 \times 10^{11}$
- B.  $1 \times 10^{-5}$
- C.  $2 \times 10^{14}$
- D.  $3 \times 10^{13}$
- E.  $3 \times 10^{-7}$
- $1 \times 10^{-9}$ F.
- G.  $2 \times 10^{-5}$
- $3 \times 10^{14}$

## 8.5 Lesson

Round the number so that it contains exactly one nonzero digit.

One way to approximate a very large or a very small number is to round the number and write the result as the product of a single digit and a power of 10.

#### EXAMPLE 1

#### Approximating a Large Number



Earth contains about 332,500,000 cubic miles of water. The blue sphere represents all of the water on Earth, relative to the size of the planet.

Round the volume of water on Earth. Write the result as the product of a single digit and a power of 10.

 $332,500,000 \approx 300,000,000$ 

Round to the nearest 100,000,000.

 $=3\times100,000,000$ 

Factor out 3.

 $= 3 \times 10^{8}$ 

Write 100,000,000 as a power of 10.

Earth contains about 3 × 108 cubic miles of water.

Try It Round the number. Write the result as the product of a single digit and a power of 10.

1. 8,031,426,100

2. 98,247,836,218

#### EXAMPLE 2 Approximating a Small Number

A blood vessel has a diameter of 0.0000924 meter. Round the diameter of the blood vessel. Write the result as the product of a single digit and a power of 10.

 $0.0000924 \approx 0.00009$ 

Round to the nearest 0,00001.

 $= 9 \times 0.00001$ 

Factor out 9.

 $= 9 \times 10^{-5}$ 

Write 0.00001 as a power of 10.

The diameter of the blood vessel is about  $9 \times 10^{-5}$  meter.

Try It Round the number. Write the result as the product of a single digit and a power of 10.

3. 0.000384509

4. 0.00000726

344

### **EXAMPLE 3** Approximating a Quantity

The distance from Saturn to Neptune is about 1,911,674,960 miles. The distance from Mercury to Neptune is about 1.5 times this distance. What is the approximate distance from Mercury to Neptune?

A. 
$$2 \times 10^9$$
 miles

**B.** 
$$3 \times 10^9$$
 miles

C. 
$$2 \times 10^{10}$$
 miles

**D.** 
$$3 \times 10^{10}$$
 miles

Round the distance from Saturn to Neptune. Write the result as the product of a single digit and a power of 10.

$$1,911,674,960 \approx 2,000,000,000$$

Round to the nearest 1,000,000,000.

$$= 2 \times 1,000,000,000$$

Factor out 2.

$$= 2 \times 10^{9}$$

Write 1,000,000,000 as a power of 10.

#### Common Error

When multiplying 1.5 and  $(2 \times 10^9)$ . make sure you only multiply 1.5 by one of the factors in the parentheses.

The distance from Mercury to Neptune is about 1.5 times the distance from Saturn to Neptune. So, the distance from Mercury to Neptune is about  $1.5(2 \times 10^9)$ , or  $3 \times 10^9$ , miles.



The correct answer is B.

#### Try It

The distance from Mercury to Mars is about 105,651,744 miles. The distance from Saturn to Jupiter is about 4 times this distance. What is the approximate distance from Saturn to Jupiter?



## Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

APPROXIMATING A NUMBER Round the number. Write the result as the product of a single digit and a power of 10.

10. APPROXIMATING A QUANTITY Lake A has a volume of 21,150,427,000 cubic meters. Lake B has a volume that is 2.5 times the volume of Lake A. What is the approximate volume of Lake B?

#### **Modeling Real Life**

The population of the Philippines is about 104,260,000 and the population of India is about 1,282,000,000. Approximately how many times greater is the population of India than the population of the Philippines?



You are given the populations of the Philippines and India. You are asked to approximate the number of times greater the population of India is than the population of the Philippines.



Round each number. Write each result as the product of a single digit and a power of 10. Then divide the population of India by the population of the Philippines.



Philippines India

$$104,260,000 \approx 100,000,000$$
  $1,282,000,000 \approx 1,000,000,000$   
=  $1 \times 100,000,000$  =  $1 \times 1,000,000,000$   
=  $1 \times 10^8$  =  $1 \times 10^9$ 

Divide the population of India by the population of the Philippines.

$$\frac{1 \times 10^9}{1 \times 10^8} = \frac{10^9}{10^8}$$
 Multiplication Property of One 
$$= 10^{9-8}$$
 Quotient of Powers Property 
$$= 10^1$$
 Simplify.

Check Use a calculator to divide the numbers.

$$\frac{1,282,000,000}{104,260,000} \approx 12.3 \approx 10$$



Self-Assessment for Problem Solving

population of the Philippines.

So, the population of India is about 10 times greater than the

Solve each exercise. Then rate your understanding of the success criteria in your journal.

- 11. On average, a small dog's heart beats about 530,000,000 times during its lifetime, and a large dog's heart beats about 1.4 times this amount. What is the approximate number of heartbeats in the lifetime of a large dog?
- Visible Light  $4\times 10^{-4} \qquad 7\times 10^{-4}$

12. DIG DEEPER! A physicist observes a gamma ray with a wavelength of 0.00000000135 millimeter and an X-ray with a wavelength of 0.00000012 millimeter. (a) About how many times shorter is the wavelength of the gamma ray than the wavelength of the X-ray?
(b) The diagram shows wavelengths of visible light. Which ray has a wavelength closer to the wavelength of dark blue light?

Wavelength (millimeters)

## 8.5 Practice

## Review & Refresh

Simplify. Write the expression using only positive exponents.

1. 
$$3x^{-5}$$

3. 
$$\frac{a^6}{2a^{11}}$$

Write an equation in point-slope form of the line that passes through the given point and has the given slope.

**4.** 
$$(-1,2)$$
;  $m=-\frac{1}{3}$  **5.**  $(3,4)$ ;  $m=\frac{3}{4}$  **6.**  $(1,-4)$ ;  $m=-2$ 

**5.** (3, 4); 
$$m = \frac{3}{4}$$

6. 
$$(1, -4)$$
;  $m = -2$ 

## Concepts, Skills, & Problem Solving

APPROXIMATING NUMBERS Match the number with its closest approximation. (See Exploration 2, p. 343.)

A. 
$$8 \times 10^{8}$$

B. 
$$6 \times 10^{-4}$$
 C.  $7 \times 10^{-4}$  D.  $7 \times 10^{9}$ 

C. 
$$7 \times 10^{-6}$$

**D.** 
$$7 \times 10^9$$

APPROXIMATING A LARGE NUMBER Round the number. Write the result as a product of a single digit and a power of 10.



17. APPROXIMATING A LARGE NUMBER A company earns \$518,204,500. Round the number. Write the result as a product of a single digit and a power of 10.

APPROXIMATING A SMALL NUMBER Round the number. Write the result as a product of a single digit and a power of 10.

24. YOU BE THE TEACHER Your friend rounds 0.000468 to the nearest ten thousandth and writes the result as a product of a single digit and a power of 10. Is your friend correct? Explain your reasoning.

$$0.000468 \approx 0.0005$$
  
=  $5 \times 0.0001$   
=  $5 \times 10^{-4}$ 

- 25. APPROXIMATING A QUANTITY A series of mystery books contains 2,029,242 words. A series of science fiction books contains about 3.5 times the number of words as the mystery book series. What is the approximate number of words in the science fiction book series?
- 26. APPROXIMATING A QUANTITY A volcanic eruption ejects about 43,600,000,000 cubic feet of volcanic rock. A smaller volcanic eruption ejects about 75% of this amount. What is the approximate amount of volcanic rock that the smaller volcanic eruption ejects?
- STRUCTURE Find a number that is approximately 1.5 times 61,040,000,100. Write the result as the product of a single digit and a power of 10.





- 28. APPROXIMATING A QUANTITY A mitochondrion has a diameter of about 0.00000031 meter. The diameter of a chloroplast is about 3 times that of the mitochondrion. What is the approximate diameter of the chloroplast?
- 29. MODELING REAL LIFE A photo taken with a smartphone has 1,227,104 pixels. A photo taken with a camera has 11,943,936 pixels. Approximately how many times more pixels are in the photo taken with the camera?
- 30. MODELING REAL LIFE A star has a core temperature of about 115,000,000°F. The temperature of a lightning strike is about 10,300°F. Approximately how many times hotter is the core temperature of the star than the temperature of the lightning strike?
- REASONING The table shows the diameters of five types of animal hairs.

Animal	Buffalo	Rat	Camel	Cow	Donkey
Diameter (meter)	0.00011	0.00004	0.00008	0.00016	0.00005

- Order the hair types from greatest to least diameter.
- b. What unit should be used to represent these data? Explain your reasoning.
- 32. PROBLEM SOLVING The distance between New York City and Princeton is about 68,500 meters. The distance between New York City and San Antonio is about 40 times this distance. What is the approximate distance between New York City and San Antonio? Write the result as the product of a single digit and a power of 10.
- 33. **(III)** REASONING Is  $5 \times 10^6$  a better approximation of 5,447,040 or 5,305,004? Explain.
- 34. DIG DEEPER A proton weighs 0.0000000000167 nanogram. About how much do 8 protons weigh? Write the result as the product of a single digit and a power of 10. Is your answer an overestimate or an underestimate?

## 8.6 Scientific Notation

Learning Target: Understand the concept of scientific notation.

Success Criteria: • I can convert between scientific notation and standard form.

- I can choose appropriate units to represent quantities.
- I can use scientific notation to solve real-life problems.

#### **EXPLORATION 1**

#### **Using a Graphing Calculator**

FLORIDA STANDARDS MAFS.8.EE.1.3

MAFS.8.EE.1.4

Work with a partner. Use a graphing calculator.

- a. Experiment with multiplying very large numbers until your calculator displays an answer that is not in standard form. What do you think the answer means?
- b. Enter the function y = 10<sup>x</sup> into your graphing calculator. Use the table feature to evaluate the function for positive integer values of x until the calculator displays a y-value that is not in standard form. Do the results support your answer in part (a)? Explain.


X	[Y1 ]	
10046	10 100 1000 10000 100000 1E6 1E7	
X=6		

c. Repeat part (a) with very small numbers.

#### **Math Practice**

Make Sense of Quantities
How can writing  $\frac{1}{10}$  as a power of 10 help you understand the calculator display?

**d.** Enter the function  $y = \left(\frac{1}{10}\right)^x$  into your graphing calculator. Use the *table* feature to evaluate the function for positive integer values of x until the calculator displays a y-value that is not in standard form. Do the results support your answer in part (c)? Explain.



X	IV1	- 1
1 2	.01	
346	1E-4 1E-5	
7	1E-6	
X=6	Annie and and	

## Lesson

Key Vocabulary scientific notation,

p. 350



A number is written in scientific notation when it is represented as the product of a factor and a power of 10. The factor must be greater than or egual to 1 and less than 10.

The power of 10 has The factor is greater than or an integer exponent. equal to 1 and less than 10.



#### **Writing Numbers in Scientific Notation**

Move the decimal point so it is located to the right of the leading nonzero digit. The number of places you moved the decimal point indicates the exponent of the power of 10, as shown below.

Number Greater Than or Equal to 10

Use a positive exponent when you move the decimal point to the left.

$$8600 = 8.6 \times 10^3$$

#### Number Between 0 and 1

Use a negative exponent when you move the decimal point to the right.

$$0.0024 = 2.4 \times 10^{-3}$$

If the number is greater than or equal to 10, then the exponent is positive. If the number is between 0 and 1, then the exponent is negative.

#### EXAMPLE 1 Writing Numbers in Scientific Notation

Write 173,000,000 in scientific notation.

Move the decimal point  $173,000,000 = 1.73 \times 10^{8}$ 8 places to the left.

The number is greater than 10. So, the exponent is positive.

b. Write 0.0000032 in scientific notation.

The number is between  $0.0000032 = 3.2 \times 10^{-6}$ Move the decimal point 0 and 1. So, the 6 places to the right. exponent is negative.

#### Try It Write the number in scientific notation.

1. 50,000

- 2. 25,000,000
- 3. 683

4. 0.005

- 5. 0.00000033
- 6. 0.000506



#### Writing Numbers in Standard Form

The absolute value of the exponent indicates how many places to move the decimal point.

- If the exponent is negative, move the decimal point to the left.
- If the exponent is positive, move the decimal point to the right.

#### **EXAMPLE 2** Writing Numbers in Standard Form

a. Write  $3.22 \times 10^{-4}$  in standard form.

$$3.22 \times 10^{-4} = 0.000322$$
 Move the decimal point  $\left| -4 \right| = 4$  places to the left.

b. Write  $7.9 \times 10^5$  in standard form.

$$7.9 \times 10^5 = 790,000$$
 Move the decimal point  $|5| = 5$  places to the right.

Try It Write the number in standard form.

7. 
$$6 \times 10^7$$

8. 
$$9.9 \times 10^{-5}$$

9. 
$$1.285 \times 10^4$$



## Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

WRITING NUMBERS IN SCIENTIFIC NOTATION Write the number in scientific notation.

WRITING NUMBERS IN STANDARD FORM Write the number in standard form.

13. 
$$8 \times 10^{-7}$$

**14.** 
$$3.876 \times 10^7$$

**15.** 
$$1.11 \times 10^{-5}$$

16. WHICH ONE DOESN'T BELONG? Which number does not belong with the other three? Explain.

$$2.8 \times 10^{15}$$

$$4.3 \times 10^{-30}$$

$$1.05 \times 10^{28}$$

$$10 \times 9.2^{-13}$$

#### **EXAMPLE 3**

#### **Modeling Real Life**



A female flea consumes about  $1.4 \times 10^{-5}$  liter of blood each day.

A dog has 100 female fleas. What is the total amount of blood consumed by the fleas each day? Express your answer using more-appropriate units.

Write  $1.4 \times 10^{-5}$  in standard form. Then multiply the number by 100 to determine the amount of blood that 100 female fleas consume each day.

$$1.4 \times 10^{-5} = 0.000014$$

Move the decimal point |-5| = 5 places to the left.

So, 100 female fleas consume about 100(0.000014) = 0.0014 liter of blood per day. You can use milliliters to express this quantity using more-appropriate units.

$$0.0014 L = 0.0014 \cancel{L} \times \frac{1000 \text{ mL}}{1\cancel{L}} = 1.4 \text{ mL}$$



The fleas consume about 0.0014 liter, or 1.4 milliliters, of blood each day.



## Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



- A series of movies is about 3.285 × 10<sup>4</sup> seconds long. How long does it take to watch the series twice? Express your answer using more-appropriate units.
  - 18. The total power of a space shuttle during launch is the sum of the power from its solid rocket boosters and the power from its main engines. The power from the solid rocket boosters is 9,750,000,000 watts. What is the power from the main engines?

Total Power =  $1.174 \times 10^{10}$  watts

- 19. The area of a trampoline is about 1.8 × 10<sup>4</sup> square inches. Write this number in standard form. Then represent the area of the trampoline using more-appropriate units.
- 20. DIG DEEPER. The epidermis, dermis, and hypodermis are layers of your skin. The dermis is about 3.5 millimeters thick. The epidermis is about 1.25 × 10<sup>-3</sup> meter thick. The hypodermis is about 0.15 centimeter thick. What is the difference in thickness of the thickest layer and the thinnest layer? Justify your answer.

## 8.6 Practice

## Review & Refresh

Round the number. Write the result as the product of a single digit and a power of 10.

1. 0.00000129

2. 4,241,933,200

3. 0.0000001801

4. 879,679,466

Write the product using exponents.

5. 
$$4 \cdot 4 \cdot 4 \cdot 4 \cdot 4$$
 6.  $3 \cdot 3 \cdot 3 \cdot y \cdot y \cdot y$  7.  $(-2) \cdot (-2) \cdot (-2)$ 

## Concepts, Skills, & Problem Solving

USING A GRAPHING CALCULATOR Use a graphing calculator to evaluate the function when x = 10. Write the number in standard form.

(See Exploration 1, p. 349.)

**8.** 
$$y = \left(\frac{1}{10}\right)^x$$

9. 
$$y = 20^x$$

#### WRITING NUMBERS IN SCIENTIFIC NOTATION Write the number in scientific notation.

10. 0.0021

- 11. 5,430,000
- **12.** 321,000,000

- 13. 0.00000625
- 14. 0.00004

15. 10,700,000

- **16.** 45.600,000,000
- 17. 0.000000000009256
- 18. 840,000

#### WRITING NUMBERS IN STANDARD FORM Write the number in standard form.

19. 7 × 10<sup>7</sup>

20.  $8 \times 10^{-3}$ 

21.  $5 \times 10^2$ 

- 22.  $2.7 \times 10^{-4}$
- 23.  $4.4 \times 10^{-5}$
- **24.**  $2.1 \times 10^3$

- **25.**  $1.66 \times 10^9$
- **26.**  $3.85 \times 10^{-8}$
- **27.**  $9.725 \times 10^6$



- 28. MODELING REAL LIFE The U.S. Brig Niagara, a warship from the Battle of Lake Erie in 1813, uses about 28,300 feet of rope to operate its sails and spars. Write this number in scientific notation.
- 29. MODELING REAL LIFE The radius of a fishing line is  $2.5 \times 10^{-4}$  feet. Write this number in standard form. Then write your answer using inches.



Blood: 2.7 × 10<sup>8</sup> platelets per milliliter

- MODELING REAL LIFE Platelets are cell-like particles in the blood that help form blood clots.
  - a. How many platelets are in 3 milliliters of blood? Write your answer in standard form.
  - b. An adult human body contains about 5 liters of blood. How many platelets are in an adult human body?

## CHOOSING APPROPRIATE UNITS Match each value with the most appropriate unit of measurement.

height of a skyscraper: 2.6 × 10<sup>2</sup>

distance between two asteroids: 2.5 × 10<sup>5</sup>

depth of a bathtub: 1.6 × 10<sup>1</sup>

**34.** length of memory chip:  $7.8 \times 10^0$ 

A. inches

B. millimeters

C. miles

D. meters



- 35. WP NUMBER SENSE Describe how the value of a number written in scientific notation changes when you increase the exponent by 1.
- 36. PROBLEM SOLVING The area of the
  Florida Keys National Marine Sanctuary is
  about 9600 square kilometers. The area of the
  Florida Reef Tract is about 16.2% of the area of the
  sanctuary. What is the area of the Florida Reef Tract?
  Write your answer in scientific notation.
- 37. REASONING A gigameter is 1.0 × 10<sup>6</sup> kilometers. How many square kilometers are in 5 square gigameters?
- 38. PROBLEM SOLVING There are about  $1.4 \times 10^9$  cubic kilometers of water on Earth. About 2.5% of the water is freshwater. How much freshwater is on Earth?
- 39. CRITICAL THINKING The table shows the speed of light through each of five media. Determine in which media light travels the fastest and the slowest.

Medium	Speed
Air	$6.7 \times 10^8 \mathrm{mi/h}$
Glass	$6.6 \times 10^8$ ft/sec
Ice	$2.3 \times 10^5  \text{km/sec}$
Vacuum	$3.0 \times 10^8  \mathrm{m/sec}$
Water	2.3 × 10 <sup>10</sup> cm/sec

- Equivalent to
  1 Atomic Mass Unit  $8.3 \times 10^{-24} \text{ carat}$   $1.66 \times 10^{-21} \text{ milligram}$
- 40. STRUCTURE The mass of an atom or molecule is measured in atomic mass units. Which is greater, a carat or a milligram? Explain.

# **8.7** Operations in Scientific Notation

Learning Target: Perform operations with numbers written in scientific notation.

- Success Criteria: I can explain how to add and subtract numbers in scientific notation.
  - I can explain how to multiply and divide numbers in scientific notation.
  - I can use operations in scientific notation to solve real-life problems.

#### **EXPLORATION 1**

#### Adding and Subtracting in Scientific Notation

FLORIDA STANDARDS MAFS.8.EE.1.4

Work with a partner.

a. Complete the table by finding the sum and the difference of Expression 1 and Expression 2. Write your answers in scientific notation. Explain your method.

Expression 1	Expression 2	Sum	Difference
3 × 10 <sup>4</sup>	$1 \times 10^4$		
$4 \times 10^{-3}$	$2 \times 10^{-3}$		
$4.1\times10^{-7}$	$1.5 \times 10^{-7}$		
$8.3 \times 10^{6}$	$1.5 \times 10^{6}$		

**b.** Use your results in part (a) to explain how to find  $(a \times 10^n) + (b \times 10^n)$ and  $(a \times 10^n) - (b \times 10^n)$ .

#### **Math Practice**

Look for Structure

How might you find the sum or difference of two expressions in scientific notation that contain different powers of 10?

#### **EXPLORATION 2**

#### Multiplying and Dividing in Scientific Notation

Work with a partner.

 a. Complete the table by finding the product and the quotient of Expression 1 and Expression 2. Write your answers in scientific notation. Explain your method.

Expression 1	Expression 2	Product	Quotient
$3 \times 10^4$	$1 \times 10^4$		
$4 \times 10^3$	$2 \times 10^2$		
$7.7\times10^{-2}$	$1.1 \times 10^{-3}$		
$4.5 \times 10^{5}$	$3 \times 10^{-1}$		

b. Use your results in part (a) to explain how to find (a × 10<sup>n</sup>) × (b × 10<sup>m</sup>) and  $(a \times 10^n) \div (b \times 10^m)$ . Describe any properties that you use.

## Lesson

To add or subtract numbers written in scientific notation with the same power of 10, add or subtract the factors. When the numbers have different powers of 10, first rewrite the numbers so they have the same power of 10.

#### **EXAMPLE 1**

In Example 1(b), you

will get the same answer by rewriting

 $3.5 \times 10^{-2}$  as

 $35 \times 10^{-3}$ .

#### **Adding and Subtracting in Scientific Notation**

Find the sum or difference.

**a.** 
$$(4.6 \times 10^3) + (8.72 \times 10^3)$$
  
 $= (4.6 + 8.72) \times 10^3$  Distributive Property  
 $= 13.32 \times 10^3$  Add.  
 $= (1.332 \times 10^1) \times 10^3$  Write 13.32 in scientific notation.  
 $= 1.332 \times 10^4$  Product of Powers Property

**b.** 
$$(3.5 \times 10^{-2}) - (6.6 \times 10^{-3})$$

Rewrite  $6.6 \times 10^{-3}$  so that it has the same power of 10 as  $3.5 \times 10^{-2}$ .

Product of Powers Property

$$6.6 \times 10^{-3} = 6.6 \times 10^{-1} \times 10^{-2}$$
 Rewrite  $10^{-3}$  as  $10^{-1} \times 10^{-2}$ .  
=  $0.66 \times 10^{-2}$  Rewrite  $6.6 \times 10^{-1}$  as  $0.66$ .

Subtract the factors.

$$(3.5 \times 10^{-2}) - (0.66 \times 10^{-2})$$
  
=  $(3.5 - 0.66) \times 10^{-2}$  Distributive Property  
=  $2.84 \times 10^{-2}$  Subtract.

#### Try It Find the sum or difference.

**1.** 
$$(8.2 \times 10^2) + (3.41 \times 10^{-1})$$
 **2.**  $(7.8 \times 10^{-5}) - (4.5 \times 10^{-5})$ 

To multiply or divide numbers written in scientific notation, multiply or divide the factors and powers of 10 separately.

#### **EXAMPLE 2**

### Multiplying in Scientific Notation

#### Check

Use standard form to check your answer.

$$(3 \times 10^{-5})$$
  
  $\times (5 \times 10^{-2})$   
  $= 0.00003 \times 0.05$   
  $= 0.0000015$   
  $= 1.5 \times 10^{-6}$ 

Find  $(3 \times 10^{-5}) \times (5 \times 10^{-2})$ .

$$\begin{array}{ll} (3\times 10^{-5})\times (5\times 10^{-2}) \\ = 3\times 5\times 10^{-5}\times 10^{-2} & \text{Commutative Property of Multiplication} \\ = (3\times 5)\times (10^{-5}\times 10^{-2}) & \text{Associative Property of Multiplication} \\ = 15\times 10^{-7} & \text{Simplify.} \\ = (1.5\times 10^{1})\times 10^{-7} & \text{Write 15 in scientific notation.} \\ = 1.5\times 10^{-6} & \text{Product of Powers Property} \end{array}$$

#### Try It Find the product.

3. 
$$6 \times (8 \times 10^{-5})$$

5. 
$$(2 \times 10^4) \times (6 \times 10^{-7})$$

**4.** 
$$(7 \times 10^2) \times (3 \times 10^5)$$

6. 
$$(3 \times 10^8) \times (9 \times 10^3)$$

#### EXAMPLE 3

#### **Dividing in Scientific Notation**

Find 
$$\frac{1.5 \times 10^{-8}}{6 \times 10^7}$$
.

$$\frac{1.5 \times 10^{-8}}{6 \times 10^{7}} = \frac{1.5}{6} \times \frac{10^{-8}}{10^{7}}$$

$$= 0.25 \times \frac{10^{-8}}{10^{7}}$$

$$= 0.25 \times 10^{-15}$$

$$= (2.5 \times 10^{-1}) \times 10^{-15}$$

$$= 2.5 \times 10^{-16}$$

Rewrite as a product of fractions.

Divide 1.5 by 6.

Quotient of Powers Property

Write 0.25 in scientific notation.

Product of Powers Property

#### Try It Find the quotient.

7. 
$$(9.2 \times 10^{12}) \div 4.6$$

**8.** 
$$(1.5 \times 10^{-3}) \div (7.5 \times 10^{2})$$

**9.** 
$$(3.75 \times 10^{-8}) \div (1.25 \times 10^{-7})$$
 **10.**  $(9.2 \times 10^{6}) \div (2.3 \times 10^{12})$ 

**10.** 
$$(9.2 \times 10^6) \div (2.3 \times 10^{12})$$



## Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

- 11. WRITING Describe how to add or subtract two numbers written in scientific notation with the same power of 10.
- 12. W NUMBER SENSE Two numbers written in scientific notation have different powers of 10. Do you have to rewrite the numbers so they have the same power of 10 before multiplying or dividing? Explain.

OPERATIONS IN SCIENTIFIC NOTATION Evaluate the expression. Write your answer in scientific notation.

**13.** 
$$(7.26 \times 10^4) + (3.4 \times 10^4)$$

**13.** 
$$(7.26 \times 10^4) + (3.4 \times 10^4)$$
 **14.**  $(2.8 \times 10^{-5}) - (1.6 \times 10^{-6})$ 

**15.** 
$$(2.4 \times 10^4) \times (3.8 \times 10^{-6})$$
 **16.**  $(5.2 \times 10^{-3}) \div (1.3 \times 10^{-12})$ 

**16.** 
$$(5.2 \times 10^{-3}) \div (1.3 \times 10^{-12})$$

#### EXAMPLE 4

#### **Modeling Real Life**



Diameter ~ 1,400,000,000 m

An aluminum ion has a diameter of about  $5 \times 10^{-11}$  meter. How many times greater is the diameter of the Sun than the diameter of the ion?

Write the diameter of the Sun in scientific notation.

$$1,400,000,000 = 1.4 \times 10^9$$

Divide the diameter of the Sun by the diameter of the aluminum ion.

your answer.

$\frac{1.4 \times 10^9}{5 \times 10^{-11}} = \frac{1.4}{5} \times \frac{10^9}{10^{-11}}$	Rewrite as a product of fractions
$=0.28 \times \frac{10^9}{10^{-11}}$	Divide 1.4 by 5.
$=0.28 \times 10^{20}$	Quotient of Powers Property
$= (2.8 \times 10^{-1}) \times 10^{20}$	Write 0.28 in scientific notation.
$=2.8\times10^{19}$	Product of Powers Property

15.



The diameter of the Sun is about  $2.8 \times 10^{19}$  times greater than the diameter of the aluminum ion.



## Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

- 17. It takes the Sun about  $2.3 \times 10^8$  years to orbit the center of the Milky Way. It takes Pluto about  $2.5 \times 10^2$  years to orbit the Sun. How many times does Pluto orbit the Sun while the Sun completes one orbit around the Milky Way?
- **18.** A person typically breathes about  $8.64 \times 10^3$  liters of air per day. The life expectancy of a person in the United States at birth is about 29,200 days. Estimate the total amount of air a person born in the United States breathes over a lifetime.



19. DIG DEEPER. In one week, about 4100 movie theaters each sold an average of 2200 tickets for Movie A. About 3.6 × 10<sup>7</sup> total tickets were sold at the theaters during the week. An article claims that about 25% of all tickets sold during the week were for Movie A. Is this claim accurate? Justify your answer.

358

# 8.7 Practice



# Review & Refresh

Write the number in scientific notation.

1. 0.0038

- 2. 74.000.000
- 3. 0.0000475

Find the values of the ratios (red to blue) of the perimeters and areas of the similar figures.

4.



- 12
- 5.





# Concepts, Skills, & Problem Solving

OPERATIONS IN SCIENTIFIC NOTATION Find the sum, difference, product, and quotient of Expression 1 and Expression 2. Write your answers in scientific notation. (See Explorations 1 and 2, p. 355.)

**6.**  $3 \times 10^3$  Expression 1

- 7.  $6 \times 10^{-4}$ 1.5 × 10<sup>-4</sup> Expression 2
  - Expression 1

- 2 × 10<sup>3</sup> Expression 2

ADDING AND SUBTRACTING IN SCIENTIFIC NOTATION Find the sum or difference. Write your answer in scientific notation.

- 8.  $(2 \times 10^5) + (3.8 \times 10^5)$
- **10.**  $(9.2 \times 10^8) (4 \times 10^8)$
- **12.**  $(7.8 \times 10^7) (2.45 \times 10^6)$
- **14.**  $(9.7 \times 10^6) + (6.7 \times 10^5)$

- 9.  $(6.33 \times 10^{-9}) (4.5 \times 10^{-9})$
- **11.**  $(7.2 \times 10^{-6}) + (5.44 \times 10^{-6})$
- **13.**  $(5 \times 10^{-5}) + (2.46 \times 10^{-3})$
- **15.**  $(2.4 \times 10^{-1}) (5.5 \times 10^{-2})$
- 16. YOU BE THE TEACHER

Your friend adds  $2.5 \times 10^9$ and  $5.3 \times 10^8$ . Is your friend correct? Explain your reasoning.

$$(2.5 \times 10^{9}) + (5.3 \times 10^{8}) = (2.5 \times 10^{9}) + (0.53 \times 10^{9})$$
$$= (2.5 + 0.53) \times 10^{9}$$
$$= 3.03 \times 10^{9}$$

### MULTIPLYING AND DIVIDING IN SCIENTIFIC NOTATION Find the product or quotient.

Write your answer in scientific notation.

- 17.  $5 \times (7 \times 10^7)$
- **19.**  $(1.2 \times 10^{-5}) \div 4$
- **21.**  $(3.6 \times 10^7) \div (7.2 \times 10^7)$
- **23.**  $(6.5 \times 10^8) \times (1.4 \times 10^{-5})$
- **18.**  $(5.8 \times 10^{-6}) \div (2 \times 10^{-3})$
- **20.**  $(5 \times 10^{-7}) \times (3 \times 10^{6})$
- **22.**  $(7.2 \times 10^{-1}) \times (4 \times 10^{-7})$
- **24.**  $(2.8 \times 10^4) \div (2.5 \times 10^6)$

#### MATCHING You use technology to find four sums. Match the sum with its standard form.

25. 4.3E8

26. 4.3E-8

27. 4.3E10

28. 4.3E-10

A. 0.00000000043 B. 0.000000043

C. 430,000,000

D. 43,000,000,000

29. MODELING REAL LIFE How many times greater is the thickness of a dime than the thickness of a dollar bill?








Thickness =  $1.0922 \times 10^{-2}$  cm

- 30. MULTIPLE CHOICE On a social media website, Celebrity A has about 8.6 × 10<sup>7</sup> followers and Celebrity B has about  $4.1 \times 10^6$  followers. Determine which of the following is the best estimate for the number of followers for Celebrity A compared to the number of followers for Celebrity B.
  - A. more than 2 times greater
- B. less than 2 times greater
- C. more than 20 times greater
- D. less than 20 times greater
- REASONING Evaluate the expression. Write your answer in scientific notation.
- **31.** 5,200,000  $\times$  (8.3  $\times$  10<sup>2</sup>) (3.1  $\times$  10<sup>8</sup>)
- **32.**  $(9 \times 10^{-3}) + (2.4 \times 10^{-5}) \div 0.0012$
- 33. **GEOMETRY** Find the perimeter of the rectangle at the right.



- 34. DIG DEEPER! A human heart pumps about  $7 \times 10^{-2}$  liter of blood per heartbeat. The average human heart beats about 72 times per minute. How many liters of blood does a heart pump in 1 year? 70 years?
- 35. MODELING REAL LIFE Use the Internet or another reference to find the populations and areas (in square miles) of India, China, Argentina, the United States, and Egypt. Round each population to the nearest million and each area to the nearest thousand square miles.
  - a. Write each population and area in scientific notation.
  - b. Use your answers to part (a) to find and order the population densities (people per square mile) of each country from least to greatest.



# **Connecting Concepts**

# Using the Problem-Solving Plan

 Atoms are made of protons, neutrons, and electrons. The table shows the numbers of protons and the masses of several atoms. Use a line of best fit to estimate the mass (in grams) of an atom that has 29 protons.

Understand the problem.	

You know the numbers of protons and the masses of several atoms. You are asked to use the line of best fit to estimate the mass of an atom that has 29 protons.



Use a graphing calculator to find an equation of the line of best fit. Then evaluate the equation when x = 29.

Protons, x	Mass (gram), y
1	$1.67 \times 10^{-24}$
5	$1.79 \times 10^{-23}$
53	$2.11 \times 10^{-22}$
20	$6.65 \times 10^{-23}$
14	$4.66 \times 10^{-23}$
3	$1.15 \times 10^{-23}$
40	$1.51 \times 10^{-22}$
16	$5.32 \times 10^{-23}$

Solve and check.

Use the plan to solve the problem. Then check your solution.



Modoc County, California, is 74.9 miles long and 56.2 miles wide.
 A map of the county is drawn using a scale factor of 2.11 × 10<sup>-6</sup>. What is the perimeter of the county on the map? Express your answer using more appropriate units.

3. A research company estimates that in the United States, about  $8.37 \times 10^7$  adult males and  $6.59 \times 10^7$  adult females watch NFL football, while  $3.13 \times 10^7$  adult males and  $5.41 \times 10^7$  adult females do *not* watch NFL football. Organize the results in a two-way table. Include the marginal frequencies.

### **Performance Task**



### Elements in the Universe

At the beginning of this chapter, you watched a STEAM Video called "Carbon Atoms." You are now ready to complete the performance task related to this video, available at **BigldeasMath.com**. Be sure to use the problem-solving plan as you work through the performance task.

# Chapter Review




# Review Vocabulary

Write the definition and give an example of each vocabulary term.

power, p. 320 base, p. 320 exponent, p. 320 scientific notation, p. 350

# ► Graphic Organizers

You can use a **Definition and Example Chart** to organize information about a concept. Here is an example of a Definition and Example Chart for the vocabulary term **power**.



Choose and complete a graphic organizer to help you study the concept.

- 1. Product of Powers Property
- 2. Power of a Power Property
- 3. Power of a Product Property
- 4. Quotient of Powers Property
- 5. negative exponents
- 6. scientific notation
- adding and subtracting numbers in scientific notation
- multiplying and dividing numbers in scientific notation



"Here is my Definition and Example Chart. I'm going to take a selfie from the top of the pyramid. Do you want to hold the camera?"

# Chapter Self-Assessment

As you complete the exercises, use the scale below to rate your understanding of the success criteria in your journal.

1

2

3

4

I do not understand.

I can do it with help.

I can do it on my own. I can teach someone else.



### 8.1 Exponents (pp. 319-324)

Learning Target: Use exponents to write and evaluate expressions.

Write the product using exponents.

1. 
$$(-9) \cdot (-9) \cdot (-9) \cdot (-9) \cdot (-9)$$

Evaluate the expression.

**4.** 
$$-\binom{1}{2}^4$$

5. 
$$\left| \frac{1}{2} (16 - 6^3) \right|$$

**6.** The profit P (in dollars) earned by a local merchant selling x items is represented by the equation  $P = 0.2x^3 - 10$ . How much more profit does he earn selling 15 items than 5 items?



### 8.2 Product of Powers Property (pp. 325-330)

Learning Target: Generate equivalent expressions involving products of powers.

Simplify the expression. Write your answer as a power.

7. 
$$p^5 \cdot p^2$$

8. 
$$(n^{11})^2$$

**9.** 
$$\left(-\frac{2}{5}\right)^3 \cdot \left(-\frac{2}{5}\right)^2$$

- Write an expression that simplifies to x<sup>24</sup> using the Power of a Power Property.
- 12. You send an email with a file size of 4 kilobytes. One kilobyte is 2<sup>10</sup> bytes. What is the file size of your email in bytes?
- Explain how to use properties of powers to simplify the expression 27 • 3<sup>2</sup>.





#### **Quotient of Powers Property** (pp. 331-336)

Learning Target: Generate equivalent expressions involving quotients of powers.

Simplify the expression. Write your answer as a power.

14. 
$$\frac{8^8}{8^3}$$

15. 
$$\frac{5^2 \cdot 5^9}{5}$$

16. 
$$\frac{w^8}{w^7} \cdot \frac{w^5}{w^2}$$

**16.** 
$$\frac{w^8}{w^7} \cdot \frac{w^5}{w^2}$$
 **17.**  $\frac{m^8}{m^6} \cdot \frac{m^{10} \cdot m^2}{m^9}$ 

- **18.** Write an expression that simplifies to  $x^3$  using the Quotient of Powers Property.
- **19.** At the end of a fiscal year, a company has made  $1.62 \times 7^7$  dollars in profit. The company employs 7<sup>3</sup> people. How much will each person receive if the company divides the profit equally among its employees?



#### Zero and Negative Exponents (pp. 337-342)

Learning Target: Understand the concepts of zero and negative exponents.

Evaluate the expression.

22. 
$$\frac{8^2}{8^4}$$

**23.** 
$$(-12)^{-7} \cdot (-12)^7$$

24. 
$$\frac{1}{7^9} \cdot \frac{1}{7^{-6}}$$

25. 
$$\frac{9^4 \cdot 9^{-2}}{9^2}$$

Simplify. Write the expression using only positive exponents.

**26.** 
$$x^{-2} \cdot x^0$$

**27.** 
$$y^{-8}y^3$$

28. 
$$\frac{3^{-1} \cdot z^5}{z^{-2}}$$

- Write an expression that simplifies to x<sup>-4</sup>.
- 30. Water flows from a showerhead at a rate of 24-1 gallon per second. How many gallons do you use when taking a 15-minute shower? a 20-minute shower?
- 31. Explain two different methods for simplifying  $w^{-2} \cdot w^5$ .



### 8.5 Estimating Quantities (pp. 343-348)

Learning Target: Round numbers and write the results as the product of a single digit and a power of 10.

Round the number. Write the result as a product of a single digit and a power of 10.

**32.** 29,197,543

- 33. 0.000000647
- 34. The speed of light is 299,792,458 meters per second. About how far can a light beam travel in 3 seconds? Write your answer as a product of a single digit and a power of 10.
- 35. The population of Albany, New York is about 98,989 and the population of Moscow, Russia is about 12,235,448. Approximately how many times greater is the population of Moscow than the population of Albany?



### 8.6 Scientific Notation (pp. 349-354)

Learning Target: Understand the concept of scientific notation.

Write the number in scientific notation.

36. 0.00036

37. 800,000

38. 79,200,000

Write the number in standard form.

**39.**  $2 \times 10^7$ 

**40.**  $4.8 \times 10^{-3}$ 

- **41.**  $6.25 \times 10^5$
- 42. The mass of a single dust particle is 7.52 × 10<sup>-10</sup> kilogram. What is the mass of a dust ball made of 100 dust particles? Express your answer using more-appropriate units.



# 8.7 Operations in Scientific Notation (pp. 355–360)

Learning Target: Perform operations with numbers written in scientific notation.

Evaluate the expression. Write your answer in scientific notation.

**43.**  $(4.2 \times 10^8) + (5.9 \times 10^9)$ 

**44.**  $(5.9 \times 10^{-4}) - (1.8 \times 10^{-4})$ 

- **45.**  $(7.7 \times 10^8) \times (4.9 \times 10^{-5})$
- **46.**  $(3.6 \times 10^5) \div (1.8 \times 10^9)$



47. A white blood cell has a diameter of about 0.000012 meter. How many times greater is the diameter of a white blood cell than the diameter of a red blood cell?

# 8

# **Practice Test**

### Write the product using exponents.

#### Evaluate the expression.

3. 
$$10 + 3^3 \div 9$$

4. 
$$\frac{-2 \cdot (-2)^{-4}}{(-2)^{-2}}$$

### Simplify the expression. Write your answer as a power.

6. 
$$(6^6)^5$$

7. 
$$\frac{(-3.5)^{13} \cdot (-3.5)^2}{(-3.5)^9}$$

# Round the number. Write the result as a product of a single digit and a power of 10.

#### Write the number in standard form.

**11.** 
$$3 \times 10^7$$

12. 
$$9.05 \times 10^{-3}$$

### Evaluate the expression. Write your answer in scientific notation.

**13.** 
$$(7.8 \times 10^7) + (9.9 \times 10^7)$$

**14.** 
$$(6.4 \times 10^5) - (5.4 \times 10^4)$$

**15.** 
$$(3.1 \times 10^6) \times (2.7 \times 10^{-2})$$

**16.** 
$$(9.6 \times 10^7) \div (1.2 \times 10^{-4})$$


**17.** Is 
$$(xy^2)^3$$
 the same as  $(xy^3)^2$ ? Explain.


- 18. One scoop of rice weighs about 39 milligrams.
  - a. Write a linear function that relates the weight of rice to the number of scoops. What is the weight of 5 scoops of rice?
  - b. A grain of rice weighs about 3<sup>3</sup> milligrams. About how many grains of rice are in 1 scoop?
- There are about 10,000 taste buds on a human tongue. Write this number in scientific notation.
- 20. From 1978 to 2008, the amount of lead allowed in the air in the United States was 1.5 × 10<sup>-6</sup> gram per cubic meter. In 2008, the amount allowed was reduced by 90%. What is the new amount of lead allowed in the air?



# **Cumulative Practice**

- 1. Mercury's distance from the Sun is approximately  $5.79 \times 10^7$  kilometers. What is this distance in standard form?
  - A. 5,790,000 km
- B. 57,900,000 km
- C. 579,000,000 km D. 5,790,000,000 km
- 2. Your friend solves the problem. What should your friend change to correctly answer the question?





- F. The left side of the equation should equal 360° instead of 180°.
- G. The sum of the acute angles should equal 90°.
- **H.** Evaluate the smallest angle when x = 15.
- **I.** Evaluate the largest angle when x = 15.
- Which expression is equivalent to the expression 2<sup>4</sup>2<sup>3</sup>?
  - A. 212

B. 47

C. 48

- D. 128
- 4. You randomly survey students in your school about whether they have a pet. You display your results in the two-way table. How many female students took the survey?

		P	et
		Yes	No
der	Male	33	8
Gen	Female	35	11

A bank account pays interest so that the amount in the account doubles every 10 years. The account started with \$5,000 in 1940. Which expression represents the amount (in dollars) in the account n decades later?

**G.** 
$$5000(n+1)$$

I. 
$$2^n + 5000$$

**6.** The formula for the volume V of a pyramid is  $V = \frac{1}{2}Bh$ .

Which equation represents a formula for the height h of the pyramid?

$$A. h = \frac{1}{3}VB$$

B. 
$$h = \frac{3V}{R}$$

$$C. h = \frac{V}{3B}$$

Explain

**D.** 
$$h = V - \frac{1}{3}B$$

7. The gross domestic product (GDP) is a way to measure how much a country produces economically in a year. The table below shows the approximate Think population and GDP for the United States. Solve

United States, 2016						
Population 324,000,000						
GDP	\$18,600,000,000,000					


- Part A Write the population and the GDP using scientific notation.
- Part B Find the GDP per person for the United States using your answers from Part A. Write your answer in scientific notation. Show your work and explain your reasoning.
- 8. What is the equation of the line shown in the graph?

**F.** 
$$y = -\frac{1}{3}x + 3$$


**G.** 
$$y = \frac{1}{3}x + 1$$


**H.** 
$$y = -3x + 3$$


1. 
$$y = 3x - \frac{1}{3}$$




9. Which graph represents a linear function?










**10.** Find  $(-2.5)^{-2}$ .



- 11. Two lines have the same y-intercept. The slope of one line is 1, and the slope of the other line is -1. What can you conclude?
  - F. The lines are parallel.
  - G. The lines meet at exactly one point.
  - H. The lines meet at more than one point.
  - The situation described is impossible.
- 12. Which list of ordered pairs represents the mapping diagram?



**D.** (0,1), (2,2), (-2,2), (-2,3)



# Real Numbers and the Pythagorean Theorem

- 9.1 Finding Square Roots
- 9.2 The Pythagorean Theorem
- 9.3 Finding Cube Roots
- 9.4 Rational Numbers
- 9.5 Irrational Numbers
- 9.6 The Converse of the Pythagorean Theorem

#### **Chapter Learning Target:**

Understand square roots.

#### **Chapter Success Criteria:**

- I can describe a square root.
- I can find the square root(s) of a number.
- I can approximate the value of the square root of a number.
- I can explain the Pythagorean Theorem.



# **STEAM Video**



A metronome is a device that ticks at a constant rate. A metronome includes a pendulum, which swings back and forth in a precise time called a period. Why do musicians use metronomes?

Watch the STEAM Video "Metronome Design." Then answer the following questions. The equation  $T=0.2\sqrt{L}$  relates the period T (in seconds) and the length L (in centimeters) of a pendulum, where  $\sqrt{L}$  is the *square root* of L.

The table shows the square roots of several values of L.
 Use the pattern to find the values of \(\frac{\sqrt{36}}{36}\), \(\sqrt{49}\), and \(\sqrt{64}\).

L	1	4	9	16	25
$\sqrt{L}$	1	2	3	4	5

What is the period of a pendulum that is 100 centimeters long? Justify your answer.


## **Performance Task**

Identify and Correct the Error!

After completing this chapter, you will be able to use the concepts you learned to answer the questions in the STEAM Video Performance Task. You will be given the lengths of several pendulums.

Length (feet)	1.44	4	5.29
Period (seconds)			

You will be asked to identify and correct errors in calculations of periods. Why is it important to pay attention to units when substituting values into a formula?



# **Getting Ready for Chapter**



# **Chapter Exploration**

When you multiply a number by itself, you square the number.


Symbol for squaring is the exponent 2. 
$$4^2 = 4 \cdot 4$$
 = 16 4 squared is 16.

To "undo" this, take the square root of the number.

Symbol for square root is a radical sign, 
$$\sqrt{\phantom{a}}$$
. The square root of 16 is 4.

1. Work with a partner. Find the radius of each circle.


a.




Area =  $36\pi$  in.<sup>2</sup>

b.

e.




Area =  $\pi \text{ yd}^2$ 




Area =  $0.25 \pi \text{ ft}^2$ 


d.



Area =  $\frac{9}{16} \pi \text{ m}^2$ 



Area =  $0.49\pi$  cm<sup>2</sup>



Area =  $1.44\pi \text{ in.}^2$ 

2. WRITING GUIDELINES Work with a partner. Explain how you can find the radius and diameter of a circular object when you are given its area. Justify your answer using an example that is different from those in Exercise 1.

# Vocabulary

The following vocabulary terms are defined in this chapter. Think about what the terms might mean and record your thoughts.

square root

cube root

irrational number

perfect square

perfect cube


- Success Criteria: I can find square roots of numbers.
  - I can evaluate expressions involving square roots.
  - I can use square roots to solve equations.


### **EXPLORATION 1**


FLORIDA STANDARDS MAFS.8.EE.1.2


# Finding Side Lengths

Work with a partner. Find the side length s of each square. Explain your method.









Area = 
$$\frac{4}{9}$$
ft<sup>2</sup>

# **EXPLORATION 2**

# **Finding Solutions of Equations**

Work with a partner. Use mental math to solve each equation. How many solutions are there for each equation? Explain your reasoning.

# **Math Practice**

### Use Operations

How do the sign rules for multiplying integers help you find the solution(s) of each equation?

$$x^2 = 0$$

$$x^{2} = 9$$

$$x^2 = 1$$

$$x^2 = 16$$

$$x^2 = 4$$

$$x^2 = 25$$

# Lesson

### Key Vocabulary

square root, p. 374 perfect square, p. 374 radical sign, p. 374 radicand, p. 374

A square root of a number p is a number whose square is equal to p. So, a square root of a number p is a solution of the equation  $x^2 = p$ . Every positive number has a positive and a negative square root. A perfect square is a number with integers as its square roots.

# **EXAMPLE 1**

# Finding Square Roots of a Perfect Square



Zero has only one square root, which is 0. Find the two square roots of 49.

$$7^2 = 49$$
 and  $(-7)^2 = 49$ 

So, the square roots of 49 are 7 and −7.

Try It Find the two square roots of the number.

1. 36

2. 100

3. 121

The symbol \( \sqrt{ is called a \( \text{radical sign} \). It is used to represent a square root. The number under the radical sign is called the radicand.

- \( \psi \) represents the positive square root of \( p \).
- $-\sqrt{p}$  represents the *negative* square root of p.
- $\pm \sqrt{p}$  represents both square roots of p.

#### EXAMPLE 2 **Finding Square Roots**

Find the square root(s).

- a. V25
  - Because  $5^2 = 25$ ,  $\sqrt{25} = 5$ .
- V 25 represents the positive square root.

- b. −√49
  - Because  $7^2 = 49$ .  $-\sqrt{49} = -7$ .

—V49 represents the negative square root.

c. ± V16

- $\pm \sqrt{16}$  represents both the positive and the negative square roots.
- Because  $4^2 = 16$ ,  $\pm \sqrt{16} = -4$  and 4.

# Try It Find the square root(s).

4. V4

5. −√81

6. ±V64

Find the square root(s).

- - Because  $\binom{3}{4}^2 = \frac{9}{16}, \sqrt{\frac{9}{16}} = \frac{3}{4}$ .
- b. ±√2.25
  - Because  $1.5^2 = 2.25$ ,  $\pm \sqrt{2.25} = -1.5$  and 1.5.

Try It Find the square root(s).

7. 
$$-\sqrt{\frac{1}{100}}$$

8. 
$$\pm \sqrt{\frac{4}{25}}$$

V12.25

Squaring a number and finding a square root "undo" each other. So, they are inverse operations. For example,

$$\sqrt{4^2} = \sqrt{16} = 4$$
 and  $(\sqrt{4})^2 = 2^2 = 4$ .

You can use this relationship to evaluate expressions.

# EXAMPLE 4

# Evaluating Expressions Involving Square Roots

Evaluate the square root.

Evaluate each expression.

**a.** 
$$5\sqrt{36} + 7 = 5(6) + 7$$

$$= 30 + 7$$
 Multiply.

**b.** 
$$\frac{1}{4} + \sqrt{\frac{18}{2}} = \frac{1}{4} + \sqrt{9}$$
 Simplify.

$$=\frac{1}{4}+3$$
 Evaluate the square root.

$$=3\frac{1}{4}$$
 Add.

**c.** 
$$(\sqrt{81})^2 - 5 = 81 - 5$$
 Evaluate the power using inverse operations.  $= 76$  Subtract.

Try It Evaluate the expression.

**10.** 
$$12 - 3\sqrt{25}$$
 **11.**  $\sqrt{\frac{28}{7}} + 2.4$  **12.**  $15 - (\sqrt{4})^2$ 

**11.** 
$$\sqrt{\frac{28}{7}} + 2.4$$

**12.** 
$$15 - (\sqrt{4})^2$$

Because squaring a number and taking the square root are inverse operations, you can solve an equation of the form  $x^2 = p$  by taking the square root of each side.

# EXAMPLE 5

# Solving Equations Using Square Roots

Solve each equation.



When solving an equation by taking square roots, take both the positive and the negative square roots.

**a.** 
$$x^2 = 81$$

$$x^2 = 81$$

Write the equation.

$$x = \pm \sqrt{81}$$

Take the square root of each side.

$$x = \pm 9$$

Simplify.



The solutions are x = -9 and x = 9.

**b.** 
$$3a^2 = 48$$

$$3a^2 - 48$$

Write the equation.

$$a^2 = 16$$

Divide each side by 3.

$$a = \pm \sqrt{16}$$

Take the square root of each side.

$$a = \pm 4$$

Simplify.



The solutions are a = -4 and a = 4.

Try It Solve the equation.

**13.** 
$$k^2 = 169$$

**14.** 
$$7n^2 = 175$$

**15.** 
$$190 = 4b^2 - 6$$



# Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

FINDING SQUARE ROOTS Find the square root(s).

**16.** 
$$\sqrt{256}$$

17. 
$$-\sqrt{\frac{1}{9}}$$

EVALUATING EXPRESSIONS Evaluate the expression.

**19.** 
$$\sqrt{\frac{81}{9}} - 7$$

**20.** 
$$-1 - \sqrt{121}$$

**21.** 
$$5 + (\sqrt{6})^2$$

**SOLVING EQUATIONS** Solve the equation.

**22.** 
$$2r^2 = 162$$

**23.** 
$$d^2 + 5 = 41$$

**24.** 
$$-42 = 7b^2 - 385$$

376

# EXAMPLE 6

### **Modeling Real Life**

The area of a crop circle is 45,216 square feet. What is the radius of the crop circle?



You are given the area of a crop circle. You are asked to find the radius of the crop circle.



Make a plan.

Use the formula for the area of a circle. Substitute 45,216 for the area and 3.14 for  $\pi$ . Then solve for the radius.



$$A = \pi r^2$$

Write the formula for the area of a circle.

$$45.216 \approx 3.14r^2$$

Substitute 45,216 for A and 3.14 for  $\pi$ .

$$14.400 = r^2$$


Divide each side by 3.14.

$$\sqrt{14,400} = r$$

Take the positive square root of each side.

$$120 = r$$

Simplify.



The radius of the crop circle is about 120 feet.

Check Find the area of a circle with a radius of 120 feet.

$$A = \pi r^2 = \pi (120)^2 = 14,400 \,\pi \approx 45,216 \,\text{ft}^2$$



# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

**25.** Your distance d (in miles) from the horizon can be approximated by  $d = 1.22\sqrt{h}$ , where h is your eye level (in feet above ground level). What is your eye level when you are 9.76 miles from the horizon?



- **26.** DIG DEEPER! The speed s (in meters per second) of a tsunami can be modeled by the function  $s = \sqrt{9.8d}$ , where d is the water depth (in meters).
  - a. What is the speed of the tsunami when the water depth is 500 meters?
  - b. What happens to the speed of the tsunami as the depth decreases? Explain.

# Practice

# Review & Refresh

Evaluate the expression. Write your answer in scientific notation.

1. 
$$(4.3 \times 10^3) + (2.4 \times 10^3)$$

**2.** 
$$(1.5 \times 10^{-2}) - (3.5 \times 10^{-3})$$

3. 
$$9 \times (7 \times 10^{-2})$$

**4.** 
$$(6.6 \times 10^{-5}) \div (1.1 \times 10^{4})$$


Make a scatter plot of the data. Identify any outliers, gaps, or clusters.


5.	Length (meters), x	1	8	3.5	2	2.5	3	2.5	2.5	3	9
	Weight (pounds), y	4	33	17	8	9	9	8	8.5	11	36


6.	Volume (gallons), x	0.25	1	1	0.5	0.125	1	0.5	1
	Cost (dollars), y	0.99	3.95	3.99	5.50	0.50	4.05	2.00	4.00

# Concepts, Skills, & Problem Solving

FINDING SIDE LENGTHS Find the side length s of the square. (See Exploration 1, p. 373.)







FINDING SQUARE ROOTS OF A PERFECT SQUARE Find the two square roots of the number.

FINDING SQUARE ROOTS Find the square root(s).

**16.** 
$$-\sqrt{1600}$$

18. 
$$\sqrt{\frac{1}{16}}$$

**19.** 
$$\sqrt{\frac{49}{576}}$$

**20.** 
$$\pm \sqrt{\frac{1}{961}}$$

**21.** 
$$-\sqrt{\frac{9}{100}}$$

**22.** 
$$\pm \sqrt{4.84}$$

**26.** YOU BE THE TEACHER Your friend finds  $\pm \sqrt{\frac{1}{4}}$ . Is your friend correct? Explain your reasoning.



27. MODELING REAL LIFE The area of a square patch of fabric is 2.25 square inches. What is the side length of the patch?



28. CRITICAL THINKING There are two square roots of 25. Why is there only one answer for the radius of the button?

$$A = 25 \pi \, \text{mm}^2$$

W NUMBER SENSE Copy and complete the statement with <, >, or =.

31. 
$$\frac{3}{2}$$
  $\sqrt{\frac{25}{4}}$ 

#### EVALUATING EXPRESSIONS Evaluate the expression.

**32.** 
$$(\sqrt{9})^2 + 5$$

33. 
$$28 - (\sqrt{144})^2$$

**32.** 
$$(\sqrt{9})^2 + 5$$
 **33.**  $28 - (\sqrt{144})^2$  **34.**  $3\sqrt{16} - 5$  **35.**  $10 - 4\sqrt{\frac{1}{16}}$ 

**36.** 
$$\sqrt{6.76} + 5.4$$

37. 
$$8\sqrt{8.41} + 1.8$$

**38.** 
$$2\left(\sqrt{\frac{80}{5}}-5\right)$$

**36.** 
$$\sqrt{6.76 + 5.4}$$
 **37.**  $8\sqrt{8.41 + 1.8}$  **38.**  $2\left(\sqrt{\frac{80}{5} - 5}\right)$  **39.**  $4\left(\sqrt{\frac{147}{3} + 3}\right)$ 

**40.** Without calculating, describe how the value of  $\sqrt{\frac{1}{a}}$  changes as a increases. Assume a > 0.

### **SOLVING EQUATIONS** Solve the equation.

**41.** 
$$x^2 = 100$$

**42.** 
$$42 = d^2 - 22$$


**43.** 
$$4z^2 = 144$$

**44.** 
$$\sqrt{\frac{36}{9}} = \frac{1}{3}m^2 - 10$$
 **45.**  $0.25r^2 = 49$  **46.**  $3h^2 = h^2 + 18$ 

**45.** 
$$0.25r^2 = 49$$

**46.** 
$$3h^2 = h^2 + 18$$

47. YOU BE THE TEACHER Your friend solves the equation  $9x^2 = 36$ . Is your friend correct? Explain your reasoning.





48. PROBLEM SOLVING The period of a pendulum is the time the pendulum takes to complete one back-and-forth swing. The period T (in seconds) can be modeled by the function  $T = 1.1 \sqrt{L}$ , where L is the length (in feet) of the pendulum. Estimate the length of a pendulum with a period of 1.65 seconds.


- 49. MODELING REAL LIFE The area of a sail is 40 <sup>1</sup>/<sub>2</sub> square feet. The base and the height of the sail are equal. What is the height of the sail?
- 50. REASONING Is the product of two perfect squares always a perfect square? Explain your reasoning.
- **51. OPEN SOLVING** The kinetic energy K (in joules) of a falling apple is represented by  $K = \frac{v^2}{2}$ , where v is the speed of the apple (in meters per second). How fast is the apple traveling when the kinetic energy is 32 joules?





Area =  $4\pi$  cm<sup>2</sup>

- 52. PRECISION The areas of the two watch faces have a ratio of 16:25.
  - a. What is the ratio of the radius of the smaller watch face to the radius of the larger watch face?
  - b. What is the radius of the larger watch face?
- **53. PROBLEM SOLVING** The cost C (in dollars) of making a square window with a side length of n inches is represented by  $C = \frac{n^2}{5} + 175$ . A window costs \$355. What is the side length (in feet) of the window? Justify your answer.
- 54. DIG DEEPER Albert Einstein's most famous equation is  $E = mc^2$ , where E is the energy of an object (in joules), m is the mass of the object (in kilograms), and c is the speed of light (in meters per second). A hydrogen atom has  $15.066 \times 10^{-11}$  joule of energy and a mass of  $1.674 \times 10^{-27}$  kilogram. What is the speed of light? Write your answer in scientific notation.
- **55. @P GEOMETRY** The area of the triangle is represented by the formula  $A = \sqrt{s(s-21)(s-17)(s-10)}$ , where s is equal to half the perimeter. What is the height of the triangle?



56. WRITING Can you find the square root of a negative number? Explain.

**REASONING** Without solving, determine the number of solutions of the equation.

**57.** 
$$x^2 = 1$$

380

**58.** 
$$b^2 = -\sqrt{\frac{1}{9}}$$

**59.** 
$$z = \sqrt{-144}$$

# 9 2 The Pythagorean Theorem

Learning Target: Understand the Pythagorean Theorem.


Success Criteria: • I can explain the Pythagorean Theorem.

I can use the Pythagorean Theorem to find unknown side lengths of triangles.

I can use the Pythagorean Theorem to find distances between points in a coordinate plane.

#### FLORIDA STANDARDS

MAFS.8.EE.1.2 MAFS.8.G.2.6 MAFS.8.G.2.7 MAFS.8.G.2.8 Pythagoras was a Greek mathematician and philosopher who proved one of the most famous rules in mathematics. In mathematics, a rule is called a **theorem**. So, the rule that Pythagoras proved is called the *Pythagorean Theorem*.




Pythagoras (c. 570-c. 490 B.c.)

### **EXPLORATION 1**

### Discovering the Pythagorean Theorem

Work with a partner.

- On grid paper, draw a right triangle with one horizontal side and one vertical side.
- Label the lengths of the two shorter sides a and b. Label the length of the longest side c.
- Draw three squares that each share a side with your triangle. Label the areas of the squares a<sup>2</sup>, b<sup>2</sup>, and c<sup>2</sup>.
- Cut out each square. Then make eight copies of the right triangle and cut them out.



# Math Practice

#### Construct Arguments

Is the relationship among  $a^2$ ,  $b^2$ , and  $c^2$  true for all right triangles? Explain.

- **a.** Arrange the figures to show how  $a^2$  and  $b^2$  relate to  $c^2$ . Use an equation to represent this relationship.
- b. Estimate the side length c of your triangle. Then use the relationship in part (a) to find c. Compare the values.

# Lesson

# Key Vocabulary


theorem, p. 381 legs, p. 382 hypotenuse, p. 382 Pythagorean Theorem, p. 382

> In a right triangle, the legs are the shorter sides and the hypotenuse is always the longest side.



### Sides of a Right Triangle

The sides of a right triangle have special names.



### The Pythagorean Theorem


Words In any right triangle, the sum of the squares of the lengths of the legs is equal to the square of the length of the hypotenuse.

Algebra 
$$a^2 + b^2 = c^2$$

# EXAMPLE 1

# Finding the Length of a Hypotenuse

Find the length of the hypotenuse of the triangle.




$$a^2+b^2=c^2$$
 Write the Pythagorean Theorem.  
 $5^2+12^2=c^2$  Substitute 5 for a and 12 for b.  
 $25+144=c^2$  Evaluate the powers.  
 $169=c^2$  Add.

The length of the hypotenuse is 13 meters.

# Try It Find the length of the hypotenuse of the triangle.

1. 8 ft 15 ft

13 = c




Take the positive square root of each side.

382

# **EXAMPLE 2** Finding the Length of a Leg

Find the missing length of the triangle.



$$a^2 + b^2 = c^2$$

Write the Pythagorean Theorem.

$$a^2 + 2.1^2 = 2.9^2$$

Substitute 2.1 for b and 2.9 for c.

$$a^2 + 4.41 = 8.41$$

Evaluate the powers.

$$a^2 = 4$$

Subtract 4.41 from each side.

$$a = 2$$


Take the positive square root of each side.




The missing length is 2 centimeters.

Try It Find the missing length of the triangle.

3.






You can use right triangles and the Pythagorean Theorem to find lengths of three-dimensional figures.

# **EXAMPLE 3**

# Finding a Length of a Three-Dimensional Figure



Find the slant height of the square pyramid.

$$a^2 + b^2 = c^2$$

Write the Pythagorean Theorem.

$$6.4^2 + 4.8^2 = c^2$$

Substitute 6.4 for a and 4.8 for b.

$$40.96 + 23.04 = c^2$$

Evaluate the powers.

$$64 = c^2$$

Add.


$$8 = c$$

Take the positive square root of each side.


The slant height is 8 inches.

Try It Find x.

5.




6.



You can use right triangles and the Pythagorean Theorem to find distances between points in a coordinate plane.

# EXAMPLE 4

# Finding a Distance in a Coordinate Plane



Find the distance between (-2, 5) and (4, -3).

Plot the points in a coordinate plane. Then draw a right triangle with a hypotenuse that represents the distance between the points.

Use the Pythagorean Theorem to find the length of the hypotenuse.

$$a^2 + b^2 = c^2$$

Write the Pythagorean Theorem.

$$8^2 + 6^2 = c^2$$

Substitute 8 for a and 6 for b.

$$64 + 36 = c^2$$

Evaluate the powers.

$$100 = c^2$$

Add.

$$10 - c$$

Take the positive square root of each side.



The distance between (-2, 5) and (4, -3) is 10 units.

Try It Find the distance between the points.




# Self-Assessment for Concepts & Skills


Solve each exercise. Then rate your understanding of the success criteria in your journal.

#### FINDING A MISSING LENGTH Find x.

9.



10.



- FINDING A DISTANCE Find the distance between (-5, 2) and (7, -7).
- 12. DIFFERENT WORDS, SAME QUESTION Which is different? Find "both" answers.



b

Which side is the hypotenuse?

Which side is the longest?

Which side is a leg?


Which side is opposite the right angle?

384

# EXAMPLE 5

# **Modeling Real Life**

You play capture the flag. You are 50 yards north and 20 yards east of your team's base. The other team's base is 80 yards north and 60 yards east of your base. How far are you from the other team's base?



- Step 1: Draw the situation in a coordinate plane. Let the origin represent your team's base. From the descriptions, you are at (20, 50) and the other team's base is at (60, 80).
- Step 2: Draw a right triangle with a hypotenuse that represents the distance between you and the other team's base. The lengths of the legs are 30 yards and 40 yards.
- Step 3: Use the Pythagorean Theorem to find the length of the hypotenuse.

$$a^2 + b^2 = c^2$$

Write the Pythagorean Theorem.

$$30^2 + 40^2 = c^2$$

Substitute 30 for a and 40 for b.

$$900 + 1600 = c^2$$

Evaluate the powers.

$$2500 = c^2$$

Add.

$$50 = c$$

Take the positive square root of each side.



So, you are 50 yards from the other team's base.




# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



13. A zookeeper knows that an escaped red panda is hiding somewhere in the triangular region shown. What is the area (in square miles) that the zookeeper needs to search? Explain.



14. DIG DEEPER Objects detected by radar are plotted in a coordinate plane where each unit represents 1 mile. The point (0, 0) represents the location of a shipyard. A cargo ship is traveling at a constant speed and in a constant direction parallel to the coastline. At 9 A.M., the radar shows the cargo ship at (0, 15). At 10 A.M., the radar shows the cargo ship at (16, 15). How far is the cargo ship from the shipyard at 4 P.M.? Explain.

# 9.2 Practice



# Review & Refresh

Solve the equation.

1. 
$$7z^2 = 252$$

**2.** 
$$0.75q^2 = 108$$


3. 
$$\sqrt{\frac{1000}{10}} = n^2 - 54$$

- **4.** What is the solution of the system of linear equations y = 4x + 1 and 2x + y = 13?
  - A. (1, 5)
- B. (5, 3)
- C. (2, 9)
- D. (9, 2)


# Concepts, Skills, & Problem Solving

USING GRID PAPER Find c. (See Exploration 1, p. 381.)

5.





6.




### FINDING A MISSING LENGTH Find the missing length of the triangle.


7.









10.




11.



12.




13. YOU BE THE TEACHER Your friend finds the missing length of the triangle. Is your friend correct? Explain your reasoning.




386

#### FINDING LENGTHS OF THREE-DIMENSIONAL FIGURES Find x.


14.




15.



16.



17.



#### FINDING DISTANCES IN THE COORDINATE PLANE Find the distance between the points.


**19.** 
$$(1, 2), (-3, 5)$$

**21.** 
$$(-7, -2), (13, -23)$$


**23.** 
$$(-13, -3.5), (17, 2)$$

#### FINDING A MISSING LENGTH Find x.


24.




25.




- 26. MODELING REAL LIFE The figure shows the location of a golf ball after a tee shot. How many feet from the hole is the ball?
- 27. MODELING REAL LIFE A tennis player asks the referee a question. The sound of the player's voice travels 30 feet. Can the referee hear the question? Explain.







- 28. PROBLEM SOLVING You are cutting a rectangular piece of fabric in half along a diagonal. The fabric measures 28 inches wide and 1 yards long. What is the length (in inches) of the diagonal?
- 29. PROJECT Measure the length, width, and height of a rectangular room. Use the Pythagorean Theorem to find the distance from B to C and the distance from A to B.




- 30. STRUCTURE The legs of a right triangle have lengths of 28 meters and 21 meters. The hypotenuse has a length of 5x meters. What is the value of x?
- 31. PRECISION You and a friend stand back-to-back. You run 20 feet forward, then 15 feet to your right. At the same time, your friend runs 16 feet forward, then 12 feet to her right. She stops and hits you with a snowball.
  - Draw the situation in a coordinate plane.
  - b. How far does your friend throw the snowball?



- 32. MODELING REAL LIFE The coordinate plane shows dig sites for archaeological research. Each unit on the grid represents 1 square foot. What is the distance from Site A to Site C?
- 33. PRECISION A box has a length of 30 inches, a width of 40 inches, and a height of 120 inches. Can a cylindrical rod with a length of 342.9 centimeters fit in the box? Explain your reasoning.
- 34. MODELING REAL LIFE A green roof is like a traditional roof but covered with plants. Plants used for a green roof cost \$0.75 per square foot. The roof at the right is 40 feet long. How much does it cost to cover both sides of the roof? Justify your answer.





- 35. CRITICAL THINKING A triangle has coordinates A(2, 1), B(2, 4), and C(5, 1). Write an expression for the length of BC. Use a calculator to find the length of BC to the nearest hundredth.
- **36. DIG DEEPER** Write an equation for the distance d between the points  $(x_1, y_1)$  and  $(x_2, y_2)$ . Explain how you found the equation.

# 9 3 Finding Cube Roots

Learning Target: Understand the concept of a cube root of a number.

Success Criteria: • I can find cube roots of numbers.

- I can evaluate expressions involving cube roots.
- I can use cube roots to solve equations.

# **EXPLORATION 1**

# **Finding Edge Lengths**


Work with a partner. Find the edge length s of each cube. Explain your method.

# **Math Practice**


#### Consider Similar Problems

How is finding the edge length of a cube with a given volume similar to finding the side length of a square with a given area? Volume = 8 cm3

Volume = 27 ft3




 $Volume = 125 \text{ m}^3$ 




**FLORIDA** STANDARDS


MAFS.8.EE.1.2



 $Volume = 0.001 \text{ cm}^3$ 



Volume =  $\frac{1}{8}$  yd<sup>3</sup>



# **EXPLORATION 2**

# Finding Solutions of Equations

Work with a partner. Use mental math to solve each equation. How many solutions are there for each equation? Explain your reasoning.

$$x^3 = -27$$

$$x^3 = 1$$

$$x^3 = -8$$

$$x^3 = 8$$

$$x^3 = -1$$

$$x^3 = 27$$

# Lesson

### Key Vocabulary

cube root, p. 390 perfect cube, p. 390 A cube root of a number p is a number whose cube is equal to p. So, a cube root of a number p is a solution of the equation  $x^3 = p$ . The symbol  $\sqrt[3]{}$  is used to represent a cube root. A perfect cube is a number that can be written as the cube of an integer.

### **EXAMPLE 1**

# Finding Cube Roots

Find each cube root.

**a.** 
$$\sqrt[3]{8}$$

Because 
$$2^3 = 8$$
,  $\sqrt[3]{8} = 2$ .

**b.** 
$$\sqrt[3]{-27}$$

Because 
$$(-3)^3 = -27$$
,  $\sqrt[3]{-27} = -3$ .

c. 
$$\sqrt[3]{\frac{1}{64}}$$

Because 
$$\left(\frac{1}{4}\right)^3 = \frac{1}{64}, \sqrt[3]{\frac{1}{64}} = \frac{1}{4}.$$

Try It Find the cube root.

1. 
$$\sqrt[3]{1}$$

3. 
$$\sqrt[3]{-\frac{27}{1000}}$$

Cubing a number and finding a cube root "undo" each other. So, they are inverse operations. For example,

$$\sqrt[3]{8^3} = \sqrt[3]{512} = 8$$
 and  $(\sqrt[3]{8})^3 = 2^3 = 8$ .

You can use this relationship to evaluate expressions.

### EXAMPLE 2

# **Evaluating Expressions Involving Cube Roots**

Evaluate each expression.

**a.** 
$$2\sqrt[3]{-216} = 2(-6)$$

Evaluate the cube root.

$$= -12$$

Multiply.

**b.** 
$$(\sqrt[3]{125})^3 + 21 = 125 + 21$$

Evaluate the power using inverse operations.

$$= 146$$

Add.

Try It Evaluate the expression.

4. 
$$18 - 4\sqrt[3]{8}$$

**4.** 
$$18 - 4\sqrt[3]{8}$$
 **5.**  $(\sqrt[3]{-64})^3 + 43$  **6.**  $5\sqrt[3]{512} - 19$ 

**6.** 
$$5\sqrt[3]{512} - 19$$

Because cubing a number and taking the cube root are inverse operations, you can solve equations of the form  $x^3 = p$  by taking the cube root of each side.

# EXAMPLE 3

# Solving Equations Using Cube Roots

Solve each equation.

#### Check

$$x^{3} = 216$$
 $6^{3} \stackrel{?}{=} 216$ 
 $216 = 216$ 

**a.** 
$$x^3 = 216$$

$$x^3 = 216$$

$$\sqrt[3]{x^3} = \sqrt[3]{216}$$

$$x = 6$$

Write the equation.

Take the cube root of each side.

Simplify.

The solution is x = 6.

Check
$$-\frac{1}{4}n^{3} = 2$$

$$-\frac{1}{4}(-2)^{3} \stackrel{?}{=} 2$$

$$-\frac{1}{4}(-8) \stackrel{?}{=} 2$$

$$2 = 2$$

**b.** 
$$-\frac{1}{4}n^3 = 2$$

$$-\frac{1}{4}n^3 = 2$$
$$n^3 = -$$

Write the equation.

$$n^3 = -8$$

Multiply each side by -4.

$$\sqrt[3]{n^3} = \sqrt[3]{-8}$$

Take the cube root of each side.

$$n = -2$$

Simplify.



The solution is n = -2.

### Try It Solve the equation.

**7.** 
$$z^3 = -1000$$
 **8.**  $3b^3 = 1029$ 

8. 
$$3b^3 = 1029$$

9. 
$$33 = -\frac{1}{5}m^3 + 8$$



# Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

#### FINDING CUBE ROOTS Find the cube root.

**10.** 
$$\sqrt[3]{64}$$

**11.** 
$$\sqrt[3]{-216}$$

**12.** 
$$\sqrt[3]{-\frac{343}{100}}$$

### **EVALUATING EXPRESSIONS** Evaluate the expression.

**13.** 
$$(\sqrt[3]{-27})^3 + 61$$

**14.** 
$$15 + 3\sqrt[3]{125}$$

**15.** 
$$2\sqrt[3]{-729} - 5$$

### SOLVING EQUATIONS Solve the equation.

**16.** 
$$d^3 = 512$$

17. 
$$w^3 - 12 = -76$$

**16.** 
$$d^3 = 512$$
 **17.**  $w^3 - 12 = -76$  **18.**  $-\frac{1}{3}m^3 + 13 = 4$ 

# EXAMPLE 4

### **Modeling Real Life**

The baseball display case is made of plastic. How many square inches of plastic are used to make the case?

The case is in the shape of a cube. Use the formula for the volume of a cube to find the edge length s.

$$V = s^3$$

Write the formula for volume.

$$125 = s^3$$


Substitute 125 for V.

$$\sqrt[3]{125} = \sqrt[3]{s^3}$$

Take the cube root of each side.

$$5 = s$$

Simplify.



5

The edge length is 5 inches. Use a formula to find the surface area of the cube.

$$S = 6s^{2}$$

Write the formula for surface area.

$$=6(5)^2$$

Substitute 5 for s.

$$= 150$$

Simplify.



So, 150 square inches of plastic are used to make the case.




# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

19. You have 275 square inches of wrapping paper. Do you have enough wrapping paper to wrap the gift box shown? Explain.



20. A cube-shaped end table has a volume of 216,000 cubic centimeters. Does the end table fit in the corner shown? Justify your answer.



21. DIG DEEPER! The relationship between the volumes and the lengths of two cereal boxes is represented by

$$\frac{\text{Volume of Box A}}{\text{Volume of Box B}} = \left(\frac{\text{Length of Box A}}{\text{Length of Box B}}\right)^3.$$

Box A has a volume of 192 cubic inches and a length of 8 inches. Box B has a volume of 375 cubic inches. What is the length of Box B? Justify your answer.


# **Practice**




# Review & Refresh

Find the missing length of the triangle.

1.



2.



3. Which linear function is shown by the table?

**A.** 
$$y = \frac{1}{3}x + 1$$

**B.** 
$$y = 4x$$


**C.** 
$$y = 3x + 1$$
 **D.**  $y = \frac{1}{4}x$ 


**D.** 
$$y = \frac{1}{4}x$$


X	1	2	3	4
У	4	7	10	13

# Concepts, Skills, & Problem Solving

FINDING EDGE LENGTHS Find the edge length s of the cube. (See Exploration 1, p. 389.)







#### FINDING CUBE ROOTS Find the cube root.

11. 
$$\sqrt[3]{-\frac{1}{512}}$$

**12.** 
$$\sqrt[3]{\frac{343}{64}}$$

### EVALUATING EXPRESSIONS Evaluate the expression.

**13.** 
$$18 - (\sqrt[3]{27})^3$$

**14.** 
$$\left(\sqrt[3]{-\frac{1}{8}}\right)^3 + 3\frac{3}{4}$$

**15.** 
$$5\sqrt[3]{729} - 24$$

**16.** 
$$\frac{1}{4} - 2\sqrt[3]{\frac{1}{216}}$$

**17.** 
$$54 + \sqrt[3]{-4096}$$

**18.** 
$$4\sqrt[3]{8000} - 6$$

EVALUATING EXPRESSIONS Evaluate the expression for the given value of the variable.

**19.** 
$$\sqrt[3]{\frac{n}{4}} + \frac{n}{10}$$
,  $n = 500$ 

**20.** 
$$\sqrt[3]{6w} - w, w = 288$$

**21.** 
$$2d + \sqrt[3]{-45d}, d = 75$$

#### SOLVING EQUATIONS Solve the equation.

**22.** 
$$x^3 = 8$$

**23.** 
$$t^3 = -343$$

**25.** 
$$-\frac{1}{2}z^3 = -108$$

**26.** 
$$2h^3 - 11 = 43$$

**24.** 
$$-75 = y^3 + 50$$

**25.** 
$$-\frac{1}{2}z^3 = -108$$
 **26.**  $2h^3 - 11 = 43$  **27.**  $-600 = \frac{2}{5}k^3 + 750$ 

- 28. MODELING REAL LIFE The volume of a cube-shaped compost bin is 27 cubic feet. What is the edge length of the compost bin?
- 29. MODELING REAL LIFE The volume of a cube of ice for an ice sculpture is 64,000 cubic inches.
  - a. What is the edge length of the cube of ice?
  - b. What is the surface area of the cube of ice?
- 30. WP NUMBER SENSE There are three numbers that are their own cube roots. What are the numbers?



### REASONING Copy and complete the statement with <, >, or =.


31. 
$$-\frac{1}{4}$$
  $\sqrt[3]{-\frac{8}{125}}$ 

**32.** 
$$\sqrt[3]{0.001}$$
 0.01 **33.**  $\sqrt[3]{64}$   $\sqrt{64}$ 

**33.** 
$$\sqrt[3]{64}$$
  $\sqrt{64}$ 



- 34. DIG DEEPER! You bake a dessert in the baking pan shown. You cut the dessert into cube-shaped pieces of equal size. Each piece has a volume of 8 cubic inches. How many pieces do you get from one pan? Justify your answer.
- 35. WD LOGIC Determine whether each statement is true for square roots. Then determine whether each statement is true for cube roots. Explain your reasoning,
  - You cannot find the square root of a negative number.
  - Every positive number has a positive square root and a negative square root.
- 36. GEOMETRY The pyramid has a volume of 972 cubic inches. What are the dimensions of the pyramid?
- REASONING The ratio 125:x is equivalent to the ratio  $x^2$ : 125. What is the value of x?



#### CRITICAL THINKING Solve the equation.

**38.** 
$$(3x+4)^3 = 2197$$

**39.** 
$$(8x^3 - 9)^3 = 5832$$

**38.** 
$$(3x+4)^3 = 2197$$
 **39.**  $(8x^3-9)^3 = 5832$  **40.**  $((5x-16)^3-4)^3 = 216,000$ 

394

# 9.4. Rational Numbers

Learning Target: Convert between different forms of rational numbers.

Success Criteria: • I can explain the meaning of rational numbers.

- I can write fractions and mixed numbers as decimals.
- · I can write repeating decimals as fractions or mixed numbers.

#### **EXPLORATION 1**

#### **Writing Repeating Decimals as Fractions**

FLORIDA STANDARDS MAFS.8.NS.1.1 Work with a partner.

Complete the table.

×	10x	
x = 0.333	10x = 3.333	
x = 0.666		
x = 0.111		
x = 0.2444		

#### **Math Practice**

Look for Structure

Why was it helpful to multiply each side of the equation x = d by 10 in part (a)?

- b. For each row of the table, use the two equations and what you know about solving systems of equations to write a third equation that does not involve a repeating decimal. Then solve the equation. What does your solution represent?
- c. Write each repeating decimal below as a fraction. How is your procedure similar to parts (a) and (b)? How is it different?

$$x = 0.\overline{12}$$
  $x = 0.\overline{45}$   $x = 0.\overline{940}$ 

d. Explain how to write a repeating decimal with n repeating digits as a fraction.



## Lesson

You can think of a terminating decimal as a decimal that has repeating zeros at the end.

Recall that a rational number is a number that can be written as  $\frac{a}{b}$ , where a and b are integers and  $b \neq 0$ . Every rational number can be written as a decimal that will either terminate or repeat.

#### Terminating Decimals

Repeating Decimals

$$0.25, 4.736, -1.03$$

$$5.222..., -4.\overline{38}, 12.\overline{015}$$

A rational number that can be written as  $\frac{a}{b}$ , where a is an integer and b is a power of 10, has a decimal form that terminates.

#### EXAMPLE 1

#### Writing Fractions and Mixed Numbers as Decimals

a. Write  $1\frac{4}{25}$  as a decimal.

Notice that  $1\frac{4}{25} = \frac{29}{25}$ . Because  $\frac{29}{25}$  can be written as  $\frac{a}{b}$ , where a is an integer and b is a power of 10, the decimal form of the number terminates.


$$\frac{29}{25} = \frac{29 \times 4}{25 \times 4} = \frac{116}{100} = 1.16$$

So, 
$$1\frac{4}{25} = 1.16$$
.

b. Write  $\frac{5}{33}$  as a decimal.

Because  $\frac{5}{33}$  cannot be written as  $\frac{a}{b'}$  where a is an integer and b is a power of 10, the decimal form of the number does not terminate.

Use long division to divide 5 by 33.





So, 
$$\frac{5}{33} = 0.\overline{15}$$
.

Try It Write the fraction or mixed number as a decimal.

1. 
$$\frac{3}{15}$$

2. 
$$-\frac{2}{9}$$

**2.** 
$$-\frac{2}{9}$$
 **3.**  $4\frac{3}{8}$  **4.**  $2\frac{6}{11}$ 

4. 
$$2\frac{6}{11}$$

396

All terminating decimals and all repeating decimals are rational numbers, so you can write them as fractions.

You have previously written terminating decimals as fractions. To write a repeating decimal d as a fraction, subtract the equation x = d from the equation  $10^n x = 10^n d$ , where n is the number of repeating digits. Then solve for x.

#### EXAMPLE 2

#### Writing a Repeating Decimal as a Fraction



Write 1.25 as a mixed number.

Let 
$$x = 1.25$$
.

$$x = 1.\overline{25}$$

Write the equation.

$$100 \cdot x = 100 \cdot 1.\overline{25}$$

There are 2 repeating digits, so multiply each side by  $10^2 = 100$ .

$$100x = 125.\overline{25}$$

Simplify.

$$-(x = 1.\overline{25})$$


Subtract the original equation.

$$99x = 124$$

Simplify.

$$x = \frac{124}{99}$$

Solve for x.



Try It Write the decimal as a fraction or a mixed number.

8. 
$$-4.\overline{50}$$



## Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

VOCABULARY How can you identify a rational number?

WRITING FRACTIONS OR MIXED NUMBERS AS DECIMALS Write the fraction or mixed number as a decimal.

10. 
$$\frac{9}{50}$$

11. 
$$-\frac{7}{18}$$

12. 
$$3\frac{4}{9}$$

**11.** 
$$-\frac{7}{18}$$
 **12.**  $3\frac{4}{9}$  **13.**  $-12\frac{1}{6}$ 

WRITING A REPEATING DECIMAL AS A FRACTION Write the repeating decimal as a fraction or a mixed number.

#### **EXAMPLE 3** Modeling Real Life



The weight of an object on the moon is about 0.16 times its weight on Earth. An astronaut weighs 192 pounds on Earth. How much does the astronaut weigh on the moon?

Write  $0.1\overline{6}$  as a fraction. Then use the fraction to find the astronaut's weight on the moon.

Let 
$$x = 0.16$$
.

$$x = 0.1\overline{6}$$
 Write the equation.

$$10 \cdot x = 10 \cdot (0.1\overline{6})$$
 There is 1 repeating digit, so multiply each side by  $10^1 = 10$ .

$$10x = 1.\overline{6}$$
 Simplify.

$$-(x = 0.16)$$
 Subtract the original equation.

$$9x = 1.5$$
 Simplify.

$$x = \frac{1.5}{9}$$
 Solve for x.

The weight of an object on the moon is about  $\frac{1.5}{9} = \frac{15}{90} = \frac{1}{6}$  times its weight on Earth.



So, an astronaut who weighs 192 pounds on Earth weighs about  $\frac{1}{c} \cdot 192 = 32$  pounds on the moon.



## Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



- 18. A fun house mirror distorts the image it reflects. Objects reflected in the mirror appear 1.3 times taller. When a five-foot-tall person looks in the mirror, how tall does he appear?
- 19. An exchange rate represents the value of one currency relative to another. Your friend visits a country that uses a local currency with an exchange rate of 1.265 units of the local currency to \$1. If a bank charges \$2 to change currency, how many units of the local currency does your friend receive when she gives the bank \$200?
- 20. DIG DEEPER! A low fuel warning appears when a particular car has 0.0146 of a tank of gas remaining. The car holds 18.5 gallons of gas and can travel 36 miles for each gallon used. How many miles can the car travel after the low fuel warning appears?

## 9.4 Practice

## Review & Refresh

Evaluate the expression.

1. 
$$2 + \sqrt[3]{27}$$

2. 
$$1 - \sqrt[3]{8}$$


3. 
$$7\sqrt[3]{125} - 12$$

Find the measures of the interior angles of the triangle.


4.



5



6.



# Concepts, Skills, & Problem Solving

WRITING REPEATING DECIMALS AS FRACTIONS Write the repeating decimal as a fraction. (See Exploration 1, p. 395.)

WRITING FRACTIONS OR MIXED NUMBERS AS DECIMALS Write the fraction or mixed number as a decimal.

10. 
$$-\frac{3}{20}$$

11. 
$$9\frac{1}{12}$$

12. 
$$\frac{5}{36}$$

13. 
$$6\frac{1}{40}$$

14. 
$$\frac{11}{75}$$

**15.** 
$$-2\frac{7}{18}$$

**16. PRECISION** Your hair is  $\frac{5}{16}$  inch long. Write this length as a decimal.

WRITING A REPEATING DECIMAL AS A FRACTION Write the repeating decimal as a fraction or a mixed number.

17. 
$$-0.\overline{5}$$



23. STRUCTURE A forecast cone defines the probable path of a tropical cyclone. The probability that the center of a particular tropical cyclone remains within the forecast cone is 0.8. Write this probability as a fraction.

- STRUCTURE Describe how to write a decimal with 12 repeating digits as a fraction.
- **25.** Write this  $\frac{22}{\pi}$ . Write this number as a repeating decimal.
- 26. MODELING REAL LIFE The density of iodine is about 6.281 times the density of acetone. The density of acetone is about 785 kilograms per cubic meter. What is the density of iodine? Write your answer as a repeating decimal.
- 27. MODELING REAL LIFE A disinfectant manufacturer suggests that its product kills 99.98% of germs. Write this percent as a repeating decimal and then as a fraction. How many germs would survive when the disinfectant is applied to an object with 18,000 germs?





- 28. MODELING REAL LIFE You and your friend are making pear tarts for a bake sale. Your recipe uses  $\frac{7}{6}$  times the weight of the diced pears used in your friend's recipe. Your friend's recipe calls for 0.3 pound of diced pears. How many pounds of pears should you buy to have enough for both recipes?
- PROBLEM SOLVING The table shows the principal and interest earned per year for each of three savings accounts with simple annual interest. Which account has the greatest interest rate? Justify your answer.

	Principal	Interest Earned
Account A	\$90.00	\$4.00
Account B	\$120.00	\$5.50
Account C	\$100.00	\$4.80



30. DIG DEEPER! The probability that an athlete makes a half-court basketball shot is 22 times the probability that the athlete makes a three-quarter-court shot. The probability that the athlete makes a three-quarter-court shot is 0.009. What is the probability that the athlete makes a half-court shot? Write your answer as a percent.



MD NUMBER SENSE Determine whether the numbers are equal. Justify your answer.

31. 
$$\frac{9}{22}$$
 and  $0.4\overline{09}$ 

32. 
$$\frac{1}{999}$$
 and 0

33. 
$$\frac{135}{90}$$
 and 1.5

#### ADDING AND SUBTRACTING RATIONAL NUMBERS Add or subtract.

**34.** 
$$0.4\overline{09} + 0.6\overline{81}$$

**35.** 
$$-0.\overline{63} + \frac{5}{99}$$

**34.** 
$$0.4\overline{09} + 0.6\overline{81}$$
 **35.**  $-0.\overline{63} + \frac{5}{99}$  **36.**  $\frac{11}{6} - 0.\overline{27}$  **37.**  $0.\overline{03} - 0.\overline{04}$ 

**37.** 
$$0.\overline{03} - 0.\overline{04}$$

38. We STRUCTURE Write a repeating decimal that is between  $\frac{9}{7}$  and  $\frac{10}{7}$ . Justify your answer.

# 9 5 Irrational Numbers

Learning Target: Understand the concept of irrational numbers.

Success Criteria: • I can classify real numbers as rational or irrational.


- I can approximate irrational numbers.
- I can solve real-life problems involving irrational numbers.

#### **EXPLORATION 1**

FLORIDA STANDARDS MAFS.8.NS.1.1 MAFS.8.NS.1.2

#### **Approximating Square Roots**

Work with a partner. Use the square shown.




#### **Math Practice**

#### Communicate Precisely

How does the prefix "ir-" help you understand the term irrational number?

- a. Find the exact length x of the diagonal. Is this number a rational number or an irrational number? Explain.
- b. The value of x is between which two whole numbers? Explain your reasoning.
- c. Use the diagram below to approximate the length of the diagonal to the nearest tenth. Explain your method.



d. Which of the following is the closest approximation of the length of the diagonal? Justify your answer using inverse operations.

1.412

1.413

1.414

1.415

401

## Lesson

#### Key Vocabulary

irrational number. p. 402

real numbers, p. 402

An irrational number is a number that is not rational. So, an irrational number cannot be written as  $\frac{a}{b}$ , where a and b are integers and  $b \neq 0$ .


- · The square root of any whole number that is not a perfect square is irrational. The cube root of any integer that is not a perfect cube is irrational. Another example of an irrational number is  $\pi$ .
- · Every number can be written as a decimal. The decimal form of an irrational number neither terminates nor repeats.



#### **Real Numbers**

Rational numbers and irrational numbers together form the set of real numbers.

Remember The decimal form of a rational number either terminates or repeats.



#### **EXAMPLE 1** Classifying Real Numbers

#### Classify each real number.

When classifying a real number, list all the subsets in which the number belongs.

Number		Subset(s)	Reasoning 12 is not a perfect square.		
0.	$\sqrt{12}$ Irrational				
	-0.25	Rational	$-0.\overline{25}$ is a repeating decimal.		
	$-\sqrt{9}$	Integer, Rational	$-\sqrt{9}$ is equal to $-3$ .		
	$\sqrt[3]{15}$ Irrational		15 is not a perfect cube.		
	π	<u>Irrational</u>	The decimal form of $\pi$ neither terminates nor repeats.		

#### Try It Classify the real number.

- 1. 0.121221222...
- -√196
- 3. V2

402

#### **EXAMPLE 2** Approximating an Irrational Number

Approximate  $\sqrt{71}$  to the nearest (a) integer and (b) tenth.

Make a table of numbers whose squares are close to 71

Square of Number Number 7 49 8 64 9 81 10 100


a.	make a table of numbers whose squares are close to 71.
	The table shows that 71 is between the perfect squares 64 and 81.
	Because 71 is closer to 64 than to 81, $\sqrt{71}$ is closer to 8 than to 9.





So, 
$$\sqrt{71} \approx 8$$
.

- Square of Number Number 8.3 68.89 8.4 70.56 72.25 8.5 8.6 73.96
- b. Make a table of numbers between 8 and 9 whose squares are close to 71. Because 71 is closer to 70.56 than to 72.25,  $\sqrt{71}$  is closer to 8.4 than to 8.5.





So, 
$$\sqrt{71} \approx 8.4$$
.

#### Try It Approximate the number to the nearest (a) integer and (b) tenth.

**5.** 
$$-\sqrt{13}$$
 **6.**  $-\sqrt{24}$ 

## **EXAMPLE 3** Comparing Irrational Numbers



You can use the same procedure to approximate cube roots as you used for square roots.

Which is greater,  $\sqrt{35}$  or  $\sqrt[3]{80}$ ?

Approximate √35.

Notice that 35 is between  $5^2 = 25$ and  $6^2 = 36$ . Because 35 is closer to 36 than to 25,  $\sqrt{35}$  is a little less than 6.

Approximate  $\sqrt[3]{80}$ .

Notice that 80 is between  $4^3 = 64$ and  $5^3 = 125$ . Because 80 is closer to 64 than to 125,  $\sqrt[3]{80}$  is a little greater than 4.






So, 
$$\sqrt{35} > \sqrt[3]{80}$$
.

#### Try It Which number is greater? Explain.

**9.** 
$$\sqrt[3]{65}$$
,  $\sqrt{26}$ 

**10.** 
$$-\sqrt{2}$$
,  $-\sqrt[3]{10}$ 

#### **EXAMPLE 4** Using the Pythagorean Theorem



Approximate the distance between (-4, -3) and (3, -5) to the nearest tenth.

Plot the points in a coordinate plane. Then draw a right triangle with a hypotenuse that represents the distance between the points.

Use the Pythagorean Theorem to find the length of the hypotenuse.

$$a^2 + b^2 = c^2$$

Write the Pythagorean Theorem.

$$2^2 + 7^2 = c^2$$

Substitute 2 for a and 7 for b.

$$4 + 49 = c^2$$

Evaluate the powers.

$$53 = c^2$$

Add.

$$\sqrt{53} = c$$

Take the positive square root of each side.



The distance between (-4, -3) and (3, -5) is  $\sqrt{53} \approx 7.3$  units.

Try It Approximate the distance between the points to the nearest tenth.

**11.** 
$$(-3, -1)$$
 and  $(-2, -2)$  **12.**  $(1, -1)$  and  $(5, 4)$ 



## Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

15. VOCABULARY How are rational numbers and irrational numbers different?

CLASSIFYING REAL NUMBERS Classify the real number.

16. 
$$\frac{48}{16}$$

**17.** 
$$-\sqrt{76}$$

**18.** 
$$\sqrt[3]{-216}$$

APPROXIMATING AN IRRATIONAL NUMBER Approximate the number to the nearest (a) integer and (b) tenth.

**21.** 
$$\sqrt[3]{60}$$

22. WHICH ONE DOESN'T BELONG? Which number does not belong with the other three? Explain your reasoning.

$$-\frac{11}{12}$$

$$-3.\overline{3}$$

#### **EXAMPLE 5**

#### **Modeling Real Life**



The equation  $d^2 = 1.37h$  represents the relationship between the distance d (in nautical miles) you can see with a periscope and the height h (in feet) of the periscope above the water. About how far can you see when the periscope is 3 feet above the water?

Use the equation to find d when h = 3.

 $d^2 = 1.37h$  Write the equation.

 $d^2 = 1.37(3)$  Substitute 3 for h.

 $d^2 = 4.11$  Multiply.

 $d = \sqrt{4.11}$  Take the positive square root of each side.

To approximate d, notice that 4.11 is between the perfect squares 4 and 9. Because 4.11 is close to 4,  $\sqrt{4.11}$  is close to 2.



So, you can see about 2 nautical miles when the periscope is 3 feet above the water.

#### Check

Use a calculator to approximate  $\sqrt{4.11}$ .


J(4.11) 2.027313493



## Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

- 23. The equation 3600b² = hw represents the relationship among the body surface area b (in square meters), height h (in centimeters), and weight w (in kilograms) of a person. To the nearest tenth, approximate the body surface area of a person who is 168 centimeters tall and weighs 60 kilograms.
- 24. Which plane is closer to the base of the airport tower? Justify your answer.



## 9.5 Practice

#### Review & Refresh

Write the repeating decimal as a fraction or a mixed number.

- 1. 0.4
- 2. 1.03
- 3. 0.75
- 4. 2.36


Simplify the expression. Write your answer as a power.

- 5. (5<sup>4</sup>)<sup>2</sup>
- **6.**  $(-9)^4 \cdot (-9)^7$  **7.**  $a^8 \cdot a$
- 8.  $(v^3)^6$


## Concepts, Skills, & Problem Solving

APPROXIMATING SQUARE ROOTS Find the exact length x of the diagonal of the square or rectangle. The value of x is between which two whole numbers? (See Exploration 1, p. 401.)





10.



CLASSIFYING REAL NUMBERS Classify the real number.

- 11. 0
- **12.**  $\sqrt[3]{343}$
- 13.  $\frac{\pi}{6}$
- 14. −√81

- **15.** -1.125
- 17.  $\sqrt[3]{-49}$
- **18.** √15
- YOU BE THE TEACHER Your friend classifies √144. Is your friend correct? Explain your reasoning.



 MODELING REAL LIFE You cut a photograph into a right triangle for a scrapbook. The lengths of the legs of the triangle are 4 inches and 6 inches. Is the length of the hypotenuse a rational number? Explain.



Rational Irrational Integer Whole Natural

- 21. REASONING Place each number in the correct area of the Venn diagram.
  - a. the last digit of your phone number
  - the square root of any prime number
  - c. the quotient of the circumference of a circle and its diameter

APPROXIMATING AN IRRATIONAL NUMBER Approximate the number to the nearest (a) integer and (b) tenth.

**23.** 
$$-\sqrt{105}$$

**25.** 
$$\sqrt[3]{310}$$

**26.** 
$$\sqrt{\frac{27}{4}}$$

**27.** 
$$-\sqrt{\frac{335}{2}}$$

COMPARING IRRATIONAL NUMBERS Which number is greater? Explain.

**29.** 
$$\sqrt{22}$$
,  $\sqrt[3]{34}$ 

**30.** 
$$-\sqrt[3]{100}$$
,  $-\sqrt{42}$ 

**32.** 
$$\sqrt[3]{130}$$
,  $\sqrt{28}$ 

**33.** 
$$-\sqrt{38}$$
,  $\sqrt[3]{-250}$ 

USING TOOLS Use the graphing calculator screen to determine whether the statement is true or false.


**34.** To the nearest tenth, 
$$\sqrt{10} = 3.1$$
.

**35.** The value of 
$$\sqrt{14}$$
 is between 3.74 and 3.75.

**36.** 
$$\sqrt{10}$$
 lies between 3.1 and 3.16 on a number line.

USING THE PYTHAGOREAN THEOREM Approximate the distance between the points to the nearest tenth.

**39.** 
$$(-1, -3), (1, 3)$$






- a. How far is the cabin from the peak?
  - b. How far is the fire tower from the lake?

43. MODELING REAL LIFE The locations of several


sites in a forest are shown in the coordinate plane. Approximate each distance to the nearest tenth.

- c. How far is the lake from the peak?
- **d.** You are standing at (-5, -6). How far are you from the lake?
- 44. WRITING Explain how to continue the method in Example 2 to approximate  $\sqrt{71}$  to the nearest hundredth.



- 45. MODELING REAL LIFE The area of a four square court is 66 square feet. Approximate the side length s of the four square court to the nearest whole number.
  - 46. MODELING REAL LIFE A checkerboard is 8 squares long and 8 squares wide. The area of each square is 14 square centimeters. Approximate the perimeter (in centimeters) of the checkerboard to the nearest tenth.


47. GEOMETRY The cube has a volume of 340 cubic inches. Approximate the length d of the diagonal to the nearest whole number. Justify your answer.



- **48.** CRITICAL THINKING On a number line, π is between 3 and 4.
  - a. Use this information to draw a number line and shade a region that represents the location of  $\pi^2$ . Explain your reasoning.
  - **b.** Repeat part (a) using the fact that  $\pi$  is between 3.1 and 3.2.
  - c. Repeat part (a) using the fact that  $\pi$  is between 3.14 and 3.15.
- WP NUMBER SENSE Approximate the square root to the nearest tenth.
- 49. V0.39

50. V1.19

- **51.** √1.52
- **52.** STRUCTURE Is  $\sqrt{\frac{1}{4}}$  a rational number? Is  $\sqrt{\frac{3}{16}}$  a rational number? Explain.



- **53. MODELING REAL LIFE** The equation  $s^2 = 54r$  represents the relationship between the speed s (in meters per second) of a roller-coaster car and the radius r (in meters) of the loop. Approximate the speed of a roller-coaster car going around the loop shown to the nearest tenth.
- **54. OPEN-ENDED** Find two numbers *a* and *b* that satisfy the diagram.



- **DIG DEEPER!** The equation  $d^3 = t^2$  represents the relationship between the mean distance d (in astronomical units) of a planet from the Sun and the time t (in years) it takes the planet to orbit the Sun.
  - a. Jupiter takes about 11.9 years to orbit the Sun. Approximate the mean distance of Jupiter from the Sun to the nearest tenth.
  - b. The mean distance of Saturn from the Sun is about 9.5 astronomical units. Approximate the time it takes Saturn to orbit the Sun to the nearest tenth.
- **56.** MODELING REAL LIFE The equation  $h = -16t^2 + 26$  represents the height h (in feet) of a water balloon t seconds after it is dropped. Approximate the time it takes the water balloon to reach the ground to the nearest tenth. Justify your answer.



- 57. NUMBER SENSE Determine whether the statement is sometimes, always, or never true. Explain your reasoning.
  - A rational number multiplied by a rational number is rational.
  - b. A rational number multiplied by an irrational number is rational.
  - c. An irrational number multiplied by an irrational number is rational.

408

# 9.6 The Converse of the Pythagorean Theorem

Learning Target: Understand the converse of the Pythagorean Theorem.

- Success Criteria: I can explain the converse of the Pythagorean Theorem.
  - I can identify right triangles given three side lengths.
  - I can identify right triangles in a coordinate plane.

FLORIDA STANDARDS MAFS.8.G.2.6

The converse of a statement switches the hypothesis and the conclusion.

Statement:

If p, then q.

Converse of the statement: If q, then p.

#### **EXPLORATION 1**

**Math Practice** 

Counterexamples Is the converse of

#### Analyzing the Converse of a Statement

Work with a partner.

- Write the converse of each statement. Then determine whether each statement and its converse are true or false. Explain.
  - If I live in California, then I live in the United States.
  - · If my heart is beating, then I am alive.
  - If one figure is a translation of another figure, then the figures are congruent.
- b. Write your own statement whose converse is true. Then write your own statement whose converse is false.

a false statement

always false?


Use


#### **EXPLORATION 2**

#### The Converse of the Pythagorean Theorem

Work with a partner.

- Write the converse of the Pythagorean Theorem. Do you think the converse is true or false?
- **b.** Consider  $\triangle DEF$  with side lengths a, b, and c such that  $a^2 + b^2 = c^2$ . Also consider  $\triangle JKL$  with leg lengths a and b, where the measure of  $\angle K$  is 90°. Use the two triangles and the Pythagorean Theorem to show that the converse of the Pythagorean Theorem is true.








#### Converse of the Pythagorean Theorem

If the equation  $a^2 + b^2 = c^2$  is true for the side lengths of a triangle, then the triangle is a right triangle.




#### **EXAMPLE 1**

#### **Identifying Right Triangles**

Tell whether each triangle is a right triangle.

A Pythagorean triple is a set of three positive integers a, b, and c, where  $a^2 + b^2 = c^2$ .



$$a^{2} + b^{2} = c^{2}$$
$$9^{2} + 40^{2} \stackrel{?}{=} 41^{2}$$

$$81 + 1600 \stackrel{?}{=} 1681$$

$$1681 = 1681$$

Write the Pythagorean Theorem.

Substitute 9 for a, 40 for b, and 41 for c.

Evaluate the powers.


Add.



The triangle is a right triangle.

# Common Error

When using the converse of the Pythagorean Theorem, always substitute the length of the longest side for c.



$$a^{2} + b^{2} = c^{2}$$
$$12^{2} + 18^{2} = 24^{2}$$

$$144 + 324 = 576$$

Write the Pythagorean Theorem.

Substitute 12 for a, 18 for b, and 24 for c.

Evaluate the powers.

Add.



The triangle is not a right triangle.


Try It Tell whether the triangle with the given side lengths is a right triangle.

- 1. 28 in., 21 in., 20 in.
- 2. 1.25 mm, 1 mm, 0.75 mm

#### **EXAMPLE 2** Identifying a Right Triangle

Tell whether the points A(1, 1), B(3, 5), and C(3, 0) form a right triangle.

Plot the points in a coordinate plane. The distance between points Band C is 5 units. Use the Pythagorean Theorem to find the distance d, between points A and B and the distance  $d_a$  between points A and C.



$$d_1^2 = 4^2 + 2^2$$

$$d_1^2 = 20$$

$$d_1 = \sqrt{20}$$

$$d_2^2 = 1^2 + 2^2$$

$$d_2^2 = 5$$

$$d_2 = \sqrt{5}$$

Use the converse of the Pythagorean Theorem to determine whether sides with lengths 5,  $\sqrt{20}$ , and  $\sqrt{5}$  form a right triangle.

$$(\sqrt{20})^2 + (\sqrt{5})^2 \stackrel{?}{=} 5^2$$
  
 $20 + 5 \stackrel{?}{=} 25$   
 $25 = 25$ 



So, the points form a right triangle.

Try It Tell whether the points form a right triangle.

**3.** 
$$D(-4,0)$$
,  $E(-2,3)$ ,  $F(1,0)$  **4.**  $J(4,1)$ ,  $K(1,-3)$ ,  $L(-3,0)$ 



### Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

- WRITING Explain the converse of the Pythagorean Theorem.
- 6. IDENTIFYING A RIGHT TRIANGLE Is a triangle with side lengths of 2 millimeters, 2.5 millimeters, and 3 millimeters a right triangle?
- 7. **IDENTIFYING A RIGHT TRIANGLE** Do the points (-1, 1), (-3, 5), and (0, 8) form a right triangle?
- 8. WHICH ONE DOESN'T BELONG? Which set of numbers does not belong with the other three? Explain your reasoning.

3, 6, 8


6, 8, 10

5, 12, 13

7, 24, 25

#### EXAMPLE 3

#### **Modeling Real Life**




You design a football play in which a player runs down the field, makes a 90° turn, and runs to the corner of the end zone. Your friend ran the play as shown, where each grid line represents 10 feet. Did your friend run the play correctly?

Your friend ended in the corner of the end zone as planned. Determine whether your friend made a 90° turn.

The start, turn, and end locations form a triangle. Use the Pythagorean Theorem to find the side lengths of the triangle.

$$d_1 = \sqrt{30^2 + 30^2} = \sqrt{1800}$$
 feet  
 $d_2 = \sqrt{50^2 + 50^2} = \sqrt{5000}$  feet  
 $d_3 = \sqrt{20^2 + 80^2} = \sqrt{6800}$  feet



Use the converse of the Pythagorean Theorem to determine whether the sides form a right triangle.

$$(\sqrt{1800})^2 + (\sqrt{5000})^2 \stackrel{?}{=} (\sqrt{6800})^2$$
  
 $1800 + 5000 \stackrel{?}{=} 6800$   
 $6800 = 6800$ 


The sides form a right triangle. So, your friend made a 90° turn.



Your friend ran the play correctly.



## Self-Assessment for Problem Solving



Solve each exercise. Then rate your understanding of the success criteria in your journal.

- 9. You practice archery as shown. Determine whether the arrow is perpendicular to the vertical support. Justify your answer.
- 10. DIG DEEPER! Three fire hydrants in a neighborhood are represented on a map. The coordinates of the fire hydrants are (0, 0), (2, 5), and (7, y). The fire hydrants are arranged in a right triangle, where y is a natural number less than 10. Find v.



412

## 9.6 Practice



#### Review & Refresh

Approximate the number to the nearest (a) integer and (b) tenth.


1. V31


-√7

3. V25

The figures are similar. Find x.

- The ratio of the perimeters is 2:5.
  - 5. The ratio of the perimeters is 4:3.






# Concepts, Skills, & Problem Solving


ANALYZING THE CONVERSE OF A STATEMENT Write the converse of the statement. Then determine whether the statement and its converse are true or false. Explain. (See Exploration 1, p. 409.)


- **6.** If a is an odd number, then  $a^2$  is odd.
- 7. If ABCD is a square, then ABCD is a parallelogram.

IDENTIFYING A RIGHT TRIANGLE Tell whether the triangle with the given side lengths is a right triangle.


8.







- **11.** 14 mm, 19 mm, 23 mm **12.**  $\frac{9}{10}$  mi,  $1\frac{1}{5}$  mi,  $1\frac{1}{2}$  mi
- 13. 1.4 m, 4.8 m, 5 m
- 14. MODELING REAL LIFE A post-and-beam frame for a shed is shown in the diagram. Does the brace form a right triangle with the post and beam? Explain.
- 15. MODELING REAL LIFE A traffic sign has side lengths of 12.6 inches, 12.6 inches, and 12.6 inches. Is the sign a right triangle? Explain.



#### IDENTIFYING A RIGHT TRIANGLE Tell whether a triangle with the given side lengths is a right triangle.

**16.** 
$$\sqrt{63}$$
, 9, 12

19. YOU BE THE TEACHER Your friend determines whether a triangle with side lengths of 3, \$\sqrt{58}\$, and 7 is a right triangle. Is your friend correct? Explain your reasoning.

$$a^{2} + b^{2} = c^{2}$$


$$3^{2} + (\sqrt{58})^{2} \stackrel{?}{=} 7^{2}$$

$$9 + 58 \neq 49$$
The triangle is not a right triangle.

#### IDENTIFYING A RIGHT TRIANGLE Tell whether the points form a right triangle.

**23.** 
$$(-1, -2), (2, 6), (4, -1)$$
 **24.**  $(-8, 6), (7, 9), (0, -13)$  **25.**  $(0.5, 1.5), (7.5, 5.5), (9.5, 0.5)$ 

**26.** We LOGIC The equation  $a^2 + b^2 = c^2$  is *not* true for a particular triangle with side lengths of a, b, and c. What can you conclude about the type of triangle?



- 27. MODELING REAL LIFE You spend the day looking for hidden containers in a wooded area using a Global Positioning System (GPS). You park your bike on the side of the road, and then locate Container 1 and Container 2 before going back to your bike. Does your path form a right triangle? Explain. Each grid line represents 10 yards.
- 28. DIG DEEPER! The locations of a fishing boat, buoy, and kayak are represented by the points (0, 0), (16, 12), and (10, −5). Each unit represents 1 nautical mile.
  - a. Do the boat, kayak, and buoy form a right triangle?
  - b. The boat travels at 8 nautical miles per hour. How long does the boat take to reach the buoy if the boat travels directly toward it?



29. WE STRUCTURE The vertices of a quadrilateral are (1, 2), (5, 4), (6, 2), and (2, 0). Use the converse of the Pythagorean Theorem to determine whether the quadrilateral is a rectangle.




## **Connecting Concepts**

## ▶ Using the Problem-Solving Plan

 The scale drawing of a baseball field has a scale factor of 1/270. Approximate the distance from home plate to second base on the actual baseball field to the nearest tenth.

Understand the problem.

You know several measurements and the scale factor in a scale drawing of a baseball field. You are asked to approximate the distance from home plate to second base on the actual baseball field.



Make a plan.

The distance from home plate to second base is the hypotenuse of a right triangle. Approximate the distance in the scale drawing to the nearest tenth. Then use the scale factor to approximate the distance on the actual field.

Solve and check.

Use the plan to solve the problem. Then check your solution.



- You cut the wood cube shown into two identical triangular prisms. Approximate the surface area of each triangular prism to the nearest tenth. Justify your answer.
- 3. Complete the mapping diagram representing the relationship between the lengths of the hypotenuse and the legs of an isosceles right triangle. Is the relationship linear? Explain.

# Hypotenuse Legs $\sqrt{2}$ $\sqrt{32}$ $\sqrt{98}$ $\sqrt{200}$

#### **Performance Task**



#### Identify and Correct the Error!

At the beginning of this chapter, you watched a STEAM Video called "Metronome Design." You are now ready to complete the performance task related to this video, available at **BigldeasMath.com**. Be sure to use the problem-solving plan as you work through the performance task.

# **Chapter Review**



## Review Vocabulary

Write the definition and give an example of each vocabulary term.


square root, p. 374 perfect square, p. 374 radical sign, p. 374 radicand, p. 374

theorem, p. 381 legs, p. 382 hypotenuse, p. 382 Pythagorean Theorem, p. 382

cube root, p. 390 perfect cube, p. 390 irrational number, p. 402 real numbers, p. 402

## Graphic Organizers

You can use a Four Square to organize information about a concept. Each of the four squares can be a category, such as definition, vocabulary, example, non-example, words, algebra, table, numbers, visual, graph, or equation. Here is an example of a Four Square for Pythagorean Theorem.



Choose and complete a graphic organizer to help you study the concept.

- square roots
- 2. cube roots
- 3. rational numbers
- irrational numbers
- real numbers
- 6. converse of the Pythagorean Theorem



"I'm taking a survey for my Four Square. How many fleas do you have?"

# Chapter Self-Assessment

As you complete the exercises, use the scale below to rate your understanding of the success criteria in your journal.

I do not understand.

2 I can do it with help. 3 I can do it on my own.

I can teach someone else.



#### 9.1 Finding Square Roots (pp. 373-380)

Learning Target: Understand the concept of a square root of a number.

Find the square root(s).

2. 
$$-\sqrt{\frac{9}{25}}$$

Evaluate the expression.

**4.** 
$$15 - 4\sqrt{36}$$

5. 
$$\sqrt{\frac{54}{6}} + \frac{2}{3}$$

6. 
$$(\sqrt{9})^2 - 12$$

7. The total area of a checkerboard is 256 square inches. What is the side length (in inches) of one of the small squares?






#### 9.2 The Pythagorean Theorem (pp. 381–388)


Learning Target: Understand the Pythagorean Theorem.

Find the missing length of the triangle.

8.



9.



- 10. You lean a 13-foot ladder on a house so the bottom of the ladder is 5 feet from the house. From the top of the ladder, you can safely reach another 4 feet higher. Can you reach a window that is located 13 feet above the ground? Explain.
- 11. Find the distance between (-6, 8) and (10, -4).





#### **Finding Cube Roots** (pp. 389-394)

Learning Target: Understand the concept of a cube root of a number.

Find the cube root.

**12.** 
$$\sqrt[3]{-2197}$$


13. 
$$\sqrt[3]{\frac{64}{343}}$$

**14.** 
$$\sqrt[3]{-\frac{8}{27}}$$

**15.** Evaluate the expression 
$$25 + 2\sqrt[3]{-64}$$
.

**16.** Solve the equation 
$$-55 = \frac{1}{4}x^3 + 73$$
.

You are shipping a puzzle cube to your friend using the cube-shaped box shown. What is the difference between the height of the puzzle cube and the top of the box when you place the cube in the box?





#### **Rational Numbers** (pp. 395-400)

Learning Target: Convert between different forms of rational numbers.

Write the fraction or mixed number as a decimal.

18. 
$$-2\frac{5}{6}$$

**19.** 
$$\frac{27}{80}$$

**20.** 
$$3\frac{8}{9}$$

- Write 1.36 as a mixed number.
- 22. The gas mileage of a hybrid car is 3.03 times the gas mileage of a regular car. The regular car averages 24 miles per gallon. Find the gas mileage of the hybrid car.



- 23. Your friend's cat weighs 0.83 times the weight of your cat. Your friend's cat weighs 10 pounds. How much more does your cat weigh than your friend's cat?
- 24. An apple dessert recipe makes 2.3 pounds of dessert and serves 6 people. What is the serving size (in pounds)?



#### 9.5 Irrational Numbers (pp. 401-408)

Learning Target: Understand the concept of irrational numbers.

Classify the real number.

**25.** 0.815

**26.** √101

**27.** √4

Approximate the number to the nearest (a) integer and (b) tenth.

**28.** √14

**29.** √90

**30.** √175

- 31. Which is greater, √48 or <sup>3</sup>√127? Explain.
- **32.** Approximate the distance between (-2, -5) and (3, 5) to the nearest tenth.
- 33. The equation  $d = \frac{v^2}{15.68}$  represents the relationship between the distance d (in meters) needed to stop a vehicle and the velocity v (in meters per second) of the vehicle. Approximate the velocity of the vehicle when it takes 40 meters to stop.





#### 9.6 The Converse of the Pythagorean Theorem (pp. 409-414)

Learning Target: Understand the converse of the Pythagorean Theorem.

Tell whether the triangle with the given side lengths is a right triangle.

34.



35.



- **36.** Tell whether the points A(1, -1), B(3, -4), and C(4, 1) form a right triangle.
- 37. You want to make a wooden border around a flower bed in the shape of a right triangle. You have three pieces of wood that measure 3.5 meters, 1.2 meters, and 3.9 meters. Do these pieces of wood form a right triangle? If not, explain how you can cut the longest piece of wood to make a right triangle.



## **Practice Test**


- Find -√1600.
- 2. Find  $\sqrt[3]{-\frac{729}{64}}$ .

Evaluate the expression.

3. 
$$12 + 8\sqrt{16}$$


**4.** 
$$(\sqrt[3]{-125})^3 + 75$$

5. Find the missing length of the triangle.



Classify the real number.


- **8.** Approximate  $\sqrt{83}$  to the nearest (a) integer and (b) tenth.
- 9. Write 1.24 as a mixed number.
- Tell whether the triangle is a right triangle.



Approximate the distance between the points to the nearest tenth, if necessary.

11. 
$$(-2,3), (6,9)$$

13. How high is the hand of the superhero balloon above the ground?



14. The area of a circular pool cover is 314 square feet. Write and solve an equation to find the diameter of the pool cover. Use 3.14 for  $\pi$ .

61 ft

11 ft

X

15. Five roads form two triangles. What is the value of x? Justify your answer.

420

## **Cumulative Practice**

- 1. The period T of a pendulum is the time (in seconds) it takes the pendulum to swing back and forth once. The period can be found using the formula T = 1.1 VL, where L is the length (in feet) of the pendulum. A pendulum has a length of 4 feet. What is the period of the pendulum?
  - A. 2.2 sec

B. 3.1 sec

C. 4.4 sec


- D. 5.1 sec
- 2. What is the value of y = 5 2xwhen x = -3?
  - F. -1

G. 1


H. 4

- 1. 11
- 3. Which graph represents the linear equation 3x + 2y = 12?





В.




Test-Taking Strategy Answer Easy Questions First

There are V4 different tongue prints on the butter. How many cats licked the butter?


Scan the test and answer the eas questions first. You know the square root

B 2 @ 2 D 4

Was Fluffy



D.




- **4.** Which expression is equivalent to  $\frac{(-3)^{12}}{(-3)^3}$ ?
  - F.  $(-3)^4$


G.  $(-3)^9$ 

H. 09

I. 19









$$40h + 50 = 650$$


How many hours did the consultant work?

7. Which triangle is not a right triangle?









What is the distance between (-3, -1) and (-1, -5)?

An airplane flies from City 1 at (0, 0) to City 2 at (33, 56) and then to City 3 at (23, 32). What is the total number of miles it flies? Each unit represents 1 mile.



The national debt of Country A is \$398,038,013,519. The national debt of Country B is \$2,137,348,918. Approximately how many times greater is the debt of Country A than the debt of Country B?

A. 2 times greater


B. 20 times greater

C. 133 times greater


D. 200 times greater

11. What is the solution of the system?








12. In the diagram, lines ℓ and m are parallel. Which angle has the same measure as ∠1?




**13.** Which graph represents the linear equation y = -2x - 2?









# Volume and Similar Solids

- 10.1 Volumes of Cylinders
- 10.2 Volumes of Cones
- 10.3 Volumes of Spheres
- 10.4 Surface Areas and Volumes of Similar Solids

#### **Chapter Learning Target:**


Understand volume.

#### **Chapter Success Criteria:**

- I can explain how to find the volumes of cylinders, cones, and spheres.
- I can use formulas to find volumes of solids.
- I can find missing dimensions of solids.
- I can find surface areas and volumes of similar solids.



#### **STEAM Video**



#### **Canning Salsa**

You can estimate the volumes of ingredients to predict the total volume of a finished recipe. In what other real-life situations is it helpful to know the volumes of objects?

Watch the STEAM Video "Canning Salsa." Then answer the following questions.

- 1. You can approximate the volumes of foods by comparing them to common solids. A cube of cheese has side lengths of 3 centimeters. What is the volume of the cheese?
- The table shows the amounts x (in cubic inches) of tomato used to make y cubic inches of salsa.


Tomato, x	1	2	3	4
Salsa, y	3	6	9	12

- a. Is there a proportional relationship between x and y? Justify your answer.
- b. How much tomato do you need to make 15 cubic inches of salsa?

#### **Performance Task**

#### **Packaging Salsa**

After completing this chapter, you will be able to use the concepts you learned to answer the questions in the STEAM Video Performance Task. You will be given the dimensions of a jar and a shipping box.



Chundy SASA NILL NET WT. 16 OZ

30 cm 20 cm

You will be asked questions about how to package jars of salsa. Why is it helpful to know how many jars of salsa fit in one box?

# **Getting Ready for Chapter**

# 10

#### **Chapter Exploration**

Work with a partner.





- a. How does the volume of the stack of dimes compare to the volume of a single dime?
- b. How does the volume of the stack of nickels compare to the volume of the stack of dimes? Explain your reasoning. (The height of each stack is identical.)





- c. How does the volume of each stack change when you double the number of coins?
- d. LOGIC Your friend adds coins to both stacks so that the volume of the stack of dimes is greater than the volume of the stack of nickels. What can you conclude about the number of coins added to each stack? Explain your reasoning.

#### Vocabulary

The following vocabulary terms are defined in this chapter. Think about what each term might mean and record your thoughts.

cone sphere hemisphere similar solids

# 1011 Volumes of Cylinders

Learning Target: Find the volume of a cylinder.

Success Criteria: • I can use a formula to find the volume of a cylinder.

I can use the formula for the volume of a cylinder to find a missing dimension.


#### **EXPLORATION 1**

#### **Exploring Volume**

#### FLORIDA STANDARDS MAFS.8.G.3.9

#### Work with a partner.

a. Each prism shown has a height of h units and bases with areas of B square units. Write a formula that you can use to find the volume of each prism.



#### **Math Practice**

#### **Find Entry Points**

What does a regular polygon with an area of B square units start to look like as you increase the number of sides?


- b. How can you find the volume of a prism with bases that each have 100 sides?
- c. Make a conjecture about how to find the volume of a cylinder. Explain your reasoning.

#### **EXPLORATION 2**

#### Finding Volume Experimentally

Work with a partner. Draw a net for a cylinder. Then cut out the net and use tape to form an open cylinder. Repeat this process to form an open cube. The edge length of the cube should be greater than the diameter and the height of the cylinder.

- a. Use your conjecture in Exploration 1 to find the volume of the cylinder.
- b. Fill the cylinder with rice. Then pour the rice into the open cube. Find the volume of rice in the cube. Does this support your answer in part (a)? Explain your reasoning.



#### Lesson

#### Remember


The slanted figure is called an oblique solid. Volumes of oblique solids are calculated in the same way as volumes of right solids.



#### Volume of a Cylinder

Words The volume V of a cylinder is the product of the area of the base and the height of the cylinder.

height, h




Algebra V = Bh

#### **EXAMPLE 1**

#### Finding the Volume of a Cylinder


Find the volume of the cylinder. Round your answer to the nearest tenth.



$$V = Bh$$
 Write the formula for volume.

$$=\pi(3)^2(6)$$
 Substitute.

$$=54\pi \approx 169.6$$
 Use a calculator.



The volume is about 169.6 cubic meters.

#### Try It

1. Find the volume of a cylinder with a radius of 4 feet and a height of 15 feet. Round your answer to the nearest tenth.

#### EXAMPLE 2

#### Finding the Height of a Cylinder

Find the height of the cylinder. Round your answer to the nearest whole number.

The diameter is 10 inches. So, the radius is 5 inches.

$$V = Bh$$

Write the formula for volume.

$$314 = \pi(5)^2(h)$$


Substitute.


$$314 = 25 \pi h$$

Simplify.

$$4 \approx h$$

Divide each side by  $25\pi$ .






The height is about 4 inches.

#### Try It

Find the height of the cylinder at the left. Round your answer to the nearest tenth.

#### **EXAMPLE 3** Finding the Radius of a Cylinder

Find the radius of the cylinder. Round your answer to the nearest whole number.




$$V=Bh$$
 Write the formula for volume.   
  $226=\pi r^2(8)$  Substitute.   
  $\frac{226}{8\pi}=r^2$  Divide each side by  $8\pi$ .


$$\sqrt{\frac{226}{8\pi}} = r$$
 Take the positive square root of each side. Use a calculator.

The radius is about 3 feet.

Try It Find the radius of the cylinder. Round your answer to the nearest tenth.

3.






Volume = 564 mm<sup>3</sup>




## Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.



- 5. FINDING THE VOLUME OF A CYLINDER Find the volume of the cylinder at the left. Round your answer to the nearest tenth.
- 6. FINDING THE HEIGHT OF A CYLINDER Find the height of the cylinder at the right. Round your answer to the nearest tenth.



7. DIFFERENT WORDS, SAME QUESTION


Which is different? Find "both" answers.

How much does it take to fill the cylinder?

What is the capacity of the cylinder?

How much does it take to cover the cylinder?

How much does the cylinder contain?



#### EXAMPLE 4

#### **Modeling Real Life**



You use the cylindrical barrel shown to collect and study rainwater. About how many gallons of water can the barrel hold? (1 ft<sup>3</sup>  $\approx$  7.5 gal)

Find the volume of the cylinder. The diameter is 1.8 feet. So, the radius is 0.9 foot.

$$V = Bh$$
 Write the formula for volume.  
=  $\pi(0.9)^2(2.3)$  Substitute,

$$= 1.863\pi$$
 Simplify.

So, the barrel can hold 1.863π cubic feet of water. To find the number of gallons it can hold, multiply the volume by the conversion factor 7.5 gal

$$1.863\pi \text{ ft}^3 \times \frac{7.5 \text{ gal}}{1.\text{ ft}^3} \approx 44 \text{ gal}$$



So, the barrel can hold about 44 gallons of water.



## Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

8. How much salsa is missing from the jar? Explain your reasoning.



A cylindrical swimming pool has a circumference of 18π feet and a height of 4 feet. About how many liters of water are needed to fill the swimming pool to 85% of its total volume? Justify your answer.  $(1 \text{ ft}^3 \approx 28.3 \text{ L})$ 



10. DIG DEEPER! A company creates two designs for a cylindrical soup can. Can A has a diameter of 3.5 inches and a height of 3.6 inches. Can B has a height of 4.9 inches. Each can holds the same amount of soup. Which can requires less material to make? Explain your reasoning.

# 10.1 Practice

## Review & Refresh

Tell whether the triangle with the given side lengths is a right triangle.

- 1. 20 m, 21 m, 29 m
- 2. 1 in., 2.4 in., 2.6 in.
- 3. 5.6 ft, 8 ft, 10.6 ft

Write the number in standard form.

- 4.  $3.9 \times 10^6$
- 5.  $6.7 \times 10^{-5}$
- 6.  $6.24 \times 10^{10}$
- 7. Which ordered pair is the solution of the linear system 3x + 4y = -10and 2x - 4y = 0?

- **A.** (-6,2) **B.** (2,-6) **C.** (-2,-1) **D.** (-1,-2)

# Concepts, Skills, & Problem Solving


FINDING VOLUME The height h and the base area B of a cylinder are given. Find the volume of the cylinder. Write your answer in terms of  $\pi$ . (See Explorations 1 and 2, p. 427.)

- 8. h=5 units
- 9. h=2 units
- **10.** h = 4.5 units


- $B = 4\pi$  square units
- $B = 25\pi$  square units
- $B = 16\pi$  square units

FINDING THE VOLUME OF A CYLINDER Find the volume of the cylinder. Round your answer to the nearest tenth.


11.




12.



13.




14.




15.




16.



17. REASONING Without calculating, which of the solids has the greater volume? Explain.






# FINDING A MISSING DIMENSION Find the missing dimension of the cylinder. Round your answer to the nearest whole number.


**18.** Volume =  $10,000 \pi \text{ in.}^3$ 



**20.** Volume =  $600,000 \text{ cm}^3$ 







- 21. MODELING REAL LIFE A cylindrical hazardous waste container has a diameter of 1.5 feet and a height of 1.6 feet. About how many gallons of hazardous waste can the container hold? (1 ft³ ≈ 7.5 gal)
- CRITICAL THINKING How does the volume of a cylinder change when its diameter is halved? Explain.



Round Hay Bale

- 23. PROBLEM SOLVING A traditional "square" bale of hay is actually in the shape of a rectangular prism. Its dimensions are 2 feet by 2 feet by 4 feet. How many square bales contain the same amount of hay as one large "round" bale?
- 24. MODELING REAL LIFE A tank on a road roller is filled with water to make the roller heavy. The tank is a cylinder that has a height of 6 feet and a radius of 2 feet.

  About how many pounds of water can the tank hold? (One cubic foot of water weighs about 62.5 pounds.)
- 25. REASONING A cylinder has a surface area of 1850 square meters and a radius of 9 meters. Estimate the volume of the cylinder to the nearest whole number.
- 26. DIG DEEPER! Water flows at 2 feet per second through a cylindrical pipe with a diameter of 8 inches. A cylindrical tank with a diameter of 15 feet and a height of 6 feet collects the water.
  - a. What is the volume (in cubic inches) of water flowing out of the pipe every second?
  - b. What is the height (in inches) of the water in the tank after 5 minutes?
  - c. How many minutes will it take to fill 75% of the tank?
- 27. PROJECT You want to make and sell three different sizes of cylindrical candles. You buy 1 cubic foot of candle wax for \$20 to make 8 candles of each size.
  - a. Design the candles. What are the dimensions of each size of candle?
  - b. You want to make a profit of \$100. Decide on a price for each size of candle. Explain how you set your prices.



432

# 10,2 Volumes of Cones

Learning Target: Find the volume of a cone.


Success Criteria: • I can use a formula to find the volume of a cone.

I can use the formula for the volume of a cone to find a missing dimension.



You already learned how the volume of a pyramid relates to the volume of a prism. In this exploration, you will discover how the volume of a *cone* relates to the volume of a cylinder.

A cone is a solid that has one circular base and one vertex.



#### **EXPLORATION 1**

#### Finding a Formula Experimentally

Work with a partner. Use a paper cup that is shaped like a cone. Measure the height of the cup and the diameter of the circular base. Use these measurements to draw a net for a cylinder with the same base and height as the paper cup. Then cut out the net and use tape to form an open cylinder.

a. Find the volume of the cylinder.

# Math Practice

Analyze Relationships How does the volume of a cone relate to the volume of a cylinder?

- b. Fill the paper cup with rice. Then pour the rice into the cylinder. Repeat this until the cylinder is full. How many cones does it take to fill the cylinder?
- c. Use your result to write a formula for the volume of a cone.
- d. Use your formula in part (c) to find the volume of the cone. How can you tell whether your answer is correct?
- e. Do you think your formula for the volume of a cone is also true for oblique cones? Explain your reasoning.

## 10.2 Lesson



cone, p. 433



#### Volume of a Cone

Words The volume V of a cone is one-third the product of the area of the base and the height of the cone.

Algebra 
$$V = \frac{1}{3}Bh$$

# Right Cone **Oblique Cone** height, h

area of base.

#### EXAMPLE 1

Because  $B = \pi r^2$ , you

can use  $V = \frac{1}{3}\pi r^2 h$  to

find the volume of a cone.

#### Finding the Volume of a Cone


Find the volume of the cone. Round your answer to the nearest tenth.

The diameter is 4 meters. So, the radius is 2 meters.

$$V = \frac{1}{3}Bh$$
 Write the formula for volume, 
$$= \frac{1}{3}\pi(2)^2(6)$$
 Substitute. 
$$= 8\pi \approx 25.1$$
 Use a calculator.



The volume is about 25.1 cubic meters.



## Try It

1. Find the volume of a cone with a radius of 6 centimeters and a height of 15 centimeters. Round your answer to the nearest tenth.

## EXAMPLE 2

## Finding the Height of a Cone

Find the height of the cone. Round your answer to the nearest tenth.

$$V = \frac{1}{3}Bh$$

Write the formula for volume.

$$956 = \frac{1}{3}\pi(9)^2(h)$$


Substitute.

$$956 = 27\pi h$$

Simplify.


$$11.3 \approx h$$

Divide each side by  $27\pi$ .



Volume = 956 ft3

Volume =  $7200 \text{ yd}^3$ 




The height is about 11.3 feet.

## Try It

2. Find the height of the cone at the left. Round your answer to the nearest tenth.

## **EXAMPLE 3** Finding the Radius of a Cone



Find the radius of the cone. Round your answer to the nearest tenth.

$$V = \frac{1}{3}Bh$$

Write the formula for volume.

$$80 = \frac{1}{3}\pi r^2(9)$$

Substitute.

$$80 = 3\pi r^2$$

Simplify.

$$\frac{80}{3\pi} = r^2$$

Divide each side by  $3\pi$ .

$$\sqrt{\frac{80}{3\pi}} = i$$

Take the positive square root of each side.

$$2.9 \approx r$$


Use a calculator.




The radius is about 2.9 inches.

Try It Find the radius of the cone. Round your answer to the nearest whole number.

3.










## Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.


5. FINDING THE VOLUME OF A CONE Find the volume of a cone with a diameter of 10 yards and a height of 12 yards. Round your answer to the nearest tenth.

FINDING A MISSING DIMENSION OF A CONE Find the missing dimension of the cone. Round your answer to the nearest tenth.

6.




7.



Volume = 16.5 cm<sup>3</sup>

## EXAMPLE 4

#### **Modeling Real Life**



You must answer a trivia question before the sand in the timer falls to the bottom. Each second, 50 cubic millimeters of sand fall. How much time do you have to answer the question?

Use the formula for the volume of a cone to find the volume of the sand in the timer.

$$V = \frac{1}{3}Bh$$
 Write the formula for volume.  
 $= \frac{1}{3}\pi(10)^2(24)$  Substitute.  
 $= 800\pi$  Simplify.

The volume of the sand is  $800\pi$  cubic millimeters. Use the rate at which the sand falls to determine how much time you have to answer the question.

$$800 \, \text{mm}^3 \times \frac{1 \, \text{sec}}{50 \, \text{mm}^3} \approx 50.27 \, \text{sec}$$



So, you have about 50 seconds to answer the question.



# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



- 8. A stalactite is a mineral formation that hangs from the ceiling of a cave. A cone-shaped stalactite has a height of 48 centimeters and a base circumference of  $3.5\pi$  centimeters. What is the volume of the stalactite?
- 9. A store sells two cone-shaped funnels. What is the height of each funnel?  $(1 \text{ pt} = 28.875 \text{ in.}^3)$



Volume: 0.5 pint



Volume: 1 pint

10. You fill cone-shaped pastry bags with icing to a height of 1 foot and a diameter of 3.5 inches. You use about 1.35 cubic inches of icing per cupcake. About how many cupcakes can you decorate with 2 bags of icing?

436


# 10.2 Practice




## Review & Refresh

Find the volume of the cylinder. Round your answer to the nearest tenth.


1.



2.



3.



Solve the equation.

4. 
$$x^3 = 27$$

5. 
$$-6 = y^3 + 2$$

**6.** 
$$2h^3 - 33 = 95$$

# Concepts, Skills, & Problem Solving

**FINDING A VOLUME** The height h and the base area B of a cone are given. Find the volume of the cone. Write your answer in terms of  $\pi$ . (See Exploration 1, p. 433.)

7. 
$$h=6$$
 units


$$B = 4\pi$$
 square units

8. 
$$h = 9$$
 units


$$B = 5\pi$$
 square units

FINDING THE VOLUME OF A CONE Find the volume of the cone. Round your answer to the nearest tenth.


9.




10.




11.




12.




13.




14.




15.




16.



17.





18. W STRUCTURE The inside of each glass is shaped like a cone. Which glass can hold more liquid? How much more?

FINDING A MISSING DIMENSION OF A CONE Find the missing dimension of the cone. Round your answer to the nearest tenth.

**19.** Volume = 
$$\frac{1}{18}\pi \, \text{ft}^3$$




**20.** Volume = 
$$225 \text{ cm}^3$$




**21.** Volume = 
$$3.6 \text{ in.}^3$$





- 22. FINDING A MISSING DIMENSION OF A CONE The volume of a cone with a height of 10 meters is 20 π cubic meters. What is the diameter of the cone?
- 23. MODELING REAL LIFE Water leaks from a crack in a cone-shaped vase at a rate of 0.5 cubic inch per minute. The vase has a height of 10 inches and a diameter of 4.8 inches. How long does it take for 20% of the water to leak from the vase when it is full of water?
- 24. DIG DEEPER! You have 10 gallons of lemonade to sell. (1 gal  $\approx 3785 \text{ cm}^3$ )



b. How many cups will be left over if you sell 80% of the lemonade?







- STRUCTURE The cylinder and the cone have the same volume. What is the height of the cone?
- 26. CRITICAL THINKING In Example 4, you use a different timer with the same dimensions. The sand in this timer has a height of 30 millimeters. How much time do you have to answer the question?
- 27. REASONING A vapor cone is a cloud of condensed water that forms when an aircraft breaks the sound barrier. How does doubling both the diameter and the height affect the volume of the vapor cone?



# 10,3 Volumes of Spheres

Learning Target: Find the volume of a sphere.


Success Criteria: • I can use a formula to find the volume of a sphere.

I can use the formula for the volume of a sphere to find the radius.

I can find volumes of composite solids.



A **sphere** is the set of all points in space that are the same distance from a point called the *center*. The *radius r* is the distance from the center to any point on the sphere. A sphere is different from the other solids you have studied so far because it does not have a base.



#### **EXPLORATION 1**

#### Finding a Formula Experimentally

Work with a partner. Use a plastic ball similar to the one shown. Draw a net for a cylinder with a diameter and a height equal to the diameter of the ball. Then cut out the net and use tape to form an open cylinder.



- a. How is the height h of the cylinder related to the radius r of the ball?
- b. Cover the ball with aluminum foil or tape. Leave one hole open. Fill the ball with rice. Then pour the rice into the cylinder. What fraction of the cylinder is filled with rice?
- c. Use your result in part (b) and the formula for the volume of a cylinder to write a formula for the volume of a sphere. Explain your reasoning.



Look for Structure

Why is it convenient for the height of the cylinder to be equal to the diameter of the sphere?



## 10.3 Lesson

## Key Vocabulary


sphere, p. 439 hemisphere, p. 442



#### Volume of a Sphere

Words The volume V of a sphere is the product of  $\frac{4}{3}\pi$  and the cube of the radius of the sphere.

Algebra 
$$V = \frac{4}{3}\pi r^3$$





#### EXAMPLE 1

## **Finding Volumes of Spheres**

Find the volume of each sphere. Round your answer to the nearest tenth.

a.





$$V = \frac{4}{3}\pi r^3$$

$$V = \frac{4}{3}\pi r^3$$
 Write the formula for volume.  $V = \frac{4}{3}\pi r^3$ 

$$V = \frac{4}{3}\pi r^3$$

$$=\frac{4}{3}\pi(4)^3$$

$$=\frac{4}{3}\pi(5)^3$$

$$=\frac{256}{3}\pi$$

$$=\frac{500}{3}\pi$$

$$\approx 523.6$$



The volume is about 268.1 cubic centimeters.

The volume is about 523.6 cubic feet.


#### Try It Find the volume of the sphere. Round your answer to the nearest tenth.

1.



2.





Volume =  $288\pi$  in.<sup>3</sup>

Find the radius of the sphere.

$$V = \frac{4}{3}\pi r^3$$

$$288\pi = \frac{4}{3}\pi r^3$$

$$288\pi = \frac{4\pi}{3}r^3$$

$$\frac{3}{4\pi} \cdot 288 \pi = \frac{3}{4\pi} \cdot \frac{4\pi}{3} r^3$$

$$216 = r^3$$

$$\sqrt[3]{216} = \sqrt[3]{r^3}$$

$$6 = r$$

Write the formula for volume.

Substitute  $288\pi$  for V.

Multiply.

Multiplication Property of Equality

Simplify.

Take the cube root of each side.


Simplify.



The radius is 6 inches.

Try It Find the radius of the sphere. Round your answer to the nearest tenth if necessary.

3.



Volume =  $36\pi$  m<sup>3</sup>

4.



Volume = 14 in.3




# Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.



- FINDING THE VOLUME OF A SPHERE Find the volume of the sphere. Round your answer to the nearest tenth.
- FINDING THE RADIUS OF A SPHERE Find the radius of a sphere with a volume of 4500 π cubic yards.
- WHICH ONE DOESN'T BELONG? Which figure does not belong with the other three? Explain your reasoning.









## EXAMPLE 3

#### **Modeling Real Life**

A hemisphere is one-half of a sphere. The top of the silo is a hemisphere with a radius of 12 feet. What is the volume of the silo? Round your answer to the nearest thousand.

Understand the problem.

You are given the dimensions of a silo that is made up of a cylinder and a hemisphere. You are asked to find the volume of the silo.



Make a plan.

Break the problem into parts. Find the volume of the cylinder and the volume of the hemisphere. Then add the volumes to find the total volume of the silo.


Solve and check

The radius of the hemisphere is 12 feet. So, the cylinder has a height of 52 - 12 = 40 feet.

A composite solid is a solid made up of two or more three-dimensional figures.

#### Cylinder

#### Hemisphere





$$V = Bh$$
$$= \pi (12)^2 (40)$$
$$= 5760 \pi$$

$$V = \frac{1}{2} \cdot \frac{4}{3} \pi r^3$$
$$= \frac{1}{2} \cdot \frac{4}{3} \pi (12)^3$$
$$= 1152 \pi$$

#### **Check Reasonableness**

The volume of the silo is less than the volume of a cylinder with a height of 52 feet and a radius of 12 feet.

$$V = \pi (12)^2 (52)$$
  
 $\approx 24,000 \text{ ft}^3$ 




So, the volume is  $5760 \pi + 1152 \pi = 6912 \pi$ , or about 22,000 cubic feet.

# Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



8. In sphering, a person is secured inside a small, hollow sphere that is surrounded by a larger sphere. The space between the spheres is inflated with air. What is the volume of the inflated space? Explain.



 DIG DEEPER! A vendor sells cones filled with frozen yogurt, as shown. The vendor has 4 cylindrical containers of frozen yogurt, each with a diameter of 18 centimeters and a height of 15 centimeters. About how much money will the vendor make when all of the frozen yogurt is sold? Justify your answer.


442

# 10.3 Practice


## Review & Refresh

Find the volume of the cone. Round your answer to the nearest tenth.


1.



2.



3.



Evaluate the expression. Write your answer in scientific notation.

**4.** 
$$(4.6 \times 10^9) + (3.9 \times 10^9)$$

5. 
$$(1.4 \times 10^{-4}) \div (2.8 \times 10^{6})$$

6. A person who is 5 feet tall casts a 6-foot-long shadow. A nearby flagpole casts a 30-foot-long shadow. What is the height of the flagpole?

# Concepts, Skills, & Problem Solving

FINDING VOLUME The radius r of a sphere is given. Find the volume of the sphere. Write your answer in terms of  $\pi$ . (See Exploration 1, p. 439.)

7. 
$$r = 6$$
 units

8. 
$$r = 12 \text{ units}$$


**9.** 
$$r = 10$$
 units

FINDING THE VOLUME OF A SPHERE Find the volume of the sphere. Round your answer to the nearest tenth.


10.




11.




12.



13.



14.



15.



FINDING THE RADIUS OF A SPHERE Find the radius of a sphere with the given volume. Round your answer to the nearest tenth if necessary.

**16.** Volume = 
$$972\pi \,\text{mm}^3$$
 **17.** Volume =  $4.5\pi \,\text{cm}^3$ 

**17.** Volume = 
$$4.5\pi \,\text{cm}^3$$


**18.** Volume = 
$$180 \text{ ft}^3$$




- 19. MODELING REAL LIFE The globe of the moon has a radius of 13 centimeters. Find the volume of the globe. Round your answer to the nearest whole number.
- 20. MODELING REAL LIFE A softball has a volume of about 29 cubic inches. Find the radius of the softball. Round your answer to the nearest tenth.
- 21. REASONING A sphere and a right cylinder have the same radius and volume. Find the radius r in terms of the height h of the cylinder.

FINDING VOLUME Find the volume of the composite solid. Round your answer to the nearest tenth.


22.



23.



24.





25. PROBLEM SOLVING A cylindrical container of three rubber balls has a height of 18 centimeters and a diameter of 6 centimeters. Each ball in the container has a radius of 3 centimeters. Find the amount of space in the container that is not occupied by rubber balls. Round your answer to the nearest whole number.



Volume =  $121.5\pi \text{ in.}^3$ 

26. DIG DEEPER The basketball shown is packaged in a box that is in the shape of a cube. The edge length of the box is equal to the diameter of the basketball. What are the surface area and the volume of the box?





# 10.4 Surface Areas and Volumes of Similar Solids

Learning Target: Find the surface areas and volumes of similar solids.

- Success Criteria: I can use corresponding dimensions to determine whether solids are similar.
  - I can use corresponding dimensions to find missing measures in similar solids.
  - I can use linear measures to find surface areas and volumes of similar solids.

#### **EXPLORATION 1**


FLORIDA STANDARDS

Applying MAFS.8.G.3.9

#### **Comparing Similar Solids**

Work with a partner.

a. You multiply the dimensions of the smallest cylinder by different factors to create the other four cylinders. Complete the table. Compare the surface area and volume of each cylinder with the surface area and volume of the smallest cylinder.



Radius	1	2	3	4	5
Height	1	2	3	4	5
Surface Area					
Volume					

Repeat part (a) using the square pyramids and table below.



#### Math Practice

#### Maintain Oversight

When the dimensions of a solid are multiplied by a factor of k, how many times greater is the surface area? the volume?

Base Side	6	12	18	24	30
Height	4	8	12	16	20
Slant Height	5	10	15	20	25
Surface Area					
Volume					

## 10.4 Lesson

Key Vocabulary (6)


similar solids, p. 446

Similar solids are solids that have the same shape and proportional corresponding dimensions.

#### EXAMPLE 1


#### Identifying Similar Solids


Cylinder B



Which cylinder is similar to Cylinder A?

Check to see if corresponding dimensions are proportional.





Cylinder A and Cylinder B

$$\frac{\text{Height of A}}{\text{Height of B}} = \frac{4}{3} \qquad \frac{\text{Radius of A}}{\text{Radius of B}} = \frac{6}{5}$$

Not proportional

Cylinder A and Cylinder C

$$\frac{\text{Height of A}}{\text{Height of C}} = \frac{4}{5}$$

$$\frac{\text{Radius of A}}{\text{Radius of C}} = \frac{6}{7.5} = \frac{4}{5}$$

Proportional

So, Cylinder C is similar to Cylinder A.

#### Try It

 Cylinder D has a radius of 7.5 meters and a height of 4.5 meters. Which cylinder in Example 1 is similar to Cylinder D?

## **EXAMPLE 2**

## Finding Missing Measures in Similar Solids

The cones are similar. Find the missing slant height  $\ell$ .

Cone X 13 yd



Radius of X Slant height of X Radius of Y Slant height of Y

$$\frac{5}{7} = \frac{13}{\ell}$$

Substitute.

$$5\ell = 91$$

Cross Products Property


$$\ell = 18.2$$

Divide each side by 5.

The slant height is 18.2 yards.

#### Try It

The prisms at the right are similar. Find the missing width and length.






Chapter 10




#### **Linear Measures**



#### Surface Areas of Similar Solids

When two solids are similar, the value of the ratio of their surface areas is equal to the square of the value of the ratio of their corresponding linear measures.






 $\frac{\text{Surface area of A}}{\text{Surface area of B}} = \left(\frac{a}{b}\right)^2$ 

## EXAMPLE 3

## **Finding Surface Area**

The pyramids are similar. What is the surface area of Pyramid A? Pyramid A



Surface Area = 600 ft<sup>2</sup>

10 ft

$$\frac{\text{Surface area of A}}{\text{Surface area of B}} = \left(\frac{\text{Height of A}}{\text{Height of B}}\right)^2$$

$$\frac{S}{600} = \left(\frac{6}{10}\right)^2$$


Substitute.

$$\frac{S}{600} = \frac{36}{100}$$

Evaluate.

$$S = 216$$


Multiply each side by 600.




The surface area of Pyramid A is 216 square feet.

Try It The solids are similar. Find the surface area of the red solid. Round your answer to the nearest tenth.

3.








#### Volumes of Similar Solids

When two solids are similar, the value of the ratio of their volumes is equal to the cube of the value of the ratio of their corresponding linear measures.

$$\frac{\text{Volume of A}}{\text{Volume of B}} = \left(\frac{a}{b}\right)^3$$



## EXAMPLE 4

## **Finding Volume**

The cones are similar. What is the volume of Cone A? Round your answer to the nearest tenth.

$$\frac{\text{Volume of A}}{\text{Volume of B}} = \left(\frac{\text{Height of A}}{\text{Height of B}}\right)^3$$

$$\frac{V}{288} = \left(\frac{5}{12}\right)^3$$


Substitute.


$$\frac{V}{288} = \frac{125}{1728}$$

Evaluate.


$$V \approx 20.8$$


Multiply each side by 288.





Cone B





#### Try It


4 in.

5. The pyramids at the left are similar. Find the volume of the red pyramid. Round your answer to the nearest tenth.




## Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.



IDENTIFYING SIMILAR SOLIDS Cone A and Cone B are right cones. Cone B has a radius of 1.25 feet and a height of 3 feet. Are the cones similar?



- 7. FINDING A MISSING MEASURE A cylinder with a radius of 4 inches and a height of 6 inches is similar to a cylinder with a radius of r inches and a height of 9 inches. What is the value of r?
- 8. FINDING SURFACE AREA AND VOLUME The rectangular prisms shown are similar. Find the surface area and volume of the red rectangular prism.



#### **Modeling Real Life**

Original



Volume = 2000 ft3

The dimensions of the touch tank at an aquarium are doubled. How many pounds of water are contained in the new tank? (One cubic foot of water weighs about 62.5 pounds.)

The dimensions are doubled, so the ratio of the dimensions of the original tank to the dimensions of the new tank is 1:2.

$$\frac{\text{Original volume}}{\text{New volume}} = \left(\frac{\text{Original dimension}}{\text{New dimension}}\right)^{3}$$

$$\frac{2000}{V} = \left(\frac{1}{2}\right)^3$$
 Substitute

$$\frac{2000}{V} = \frac{1}{8}$$
 Evaluate.

$$16,000 = V$$
 Cross Products Property

When the dimensions of a solid are multiplied by k, the surface area is multiplied by k<sup>2</sup> and the volume is multiplied by k<sup>3</sup>.

The new tank holds 16,000 cubic feet of water. To find the weight of the water in the tank, multiply by  $\frac{62.5 \text{ lb}}{1 \text{ ft}^3}$ .

$$16,000 \text{ ft}^3 \times \frac{62.5 \text{ lb}}{1 \text{ ft}^3} = 1,000,000 \text{ lb}$$



So, the new tank contains about 1,000,000 pounds of water.



## Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



- 9. Two snails have shells that are similar in shape. The younger snail has a shell with a height of 3.9 centimeters and a volume of 3 cubic centimeters. The older snail has a shell with a volume of 10 cubic centimeters. Estimate the height of the older snail's shell.
- 10. Two barrels filled with sand are similar in shape. The smaller barrel has a height of 4 feet and a volume of 4.5 cubic feet. The larger barrel has a height of 6 feet. What is the weight of the sand in the larger barrel? Round your answer to the nearest tenth. (One cubic foot of sand weighs about 110 pounds.)
- 11. Two trunks are similar in shape. The larger trunk has a length of 6 feet and a surface area of 164.25 square feet. The smaller trunk has a length of 4 feet. The materials needed to manufacture each trunk cost \$0.60 per square foot. What is the total cost of the materials needed to manufacture the smaller trunk?


# 10.4 Practice




## Review & Refresh

Find the volume of the sphere. Round your answer to the nearest tenth.

1.



2.



3.



4. Which system of linear equations has no solution?

**A.** 
$$y = 4x + 1$$
 **B.**  $y = 2x - 7$   $y = -4x + 1$   $y = 2x + 7$ 

**B.** 
$$y = 2x - 7$$

C. 
$$3x + y = 1$$
  
 $6x + 2y = 2$ 

**D.** 
$$5x + y = 3$$

x + 5y = 15




# Concepts, Skills, & Problem Solving


COMPARING SIMILAR SOLIDS All of the dimensions of the solid are multiplied by a factor of k. How many times greater is the surface area of the new solid? How many times greater is the volume of the new solid? (See Exploration 1, p. 445.)

5. 
$$k = 5$$






6. k = 10




IDENTIFYING SIMILAR SOLIDS Determine whether the solids are similar.

7.




8.



4 in.


9.



10.

13 ft

10 ft




20 m 21 m


10 ft


#### FINDING MISSING MEASURES IN SIMILAR SOLIDS The solids are similar. Find the missing measure(s).

11.




12.






14.




FINDING SURFACE AREA The solids are similar. Find the surface area of the red solid. Round your answer to the nearest tenth if necessary.

15.



16.




Surface Area ≈ 5027 in.2

17. FINDING SURFACE AREA The ratio of the corresponding linear measures of two similar cans is 4 to 7. The smaller can has a surface area of 220 square centimeters. Find the surface area of the larger can.


#### FINDING VOLUME The solids are similar. Find the volume of the red solid.

18.



7 mm

19.



20. YOU BE THE TEACHER The ratio of the corresponding linear measures of two similar solids is 3:5. The volume of the smaller solid is 108 cubic inches. Your friend finds the volume of the larger solid. Is your friend correct? Explain your reasoning.

21. MODELING REAL LIFE A hemisphere-shaped mole has a diameter of 5.7 millimeters and a surface area of about 51 square millimeters. The radius of the mole doubles. Estimate the new surface area of the mole.





22. REASONING The volume of a 1968 Ford Mustang GT engine is 390 cubic inches. Which scale model of the Mustang has the greater engine volume, a 1:18 scale model or a 1:24 scale model? How much greater is it?

23. DIG DEEPER! You have a small marble statue of Wolfgang Mozart. It is 10 inches tall and weighs 16 pounds. The original marble statue is 7 feet tall.

a. Estimate the weight of the original statue. Explain your reasoning.

b. If the original statue were 20 feet tall, how much would it weigh?

 MPREPEATED REASONING The nesting dolls are similar. The largest doll is 7 inches tall. Each of the other dolls is 1 inch shorter than the next larger doll. Make a table that compares the surface areas and the volumes of the seven dolls.



Wolfgang Mozart

- PRECISION You and a friend make paper cones to collect beach glass. You cut out the largest possible three-fourths circle from each piece of paper.
  - a. Are the cones similar? Explain your reasoning.



 Your friend says that because your sheet of paper is twice as large, your cone will hold exactly twice the volume of beach glass. Is this true? Explain your reasoning.



452

# 10

# **Connecting Concepts**


## Using the Problem-Solving Plan

1. A yurt is a dwelling traditionally used in Mongolia and surrounding regions. The yurt shown is made of a cylinder and a cone. What is the volume of the yurt?





You know that the yurt is made of a cylinder and a cone. You also know several dimensions. You are asked to find the volume of the yurt.




Use the Pythagorean Theorem to find the height of the cone. Then use the formulas for the volume of a cylinder and the volume of a cone to find the volume of the yurt.



Use the plan to solve the problem. Then check your solution.

- A spherical supervoid, a region in space that is unusually empty, has a diameter of 1.8 × 10<sup>9</sup> light-years. What is the volume of the supervoid? Use 3.14 for π. Write your answer in scientific notation.
- The cylinders are similar. The volume of Cylinder A is <sup>8</sup>/<sub>27</sub> times the volume of Cylinder B. Find the volume of each cylinder. Round your answers to the nearest tenth.



## **Performance Task**



#### Packaging Salsa

At the beginning of this chapter, you watched a STEAM Video called "Canning Salsa." You are now ready to complete the performance task related to this video, available at **BigldeasMath.com**. Be sure to use the problem-solving plan as you work through the performance task.

# Review Vocabulary


Write the definition and give an example of each vocabulary term.

cone, p. 433 sphere, p. 439

hemisphere, p. 442 similar solids, p. 446

# Graphic Organizers

You can use a Summary Triangle to explain a concept. Here is an example of a Summary Triangle for volume of a cylinder.



Choose and complete a graphic organizer to help you study the concept.

- 1. volume of a cone
- 2. volume of a sphere
- 3. volume of a composite solid
- 4. surface areas of similar solids
- volumes of similar solids



"I finished my Summary Triangle about rolling a strike in bowling."

454

# Chapter Self-Assessment

As you complete the exercises, use the scale below to rate your understanding of the success criteria in your journal.

I do not understand.

2 I can do it

with help.

3 I can do it on my own.

I can teach someone else.




## 10.1 Volumes of Cylinders (pp. 427-432)


Learning Target: Find the volume of a cylinder.

Find the volume of the cylinder. Round your answer to the nearest tenth.

1.




2.




Find the missing dimension of the cylinder. Round your answer to the nearest whole number.

Volume = 28 in.<sup>3</sup>



4. Volume =  $7599 \text{ m}^3$ 



- You are buying two cylindrical cans of juice. Each can holds the same amount of juice.
  - a. What is the height of Can B?
  - b. About how many cups of juice does each can hold? (1 in.<sup>3</sup> ≈ 0.07 cup)
- You triple the radius of a cylinder. How many times greater is the volume of the new cylinder? Explain.







#### 10.2 Volumes of Cones (pp. 433-438)

Learning Target: Find the volume of a cone.

Find the volume of the cone. Round your answer to the nearest tenth.


7.






Find the missing dimension of the cone. Round your answer to the nearest tenth.

9.



10.





11. The paper cup can hold 84.78 cubic centimeters of water. What is the height of the cup?




#### 10.3 Volumes of Spheres (pp. 439-444)

Learning Target: Find the volume of a sphere.

Find the volume of the sphere. Round your answer to the nearest tenth.

12.



13.




14. The volume of a water walking ball is  $\frac{4}{3}\pi$  cubic meters. Find the diameter of

the water walking ball.




Find the volume of the composite solid. Round your answer to the nearest tenth if necessary.


15.



16.



17.



18. The volume of water that a submerged object displaces is equal to the volume of the object. Find the radius of the sphere. Round your answer to the nearest tenth.  $(1 \text{ mL} - 1 \text{ cm}^3)$ 






After





Learning Target: Find the surface areas and volumes of similar solids.

19. Determine whether the solids are similar.




**20.** The prisms are similar. Find the missing measures.






21. The prisms are similar. Find the surface area of the red prism. Round your answer to the nearest tenth.



22. The pyramids are similar. Find the volume of the red pyramid.




23. The ratio of the corresponding linear measures of two similar jewelry boxes is 2 to 3. The larger jewelry box has a volume of 162 cubic inches. Find the volume of the smaller jewelry box.

# **Practice Test**

Find the volume of the solid. Round your answer to the nearest tenth.

1.




2.





3.







- The pyramids are similar.
  - Find the missing measures.
  - b. Find the surface area of the red pyramid.








- 6. You are making smoothies. You will use either the cone-shaped glass or the cylindrical glass. Which glass holds more? About how much more?
- 7. The ratio of the corresponding linear measures of two similar waffle cones is 3 to 4. The smaller cone has a volume of about 18 cubic inches. Find the volume of the larger cone. Round your answer to the nearest tenth.
- 8. Draw two different composite solids that have the same volume but different surface areas. Explain your reasoning.
- 9. There are  $13.5\pi$  cubic inches of blue sand and  $9\pi$  cubic inches of red sand in the cylindrical container. How many cubic inches of white sand are in the container? Round your answer to the nearest tenth.




10. Without calculating, determine which solid has the greater volume. Explain your reasoning.



# **Cumulative Practice**

- 10
  - 1. What is the value of  $14 2\sqrt[3]{64}$ ?
    - A. -50
    - B. -2
    - C. 6
    - D. 48
  - 2. What is the volume of the cone?


$$\left(\operatorname{Use}\frac{22}{7}\operatorname{for}\pi.\right)$$




- F.  $1026\frac{2}{3}$  cm<sup>3</sup>
- **H.**  $4106\frac{2}{3}$  cm<sup>3</sup>



- G. 3080 cm<sup>3</sup>
- I. 12,320 cm<sup>3</sup>
- 3. The cylinders are similar. What is the volume of the red cylinder?





Volume = 1206 cm3

- A. 6 cm
- C. 301.5 cm<sup>3</sup>


- **B.** 150.75 cm<sup>3</sup>
- D. 603 cm<sup>3</sup>

4. A rectangle is graphed in the coordinate plane.


E		у	F	
(-1, 2)	-1	1	(3, 2)	
-3-2	0	1 2	4 5	x
Н			G (3, -3	
(-1,	3)		(3, -3	)
	+			


Which of the following shows Rectangle E'F'G'H', the image of Rectangle EFGH, after it is reflected in the x-axis?

F.




G.






1.



5. What are the ordered pairs shown in the mapping diagram?



- **A.** (2,5), (4,-2), (6,-7), (8,1)
- **B.** (2, -7), (4, -2), (6, 1), (8, 5)
- C. (2,5), (4,1), (6,-2), (8,-7)
- **D.** (5, 2), (-2, 4), (-7, 6), (1, 8)

6. What is 0.75 written as a fraction?

**7.** Solve the formula A = P + PI for I.

**F.** 
$$I = A - 2P$$

$$G. I = \frac{A}{P} - P$$


H. 
$$I = A - 1$$

$$I. \quad I = \frac{A - P}{P}$$


8. A cylinder has a volume of 1296 cubic inches. If you divide the radius of the cylinder by 12, what is the volume (in cubic inches) of the smaller cylinder?

9. The cost y (in dollars) for x pounds of grapes is represented by y = 2x.
Which graph represents the equation?


A.




B.



C.



D.



10. You are making a giant crayon.



What is the volume (in cubic centimeters) of the entire crayon? Show your work and explain your reasoning. (Use 3.14 for  $\pi$ .)



## **English-Spanish Glossary**

#### English Spanish A angle of rotation (p. 56) The number of degrees a ángulo de rotación (p. 56) El número de grados que figure rotates about a point gira una figura sobre un punto В base (of a power) (p. 320) The base of a power is the base (de una potencia) (p. 320) La base de una potencia es el factor repetido. repeated factor. centro de dilatación (p. 70) Un punto con respecto al center of dilation (p. 70) A point with respect to which a figure is dilated. cual se dilata una figura centro de rotación (p. 56) El punto sobre del cual se center of rotation (p. 56) The point about which a figure is rotated rota una figura cone (p. 433) A solid that has one circular base and cono (p. 433) Un sólido que tiene una base circular y one vertex una vértice congruent angles (p. 64) Angles that have the same ángulos congruentes (p. 64) Ángulos que miden lo measure mismo congruent figures (p. 64) Figures that have the same figuras congruentes (p. 64) Figuras que tienen el size and the same shape mismo tamaño y la misma forma lados congruentes (p. 64) Lados con la misma congruent sides (p. 64) Sides that have the same length longitud cube root (p. 390) A number that, when multiplied by raíz cúbica (p. 390) Un número que, al multiplicarse itself, and then multiplied by itself again, equals a given por sí mismo, y luego al multiplicarse de nuevo por sí number. mismo, es igual a un número dado dilation (p. 70) A transformation in which a figure is dilatación (p. 70) Una transformación en la made larger or smaller with respect to a fixed point que una figura se hace más grande o más pequeña called the center of dilation con respecto a un punto fijo llamado el centro de

dilatación

E

exponent (p. 320) The exponent of a power indicates the number of times a base is used as a factor.

exterior angles (p. 105) When two parallel lines are cut by a transversal, four exterior angles are formed on the outside of the parallel lines.

exterior angles of a polygon (p. 112) The angles adjacent to the interior angles when the sides of a polygon are extended exponente (p. 320) El exponente de una potencia indica cuantas veces una base es usada como un factor.

ángulos externos (p. 105) Cuando una transversal corta dos rectas paralelas, se forman cuatro ángulos externos por fuera de las rectas paralelas.

angulos exteriores de un polígono (p. 112) Los ángulos adyacentes a los ángulos interiores cuando los lados de una polígono están extendidos

F

function (p. 277) A relation that pairs each input with exactly one output

function rule (p. 282) An equation that describes the relationship between inputs (independent variable) and outputs (dependent variable)

función (p. 277) Una relación que asocia cada entrada con una sola salida

regla de la función (p. 282) Una ecuación que describe la relación entre entradas (variable independiente) y salidas (variable dependiente)

H

hemisphere (p. 442) One-half of a sphere

hypotenuse (p. 382) The side of a right triangle that is opposite the right angle

hemisferio (p. 442) La mitad de una esfera

hipotenusa (p. 382) El lado de un triángulo rectángulo opuesto al ángulo recto

ı

image (p. 44) The new figure produced when a figure is transformed

indirect measurement (p. 126) Indirect measurement uses similar figures to find a missing measure when the measurement is difficult to find directly.

input (p. 276) In a relation, inputs are values associated with outputs.

interior angles (p. 105) When two parallel lines are cut by a transversal, four interior angles are formed on the inside of the parallel lines.

interior angles of a polygon (p. 112) The angles inside a polygon

irrational number (p. 402) A number that cannot be written as the ratio of two integers

imagen (p. 44) La nueva figura producida cuando una figura esta transformada

medida indirecta (p. 126) Medida indirecta usa figuras similares para hallar una medida que falta cuando la medida es dificil de hallar directamente.

entrada (p. 276) En una relación, entradas son valores asociadas con salidas.

ángulos internos (p. 105) Cuando una transversal corta dos rectas paralelas, se forman cuatro ángulos internos dentro de las rectas paralelas.

ángulos interiores de un polígono (p. 112) Los ángulos que están dentro de un polígono

número irracional (p. 402) Un número que no puede escribirse como la razón de dos números enteros joint frequency (p. 250) Each entry in a two-way table

frecuencia conjunta (p. 250) Cada valor en una tabla de doble entrada

L

legs (p. 382) The two sides of a right triangle that form the right angle

line of best fit (p. 245) Out of all possible lines of fit, the line that best models a set of data

**line of fit** (p. 244) A line drawn on a scatter plot close to most of the data points; The line can be used to estimate data on a graph.

line of reflection (p. 50) A line in which a transformed figure is reflected

linear equation (p. 142) An equation whose graph is a line

linear function (p. 290) A function whose graph is a non-vertical line; A linear function has a constant rate of change.

literal equation (p. 26) An equation that has two or more variables catetos (p. 382) Los dos lados de un triángulo rectángulo que forman el ángulo recto

**línea de mejor ajuste** (p. 245) De todas las líneas de ajuste posibles, la línea que mejor modela un conjunto de datos

línea de ajuste (p. 244) Una línea dibujada en un diagrama de dispersión, cerca de la mayoría de los puntos de datos; La línea se puede usar para estimar datos en una gráfica.

línea de reflexión (p. 50) Una línea en donde una figura transformada está reflejada

ecuación lineal (p. 142) Una ecuación cuya gráfica es una línea

función lineal (p. 290) Una función cuya gráfica es una línea no vertical; Una función lineal tiene una tasa de cambio constante.

ecuación literal (p. 26) Una ecuación que tiene dos o más variables

M

mapping diagram (p. 276) A way to represent a relation

marginal frequency (p. 250) The sums of the rows and columns in a two-way table diagrama de función (p. 276) Una manera para representar una relación

frecuencia marginal (p. 250) Las sumas de las hileras y columnas en una tabla de doble entrada

N

nonlinear function (p. 296) A function that does not have a constant rate of change; a function whose graph is not a line función no lineal (p. 296) Una función que no tiene una tasa constante de cambio; una función cuya gráfica no es una línea output (p. 276) In a relation, outputs are the values associated with inputs. salida (p. 276) En una relación, salidas son los valores asociadas con entradas.

P

perfect cube (p. 390) A number that can be written as the cube of an integer

**perfect square** (p. 374) A number with integers as its square roots

**point-slope form** (p. 180) A linear equation written in the form  $y - y_1 = m(x - x_1)$ ; The graph of the equation is a line that passes through the point  $(x_1, y_1)$  and has the slope m.

power (p. 320) A product of repeated factors

Pythagorean Theorem (p. 382) In any right triangle, the sum of the squares of the lengths of the legs is equal to the square of the length of the hypotenuse:  $a^2 + b^2 = c^2$ . cubo perfecto (p. 390) Un número que puede escribirse como el cubo de un entero

cuadrado perfecto (p. 374) Un número cuyas raíces cuadradas son números enteros

**forma punto-pendiente** (p. 180) Una ecuación lineal escrita en la forma  $y - y_1 = m(x - x_1)$ ; El grafico de la ecuación es una linea que pasa por el punto  $(x_1, y_1)$  y tiene la pendiente m.

potencia (p. 320) Un producto de factores repetidos

**Teorema de Pitágoras** (p. 382) En cualquier triángulo rectángulo, la suma de los largos de los catetos es igual al cuadrado del largo de la hipotenusa:  $a^2 + b^2 = c^2$ .

R

radical sign (p. 374) The symbol  $\sqrt{\phantom{a}}$  which is used to represent a square root

radicand (p. 374) The number under a radical sign

real numbers (p. 402) The set of all rational and irrational numbers

reflection (p. 50) A flip; a transformation in which a figure is reflected in a line called the line of reflection; A reflection creates a mirror image of the original figure.

regular polygon (p. 120) A polygon in which all the side are congruent, and all the interior angles are congruent

relation (p. 276) A pairing of inputs with outputs; can be represented by ordered pairs or a mapping diagram

rigid motion (p. 64) A transformation that preserves length and angle measure

rise (p. 148) The change in y between any two points on a line símbolo radical (p. 374) El símbolo √ que es usado para representar una raíz cuadrada

radicando (p. 374) El número bajo un símbolo radical

números reales (p. 402) El conjunto de todos los números racionales e irracionales

reflexión (p. 50) Un reflejo; una tranformación en la que una figura se refleja en una línea llamada la línea de reflexión; Una reflexión crea un reflejo exacto de la figura original.

polígono regular (p. 120) Un polígono en el que todos los lados son congruentes, y todos los ángulos interiores son congruentes

relación (p. 276) Una pareja de entradas con salidas; se puede representar por pares ordenados o un diagrama de funciones

movimiento rígido (p. 64) Una transformación que preserva la longitud y medida del ángulo

desplazamiento vertical (p. 148) El cambio en y entre dos puntos cualesquiera de una línea **rotation** (p. 56) A turn; a transformation in which a figure is rotated about a point

run (p. 148) The change in x between any two points on a line rotación (p. 56) Una vuelta; una transformación en donde una figura se rota sobre de un punto

desplazamiento horizontal (p. 148) El cambio en x entre dos puntos cualesquiera de una línea

S

scale factor (of a dilation) (p. 70) The value of the ratio of the side lengths of the image to the corresponding side lengths of the original figure

scatter plot (p. 238) A data display that shows the relationship between two data sets using ordered pairs in a coordinate plane

scientific notation (p. 350) A number is written in scientific notation when it is represented as the product of a factor and a power of 10. The factor must be greater than or equal to 1 and less than 10.

similar figures (p. 78) Figures that have the same shape but not necessarily the same size; Two figures are similar when corresponding side lengths are proportional and corresponding angles are congruent.

similar solids (p. 446) Two solids of the same type with equal ratios of corresponding linear measures

similarity transformation (p. 78) A dilation or a sequence of rigid motions and dilations

slope (p. 148) The value of a ratio of the change in y (the rise) to the change in x (the run) between any two points on a line; Slope is a measure of the steepness of a line.

**slope-intercept form** (p. 162) A linear equation written in the form y = mx + b; The graph of the equation is a line that has a slope of m and a y-intercept of b.

**solution of a linear equation** (p. 142) An ordered pair (x, y) that makes an equation true

factor de escala (de una dilatación) (p. 70) El valor de la razón de las longitudes de los lados de la imagen a las longitudes de los lados correspondientes de la figura inicial

diagrama de dispersión (p. 238) Una presentación de datos que muestra la relación entre dos conjuntos de datos, usando pares ordenados en un plano de coordenadas

notación científica (p. 350) Un número está escrito en notación científica cuando se representa como el producto de un factor y una potencia de 10. El factor debe ser mayor o igual que 1 e inferior a 10.

**figuras semejantes** (p. 78) Figuras que tienen la misma forma pero no necesariamente el mismo tamaño; Dos figuras son semejantes cuando las longitudes de sus lados correspondientes son proporcionales y los ángulos correspondientes son congruentes.

sólidos similares (p. 446) Dos sólidos del mismo tipo con razones iguales de medidas lineales correspondientes

transformación de similitud (p. 78) Una dilatación o secuencia de movimientos rígidos y dilataciones

pendiente (p. 148) El valor de una razón entre el cambio en y (desplazamiento vertical) y el cambio en x (desplazamiento horizontal), entre dos puntos de una línea; Pediente es una medida de la inclinación de una línea.

forma intersección-pendiente (p. 162) Una ecuación lineal escrita en la forma y = mx + b; El grafico de la ecuación es una linea que tiene una pendiente de m y una intersección y de b.

solución de una ecuación lineal (p. 142) Un par ordendado (x, y) que hace que una ecuación sea verdadera

solution of a system of linear equations (in two variables)
(p. 200) An ordered pair that is a solution of each
equation in the system

sphere (p. 439) The set of all points in space that are the same distance from a point called the center

**square root** (p. 374) A number that, when multiplied by itself, equals a given number

**standard form** (p. 168) The standard form of a linear equation is Ax + By = C, where A and B are not both zero.

system of linear equations (p. 200) A set of two or more linear equations in the same variables solución de un sistema de ecuaciones lineales (en dos variables) (p. 200) Un par ordenado que es una solución de cada ecuación en el sistema

esfera (p. 439) El conjunto de todos los pontos en el espacio que están a la misma distancia de un punto llamado centro

raíz cuadrada (p. 374) Un número que, multiplicado por sí mismo, es igual a un número dado

**forma estándar** (p. 168) La forma estándar de una ecuación lineal es Ax + By = C, donde Ay B no son ambos cero.

sistema de ecuaciones lineales (p. 200) Un conjunto de dos o más ecuaciones lineales en las mismas variables

T

theorem (p. 381) A rule in mathematics

transformation (p. 44) A change in the size, shape, position, or orientation of a figure

translation (p. 44) A slide; a transformation that shifts a figure horizontally and/or vertically, but does not change its size, shape, or orientation

transversal (p. 104) A line that intersects two or more lines

two-way table (p. 250) A frequency table that displays two categories of data collected from the same source teorema (p. 381) Un enunciado que afirma una verdad demostrable

transformación (p. 44) Un cambio en el tamaño, forma, posición u orientación de una figura

traslación (p. 44) Un deslice; una transformación que desplaza una figura horizontal y/o verticalmente, pero no cambia su tamaño, forma u orientación

transversal (p. 104) Una recta que interseca dos o más rectas

tabla de doble entrada (p. 250) Una tabla de frecuencia que muestra dos categorias de datos recogidos de la misma fuente

X

x-intercept (p. 162) The x-coordinate of the point where a line crosses the x-axis

intersección x (p. 162) La coordenada x del punto donde una línea cruza el eje x



y-intercept (p. 162) The y-coordinate of the point where a line crosses the y-axis intersección y (p. 162) La coordenada y del punto donde una línea cruza el eje y

## Mathematics Reference Sheet

#### Conversions

#### U.S. Customary

1 foot = 12 inches

1 vard = 3 feet

1 mile = 5280 feet

1 acre = 43,560 square feet

1 cup = 8 fluid ounces

1 pint = 2 cups

1 quart = 2 pints

1 gallon = 4 quarts

1 gallon = 231 cubic inches

1 pound = 16 ounces

1 ton = 2000 pounds

1 cubic foot ≈ 7.5 gallons

#### U.S. Customary to Metric

1 inch = 2.54 centimeters

1 foot  $\approx 0.3$  meter

1 mile ≈ 1.61 kilometers

1 quart ≈ 0.95 liter

1 gallon ≈ 3.79 liters

1 cup ≈ 237 milliliters

1 pound ≈ 0.45 kilogram

1 ounce  $\approx$  28.3 grams

1 gallon ≈ 3785 cubic centimeters

#### Time

1 minute = 60 seconds

1 hour = 60 minutes

1 hour = 3600 seconds

1 year = 52 weeks

#### Temperature

$$C = \frac{5}{9}(F - 32)$$

$$F = \frac{9}{5}C + 32$$

#### Metric

1 centimeter = 10 millimeters

1 meter = 100 centimeters

1 kilometer = 1000 meters

1 liter = 1000 milliliters

1 kiloliter = 1000 liters

1 milliliter = 1 cubic centimeter

1 liter = 1000 cubic centimeters

1 cubic millimeter = 0.001 milliliter

 $1 \, \text{gram} = 1000 \, \text{milligrams}$ 

1 kilogram = 1000 grams

#### Metric to U.S. Customary

1 centimeter = 0.39 inch

1 meter ≈ 3.28 feet

1 kilometer  $\approx 0.62$  mile

1 liter ≈ 1.06 quarts

1 liter ≈ 0.26 gallon

1 kilogram ≈ 2.2 pounds

 $1 \text{ gram} \approx 0.035 \text{ ounce}$ 

1 cubic meter ≈ 264 gallons

#### **Number Properties**

Commutative Properties of Addition and Multiplication

$$a+b=b+a$$

$$a \cdot b = b \cdot a$$

Associative Properties of Addition and Multiplication

(a+b)+c=a+(b+c)

$$(a \cdot b) \cdot c = a \cdot (b \cdot c)$$

Addition Property of Zero

$$a+0=a$$

## Distributive Property:

 $a \cdot 0 = 0$ 

 $a \cdot 1 = a$ 

$$a(b+c) = ab + ac$$
  
 $a(b-c) = ab - ac$ 

Multiplicative Inverse Property

 $n \cdot \frac{1}{n} = \frac{1}{n} \cdot n = 1, n \neq 0$ 

#### **Properties of Equality**

Addition Property of Equality

If 
$$a = b$$
, then  $a + c = b + c$ .

Subtraction Property of Equality If a = b, then a - c = b - c.

Multiplication Property of Equality If a = b, then  $a \cdot c = b \cdot c$ .

$$a(b-c)=ab-ac$$

If a = b, then  $a \div c = b \div c$ ,  $c \ne 0$ .

Multiplication Properties of Zero and One

Squaring both sides of an equation

If a = b, then  $a^2 = b^2$ .

Cubing both sides of an equation

If 
$$a = b$$
, then  $a^3 = b^3$ .