Florida Edition

BIG IDEAS MATH®

Modeling Real Life

Grade 6

Ron Larson & Laurie Boswell

1 Numerical Expressions and Factors

1.1 Powers and Exponents
1.2 Order of Operations
1.3 Prime Factorization
1.4 Greatest Common Factor
1.5 Least Common Multiple

Chapter Learning Target:
Understand factors.

Chapter Success Criteria:
- I can identify factors of a number.
- I can explain order of operations.
- I can solve a problem using factors.
- I can model different types of multiples of numbers.

STEAM Video

Filling Piñatas

Common factors can be used to make identical groups of objects. Can you think of any situations in which you would want to separate objects into equal groups? Are there any common factors that may be more useful than others? Can you think of any other ways to use common factors?

Watch the STEAM Video "Filling Piñatas." Then answer the following questions. The table below shows the numbers of party favors that Alex and Enid use to make piñatas.

Party Favor	Taffies	Key Chains	Kazoos	Bubbles	Mints
Number	50	12	16	24	100

1. When finding the number of identical piñatas that can be made, why is it helpful for Alex and Enid to list the factors of each number given in the table?
2. You want to create 6 identical piñatas. How can you change the numbers of party favors in the table to make this happen? Can you do this without changing the total number of party favors?

Performance Task



Setting the Table

After completing this chapter, you will be able to use the concepts you learned to answer the questions in the *STEAM Video Performance Task*. You will be asked to plan a fundraising event with the items below.

72 chairs

48 balloons

24 flowers

32 candles

You will find the greatest number of identical tables that can be prepared, and what will be in each centerpiece. When making arrangements for a party, should a party planner always use the greatest number of identical tables possible? Explain why or why not.

Getting Ready for Chapter 1

Chapter Exploration

Work with a partner. In Exercises 1 and 3, use the table.

	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100

Eratosthenes
(c. 276–c. 194 B.C.)

This table is called the *Sieve of Eratosthenes*. Eratosthenes was a Greek mathematician who was the chief librarian at the Library of Alexandria in Egypt. He was the first person to calculate the circumference of Earth.

1. Cross out the multiples of 2 that are greater than 2. Do the same for 3, 5, and 7.
2. The numbers that are *not* crossed out are called *prime numbers*. The numbers that are crossed out are called *composite numbers*. In your own words, describe the characteristics of prime numbers and composite numbers.
3. **MODELING REAL LIFE** Work with a partner. Cicadas are insects that live underground and emerge from the ground after x or $x + 4$ years. Is it possible that both x and $x + 4$ are prime? Give some examples.

Vocabulary

The following vocabulary terms are defined in this chapter. Think about what each term might mean and record your thoughts.

exponent
numerical expression
order of operations
common factors
greatest common factor
common multiples
least common multiple

1.1 Powers and Exponents

Learning Target: Write and evaluate expressions involving exponents.

Success Criteria:
- I can write products of repeated factors as powers.
- I can evaluate powers.

EXPLORATION 1

Writing Expressions Using Exponents

FLORIDA STANDARDS
MAFS.6.EE.1.1

Work with a partner. Copy and complete the table.

Repeated Factors	Using an Exponent	Value
a. 10×10		
b. 4×4		
c. 6×6		
d. $10 \times 10 \times 10$		
e. $100 \times 100 \times 100$		
f. $3 \times 3 \times 3 \times 3$		
g. $4 \times 4 \times 4 \times 4 \times 4$		
h. $2 \times 2 \times 2 \times 2 \times 2 \times 2$		

i. In your own words, describe what the two numbers in the expression 3^5 mean.

Math Practice

Repeat Calculations

What patterns do you notice in the expressions? How does this help you write exponents?

EXPLORATION 2

Using a Calculator to Find a Pattern

Work with a partner. Copy the diagram. Use a calculator to find each value. Write one digit of the value in each box. Describe the pattern in the digits of the values.

a. 11^1 →

b. 11^2 →

c. 11^3 →

d. 11^4 →



1.1 Lesson

Key Vocabulary

power, *p. 4*
base, *p. 4*
exponent, *p. 4*
perfect square, *p. 5*

A **power** is a product of repeated factors. The **base** of a power is the repeated factor. The **exponent** of a power indicates the number of times the base is used as a factor.



Remember

You can use the dot symbol • to indicate multiplication. For example, the product of 3 and 5 can be expressed as 3×5 or $3 \cdot 5$.

Power	Words
3^2	Three *squared*, or three to the second
3^3	Three *cubed*, or three to the third
3^4	Three to the fourth
3^5	Three to the fifth

EXAMPLE 1 Writing Expressions as Powers

Write each product as a power.

a. $7 \cdot 7 \cdot 7 \cdot 7 \cdot 7$

Because 7 is used as a factor 5 times, its exponent is 5.

▶ So, $7 \cdot 7 \cdot 7 \cdot 7 \cdot 7 = 7^5$.

b. $12 \times 12 \times 12$

Because 12 is used as a factor 3 times, its exponent is 3.

▶ So, $12 \times 12 \times 12 = 12^3$.

c. $100 \times 100 \times 100 \times 100 \times 100 \times 100$

Because 100 is used as a factor 6 times, its exponent is 6.

▶ So, $100 \times 100 \times 100 \times 100 \times 100 \times 100 = 100^6$.

Try It **Write the product as a power.**

1. $2 \times 2 \times 2$
2. $6 \cdot 6 \cdot 6 \cdot 6 \cdot 6 \cdot 6$
3. $15 \times 15 \times 15 \times 15$
4. $20 \cdot 20 \cdot 20 \cdot 20 \cdot 20 \cdot 20 \cdot 20$

EXAMPLE 2 Finding Values of Powers

Find the value of each power.

a. 7^2

$7^2 = 7 \cdot 7$ Write as repeated multiplication.

$= 49$ Simplify.

b. 5^3

$5^3 = 5 \cdot 5 \cdot 5$

$= 125$

Try It **Find the value of the power.**

5. 6^3 **6.** 9^2 **7.** 3^4 **8.** 18^2

The square of a whole number is a **perfect square**.

EXAMPLE 3 Identifying Perfect Squares

Determine whether each number is a perfect square.

a. 64

▶ Because $8^2 = 64$, 64 is a perfect square.

b. 20

▶ No whole number squared equals 20. So, 20 is not a perfect square.

Try It **Determine whether the number is a perfect square.**

9. 25 **10.** 2 **11.** 99 **12.** 36

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

FINDING VALUES OF POWERS **Find the value of the power.**

13. 8^2 **14.** 3^5 **15.** 11^3

16. VOCABULARY How are exponents and powers different?

17. VOCABULARY Is 10 a perfect square? Is 100 a perfect square? Explain.

18. WHICH ONE DOESN'T BELONG? Which one does *not* belong with the other three? Explain your reasoning.

$2^4 = 2 \times 2 \times 2 \times 2$ $3^2 = 3 \times 3$

$3 + 3 + 3 + 3 = 3 \times 4$ $5 \cdot 5 \cdot 5 = 5^3$

Remember

The *area* of a figure is the amount of surface it covers. Area is measured in square units.

You can use powers to find areas of squares. The area of a square is equal to its side length squared.



Area $= 3^2 = 9$ square units

EXAMPLE 4 Modeling Real Life

A life-size MONOPOLY® game board is a square with a side length of 11 yards. What is the area of the game board?

Use a verbal model to solve the problem.

$$\text{Area of game board} = \left(\text{Side length}\right)^2$$

$= 11^2$ Substitute 11 for side length.

$= 121$ Multiply.

▶ The area of the game board is 121 square yards.

Check

Count the number of squares in an 11×11 grid.

There are 121 squares. ✓



Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



19. A square solar panel has an area of 16 square feet. Write the area as a power. Then find the side lengths of the panel.

20. The four-square court shown is a square made up of four identical smaller squares. What is the area of the court?

21. DIG DEEPER! Each face of a number cube is a square with a side length of 16 millimeters. What is the total area of all of the faces of the number cube?

1.1 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Multiply.

1. 150×2 **2.** 175×8 **3.** 123×3 **4.** 151×9

Write the sentence as a numerical expression.

5. Add 5 and 8, then multiply by 4. **6.** Subtract 7 from 11, then divide by 2.

Round the number to the indicated place value.

7. 4.03785 to the tenths **8.** 12.89503 to the hundredths

Complete the sentence.

9. $\frac{1}{10}$ of 30 is ____. **10.** $\frac{4}{5}$ of 25 is ____.

Concepts, Skills, & Problem Solving

WRITING EXPRESSIONS USING EXPONENTS **Copy and complete the table.**
(See Exploration 1, p. 3.)

Repeated Factors	Using an Exponent	Value
11. 8×8		
12. $4 \times 4 \times 4$		
13. $9 \times 9 \times 9 \times 9$		
14. $12 \times 12 \times 12 \times 12$		

WRITING EXPRESSIONS AS POWERS **Write the product as a power.**

15. 9×9 **16.** 13×13 **17.** $15 \times 15 \times 15$

18. $2 \cdot 2 \cdot 2 \cdot 2 \cdot 2$ **19.** $14 \times 14 \times 14$ **20.** $8 \cdot 8 \cdot 8 \cdot 8$

21. $11 \times 11 \times 11 \times 11 \times 11$ **22.** $7 \cdot 7 \cdot 7 \cdot 7 \cdot 7 \cdot 7$ **23.** $16 \cdot 16 \cdot 16 \cdot 16$

24. $43 \times 43 \times 43 \times 43 \times 43$ **25.** $167 \cdot 167 \cdot 167$ **26.** $245 \cdot 245 \cdot 245 \cdot 245$

FINDING VALUES OF POWERS **Find the value of the power.**

27. 5^2 **28.** 4^3 **29.** 6^2 **30.** 1^7

31. 0^3 **32.** 8^4 **33.** 2^4 **34.** 12^2

35. 7^3 **36.** 5^4 **37.** 2^5 **38.** 14^2

USING TOOLS **Use a calculator to find the value of the power.**

39. 7^6 **40.** 4^8 **41.** 12^4 **42.** 17^5

43. **YOU BE THE TEACHER** Your friend finds the value of 8^3. Is your friend correct? Explain your reasoning.

$8^3 = 8 \cdot 3 = 24$

IDENTIFYING PERFECT SQUARES **Determine whether the number is a perfect square.**

44. 8 **45.** 4 **46.** 81 **47.** 44

48. 49 **49.** 125 **50.** 150 **51.** 144

52. **MODELING REAL LIFE** On each square centimeter of a person's skin, there are about 39^2 bacteria. How many bacteria does this expression represent?

53. **REPEATED REASONING** The smallest figurine in a gift shop is 2 inches tall. The height of each figurine is twice the height of the previous figurine. What is the height of the tallest figurine?

54. **MODELING REAL LIFE** A square painting measures 2 meters on each side. What is the area of the painting in square centimeters?

55. **NUMBER SENSE** Write three powers that have values greater than 120 and less than 130.

56. **DIG DEEPER!** A landscaper has 125 tiles to build a square patio. The patio must have an area of at least 80 square feet.



a. What are the possible arrangements for the patio?

b. How many tiles are not used in each arrangement?

57. **PATTERNS** Copy and complete the table. Describe what happens to the value of the power as the exponent decreases. Use this pattern to find the value of 4^0.

Power	4^6	4^5	4^4	4^3	4^2	4^1
Value	4096	1024				

58. **REPEATED REASONING** How many blocks do you need to add to Square 6 to get Square 7? to Square 9 to get Square 10? to Square 19 to get Square 20? Explain.



1.2 Order of Operations

Learning Target: Write and evaluate numerical expressions using the order of operations.

Success Criteria:
- I can explain why there is a need for a standard order of operations.
- I can evaluate numerical expressions involving several operations, exponents, and grouping symbols.
- I can write numerical expressions involving exponents to represent a real-life problem.

EXPLORATION 1 Comparing Different Orders

FLORIDA STANDARDS
MAFS.6.EE.1.1

Work with a partner. Find the value of each expression by using different orders of operations. Are your answers the same?

a. Add, then multiply. Multiply, then add.

$3 + 2 \times 2$ $3 + 2 \times 2$

b. Subtract, then multiply. Multiply, then subtract.

$18 - 3 \cdot 3$ $18 - 3 \cdot 3$

c. Multiply, then subtract. Subtract, then multiply.

$8 \times 8 - 2$ $8 \times 8 - 2$

d. Multiply, then add. Add, then multiply.

$6 \cdot 6 + 2$ $6 \cdot 6 + 2$

EXPLORATION 2 Determining Order of Operations

Work with a partner.

a. Scientific calculators use a standard order of operations when evaluating expressions. Why is a standard order of operations needed?

b. Use a scientific calculator to evaluate each expression in Exploration 1. Enter each expression exactly as written. For each expression, which order of operations is correct?

c. What order of operations should be used to evaluate $3 + 2^2$, $18 - 3^2$, $8^2 - 2$, and $6^2 + 2$?

d. Do $18 \div 3 \cdot 3$ and $18 \div 3^2$ have the same value? Justify your answer.

e. How does evaluating powers fit into the order of operations?

Math Practice

Use Technology to Explore

How does a scientific calculator help you explore order of operations?

1.2 Lesson

Key Vocabulary

numerical expression, *p. 10*

evaluate, *p. 10*

order of operations, *p. 10*

A **numerical expression** is an expression that contains numbers and operations. To **evaluate**, or find the value of, a numerical expression, use a set of rules called the **order of operations**.

Key Idea

Order of Operations

1. Perform operations in grouping symbols.
2. Evaluate numbers with exponents.
3. Multiply and divide from left to right.
4. Add and subtract from left to right.

EXAMPLE 1 Using Order of Operations

a. Evaluate $12 - 2 \times 4$.

$12 - 2 \times 4 = 12 - 8$ Multiply 2 and 4.

$= 4$ Subtract 8 from 12.

b. Evaluate $60 \div [(4 + 2) \times 5]$.

$60 \div [(4 + 2) \times 5] = 60 \div [6 \times 5]$ Perform operation in parentheses.

$= 60 \div 30$ Perform operation in brackets.

$= 2$ Divide 60 by 30.

Try It **Evaluate the expression.**

1. $7 \cdot 5 + 3$ **2.** $(28 - 20) \div 4$ **3.** $[6 + (15 - 10)] \times 5$

EXAMPLE 2 Using Order of Operations with Exponents

Evaluate $30 \div (7 + 2^3) \times 6$.

$30 \div (7 + 2^3) \times 6 = 30 \div (7 + 8) \times 6$ Evaluate power in parentheses.

$= 30 \div 15 \times 6$ Perform operation in parentheses.

$= 2 \times 6$ Divide 30 by 15.

$= 12$ Multiply 2 and 6.

Remember to multiply and divide from left to right. In Example 2, you should divide before multiplying because the division symbol comes first when reading from left to right.

Try It **Evaluate the expression.**

4. $6 + 2^4 - 1$ **5.** $4 \cdot 3^2 + 18 - 9$ **6.** $16 + (5^2 - 7) \div 3$

The symbols $\times$ and $\cdot$ are used to indicate multiplication. You can also use parentheses to indicate multiplication. For example, $3(2 + 7)$ is the same as $3 \times (2 + 7)$.

EXAMPLE 3 Using Order of Operations

Remember

You can interpret a fraction as division of the numerator by the denominator.

$$\frac{a}{b} = a \div b$$

a. Evaluate $9 + \frac{8 - 2}{3}$.

$9 + \frac{8 - 2}{3} = 9 + (8 - 2) \div 3$ Rewrite fraction as division.

$= 9 + 6 \div 3$ Perform operation in parentheses.

$= 9 + 2$ Divide 6 by 3.

$= 11$ Add 9 and 2.

b. Evaluate $10 - 8(13 + 7) \div 4^2$.

$10 - 8(13 + 7) \div 4^2 = 10 - 8(20) \div 4^2$ Perform operation in parentheses.

$= 10 - 8(20) \div 16$ Evaluate 4^2.

$= 10 - 160 \div 16$ Multiply 8 and 20.

$= 10 - 10$ Divide 160 by 16.

$= 0$ Subtract 10 from 10.

Try It **Evaluate the expression.**

7. $50 + 6(12 \div 4) - 8^2$ **8.** $5^2 - \frac{1}{5}(10 - 5)$ **9.** $\frac{8(2 + 5)}{7}$

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

USING ORDER OF OPERATIONS **Evaluate the expression.**

10. $7 + 2 \cdot 4$ **11.** $8 \div 4 \times 2$ **12.** $3(5 + 1) \div 3^2$

13. WRITING Why does $12 - 8 \div 2 = 8$, but $(12 - 8) \div 2 = 2$?

14. MP REASONING Describe the steps in evaluating the expression $8 \div (6 - 4) + 3^2$.

15. WHICH ONE DOESN'T BELONG? Which expression does *not* belong with the other three? Explain your reasoning.

$5^2 - 8 \times 2$ $5^2 - (8 \times 2)$ $5^2 - 2 \times 8$ $(5^2 - 8) \times 2$

EXAMPLE 4 Modeling Real Life

The diagram shows landing zones for skydivers. Zone 1 is for experts. The remaining space is divided in half and designated as Zones 2 and 3 for tandem divers. What is the area of Zone 2?



Understand the problem.

You are given the dimensions of landing zones and that the areas of Zones 2 and 3 are equal. You are asked to find the area of Zone 2.

Make a plan.

Use a verbal model to write an expression. Subtract the area of Zone 1 from the total area to find the combined area of Zones 2 and 3. Then multiply the combined area by one-half.

Solve and check.

Verbal Model

$$\text{One-half} \left(\text{Total area} - \text{Area of Zone 1} \right)$$

Expression

$$\frac{1}{2} \quad (\quad 40^2 \quad - \quad 20^2 \quad)$$

$$\frac{1}{2}(40^2 - 20^2) = \frac{1}{2}(1600 - 400) \qquad \text{Evaluate powers in parentheses.}$$

$$= \frac{1}{2}(1200) \qquad \text{Perform operation in parentheses.}$$

$$= 600 \qquad \text{Multiply } \frac{1}{2} \text{ and } 1200.$$

The area of Zone 2 is 600 square yards.

Check Verify that the areas of the three zones have a sum equal to the total area.

$400 + 600 + 600 \stackrel{?}{=} 1600$

$1600 = 1600$ ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

16. A square plot of land has side lengths of 40 meters. An archaeologist divides the land into 64 equal parts. What is the area of each part?



17. A glass block window is made of two different-sized glass squares. The window has side lengths of 40 inches. The large glass squares have side lengths of 10 inches. Find the total area of the small glass squares.

18. **DIG DEEPER!** A square vegetable garden has side lengths of 12 feet. You plant flowers in the center portion as shown. You divide the remaining space into 4 equal sections and plant tomatoes, onions, zucchini, and peppers. What is the area of the onion section?



1.2 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Write the product as a power.

1. $11 \times 11 \times 11 \times 11$

2. $13 \times 13 \times 13 \times 13 \times 13$

Find the missing dimension of the rectangular prism.

3.



Volume = 192 in.^{3}

4.



Volume = 135 m^3

Tell whether the number is prime or composite.

5. 9

6. 11

7. 23

Concepts, Skills, & Problem Solving

COMPARING DIFFERENT ORDERS **Find the value of the expression by using different orders of operations. Are your answers the same?** (See Exploration 1, p. 9.)

8. Add, then multiply. $4 + 6 \times 6$ Multiply, then add. $4 + 6 \times 6$

9. Subtract, then multiply. $5 \times 5 - 3$ Multiply, then subtract. $5 \times 5 - 3$

USING ORDER OF OPERATIONS **Evaluate the expression.**

10. $5 + 18 \div 6$

11. $(11 - 3) \div 2 + 1$

12. $45 \div 9 \times 12$

13. $6^2 - 3 \cdot 4$

14. $42 \div (15 - 2^3)$

15. $4^2 \cdot 2 + 8 \cdot 7$

16. $(5^2 - 2) \times 1^5 + 4$

17. $4 + 2 \times 3^2 - 9$

18. $8 \div 2 \times 3 + 4^2 \div 4$

19. $3^2 + 12 \div (6 - 3) \times 8$

20. $(10 + 4) \div (26 - 19)$

21. $(5^2 - 4) \cdot 2 - 18$

22. $2 \times [(16 - 8) \times 2]$

23. $12 + 8 \times 3^3 - 24$

24. $6^2 \div [(2 + 4) \times 2^3]$

YOU BE THE TEACHER **Your friend evaluates the expression. Is your friend correct? Explain your reasoning.**

25.

$$9 + 3 \times 3^2 = 12 \times 9$$
$$= 108$$

26.

$$19 - 6 + 12 = 19 - 18$$
$$= 1$$

27. MP **PROBLEM SOLVING** You need to read 20 poems in 5 days for an English project. Each poem is 2 pages long. Evaluate the expression $20 \times 2 \div 5$ to find how many pages you need to read each day.

USING ORDER OF OPERATIONS **Evaluate the expression.**

28. $12 - 2(7 - 4)$

29. $4(3 + 5) - 3(6 - 2)$

30. $6 + \frac{1}{4}(12 - 8)$

31. $9^2 - 8(6 + 2)$

32. $4(3 - 1)^3 + 7(6) - 5^2$

33. $8\left[\left(1\frac{1}{6} + \frac{5}{6}\right) \div 4\right]$

34. $7^2 - 2\left(\frac{11}{8} - \frac{3}{8}\right)$

35. $8(7.3 + 3.7 - 8) \div 2$

36. $2^4(5.2 - 3.2) \div 4$

37. $\frac{6^2(3 + 5)}{4}$

38. $\frac{12^2 - 4(6) + 1}{11^2}$

39. $\frac{26 \div 2 + 5}{3^2 - 3}$



40. **PROBLEM SOLVING** Before a show, there are 8 people in a theater. Five groups of 4 people enter, and then three groups of 2 people leave. Evaluate the expression $8 + 5(4) - 3(2)$ to find how many people are in the theater.

41. **MODELING REAL LIFE** The front door of a house is painted white and blue. Each window is a square with a side length of 7 inches. What is the area of the door that is painted blue?

42. **PROBLEM SOLVING** You buy 6 notebooks, 10 folders, 1 pack of pencils, and 1 lunch box for school. After using a $10 gift card, how much do you owe? Explain how you solved the problem.

43. **OPEN-ENDED** Use all four operations and at least one exponent to write an expression that has a value of 100.

44. **REPEATED REASONING** A Petri dish contains 35 cells. Every day, each cell in the Petri dish divides into 2 cells in a process called *mitosis*. How many cells are there after 14 days? Justify your answer.

45. **REASONING** Two groups collect litter along the side of a road. It takes each group 5 minutes to clean up a 200-yard section. How long does it take both groups working together to clean up 2 *miles*? Explain how you solved the problem.

46. **NUMBER SENSE** Copy each statement. Insert $+$, $-$, $\times$, or $\div$ symbols to make each statement true.

a. $27 \square 3 \square 5 \square 2 = 19$

b. $9^2 \square 11 \square 8 \square 4 \square 1 = 60$

c. $5 \square 6 \square 15 \square 9 = 24$

d. $14 \square 2 \square 7 \square 3 \square 9 = 10$

1.3 Prime Factorization

Learning Target: Write a number as a product of prime factors and represent the product using exponents.

Success Criteria:
- I can find factor pairs of a number.
- I can explain the meanings of prime and composite numbers.
- I can create a factor tree to find the prime factors of a number.
- I can write the prime factorization of a number.

EXPLORATION 1 Rewriting Numbers as Products of Factors

FLORIDA STANDARDS
Preparing for MAFS.6.NS.2.4

Work with a partner. Two students use *factor trees* to write 108 as a product of factors, as shown below.

Student A



Student B



a. Without using 1 as a factor, can you write 108 as a product with more factors than each student used? Justify your answer.

Math Practice

Interpret Results
How do you know your answer makes sense?

b. Use factor trees to write 80, 162, and 300 as products of as many factors as possible. Do not use 1 as a factor.



c. Compare your results in parts (a) and (b) with other groups. For each number, identify the product with the greatest number of factors. What do these factors have in common?

1.3 Lesson

Because 2 is a factor of 10 and $2 \cdot 5 = 10$, 5 is also a factor of 10. The pair 2, 5 is called a **factor pair** of 10.

Key Vocabulary

factor pair, *p. 16*
prime factorization, *p. 16*
factor tree, *p. 16*

EXAMPLE 1 Finding Factor Pairs

The brass section of a marching band has 30 members. The band director arranges the brass section in rows. Each row has the same number of members. How many possible arrangements are there?

Use the factor pairs of 30 to find the number of arrangements.

$30 = 1 \cdot 30$ There could be 1 row of 30 or 30 rows of 1.

$30 = 2 \cdot 15$ There could be 2 rows of 15 or 15 rows of 2.

$30 = 3 \cdot 10$ There could be 3 rows of 10 or 10 rows of 3.

$30 = 5 \cdot 6$ There could be 5 rows of 6 or 6 rows of 5.

$30 = 6 \cdot 5$ The factors 5 and 6 are already listed.

When making an organized list of factor pairs, stop finding pairs when the factors begin to repeat.

There are 8 possible arrangements: 1 row of 30, 30 rows of 1, 2 rows of 15, 15 rows of 2, 3 rows of 10, 10 rows of 3, 5 rows of 6, or 6 rows of 5.

Try It **List the factor pairs of the number.**

1. 18
2. 24
3. 51
4. **WHAT IF?** The woodwinds section of the marching band has 38 members. Which has more possible arrangements, the brass section or the woodwinds section? Explain.

Key Idea

Prime Factorization

The **prime factorization** of a composite number is the number written as a product of its prime factors.

You can use factor pairs and a **factor tree** to help find the prime factorization of a number. The factor tree is complete when only prime factors appear in the product. A factor tree for 60 is shown.



$60 = 2 \cdot 2 \cdot 3 \cdot 5$, or $2^2 \cdot 3 \cdot 5$

Remember

A *prime number* is a whole number greater than 1 with exactly two factors, 1 and itself. A *composite number* is a whole number greater than 1 with factors in addition to 1 and itself.

EXAMPLE 2 Writing a Prime Factorization

Write the prime factorization of 48.

Choose any factor pair of 48 to begin the factor tree.

Notice that beginning with different factor pairs results in the same prime factorization. Every composite number has only one prime factorization.

Tree 1



$48 = 2 \cdot 2 \cdot 3 \cdot 2 \cdot 2$

Find a factor pair and draw "branches."

Circle the prime factors as you find them.

Find factors until each branch ends at a prime factor.

Tree 2



$48 = 3 \cdot 2 \cdot 2 \cdot 2 \cdot 2$

▶ The prime factorization of 48 is $2 \cdot 2 \cdot 2 \cdot 2 \cdot 3$, or $2^4 \cdot 3$.

Try It **Write the prime factorization of the number.**

5. 20 **6.** 88 **7.** 90 **8.** 462

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

WRITING A PRIME FACTORIZATION **Write the prime factorization of the number.**

9. 14 **10.** 86 **11.** 40 **12.** 516

13. WRITING Explain the difference between prime numbers and composite numbers.

14. MP STRUCTURE Your friend lists the following factor pairs and concludes that there are 6 factor pairs of 12. Explain why your friend is incorrect.

1, 12	2, 6	3, 4
12, 1	6, 2	4, 3

15. WHICH ONE DOESN'T BELONG? Which factor pair does *not* belong with the other three? Explain your reasoning.

2, 28	4, 14	6, 9	7, 8

EXAMPLE 3 Using a Prime Factorization

What is the greatest perfect square that is a factor of 1575?

Because 1575 has many factors, it is not efficient to list all of its factors and check for perfect squares. Use a factor tree to write the prime factorization of 1575. Then analyze the prime factors to find perfect square factors.



$$1575 = 3 \cdot 3 \cdot 5 \cdot 5 \cdot 7$$

The prime factorization shows that 1575 has three factors other than 1 that are perfect squares.

$3 \cdot 3 = 9$

$5 \cdot 5 = 25$

$(3 \cdot 5) \cdot (3 \cdot 5) = 15 \cdot 15 = 225$

So, the greatest perfect square that is a factor of 1575 is 225.

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

16. A group of 20 friends plays a card game. The game can be played with 2 or more teams of equal size. Each team must have at least 2 members. List the possible numbers and sizes of teams.

17. You arrange 150 chairs in rows for a school play. You want each row to have the same number of chairs. How many possible arrangements are there? Are all of the possible arrangements appropriate for the play? Explain.

18. What is the least perfect square that is a factor of 4536? What is the greatest perfect square that is a factor of 4536?

19. DIG DEEPER! The prime factorization of a number is $2^4 \times 3^4 \times 5^4 \times 7^2$. Is the number a perfect square? Explain your reasoning.

1.3 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Evaluate the expression.

1. $2 + 4^2(5 - 3)$ **2.** $2^3 + 4 \times 3^2$ **3.** $9 \times 5 - 2^4\left(\frac{5}{2} - \frac{1}{2}\right)$

Plot the points in a coordinate plane. Draw a line segment connecting the points.

4. $(1, 1)$ and $(4, 3)$ **5.** $(2, 3)$ and $(5, 9)$ **6.** $(2, 5)$ and $(4, 8)$

Use the Distributive Property to find the quotient. Justify your answer.

7. $408 \div 4$ **8.** $628 \div 2$ **9.** $969 \div 3$

Classify the triangle in as many ways as possible.

10.



11.



12.



Concepts, Skills, & Problem Solving

REWRITING A NUMBER **Write the number as a product of as many factors as possible.** (See Exploration 1, p. 15.)

13. 60 **14.** 63 **15.** 120 **16.** 150

FINDING FACTOR PAIRS **List the factor pairs of the number.**

17. 15 **18.** 22 **19.** 34 **20.** 39

21. 45 **22.** 54 **23.** 59 **24.** 61

25. 100 **26.** 58 **27.** 25 **28.** 76

29. 52 **30.** 88 **31.** 71 **32.** 91

WRITING A PRIME FACTORIZATION **Write the prime factorization of the number.**

33. 16 **34.** 25 **35.** 30 **36.** 26

37. 84 **38.** 54 **39.** 65 **40.** 77

41. 46 **42.** 39 **43.** 99 **44.** 24

45. 315 **46.** 490 **47.** 140 **48.** 640

USING A PRIME FACTORIZATION **Find the number represented by the prime factorization.**

49. $2^2 \cdot 3^2 \cdot 5$ **50.** $3^2 \cdot 5^2 \cdot 7$ **51.** $2^3 \cdot 11^2 \cdot 13$



52. YOU BE THE TEACHER Your friend finds the prime factorization of 72. Is your friend correct? Explain your reasoning.

USING A PRIME FACTORIZATION **Find the greatest perfect square that is a factor of the number.**

53. 250	**54.** 275	**55.** 392	**56.** 338
57. 244	**58.** 650	**59.** 756	**60.** 1290
61. 2205	**62.** 1890	**63.** 495	**64.** 4725

65. VOCABULARY A botanist separates plants into equal groups of 5 for an experiment. Is the total number of plants in the experiment *prime* or *composite*? Explain.

66. MP REASONING A teacher divides 36 students into equal groups for a scavenger hunt. Each group should have at least 4 students but no more than 8 students. What are the possible group sizes?

67. CRITICAL THINKING Is 2 the only even prime number? Explain.

68. MP LOGIC One table at a bake sale has 75 cookies. Another table has 60 cupcakes. Which table allows for more rectangular arrangements? Explain.

69. PERFECT NUMBERS A *perfect number* is a number that equals the sum of its factors, not including itself. For example, the factors of 28 are 1, 2, 4, 7, 14, and 28. Because $1 + 2 + 4 + 7 + 14 = 28$, 28 is a perfect number. What are the perfect numbers between 1 and 27?

70. MP REPEATED REASONING Choose any two perfect squares and find their product. Then multiply your answer by another perfect square. Continue this process. Are any of the products perfect squares? What can you conclude?

71. MP PROBLEM SOLVING The stage manager of a school play creates a rectangular stage that has whole number dimensions and an area of 42 square yards. String lights will outline the stage. What is the least number of yards of string lights needed to enclose the stage?



72. DIG DEEPER! Consider the rectangular prism shown. Using only whole number dimensions, how many different prisms are possible? Explain.

1.4 Greatest Common Factor

Learning Target: Find the greatest common factor of two numbers.

Success Criteria:
- I can explain the meaning of factors of a number.
- I can use lists of factors to identify the greatest common factor of numbers.
- I can use prime factors to identify the greatest common factor of numbers.

FLORIDA STANDARDS
MAFS.6.NS.2.4

A **Venn diagram** uses circles to describe relationships between two or more sets. The Venn diagram shows the factors of 12 and 15. Numbers that are factors of both 12 and 15 are represented by the overlap of the two circles.



EXPLORATION 1 Identifying Common Factors

Work with a partner. In parts (a)–(d), create a Venn diagram that represents the factors of each number and identify any *common factors*.

a. 36 and 48

b. 16 and 56

c. 30 and 75

d. 54 and 90

e. Look at the Venn diagrams in parts (a)–(d). Explain how to identify the *greatest common factor* of each pair of numbers. Then circle it in each diagram.

EXPLORATION 2 Using Prime Factors

Work with a partner.

a. Each Venn diagram represents the prime factorizations of two numbers. Identify each pair of numbers. Explain your reasoning.





Math Practice

Interpret a Solution

What does the diagram representing the prime factorizations mean?

b. Create a Venn diagram that represents the prime factorizations of 36 and 48.

c. Repeat part (b) for the remaining number pairs in Exploration 1.

d. MP **STRUCTURE** Make a conjecture about the relationship between the greatest common factors you found in Exploration 1 and the numbers in the overlaps of the Venn diagrams you just created.

1.4 Lesson

Factors that are shared by two or more numbers are called **common factors**. The greatest of the common factors is called the **greatest common factor** (GCF). One way to find the GCF of two or more numbers is by listing factors.

Key Vocabulary
Venn diagram, *p. 21*
common factors, *p. 22*
greatest common factor, *p. 22*

EXAMPLE 1 Finding the GCF Using Lists of Factors

Find the GCF of 24 and 40.

List the factors of each number.

Factors of 24: 1, 2, 3, 4, 6, 8, 12, 24

Factors of 40: 1, 2, 4, 5, 8, 10, 20, 40

Circle the common factors.

The common factors of 24 and 40 are 1, 2, 4, and 8. The greatest of these common factors is 8.

▶ So, the GCF of 24 and 40 is 8.

Try It **Find the GCF of the numbers using lists of factors.**

1. 8, 36
2. 18, 72
3. 14, 28, 49

Another way to find the GCF of two or more numbers is by using prime factors. The GCF is the product of the common prime factors of the numbers.

EXAMPLE 2 Finding the GCF Using Prime Factorizations

Find the GCF of 12 and 56.

Make a factor tree for each number.





Write the prime factorization of each number.

$12 = 2 \cdot 2 \cdot 3$

$56 = 2 \cdot 2 \cdot 2 \cdot 7$

Circle the common prime factors.

$2 \cdot 2 = 4$

Find the product of the common prime factors.

▶ So, the GCF of 12 and 56 is 4.

Examples 1 and 2 show two different methods for finding the GCF. After solving with one method, you can use the other method to check your answer.

Try It **Find the GCF of the numbers using prime factorizations.**

4. 20, 45
5. 32, 90
6. 45, 75, 120

EXAMPLE 3 Finding Two Numbers with a Given GCF

Which pair of numbers has a GCF of 15?

A. 10, 15 **B.** 30, 60 **C.** 21, 45 **D.** 45, 75

The number 15 cannot be a factor of the lesser number 10. So, you can eliminate Choice A.

The number 15 cannot be a factor of a number that does not have a 0 or 5 in the ones place. So, you can eliminate Choice C.

List the factors for Choices B and D. Then identify the GCF for each.

Choice B: **Factors of 30:** (1), (2), (3), (5), (6), (10), (15), (30)

Factors of 60: (1), (2), (3), 4, (5), (6), (10), 12, (15), 20, (30), 60

The GCF of 30 and 60 is 30.

Choice D: **Factors of 45:** (1), (3), (5), 9, (15), 45

Factors of 75: (1), (3), (5), (15), 25, 75

The GCF of 45 and 75 is 15.

▶ The correct answer is **D**.

Try It

7. Write a pair of numbers whose greatest common factor is 10.

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

FINDING THE GCF **Find the GCF of the numbers.**

8. 16, 40 **9.** 35, 63 **10.** 18, 72, 144

11. **MULTIPLE CHOICE** Which number is *not* a factor of 10? Explain.

A. 1 **B.** 2 **C.** 4 **D.** 5

12. **DIFFERENT WORDS, SAME QUESTION** Which is different? Find "both" answers.

What is the greatest common factor of 24 and 32?

What is the greatest common divisor of 24 and 32?

What is the greatest common prime factor of 24 and 32?

What is the product of the common prime factors of 24 and 32?

EXAMPLE 4 Modeling Real Life

You are filling piñatas for your friend's birthday party. The list shows the gifts you are putting into the piñatas. You want identical groups of gifts in each piñata with no gifts left over. What is the greatest number of piñatas you can make?

- 18 kazoos
- 24 mints
- 42 lollipops

The GCF of the numbers of gifts represents the greatest number of identical groups of gifts you can make with no gifts left over. So, to find the number of piñatas, find the GCF.

Write the prime factorization of each number.

$18 = 2 \cdot 3 \cdot 3$

$24 = 2 \cdot 3 \cdot 2 \cdot 2$ Circle the common prime factors.

$42 = 2 \cdot 3 \cdot 7$

$2 \cdot 3 = 6$ Find the product of the common prime factors.

The GCF of 18, 24, and 42 is 6.

So, you can make at most 6 piñatas.

Check Verify that 6 identical piñatas will use all of the gifts.

18 kazoos ÷ 6 piñatas = 3 kazoos per piñata

24 mints ÷ 6 piñatas = 4 mints per piñata

42 lollipops ÷ 6 piñatas = 7 lollipops per piñata ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

13. You use 30 sandwiches and 42 granola bars to make identical picnic baskets. You make the greatest number of picnic baskets with no food left over. How many sandwiches and how many granola bars are in each basket?

14. You fill bags with cookies to give to your friends. You bake 45 chocolate chip cookies, 30 peanut butter cookies, and 15 oatmeal cookies. You want identical groups of cookies in each bag with no cookies left over. What is the greatest number of bags you can make?

1.4 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

List the factor pairs of the number.

1. 20 **2.** 16 **3.** 56 **4.** 87

Tell whether the statement is *always*, *sometimes*, or *never* true.

5. A rectangle is a rhombus.

6. A rhombus is a square.

7. A square is a rectangle.

8. A trapezoid is a parallelogram.

Concepts, Skills, & Problem Solving

USING A VENN DIAGRAM **Use a Venn diagram to find the greatest common factor of the numbers.** (See Exploration 1, p. 21.)

9. 12, 30 **10.** 32, 54 **11.** 24, 108

FINDING THE GCF **Find the GCF of the numbers using lists of factors.**

12. 6, 15 **13.** 14, 84 **14.** 45, 76

15. 39, 65 **16.** 51, 85 **17.** 40, 63

18. 12, 48 **19.** 24, 52 **20.** 30, 58

FINDING THE GCF **Find the GCF of the numbers using prime factorizations.**

21. 45, 60 **22.** 27, 63 **23.** 36, 81

24. 72, 84 **25.** 61, 73 **26.** 38, 95

27. 60, 75 **28.** 42, 60 **29.** 42, 63

30. 24, 96 **31.** 189, 200 **32.** 90, 108

OPEN-ENDED **Write a pair of numbers with the indicated GCF.**

33. 5 **34.** 12 **35.** 37

36. **MODELING REAL LIFE** A teacher is making identical activity packets using 92 crayons and 23 sheets of paper. What is the greatest number of packets the teacher can make with no items left over?

37. **MODELING REAL LIFE** You are making balloon arrangements for a birthday party. There are 16 white balloons and 24 red balloons. Each arrangement must be identical. What is the greatest number of arrangements you can make using every balloon?

YOU BE THE TEACHER **Your friend finds the GCF of the two numbers. Is your friend correct? Explain your reasoning.**

38.

$42 = 2 \cdot 3 \cdot 7$

$154 = 2 \cdot 7 \cdot 11$

The GCF is 7.

39.

$36 = 2^2 \cdot 3^2$

$60 = 2^2 \cdot 3 \cdot 5$

The GCF is $2^2 \cdot 3 = 12$.

FINDING THE GCF **Find the GCF of the numbers.**

40. 35, 56, 63

41. 30, 60, 78

42. 42, 70, 84

43. 40, 55, 72

44. 18, 54, 90

45. 16, 48, 88

46. 52, 78, 104

47. 96, 120, 156

48. 280, 300, 380

49. **OPEN-ENDED** Write three numbers that have a GCF of 16. What method did you use to find your answer?

CRITICAL THINKING **Tell whether the statement is *always*, *sometimes*, or *never* true. Explain your reasoning.**

50. The GCF of two even numbers is 2.

51. The GCF of two prime numbers is 1.

52. When one number is a multiple of another, the GCF of the numbers is the greater of the numbers.

53. MP **PROBLEM SOLVING** A science museum makes gift bags for students using 168 magnets, 48 robot figurines, and 24 packs of freeze-dried ice cream. What is the greatest number of gift bags that can be made using all of the items? How many of each item are in each gift bag?

54. **VENN DIAGRAM** Consider the numbers 252, 270, and 300.

a. Create a Venn diagram using the prime factors of the numbers.

b. Use the Venn diagram to find the GCF of 252, 270, and 300.

c. What is the GCF of 252 and 270? 252 and 300? 270 and 300? Explain how you found your answers.

55. MP **REASONING** You are making fruit baskets using 54 apples, 36 oranges, and 73 bananas.

a. Explain why you cannot make identical fruit baskets without leftover fruit.

b. What is the greatest number of identical fruit baskets you can make with the least amount of fruit left over? Explain how you found your answer.



56. **DIG DEEPER!** Two rectangular, adjacent rooms share a wall. One-foot-by-one-foot tiles cover the floor of each room. Describe how the greatest possible length of the adjoining wall is related to the total number of tiles in each room. Draw a diagram that represents one possibility.

1.5 Least Common Multiple

Learning Target: Find the least common multiple of two numbers.

Success Criteria:
- I can explain the meaning of multiples of a number.
- I can use lists of multiples to identify the least common multiple of numbers.
- I can use prime factors to identify the least common multiple of numbers.

EXPLORATION 1

Identifying Common Multiples

FLORIDA STANDARDS
MAFS.6.NS.2.4

Work with a partner. In parts (a)–(d), create a Venn diagram that represents the first several multiples of each number and identify any *common multiples*.

a. 8 and 12

b. 4 and 14

c. 10 and 15

d. 20 and 35

e. Look at the Venn diagrams in parts (a)–(d). Explain how to identify the *least common multiple* of each pair of numbers. Then circle it in each diagram.

EXPLORATION 2

Using Prime Factors

Work with a partner.

a. Create a Venn diagram that represents the prime factorizations of 8 and 12.

b. Repeat part (a) for the remaining number pairs in Exploration 1.

c. MP **STRUCTURE** Make a conjecture about the relationship between the least common multiples you found in Exploration 1 and the numbers in the Venn diagrams you just created.

d. The Venn diagram shows the prime factors of two numbers.



Use the diagram to complete the following tasks.

- Identify the two numbers.
- Find the greatest common factor.
- Find the least common multiple.

Math Practice

Analyze Conjectures
How can you test your conjecture in part (c)?

1.5 Lesson

Key Vocabulary

common multiples, *p. 28*

least common multiple, *p. 28*

Multiples that are shared by two or more numbers are called **common multiples**. The least of the common multiples is called the **least common multiple** (LCM). You can find the LCM of two or more numbers by listing multiples or using prime factors.

EXAMPLE 1 Finding the LCM Using Lists of Multiples

Find the LCM of 4 and 6.

List the multiples of each number.

Multiples of 4: 4, 8, (12), 16, 20, (24), 28, 32, (36), . . . Circle the common multiples.

Multiples of 6: 6, (12), 18, (24), 30, (36), . . .

Some common multiples of 4 and 6 are 12, 24, and 36. The least of these common multiples is 12.

▶ So, the LCM of 4 and 6 is 12.

Try It **Find the LCM of the numbers using lists of multiples.**

1. 3, 8 **2.** 9, 12 **3.** 6, 10

EXAMPLE 2 Finding the LCM Using Prime Factorizations

Find the LCM of 16 and 20.

Make a factor tree for each number.

Write the prime factorization of each number. Circle each different factor where it appears the greater number of times.

$16 = (2) \cdot (2) \cdot (2) \cdot (2)$ 2 appears more often here, so circle all 2s.

$20 = 2 \cdot 2 \cdot (5)$ 5 appears once. Do not circle the 2s again.

$2 \cdot 2 \cdot 2 \cdot 2 \cdot 5 = 80$ Find the product of the circled factors.

▶ So, the LCM of 16 and 20 is 80.

Try It **Find the LCM of the numbers using prime factorizations.**

4. 14, 18 **5.** 28, 36 **6.** 24, 90

EXAMPLE 3 Finding the LCM of Three Numbers

Find the LCM of 4, 15, and 18.

Write the prime factorization of each number. Circle each different factor where it appears the greatest number of times.

$4 = \textcircled{2} \cdot \textcircled{2}$ — 2 appears most often here, so circle both 2s.

$15 = 3 \cdot \textcircled{5}$ — 5 appears here only, so circle 5.

$18 = 2 \cdot \textcircled{3} \cdot \textcircled{3}$ — 3 appears most often here, so circle both 3s.

$2 \cdot 2 \cdot 5 \cdot 3 \cdot 3 = 180$ — Find the product of the circled factors.

So, the LCM of 4, 15, and 18 is 180.

Try It

Find the LCM of the numbers.

7. 2, 5, 8

8. 6, 10, 12

9. Write three numbers that have a least common multiple of 100.

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

FINDING THE LCM **Find the LCM of the numbers.**

10. 6, 9

11. 30, 40

12. 5, 11

13. MP **REASONING** Write two numbers such that 18 and 30 are multiples of the numbers. Justify your answer.

14. MP **REASONING** You need to find the LCM of 13 and 14. Would you rather list their multiples or use their prime factorizations? Explain.

15. MP **CHOOSE TOOLS** A student writes the prime factorizations of 8 and 12 in a table as shown. She claims she can use the table to find the greatest common factor and the least common multiple of 8 and 12. How is this possible?

8 =	2	2	2		
12 =	2	2		3	

16. **CRITICAL THINKING** How can you use least common multiples to add or subtract fractions with different denominators?

EXAMPLE 4 Modeling Real Life

One firefly flashes every 8 seconds. Another firefly flashes every 10 seconds. Both fireflies just flashed. After how many seconds will both fireflies flash at the same time again?

Understand the problem.

You are given the numbers of seconds between flashes for two different fireflies. You are asked when the fireflies will flash at the same time again.

Make a plan.

The LCM of the numbers of seconds between flashes represents the number of seconds it will take for both fireflies to flash at the same time again. So, find the LCM of 8 and 10 by listing the multiples of each number.

Solve and check.

Multiples of 8: 8, 16, 24, 32, (40), . . .

Multiples of 10: 10, 20, 30, (40), 50, . . .

The LCM of 8 and 10 is 40.

So, both fireflies will flash at the same time again after 40 seconds.

Another Method Find the LCM using prime factorizations.

$8 = (2) \cdot (2) \cdot (2)$ $\quad 10 = 2 \cdot (5)$

So, the LCM is $2 \cdot 2 \cdot 2 \cdot 5 = 40$. ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

17. A geyser erupts every fourth day. Another geyser erupts every sixth day. Today both geysers erupted. In how many days will both geysers erupt on the same day again?

18. A water park has two large buckets that slowly fill with water. One bucket dumps water every 12 minutes. The other bucket dumps water every 10 minutes. Five minutes ago, both buckets dumped water. When will both buckets dump water at the same time again?

19. **DIG DEEPER!** You purchase disposable plates, cups, and forks for a cookout. Plates are sold in packages of 24, cups in packages of 32, and forks in packages of 48. What are the least numbers of packages you should buy in order to have the same number of plates, cups, and forks?

1.5 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Find the GCF of the numbers.

1. 18, 42 **2.** 72, 96 **3.** 38, 76, 114

Divide.

4. $900 \div 6$ **5.** $1944 \div 9$ **6.** $672 \div 12$

Write an ordered pair that corresponds to the point.

7. Point A

8. Point B

9. Point C

10. Point D



Concepts, Skills, & Problem Solving

USING A VENN DIAGRAM **Use a Venn diagram to find the least common multiple of the numbers.** (See Exploration 1, p. 27.)

11. 3, 7 **12.** 6, 8 **13.** 4, 5

FINDING THE LCM **Find the LCM of the numbers using lists of multiples.**

14. 1, 5 **15.** 2, 6 **16.** 2, 3

17. 2, 9 **18.** 3, 4 **19.** 8, 9

20. 5, 8 **21.** 11, 12 **22.** 12, 18

FINDING THE LCM **Find the LCM of the numbers using prime factorizations.**

23. 7, 12 **24.** 5, 9 **25.** 4, 11

26. 9, 10 **27.** 12, 27 **28.** 18, 45

29. 22, 33 **30.** 36, 60 **31.** 35, 50

32. **YOU BE THE TEACHER** Your friend finds the LCM of 6 and 9. Is your friend correct? Explain your reasoning.

$6 \times 9 = 54$

The LCM of 6 and 9 is 54.

33. **MODELING REAL LIFE** You have diving lessons every fifth day and swimming lessons every third day. Today you have both lessons. In how many days will you have both lessons on the same day again?

34. MP **REASONING** Which model represents an LCM that is different from the other three? Explain your reasoning.

A.



B.



C.



D.



FINDING THE LCM **Find the LCM of the numbers.**

35. 2, 3, 7

36. 3, 5, 11

37. 4, 9, 12

38. 6, 8, 15

39. 7, 18, 21

40. 9, 10, 28

41. MP **PROBLEM SOLVING** At Union Station, you notice that three subway lines just arrived at the same time. How long must you wait until all three lines arrive at Union Station at the same time again?

Subway Line	Arrival Time
A	Every 10 min
B	Every 12 min
C	Every 15 min



42. DIG DEEPER! A radio station gives away \$15 to every 15th caller, \$25 to every 25th caller, and a free concert ticket to every 100th caller. When will the station first give away *all* three prizes to one caller? When this happens, how much money and how many tickets are given away?

43. MP **LOGIC** You and a friend are running on treadmills. You run 0.5 mile every 3 minutes, and your friend runs 2 miles every 14 minutes. You both start and stop running at the same time and run a whole number of miles. What are the least possible numbers of miles you and your friend can run?



44. **VENN DIAGRAM** Refer to the Venn diagram.

a. Copy and complete the Venn diagram.

b. What is the LCM of 16, 24, and 40?

c. What is the LCM of 16 and 40? 24 and 40? 16 and 24? Explain how you found your answers.

CRITICAL THINKING **Tell whether the statement is *always*, *sometimes*, or *never* true. Explain your reasoning.**

45. The LCM of two different prime numbers is their product.

46. The LCM of a set of numbers is equal to one of the numbers in the set.

47. The GCF of two different numbers is the LCM of the numbers.

1 Connecting Concepts

Problem-Solving Strategies

Using an appropriate strategy will help you make sense of problems as you study the mathematics in this course. You can use the following strategies to solve problems that you encounter.

- Use a verbal model.
- Draw a diagram.
- Write an equation.
- Solve a simpler problem.
- Sketch a graph or number line.
- Make a table.
- Make a list.
- Break the problem into parts.

Using the Problem-Solving Plan

1. A sports team gives away shirts at the stadium. There are 60 large shirts, 1.6 times as many small shirts as large shirts, and 1.5 times as many medium shirts as small shirts. The team wants to divide the shirts into identical groups to be distributed throughout the stadium. What is the greatest number of groups that can be formed using every shirt?

Understand the problem.

You know the number of large shirts and two relationships among the numbers of small, medium, and large shirts. You are asked to find the greatest number of identical groups that can be formed using every shirt.

Make a plan.

Break the problem into parts. First use multiplication to find the number of each size shirt. Then find the GCF of these numbers.

Solve and check.

Use the plan to solve the problem. Then check your solution.

2. An escape artist fills the tank shown with water. Find the number of cubic feet of water needed to fill the tank. Then find the number of cubic yards of water that are needed to fill the tank. Justify your answer.



Performance Task

Setting the Table

At the beginning of this chapter, you watched a STEAM video called "Filling Piñatas." You are now ready to complete the performance task for this video, available at ***BigIdeasMath.com***. Be sure to use the problem-solving plan as you work through the performance task.

1 Chapter Review

Go to *BigIdeasMath.com* to download blank graphic organizers.

Review Vocabulary

Write the definition and give an example of each vocabulary term.

power, *p. 4*
base, *p. 4*
exponent, *p. 4*
perfect square, *p. 5*
numerical expression, *p. 10*
evaluate, *p. 10*
order of operations, *p. 10*
factor pair, *p. 16*
prime factorization, *p. 16*
factor tree, *p. 16*
Venn diagram, *p. 21*
common factors, *p. 22*
greatest common factor, *p. 22*
common mutliples, *p. 28*
least common multiple, *p. 28*

Graphic Organizers

You can use an **Information Frame** to organize and remember concepts. Here is an example of an Information Frame for the vocabulary term ***power***.

Words:
A *power* is a product of repeated factors. The *base* of a power is the repeated factor. The *exponent* of a power indicates the number of times the base is used as a factor.

Numbers:
$5^2 = 5 \cdot 5$

Power

Numbers:
$4^3 = 4 \cdot 4 \cdot 4$

Example:
Find the value of the power.
$2^4 = 2 \cdot 2 \cdot 2 \cdot 2 = 16$

Choose and complete a graphic organizer to help you study the concept.

1. perfect square
2. numerical expression
3. order of operations
4. prime factorization
5. greatest common factor (GCF)
6. least common multiple (LCM)

"Dear Mom, I am sending you an Information Frame card for Mother's Day!"

Chapter Self-Assessment

As you complete the exercises, use the scale below to rate your understanding of the success criteria in your journal.

1	2	3	4
I do not understand.	I can do it with help.	I can do it on my own.	I can teach someone else.

1.1 Powers and Exponents *(pp. 3–8)*

Learning Target: Write and evaluate expressions involving exponents.

Write the product as a power.

1. $3 \times 3 \times 3 \times 3 \times 3 \times 3$ **2.** $5 \times 5 \times 5$ **3.** $17 \cdot 17 \cdot 17 \cdot 17 \cdot 17$

Find the value of the power.

4. 3^3 **5.** 2^6 **6.** 4^4

7. Write a power that has a value greater than 2^3 and less than 3^3.

8. Without evaluating, determine whether 2^5 or 4^2 is greater. Explain.

9. The bases on a softball field are square. What is the area of each base?





1.2 Order of Operations *(pp. 9–14)*

Learning Target: Write and evaluate numerical expressions using the order of operations.

Evaluate the expression.

10. $3 \times 6 - 12 \div 6$ **11.** $30 \div (14 - 2^2) \times 5$

12. $\dfrac{5(2.3 + 3.7)}{2}$ **13.** $4^3 - \dfrac{1}{2}(7^2 + 5)$

14. $20 \times (3^2 - 4) \div 50$ **15.** $5 + 3(4^2 - 2) \div 6$

16. Use grouping symbols and at least one exponent to write a numerical expression that has a value of 80.

1.3 Prime Factorization *(pp. 15–20)*

Learning Target: Write a number as a product of prime factors and represent the product using exponents.

List the factor pairs of the number.

17. 28 **18.** 44 **19.** 96

20. There are 36 graduated cylinders to put away on a shelf after science class. The shelf can fit a maximum of 20 cylinders across and 4 cylinders deep. The teacher wants each row to have the same number of cylinders. List the possible arrangements of the graduated cylinders on the shelf.

Write the prime factorization of the number.

21. 42 **22.** 50 **23.** 66

1.4 Greatest Common Factor *(pp. 21–26)*

Learning Target: Find the greatest common factor of two numbers.

Find the GCF of the numbers using lists of factors.

24. 27, 45 **25.** 30, 48 **26.** 28, 48

Find the GCF of the numbers using prime factorizations.

27. 24, 80 **28.** 52, 68 **29.** 32, 56

30. Write a pair of numbers that have a GCF of 20.

31. What is the greatest number of friends you can invite to an arcade using the coupon such that the tokens and slices of pizza are equally split between you and your friends with none left over? How many slices of pizza and tokens will each person receive?

1.5 Least Common Multiple *(pp. 27–32)*

Learning Target: Find the least common multiple of two numbers.

Find the LCM of the numbers using lists of multiples.

32. 4, 14 **33.** 6, 20 **34.** 12, 28

Find the LCM of the numbers using prime factorizations.

35. 6, 45 **36.** 10, 12 **37.** 18, 27

38. Find the LCM of 8, 12, and 18.

39. Write a pair of numbers that have an LCM of 84.

40. Write three numbers that have an LCM of 45.

41. You water your roses every sixth day and your hydrangeas every fifth day. Today you water both plants. In how many days will you water both plants on the same day again?



42. Hamburgers are sold in packages of 20, while buns are sold in packages of 12. What are the least numbers of packages you should buy in order to have the same number of hamburgers and buns?

43. A science museum is giving away a magnetic liquid kit to every 50th guest and a plasma ball to every 35th guest until someone receives both prizes.

a. Which numbered guest will receive both a magnetic liquid kit and a plasma ball?

b. How many people will receive a plasma ball?

1 Practice Test

1. Find the value of 2^3.

2. Evaluate $\frac{5 + 4(12 - 2)}{3^2}$.

3. Write $264 \cdot 264 \cdot 264$ as a power.

4. List the factor pairs of 66.

5. Write the prime factorization of 56.

Find the GCF of the numbers.

6. 24, 54

7. 16, 32, 72

8. 52, 65

Find the LCM of the numbers.

9. 9, 24

10. 26, 39

11. 6, 12, 14

12. You have 16 yellow beads, 20 red beads, and 24 orange beads to make identical bracelets. What is the greatest number of bracelets that you can make using all of the beads?

13. A bag contains equal numbers of green marbles and blue marbles. You can divide all of the green marbles into groups of 12 and all the blue marbles into groups of 16. What is the least number of each color of marble that can be in the bag?

14. The ages of the members of a family are 65, 58, 27, 25, 5, and 2 years old. What is the total admission price for the family to visit the zoo?

15. A competition awards prizes for fourth, third, second, and first place. The fourth place winner receives $5. Each place above that receives a prize that is five times the amount of the previous prize. How much prize money is awarded?

16. You buy tealight candles and mints as party favors for a baby shower. The tealight candles come in packs of 12 for $3.50. The mints come in packs of 50 for $6.25. What is the least amount of money you can spend to buy the same number of candles and mints?

1 Cumulative Practice

1. What is the value of 8×135?

2. Which number is equivalent to the expression below?

$$3 \cdot 2^3 - 8 \div 4$$

A. 0 **B.** 4

C. 22 **D.** 214



3. The top of an end table is a square with a side length of 16 inches. What is the area of the tabletop?

F. 16 in.^{2} **G.** 32 in.^{2}

H. 64 in.^{2} **I.** 256 in.^{2}

4. You are filling baskets using 18 green eggs, 36 red eggs, and 54 blue eggs. What is the greatest number of baskets that you can fill so that the baskets are identical and there are no eggs left over?

A. 3 **B.** 6

C. 9 **D.** 18

5. What is the value of $2^3 \cdot 3^2 \cdot 5$?

6. You hang the two strands of decorative lights shown below.

Strand 1: changes between red and blue every 15 seconds

Strand 2: changes between green and gold every 18 seconds

Both strands just changed color. After how many seconds will the strands change color at the same time again?

F. 3 seconds

G. 30 seconds

H. 90 seconds

I. 270 seconds

7. Point P is plotted in the coordinate plane below.



What are the coordinates of Point P?

A. $(5, 3)$

B. $(4, 3)$

C. $(3, 5)$

D. $(3, 4)$

8. What is the prime factorization of 1100?

F. $2 \times 5 \times 11$

G. $2^2 \times 5^2 \times 11$

H. $4 \times 5^2 \times 11$

I. $2^2 \times 5 \times 55$

9. What is the least common multiple of 3, 8, and 10?

A. 24 **B.** 30

C. 80 **D.** 120

10. What is the area of the shaded region of the figure below?



F. $16\ yd^2$ **G.** $65\ yd^2$

H. $81\ yd^2$ **I.** $97\ yd^2$

11. Which expression represents a prime factorization?

A. $4 \times 4 \times 7$ **B.** $2^2 \times 21 \times 23$

C. $3^4 \times 5 \times 7$ **D.** $5 \times 5 \times 9 \times 11$

12. Find the greatest common factor for each pair of numbers.

Think
Solve
Explain

10 and 15 10 and 21 15 and 21

What can you conclude about the greatest common factor of 10, 15, and 21? Explain your reasoning.

2 Fractions and Decimals

2.1 Multiplying Fractions

2.2 Dividing Fractions

2.3 Dividing Mixed Numbers

2.4 Adding and Subtracting Decimals

2.5 Multiplying Decimals

2.6 Dividing Whole Numbers

2.7 Dividing Decimals

Chapter Learning Target:
Understand fractions and decimals.

Chapter Success Criteria:

- I can identify a fraction and a decimal.
- I can add, subtract, multiply, and divide fractions and decimals.
- I can evaluate expressions involving fractions and decimals using the order of operations.
- I can solve a problem using fractions and decimals.

STEAM Video

Space is Big

An astronomical unit (AU) is the average distance between Earth and the Sun, about 93 million miles. Why do astronomers use astronomical units to measure distances in space? In what different ways can you compare the distances between objects and the locations of objects using the four mathematical operations?

Watch the STEAM Video "Space is Big." Then answer the following questions.

1. You know the distances between the Sun and each planet. How can you find the minimum and maximum distances between two planets as they rotate around the Sun?

2. The table shows the distances of three celestial bodies from Earth. It takes about three days to travel from Earth to the Moon. How can you estimate the amount of time it would take to travel from Earth to the Sun or to Venus?

Celestial body	Sun	Moon	Venus
Distance from Earth (AU)	1	0.00256	0.277

Performance Task



Space Explorers

After completing this chapter, you will be able to use the concepts you learned to answer the questions in the *STEAM Video Performance Task*.

You will use a table that shows the average distances between the Sun and each planet in our solar system to find several distances in space. Then you will use the speed of the Orion spacecraft to answer questions about time and distance.

Is it realistic for a manned spacecraft to travel to each planet in our solar system? Explain why or why not.

Getting Ready for Chapter 2

Chapter Exploration

Work with a partner. The area model represents the multiplication of two fractions. Copy and complete the statement.

1.



$\frac{\square}{\square} \times \frac{\square}{\square} = \frac{\square}{\square}$

2.



$\frac{\square}{\square} \times \frac{\square}{\square} = \frac{\square}{\square}$

3.



$\frac{\square}{\square} \times \frac{\square}{\square} = \frac{\square}{\square}$

4.

$\frac{\square}{\square} \times \frac{\square}{\square} = \frac{\square}{\square}$

Work with a partner. Use an area model to find the product.

5. $\frac{1}{2} \times \frac{1}{3}$ **6.** $\frac{4}{5} \times \frac{1}{4}$ **7.** $\frac{1}{6} \times \frac{3}{4}$ **8.** $\frac{3}{5} \times \frac{1}{4}$

9. MODELING REAL LIFE You have a recipe that serves 6 people. The recipe uses three-fourths of a cup of milk.

a. How can you use the recipe to serve *more* people? How much milk would you need? Give 2 examples.

b. How can you use the recipe to serve *fewer* people? How much milk would you need? Give 2 examples.

Vocabulary

The following vocabulary terms are defined in this chapter. Think about what each term might mean and record your thoughts.

reciprocals

multiplicative inverses

2.1 Multiplying Fractions

Learning Target: Find products involving fractions and mixed numbers.

Success Criteria:
- I can draw a model to explain fraction multiplication.
- I can multiply fractions.
- I can find products involving mixed numbers.
- I can interpret products involving fractions and mixed numbers to solve real-life problems.

EXPLORATION 1

Using Models to Solve a Problem

Work with a partner. A bottle of water is $\frac{1}{2}$ full. You drink $\frac{2}{3}$ of the water. Use one of the models to find the portion of the bottle of water that you drink. Explain your steps.

- number line

- area model

- tape diagram



FLORIDA STANDARDS
Preparing for MAFS.6.NS.1.1

EXPLORATION 2

Solving a Problem Involving Fractions

Work with a partner. A park has a playground that is $\frac{3}{4}$ of its width and $\frac{4}{5}$ of its length.

a. Use a model to find the portion of the park that is covered by the playground. Explain your steps.

b. How can you find the solution of part (a) without using a model?



Math Practice

Find General Methods

How can you use your answer to find a method for multiplying fractions?

EXAMPLE 1 Multiplying Fractions

Think: What is one-fourth of one-half?

Find $\frac{1}{4} \times \frac{1}{2}$.

Use a model to find $\frac{1}{4}$ of $\frac{1}{2}$.



So, the product is $\frac{1}{8}$.

Try It **Multiply.**

1. $\frac{1}{3} \times \frac{1}{5}$
2. $\frac{2}{3} \times \frac{3}{4}$
3. $\frac{1}{2} \cdot \frac{5}{6}$

Key Idea

Multiplying Fractions

Words Multiply the numerators and multiply the denominators.

Numbers $\frac{3}{7} \times \frac{1}{2} = \frac{3 \times 1}{7 \times 2} = \frac{3}{14}$

Algebra $\frac{a}{b} \cdot \frac{c}{d} = \frac{a \cdot c}{b \cdot d}$, where $b, d \neq 0$

EXAMPLE 2 Multiplying Fractions

Remember

To simplify a fraction, write an equivalent fraction whose numerator and denominator have no common factors other than 1.

$\frac{24}{36} = \frac{24 \div 12}{36 \div 12} = \frac{2}{3}$

Find $\frac{8}{9} \cdot \frac{3}{4}$.

Estimate $1 \cdot \frac{3}{4} = \frac{3}{4}$

$\frac{8}{9} \cdot \frac{3}{4} = \frac{8 \cdot 3}{9 \cdot 4}$ Multiply the numerators and the denominators.

$= \frac{24}{36}$, or $\frac{2}{3}$ Simplify.

The symbol $\approx$ means *is approximately equal to*.

The product is $\frac{2}{3}$.

Reasonable? $\frac{2}{3} \approx \frac{3}{4}$ ✓

Try It **Multiply. Write the answer in simplest form.**

4. $\frac{3}{7} \times \frac{2}{3}$
5. $\frac{4}{9} \cdot \frac{3}{10}$
6. $\frac{6}{5} \cdot \frac{5}{8}$

EXAMPLE 3 Solving a Problem Involving Fractions

You have $\frac{2}{3}$ of a bag of flour. You use $\frac{3}{4}$ of the flour to make empanada dough. How much of the entire bag do you use to make the dough?



You use $\frac{3}{4}$ of $\frac{2}{3}$ of the bag. To find $\frac{3}{4}$ of $\frac{2}{3}$, multiply.

$\frac{3}{4} \times \frac{2}{3} = \frac{3 \times 2}{4 \times 3}$ Multiply the numerators and the denominators.

$= \frac{6}{12}$, or $\frac{1}{2}$ Simplify.

So, you use $\frac{1}{2}$ of the entire bag.

Try It

7. WHAT IF? You use $\frac{1}{4}$ of the flour to make the dough. How much of the entire bag do you use to make the dough?

Key Idea

Multiplying Mixed Numbers

Write each mixed number as an improper fraction. Then multiply as you would with fractions.

EXAMPLE 4 Multiplying a Fraction and a Mixed Number

Another Method

Use a model.



So, $\frac{1}{2} \times 2\frac{3}{4} = 1 + \frac{3}{8} = 1\frac{3}{8}$. ✓

Find $\frac{1}{2} \times 2\frac{3}{4}$. **Estimate $\frac{1}{2} \times 3 = 1\frac{1}{2}$**

$\frac{1}{2} \times 2\frac{3}{4} = \frac{1}{2} \times \frac{11}{4}$ Write $2\frac{3}{4}$ as the improper fraction $\frac{11}{4}$.

$= \frac{1 \times 11}{2 \times 4}$ Multiply the numerators and the denominators.

$= \frac{11}{8}$, or $1\frac{3}{8}$ Simplify.

The product is $1\frac{3}{8}$. **Reasonable?** $1\frac{3}{8} \approx 1\frac{1}{2}$ ✓

Try It

Multiply. Write the answer in simplest form.

8. $\frac{1}{3} \times 1\frac{1}{6}$ **9.** $3\frac{1}{2} \times \frac{4}{9}$ **10.** $4\frac{2}{3} \cdot \frac{3}{4}$

EXAMPLE 5 Multiplying Mixed Numbers

Find $1\frac{4}{5} \times 3\frac{2}{3}$. **Estimate $2 \times 4 = 8$**

$1\frac{4}{5} \times 3\frac{2}{3} = \frac{9}{5} \times \frac{11}{3}$ Write $1\frac{4}{5}$ and $3\frac{2}{3}$ as improper fractions.

$= \frac{9 \times 11}{5 \times 3}$ Multiply the numerators and the denominators.

$= \frac{99}{15}$, or $6\frac{3}{5}$ Simplify.

The product is $6\frac{3}{5}$. **Reasonable?** $6\frac{3}{5} \approx 8$ ✓

Try It **Multiply. Write the answer in simplest form.**

11. $1\frac{7}{8} \cdot 2\frac{2}{5}$ **12.** $5\frac{5}{7} \times 2\frac{1}{10}$ **13.** $2\frac{1}{3} \cdot 7\frac{2}{3}$

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

MULTIPLYING FRACTIONS AND MIXED NUMBERS **Multiply. Write the answer in simplest form.**

14. $\frac{1}{8} \times \frac{1}{6}$ **15.** $\frac{3}{8} \cdot \frac{2}{3}$ **16.** $2\frac{1}{6} \cdot 4\frac{2}{5}$

17. MP **REASONING** What is the missing denominator?

$$\frac{3}{7} \times \frac{1}{\square} = \frac{3}{28}$$

18. **USING TOOLS** Write a multiplication problem involving fractions that is represented by the model. Explain your reasoning.



19. **USING TOOLS** Use the number line to find $\frac{3}{4} \times \frac{1}{2}$. Explain your reasoning.

EXAMPLE 6 Modeling Real Life

A city is resurfacing a basketball court. Find the area of the court.



Understand the problem.

You are given the dimensions of a basketball court. You are asked to find the area of the court.

Make a plan.

Use the formula for the area of a rectangle. Find the product of the length and the width of the court.

Solve and check.

$A = \ell w$ Write the formula.

$= 21\frac{1}{3} \cdot 13\frac{1}{2}$ Substitute for ℓ and w.

$= \frac{64}{3} \cdot \frac{27}{2}$ Write $21\frac{1}{3}$ and $13\frac{1}{2}$ as improper fractions.

$= \frac{64 \cdot 27}{3 \cdot 2}$ Multiply the numerators and the denominators.

$= \frac{1728}{6}$, or 288 Simplify.

So, the area of the court is 288 square meters.

Check Reasonableness

Find an underestimate and an overestimate.

Underestimate:

$13 \cdot 21 = 273$

Overestimate:

$14 \cdot 22 = 308$

The answer is reasonable because $273 < 288 < 308$. ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



20. You spend $\frac{5}{12}$ of a day at an amusement park. You spend $\frac{2}{5}$ of that time riding waterslides. How many hours do you spend riding waterslides? Draw a model to show why your answer makes sense.

21. A venue is preparing for a concert on the floor shown. The width of the red carpet is $\frac{1}{6}$ of the width of the floor. What is the area of the red carpet?

22. You travel $9\frac{3}{8}$ miles from your house to a shopping mall. You travel $\frac{2}{3}$ of that distance on an interstate. The only road construction you encounter is on the first $\frac{2}{5}$ of the interstate. On how many miles of your trip do you encounter construction?

2.1 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Find the LCM of the numbers.

1. 8, 10 **2.** 5, 7 **3.** 2, 5, 7 **4.** 6, 7, 10

Divide. Use a diagram to justify your answer.

5. $6 \div \frac{1}{2}$ **6.** $\frac{1}{4} \div 8$ **7.** $4 \div \frac{1}{3}$ **8.** $\frac{1}{5} \div 4$

Write the product as a power.

9. $10 \times 10 \times 10$ **10.** $5 \times 5 \times 5 \times 5$

11. How many inches are in $5\frac{1}{2}$ yards?

A. $15\frac{1}{2}$ **B.** $16\frac{1}{2}$ **C.** 66 **D.** 198

Concepts, Skills, & Problem Solving

MP **CHOOSE TOOLS** **A bottle of water is $\frac{2}{3}$ full. You drink the given portion of the water. Use a model to find the portion of the bottle of water that you drink.**

(See Exploration 1, p. 45.)

12. $\frac{1}{2}$ **13.** $\frac{1}{4}$ **14.** $\frac{3}{4}$

MULTIPLYING FRACTIONS **Multiply. Write the answer in simplest form.**

15. $\frac{1}{7} \times \frac{2}{3}$ **16.** $\frac{5}{8} \cdot \frac{1}{2}$ **17.** $\frac{1}{4} \times \frac{2}{5}$ **18.** $\frac{3}{7} \times \frac{1}{4}$

19. $\frac{2}{3} \times \frac{4}{7}$ **20.** $\frac{5}{7} \times \frac{7}{8}$ **21.** $\frac{3}{8} \cdot \frac{1}{9}$ **22.** $\frac{5}{6} \cdot \frac{2}{5}$

23. $\frac{5}{12} \times 10$ **24.** $6 \cdot \frac{7}{8}$ **25.** $\frac{3}{4} \times \frac{8}{15}$ **26.** $\frac{4}{9} \times \frac{4}{5}$

27. $\frac{3}{7} \cdot \frac{3}{7}$ **28.** $\frac{5}{6} \times \frac{2}{9}$ **29.** $\frac{13}{18} \times \frac{6}{7}$ **30.** $\frac{7}{9} \cdot \frac{21}{10}$

31. MODELING REAL LIFE In an aquarium, $\frac{2}{5}$ of the fish are surgeonfish. Of these, $\frac{3}{4}$ are yellow tangs. What portion of all fish in the aquarium are yellow tangs?

32. MODELING REAL LIFE You exercise for $\frac{3}{4}$ of an hour. You jump rope for $\frac{1}{3}$ of that time. What portion of the hour do you spend jumping rope?



MP REASONING **Without finding the product, copy and complete the statement using <, >, or =. Explain your reasoning.**

33. $\frac{4}{7}$ ☐ $\frac{9}{10} \cdot \frac{4}{7}$

34. $\frac{5}{8} \times \frac{22}{15}$ ☐ $\frac{5}{8}$

35. $\frac{5}{6}$ ☐ $\frac{5}{6} \times \frac{7}{7}$

MULTIPLYING FRACTIONS AND MIXED NUMBERS **Multiply. Write the answer in simplest form.**

36. $1\frac{1}{3} \cdot \frac{2}{3}$

37. $6\frac{2}{3} \times \frac{3}{10}$

38. $2\frac{1}{2} \cdot \frac{4}{5}$

39. $\frac{3}{5} \cdot 3\frac{1}{3}$

40. $7\frac{1}{2} \times \frac{2}{3}$

41. $\frac{5}{9} \times 3\frac{3}{5}$

42. $\frac{3}{4} \cdot 1\frac{1}{3}$

43. $3\frac{3}{4} \times \frac{2}{5}$

44. $4\frac{3}{8} \cdot \frac{4}{5}$

45. $\frac{3}{7} \times 2\frac{5}{6}$

46. $1\frac{3}{10} \times 18$

47. $15 \cdot 2\frac{4}{9}$

48. $1\frac{1}{6} \times 6\frac{3}{4}$

49. $2\frac{5}{12} \cdot 2\frac{2}{3}$

50. $5\frac{5}{7} \cdot 3\frac{1}{8}$

51. $2\frac{4}{5} \times 4\frac{1}{16}$

YOU BE THE TEACHER **Your friend finds the product. Is your friend correct? Explain your reasoning.**

52.

$$4 \times 3\frac{7}{10} = 12\frac{7}{10}$$

53.

$$2\frac{1}{2} \times 7\frac{4}{5} = (2 \times 7) + \left(\frac{1}{2} \times \frac{4}{5}\right)$$

$$= 14 + \frac{2}{5}$$

54. **MODELING REAL LIFE** A vitamin C tablet contains $\frac{1}{4}$ of a gram of vitamin C. You take $1\frac{1}{2}$ tablets every day. How many grams of vitamin C do you take every day?

55. **MP PROBLEM SOLVING** You make a banner for a football rally.

a. What is the area of the banner?

b. You add a $\frac{1}{4}$-foot border on each side. What is the area of the new banner?



MULTIPLYING FRACTIONS AND MIXED NUMBERS **Multiply. Write the answer in simplest form.**

56. $\frac{1}{2} \times \frac{3}{5} \times \frac{4}{9}$

57. $\frac{4}{7} \cdot 4\frac{3}{8} \cdot \frac{5}{6}$

58. $1\frac{1}{15} \times 5\frac{2}{5} \times 4\frac{7}{12}$

59. $\left(\frac{3}{5}\right)^3$

60. $\left(\frac{4}{5}\right)^2 \times \left(\frac{3}{4}\right)^2$

61. $\left(\frac{5}{6}\right)^2 \cdot \left(1\frac{1}{10}\right)^2$

62. **OPEN-ENDED** Find a fraction that, when multiplied by $\frac{1}{2}$, is less than $\frac{1}{4}$.

63. MP **LOGIC** You are in a bike race. When you get to the first checkpoint, you are $\frac{2}{5}$ of the distance to the second checkpoint. When you get to the second checkpoint, you are $\frac{1}{4}$ of the distance to the finish. What is the distance from the start to the first checkpoint?



64. MP **NUMBER SENSE** Is the product of two positive mixed numbers ever less than 1? Explain.



65. MP **REASONING** You plan to add a fountain to your garden.

a. Draw a diagram of the fountain in the garden. Label the dimensions.

b. Describe two methods for finding the area of the garden that surrounds the fountain.

c. Find the area. Which method did you use, and why?

66. MP **PROBLEM SOLVING** The cooking time for a ham is $\frac{2}{5}$ of an hour for each pound. What time should you start cooking a ham that weighs $12\frac{3}{4}$ pounds so that it is done at 4:45 P.M.?

67. MP **PRECISION** Complete the Four Square for $\frac{7}{8} \times \frac{1}{3}$.



68. DIG DEEPER! You ask 150 people about their pets. The results show that $\frac{9}{25}$ of the people own a dog. Of the people who own a dog, $\frac{1}{6}$ of them also own a cat.

a. What portion of the people own a dog and a cat?

b. How many people own a dog but not a cat? Explain.

69. MP **NUMBER SENSE** Use each of the numbers from 1 to 9 exactly once to create three mixed numbers with the greatest possible product. Then use each of the numbers exactly once to create three mixed numbers with the least possible product. Find each product. Explain your reasoning. The fraction portion of each mixed number should be proper.

2.2 Dividing Fractions

Learning Target: Compute quotients of fractions and solve problems involving division by fractions.

Success Criteria:
- I can draw a model to explain division of fractions.
- I can find reciprocals of numbers.
- I can divide fractions by fractions.
- I can divide fractions and whole numbers.

EXPLORATION 1 Dividing by Fractions

It may help to create a context for each question in Exploration 1. In part (a), suppose you want to cut 4 yards of string into pieces that are $\frac{2}{3}$ of a yard. How many pieces can you cut?

FLORIDA STANDARDS
MAFS.6.NS.1.1

Work with a partner. Answer each question using a model.

a. How many two-thirds are in four?



b. How many three-fourths are in three?

c. How many two-fifths are in four-fifths?

d. How many two-thirds are in three?



e. How many one-thirds are in five-sixths?

EXPLORATION 2 Finding a Pattern

Math Practice

Look for Structure
Can the pattern you found be applied to division by a whole number? Why or why not?

Work with a partner. The table shows the division expressions from Exploration 1. Complete each multiplication expression so that it has the same value as the division expression above it. What can you conclude about dividing by fractions?

Division Expression	$4 \div \frac{2}{3}$	$3 \div \frac{3}{4}$	$\frac{4}{5} \div \frac{2}{5}$	$3 \div \frac{2}{3}$	$\frac{5}{6} \div \frac{1}{3}$
Multiplication Expression	$4 \times ?$	$3 \times ?$	$\frac{4}{5} \times ?$	$3 \times ?$	$\frac{5}{6} \times ?$

2.2 Lesson

Key Vocabulary

reciprocals, *p. 54*
multiplicative inverses, *p. 54*

Two numbers whose product is 1 are **reciprocals**, or **multiplicative inverses**. To write the reciprocal of a number, first write the number as a fraction. Then invert the fraction. So, the reciprocal of a fraction $\frac{a}{b}$ is $\frac{b}{a}$, where $a \neq 0$ and $b \neq 0$.

The Meaning of a Word ▶ Invert

When you **invert** a glass, you turn it over.

EXAMPLE 1 Writing Reciprocals

When any number is multiplied by 0, the product is 0. So, the number 0 does not have a reciprocal.

	Original Number	*Fraction*	*Reciprocal*	*Check*
a.	$\frac{3}{5}$	$\frac{3}{5}$	$\frac{5}{3}$	$\frac{3}{5} \times \frac{5}{3} = 1$
b.	$\frac{9}{5}$	$\frac{9}{5}$	$\frac{5}{9}$	$\frac{9}{5} \times \frac{5}{9} = 1$
c.	2	$\frac{2}{1}$	$\frac{1}{2}$	$\frac{2}{1} \times \frac{1}{2} = 1$

Try It

Write the reciprocal of the number.

1. $\frac{3}{4}$ **2.** 5 **3.** $\frac{7}{2}$ **4.** $\frac{4}{9}$

Key Idea

Dividing Fractions

Words To divide a number by a fraction, multiply the number by the reciprocal of the fraction.

Numbers $\frac{1}{5} \div \frac{3}{4} = \frac{1}{5} \times \frac{4}{3} = \frac{1 \times 4}{5 \times 3}$

Algebra $\frac{a}{b} \div \frac{c}{d} = \frac{a}{b} \cdot \frac{d}{c} = \frac{a \cdot d}{b \cdot c}$, where b, c, and $d \neq 0$

EXAMPLE 2 Dividing a Fraction by a Fraction

a. Find $\frac{3}{4} \div \frac{5}{12}$.

$\frac{3}{4} \div \frac{5}{12} = \frac{3}{4} \cdot \frac{12}{5}$ Multiply by the reciprocal of $\frac{5}{12}$, which is $\frac{12}{5}$.

$= \frac{3 \cdot 12}{4 \cdot 5}$ Multiply fractions.

$= \frac{36}{20}$, or $1\frac{4}{5}$ Simplify.

Think: How many five-twelfths are in three-fourths?



b. Find $\frac{1}{6} \div \frac{2}{3}$.

$\frac{1}{6} \div \frac{2}{3} = \frac{1}{6} \times \frac{3}{2}$ Multiply by the reciprocal of $\frac{2}{3}$, which is $\frac{3}{2}$.

$= \frac{1 \times 3}{6 \times 2}$ Multiply fractions.

$= \frac{3}{12}$, or $\frac{1}{4}$ Simplify.

Example 2(b) is asking you to find how many $\frac{2}{3}$ are in $\frac{1}{6}$. Because the divisor is greater than the dividend, it can be helpful to model each number with a tape diagram.



Try It **Divide. Write the answer in simplest form. Use a model to justify your answer.**

5. $\frac{1}{2} \div \frac{1}{8}$

6. $\frac{2}{5} \div \frac{3}{10}$

7. $\frac{3}{8} \div \frac{3}{4}$

8. $\frac{2}{7} \div \frac{9}{14}$

EXAMPLE 3 Dividing a Fraction by a Whole Number

Find $\frac{4}{5} \div 2$.

$\frac{4}{5} \div 2 = \frac{4}{5} \div \frac{2}{1}$ Write 2 as an improper fraction.

$= \frac{4}{5} \times \frac{1}{2}$ Multiply by the reciprocal of $\frac{2}{1}$, which is $\frac{1}{2}$.

$= \frac{4 \times 1}{5 \times 2}$ Multiply fractions.

$= \frac{4}{10}$, or $\frac{2}{5}$ Simplify.



Remember

When dividing unit fractions by whole numbers, remember that dividing by a number n is equivalent to multiplying by $\frac{1}{n}$.

Try It **Divide. Write the answer in simplest form.**

9. $\frac{1}{3} \div 3$ **10.** $\frac{2}{3} \div 10$ **11.** $\frac{5}{8} \div 4$ **12.** $\frac{6}{7} \div 4$

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

DIVIDING FRACTIONS **Divide. Write the answer in simplest form. Draw a model to justify your answer.**

13. $\frac{2}{3} \div \frac{5}{6}$ **14.** $\frac{6}{7} \div 3$

15. WHICH ONE DOESN'T BELONG? Which of the following does *not* belong with the other three? Explain your reasoning.

$\frac{2}{3} \div \frac{4}{5}$ $\frac{3}{2} \cdot \frac{4}{5}$ $\frac{5}{4} \times \frac{2}{3}$ $\frac{5}{4} \div \frac{3}{2}$

MATCHING **Match the expression with its value.**

16. $\frac{2}{5} \div \frac{8}{15}$ **17.** $\frac{8}{15} \div \frac{2}{5}$ **18.** $\frac{2}{15} \div \frac{8}{5}$ **19.** $\frac{8}{5} \div \frac{2}{15}$

A. $\frac{1}{12}$ **B.** $\frac{3}{4}$ **C.** 12 **D.** $1\frac{1}{3}$

EXAMPLE 4 Modeling Real Life

A piece of wood is 4 feet long. How many $\frac{3}{4}$-foot pieces can you cut from the piece of wood? How much wood is left over?

Divide the length of the entire piece of wood by the length of a smaller piece. So, divide 4 by $\frac{3}{4}$. The quotient can be used to answer both questions.

$4 \div \frac{3}{4} = 4 \times \frac{4}{3}$ Multiply by the reciprocal of $\frac{3}{4}$, which is $\frac{4}{3}$.

$= \frac{4 \times 4}{3}$ Multiply.

$= \frac{16}{3}$, or $5\frac{1}{3}$ Simplify.

You can cut five $\frac{3}{4}$-foot pieces from the piece of wood. The remaining piece is $\frac{1}{3}$ of a $\frac{3}{4}$-foot section. So, $\frac{1}{3} \cdot \frac{3}{4} = \frac{3}{12} = \frac{1}{4}$ foot of wood is left over.

Another Method Use a diagram.



One-fourth of a foot is left over after cutting 5 pieces. ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

20. You have 5 cups of rice to make *bibimbap*, a popular Korean meal. The recipe calls for $\frac{4}{5}$ cup of rice per serving. How many full servings of bibimbap can you make? How much rice is left over?

21. A band earns $\frac{2}{3}$ of their profit from selling concert tickets and $\frac{1}{5}$ of their profit from selling merchandise. The band earns a profit of \$1500 from selling concert tickets. How much profit does the band earn from selling merchandise?

2.2 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Multiply. Write the answer in simplest form.

1. $\frac{7}{10} \cdot \frac{3}{4}$
2. $\frac{5}{6} \times 2\frac{1}{3}$
3. $\frac{4}{9} \times \frac{3}{8}$
4. $2\frac{2}{5} \cdot 6\frac{2}{3}$

Match the expression with its value.

5. $3 + 2 \times 4^2$
6. $(3 + 2) \times 4^2$
7. $2 + 3 \times 4^2$
8. $4^2 + 2 \times 3$

A. 22 **B.** 35 **C.** 50 **D.** 80

Find the area of the rectangle.

9. 

10.

11. 

Concepts, Skills, & Problem Solving

MP **CHOOSE TOOLS** **Answer the question using a model.** (See Exploration 1, p. 53.)

12. How many three-fifths are in three?
13. How many two-ninths are in eight-ninths?
14. How many three-fourths are in seven-eighths?

WRITING RECIPROCALS **Write the reciprocal of the number.**

15. 8
16. $\frac{6}{7}$
17. $\frac{2}{5}$
18. $\frac{11}{8}$

DIVIDING FRACTIONS **Divide. Write the answer in simplest form.**

19. $\frac{1}{3} \div \frac{1}{2}$
20. $\frac{1}{8} \div \frac{1}{4}$
21. $\frac{2}{7} \div 2$
22. $\frac{6}{5} \div 3$
23. $\frac{2}{3} \div \frac{4}{9}$
24. $\frac{5}{6} \div \frac{2}{7}$
25. $12 \div \frac{3}{4}$
26. $8 \div \frac{2}{5}$
27. $\frac{3}{7} \div 6$
28. $\frac{12}{25} \div 4$
29. $\frac{2}{9} \div \frac{2}{3}$
30. $\frac{8}{15} \div \frac{4}{5}$
31. $\frac{1}{3} \div \frac{1}{9}$
32. $\frac{7}{10} \div \frac{3}{8}$
33. $\frac{14}{27} \div 7$
34. $\frac{5}{8} \div 15$
35. $\frac{27}{32} \div \frac{7}{8}$
36. $\frac{4}{15} \div \frac{10}{13}$
37. $9 \div \frac{4}{9}$
38. $10 \div \frac{5}{12}$

YOU BE THE TEACHER **Your friend finds the quotient. Is your friend correct? Explain your reasoning.**

39.

$$\frac{4}{7} \div \frac{13}{28} = \frac{4}{7} \times \frac{28}{13}$$

$$= \frac{4 \times 28}{7 \times 13}$$

$$= \frac{112}{91}, \text{ or } 1\frac{3}{13}$$

40.

$$\frac{2}{5} \div \frac{8}{9} = \frac{5}{2} \times \frac{8}{9}$$

$$= \frac{5 \times 8}{2 \times 9}$$

$$= \frac{40}{18}, \text{ or } 2\frac{2}{9}$$

41. MP **REASONING** You have $\frac{3}{5}$ of an apple pie. You divide the remaining pie into 5 equal slices. What portion of the original pie is each slice?

42. MP **PROBLEM SOLVING** How many times longer is the baby alligator than the baby gecko?



OPEN-ENDED **Write a real-life problem for the expression. Then solve the problem.**

43. $\frac{5}{6} \div 4$ **44.** $\frac{2}{5} \div \frac{3}{8}$ **45.** $10 \div \frac{2}{3}$ **46.** $\frac{2}{7} \div \frac{4}{9}$

MP **NUMBER SENSE** **Copy and complete the statement.**

47. $\frac{5}{12} \times \square = 1$ **48.** $3 \times \square = 1$ **49.** $7 \div \square = 56$

MP **REASONING** **Without finding the quotient, copy and complete the statement using <, >, or =. Explain your reasoning.**

50. $\frac{7}{9} \div 5 \; \square \; \frac{7}{9}$ **51.** $\frac{3}{7} \div 1 \; \square \; \frac{3}{7}$ **52.** $8 \div \frac{3}{4} \; \square \; 8$ **53.** $\frac{5}{6} \div \frac{7}{8} \; \square \; \frac{5}{6}$

ORDER OF OPERATIONS **Evaluate the expression. Write the answer in simplest form.**

54. $\frac{1}{6} \div 6 \div 6$ **55.** $\frac{7}{12} \div 14 \div 6$ **56.** $\frac{3}{5} \div \frac{4}{7} \div \frac{9}{10}$

57. $4 \div \frac{8}{9} - \frac{1}{2}$ **58.** $\frac{3}{4} + \frac{5}{6} \div \frac{2}{3}$ **59.** $\frac{7}{8} - \frac{3}{8} \div 9$

60. $\frac{9}{16} \div \frac{3}{4} \cdot \frac{2}{13}$ **61.** $\frac{3}{14} \cdot \frac{2}{5} \div \frac{6}{7}$ **62.** $\frac{10}{27} \cdot \left(\frac{3}{8} \div \frac{5}{24}\right)$

63. MP **NUMBER SENSE** When is the reciprocal of a fraction a whole number? Explain.

64. MODELING REAL LIFE You use $\frac{1}{8}$ of your battery for every $\frac{2}{5}$ of an hour that you video chat. You use $\frac{3}{4}$ of your battery video chatting. How long did you video chat?

65. MP PROBLEM SOLVING The table shows the portions of a family budget that are spent on several expenses.

Expense	Portion of Budget
Housing	$\frac{2}{5}$
Food	$\frac{4}{9}$
Automobiles	$\frac{1}{15}$
Recreation	$\frac{1}{40}$

a. How many times more is the expense for housing than for automobiles?

b. How many times more is the expense for food than for recreation?

c. The expense for automobile fuel is $\frac{1}{60}$ of the total expenses. What portion of the automobile expense is spent on fuel?

66. CRITICAL THINKING A bottle of juice is $\frac{2}{3}$ full. The bottle contains $\frac{4}{5}$ of a cup of juice.



a. Write a division expression that represents the capacity of the bottle.

b. Write a related multiplication expression that represents the capacity of the bottle.

c. Explain how you can use the diagram to verify the expression in part (b).

d. Find the capacity of the bottle.

67. DIG DEEPER! You have 6 pints of glaze. It takes $\frac{7}{8}$ of a pint to glaze a bowl and $\frac{9}{16}$ of a pint to glaze a plate.

a. How many bowls can you completely glaze? How many plates can you completely glaze?

b. You want to glaze 5 bowls, and then use the rest for plates. How many plates can you completely glaze? How much glaze will be left over?

c. How many of each object can you completely glaze so that there is no glaze left over? Explain how you found your answer.

68. MP REASONING A water tank is $\frac{1}{8}$ full. The tank is $\frac{3}{4}$ full when 42 gallons of water are added to the tank.

a. How much water can the tank hold?

b. How much water was originally in the tank?

c. How much water is in the tank when it is $\frac{1}{2}$ full?

2.3 Dividing Mixed Numbers

Learning Target: Compute quotients with mixed numbers and solve problems involving division with mixed numbers.

Success Criteria:
- I can draw a model to explain division of mixed numbers.
- I can write a mixed number as an improper fraction.
- I can divide with mixed numbers.
- I can evaluate expressions involving mixed numbers using the order of operations.

EXPLORATION 1 Dividing Mixed Numbers

Work with a partner. Write a real-life problem that represents each division expression described. Then solve each problem using a model. Check your answers.

Math Practice

Make Sense of Quantities
What values do the parts of the model represent?

FLORIDA STANDARDS
MAFS.6.NS.1.1

a. How many three-fourths are in four and one-half?



b. How many three-eighths are in two and one-fourth?

c. How many one and one-halves are in six?

d. How many seven-sixths are in three and one-third?

e. How many one and one-fifths are in five?

f. How many three and one-halves are in two and one-half?



g. How many four and one-halves are in one and one-half?

Key Idea

Dividing Mixed Numbers

Write each mixed number as an improper fraction. Then divide as you would with proper fractions.

EXAMPLE 1 Dividing with Mixed Numbers

a. Find $2\frac{2}{3} \div \frac{2}{3}$.

Think: How many two-thirds are in two and two-thirds?



$$2\frac{2}{3} \div \frac{2}{3} = \frac{8}{3} \div \frac{2}{3}$$ Write $2\frac{2}{3}$ as the improper fraction $\frac{8}{3}$.

$$= \frac{8}{3} \times \frac{3}{2}$$ Multiply by the reciprocal of $\frac{2}{3}$, which is $\frac{3}{2}$.

$$= \frac{8 \times 3}{3 \times 2}$$ Multiply fractions.

$$= \frac{24}{6}, \text{ or } 4$$ Simplify.

So, the quotient is 4.

b. Find $3\frac{5}{6} \div 1\frac{2}{3}$. **Estimate** $4 \div 2 = 2$

$$3\frac{5}{6} \div 1\frac{2}{3} = \frac{23}{6} \div \frac{5}{3}$$ Write each mixed number as an improper fraction.

$$= \frac{23}{6} \times \frac{3}{5}$$ Multiply by the reciprocal of $\frac{5}{3}$, which is $\frac{3}{5}$.

$$= \frac{23 \times 3}{6 \times 5}$$ Multiply fractions.

$$= \frac{69}{30}, \text{ or } 2\frac{3}{10}$$ Simplify.

So, the quotient is $2\frac{3}{10}$. **Reasonable?** $2\frac{3}{10} \approx 2$ ✓

Try It **Divide. Write the answer in simplest form.**

1. $3\frac{2}{3} \div \frac{1}{3}$
2. $1\frac{3}{7} \div \frac{2}{3}$
3. $2\frac{1}{6} \div \frac{3}{4}$
4. $6\frac{1}{2} \div 2$
5. $10\frac{2}{3} \div 2\frac{2}{3}$
6. $8\frac{1}{4} \div 1\frac{1}{2}$
7. $3 \div 1\frac{3}{4}$
8. $\frac{3}{4} \div 2\frac{1}{2}$

EXAMPLE 2 Using Order of Operations

Evaluate $5\frac{1}{4} \div 1\frac{1}{8} - \frac{2}{3}$.

$$5\tfrac{1}{4} \div 1\tfrac{1}{8} - \tfrac{2}{3} = \tfrac{21}{4} \div \tfrac{9}{8} - \tfrac{2}{3}$$ Write each mixed number as an improper fraction.

$$= \tfrac{21}{4} \times \tfrac{8}{9} - \tfrac{2}{3}$$ Multiply by the reciprocal of $\frac{9}{8}$, which is $\frac{8}{9}$.

$$= \tfrac{21 \times 8}{4 \times 9} - \tfrac{2}{3}$$ Multiply fractions.

$$= \tfrac{168}{36} - \tfrac{2}{3}$$ Multiply.

$$= \tfrac{14}{3} - \tfrac{2}{3}$$ Simplify.

$$= \tfrac{12}{3}, \text{ or } 4$$ Subtract.

Remember

Be sure to check your answers whenever possible. In Example 2, you can use estimation to check that your answer is reasonable.

$5\frac{1}{4} \div 1\frac{1}{8} - \frac{2}{3}$

$\approx 5 \div 1 - 1$

$= 5 - 1$

$= 4$ ✓

Try It **Evaluate the expression. Write the answer in simplest form.**

9. $1\frac{1}{2} \div \frac{1}{6} - \frac{7}{8}$

10. $3\frac{1}{3} \div \frac{5}{6} + \frac{8}{9}$

11. $\frac{2}{5} + 2\frac{4}{5} \div 2$

12. $\frac{2}{3} - 1\frac{4}{7} \div 4\frac{5}{7}$

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

EVALUATING EXPRESSIONS **Evaluate the expression. Write the answer in simplest form.**

13. $4\frac{4}{7} \div \frac{4}{7}$

14. $\frac{1}{2} \div 5\frac{1}{4}$

15. $\frac{3}{4} + 6\frac{2}{5} \div 1\frac{3}{5}$

16. MP **NUMBER SENSE** Is $2\frac{1}{2} \div 1\frac{1}{4}$ the same as $1\frac{1}{4} \div 2\frac{1}{2}$? Use models to justify your answer.

17. **DIFFERENT WORDS, SAME QUESTION** Which is different? Find "both" answers.

What is $5\frac{1}{2}$ divided by $\frac{1}{8}$?

What is the quotient of $5\frac{1}{2}$ and $\frac{1}{8}$?

What is $5\frac{1}{2}$ times 8?

What is $\frac{1}{8}$ of $5\frac{1}{2}$?

EXAMPLE 3 Modeling Real Life

One serving of tortilla soup is $1\frac{2}{3}$ cups. A restaurant cook makes 50 cups of soup. Is there enough to serve 35 people? Explain.

Divide the total amount of soup by the amount per serving to find the number of available servings. So, divide 50 by $1\frac{2}{3}$.

$50 \div 1\frac{2}{3} = 50 \div \frac{5}{3}$ Write $1\frac{2}{3}$ as the improper fraction $\frac{5}{3}$.

$= 50 \cdot \frac{3}{5}$ Multiply by the reciprocal of $\frac{5}{3}$, which is $\frac{3}{5}$.

$= \frac{50 \cdot 3}{5}$ Multiply.

$= \frac{150}{5}$, or 30 Simplify.

No. Because 30 is less than 35, there is not enough soup to serve 35 people.

Another Method Multiply the amount in one serving, $1\frac{2}{3}$ cups, by 35 to see how much soup is needed for 35 people.

$$1\frac{2}{3} \cdot 35 = \frac{5}{3} \cdot 35 = \frac{175}{3} = 58\frac{1}{3}$$

Because $58\frac{1}{3}$ is greater than 50, there is not enough soup to serve 35 people. ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

18. A watercooler contains 160 cups of water. During practice, each person on a team fills a water bottle with $3\frac{1}{3}$ cups of water from the cooler. Is there enough water for all 45 people on the team to fill their water bottles? Explain.

19. A cyclist is $7\frac{3}{4}$ kilometers from the finish line of a race. The cyclist rides at a rate of $25\frac{5}{6}$ kilometers per hour. How many minutes will it take the cyclist to finish the race?

2.3 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Divide. Write the answer in simplest form.

1. $\frac{1}{8} \div \frac{1}{7}$ **2.** $\frac{7}{9} \div \frac{2}{3}$ **3.** $\frac{5}{6} \div 10$ **4.** $12 \div \frac{3}{8}$

Find the LCM of the numbers.

5. 8, 14 **6.** 9, 11, 12 **7.** 12, 27, 30

Find the volume of the rectangular prism.

8.



9.



10.



11. Which number is *not* a prime factor of 286?

A. 2 **B.** 7 **C.** 11 **D.** 13

Concepts, Skills, & Problem Solving

MP CHOOSE TOOLS Write a real-life problem that represents the division expression described. Then solve the problem using a model. Check your answer algebraically. (See Exploration 1, p. 61.)

12. How many two-thirds are in three and one-third?

13. How many one and one-sixths are in five and five-sixths?

14. How many two and one-halves are in eight and three-fourths?

DIVIDING WITH MIXED NUMBERS Divide. Write the answer in simplest form.

15. $2\frac{1}{4} \div \frac{3}{4}$ **16.** $3\frac{4}{5} \div \frac{2}{5}$ **17.** $8\frac{1}{8} \div \frac{5}{6}$ **18.** $7\frac{5}{9} \div \frac{4}{7}$

19. $7\frac{1}{2} \div 1\frac{9}{10}$ **20.** $3\frac{3}{4} \div 2\frac{1}{12}$ **21.** $7\frac{1}{5} \div 8$ **22.** $8\frac{4}{7} \div 15$

23. $8\frac{1}{3} \div \frac{2}{3}$ **24.** $9\frac{1}{6} \div \frac{5}{6}$ **25.** $13 \div 10\frac{5}{6}$ **26.** $12 \div 5\frac{9}{11}$

27. $\frac{7}{8} \div 3\frac{1}{16}$ **28.** $\frac{4}{9} \div 1\frac{7}{15}$ **29.** $4\frac{5}{16} \div 3\frac{3}{8}$ **30.** $6\frac{2}{9} \div 5\frac{5}{6}$

31. **YOU BE THE TEACHER** Your friend finds the quotient of $3\frac{1}{2}$ and $1\frac{2}{3}$. Is your friend correct? Explain your reasoning.

$$3\frac{1}{2} \div 1\frac{2}{3} = 3\frac{1}{2} \times 1\frac{3}{2} = \frac{7}{2} \times \frac{5}{2} = \frac{7 \times 5}{2 \times 2} = \frac{35}{4}, \text{ or } 8\frac{3}{4}$$

32. **MP PROBLEM SOLVING** A platinum nugget weighs $3\frac{1}{2}$ ounces. How many $\frac{1}{4}$-ounce pieces can be cut from the nugget?

ORDER OF OPERATIONS **Evaluate the expression. Write the answer in simplest form.**

33. $3 \div 1\frac{1}{5} + \frac{1}{2}$

34. $4\frac{2}{3} - 1\frac{1}{3} \div 2$

35. $\frac{2}{5} + 2\frac{1}{6} \div \frac{5}{6}$

36. $5\frac{5}{6} \div 3\frac{3}{4} - \frac{2}{9}$

37. $6\frac{1}{2} - \frac{7}{8} \div 5\frac{11}{16}$

38. $9\frac{1}{6} \div 5 + 3\frac{1}{3}$

39. $3\frac{3}{5} + 4\frac{4}{15} \div \frac{4}{9}$

40. $\frac{3}{5} \times \frac{7}{12} \div 2\frac{7}{10}$

41. $4\frac{3}{8} \div \frac{3}{4} \cdot \frac{4}{7}$

42. $1\frac{9}{11} \times 4\frac{7}{12} \div \frac{2}{3}$

43. $3\frac{4}{15} \div \left(8 \cdot 6\frac{3}{10}\right)$

44. $2\frac{5}{14} \div \left(2\frac{5}{8} \times 1\frac{3}{7}\right)$

45. **MP LOGIC** Your friend uses the model shown to state that $2\frac{1}{2} \div 1\frac{1}{6} = 2\frac{1}{6}$. Is your friend correct? Justify your answer using the model.



46. **MODELING REAL LIFE** A bag contains 42 cups of dog food. Your dog eats $2\frac{1}{3}$ cups of dog food each day. Is there enough food to last 3 weeks? Explain.

47. **DIG DEEPER!** You have 12 cups of granola and $8\frac{1}{2}$ cups of peanuts to make trail mix. What is the greatest number of full batches of trail mix you can make? Explain how you found your answer.

48. **MP REASONING** At a track and field meet, the longest shot-put throw by a boy is 25 feet 8 inches. The longest shot-put throw by a girl is 19 feet 3 inches. How many times greater is the longest shot-put throw by the boy than by the girl?

2.4 Adding and Subtracting Decimals

Learning Target: Add and subtract decimals and solve problems involving addition and subtraction of decimals.

Success Criteria:
- I can explain why it is necessary to line up the decimal points when adding and subtracting decimals.
- I can add decimals.
- I can subtract decimals.
- I can evaluate expressions involving addition and subtraction of decimals.

EXPLORATION 1

Using Number Lines

FLORIDA STANDARDS
MAFS.6.NS.2.3

Work with a partner. Use each number line to find $A + B$ and $B - A$. Explain how you know you are correct.

a.



b.



c.



d.

EXPLORATION 2

Extending the Place Value Chart

Work with a partner. Explain how you can use the place value chart below to add and subtract decimals beyond hundredths. Then find each sum or difference.

Place Value Chart

millions	hundred thousands	ten thousands	thousands	hundreds	tens	ones	and	tenths	hundredths				
							•						
							•						
							•						

Math Practice

Recognize Usefulness of Tools

How does the place value chart help you perform the operations? How can you perform the operations without the chart?

a. $16.05 + 2.945$

b. $7.421 + 8.058$

c. $38.72 - 8.618$

d. $64.968 - 51.167$

e. $225.1 + 85.0465$

f. $1107.20592 - 102.3056$

2.4 Lesson

Key Idea

Adding and Subtracting Decimals

To add or subtract decimals, write the numbers vertically and line up the decimal points. Then bring down the decimal point and add or subtract as you would with whole numbers.

EXAMPLE 1 Adding Decimals

a. Add 8.13 + 2.76.

Estimate $8 + 3 = 11$

Line up the decimal points.

$$\begin{array}{r} 8.13 \\ +\ 2.76 \\ \hline 10.89 \end{array}$$

Add as you would with whole numbers.

Reasonable? $10.89 \approx 11$ ✓

b. Add 1.459 + 23.7.

Be sure to add or subtract only digits that have the same place value.

$$\begin{array}{r} {\scriptstyle 1} \\ 1.459 \\ +\ 23.700 \\ \hline 25.159 \end{array}$$

Insert zeros so that both numbers have the same number of decimal places.

Try It **Add.**

1. $4.206 + 10.85$
2. $15.5 + 8.229$
3. $78.41 + 90.99$

EXAMPLE 2 Subtracting Decimals

a. Subtract 5.508 − 3.174.

Estimate $6 - 3 = 3$

Line up the decimal points.

$$\begin{array}{r} {\scriptstyle 4\ 10} \\ 5.5\not{0}\not{0}8 \\ -\ 3.174 \\ \hline 2.334 \end{array}$$

Subtract as you would with whole numbers.

Reasonable? $2.334 \approx 3$ ✓

b. Subtract 21.9 − 1.605.

$$\begin{array}{r} {\scriptstyle 9} \\ {\scriptstyle 8\not{1}\not{0}\ 10} \\ 21.\not{9}\not{0}\not{0} \\ -\ 1.605 \\ \hline 20.295 \end{array}$$

Insert zeros so that both numbers have the same number of decimal places.

Try It **Subtract.**

4. $6.34 - 5.33$
5. $27.9 - 0.905$
6. $18.626 - 13.88$

EXAMPLE 3 Adding and Subtracting Decimals

A gymnast's score for a routine is calculated by finding the sum of a difficulty score and an execution score, minus any penalties. The execution score starts at 10 and is reduced by deductions. The gymnast's score can be represented by

$$6.9 + (10 - 1.534) - 0.3.$$

What is the gymnast's score?

Difficulty score	6.9
Execution score deductions	1.534
Penalties	0.3

Evaluate the expression to solve the problem.

$$\begin{aligned} 6.9 + (10 - 1.534) - 0.3 & \\ = 6.9 + 8.466 - 0.3 & \quad \text{Subtract inside parentheses.} \\ = 15.366 - 0.3 & \quad \text{Add.} \\ = 15.066 & \quad \text{Subtract.} \end{aligned}$$

So, the gymnast's score is 15.066.

Try It

7. **WHAT IF?** The execution score is adjusted and has 1.467 in deductions. What is the gymnast's score?

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

ADDING AND SUBTRACTING DECIMALS **Evaluate the expression.**

8. $23.557 - 17.601 + 5.216$
9. $16.5263 + 12.404 - 11.73$

10. **CHOOSE TOOLS** Why is it helpful to estimate the answer before adding or subtracting decimals?

11. **WRITING** When adding or subtracting decimals, how can you be sure to add or subtract only digits that have the same place value?

12. **OPEN-ENDED** Describe two real-life examples of when you would need to add and subtract decimals.

13. **STRUCTURE** You add $3.841 + 29.999$ as shown. Describe a method for adding the numbers using mental math. Which method do you prefer? Explain.

$$\begin{array}{r} {\scriptstyle 1\ 1\ 1\ 1} \\ 3.841 \\ +\ 29.999 \\ \hline 33.840 \end{array}$$

14. **OPEN-ENDED** Write three decimals that have a sum of 27.905.

EXAMPLE 4 Modeling Real Life

The Lincoln Memorial Reflecting Pool is approximately rectangular. Its width is 50.9 meters, and its length is 618.44 meters. You walk the perimeter of the pool. About how many meters do you walk?

Understand the problem.

You are given the dimensions of a rectangular pool. You are asked to find the number of meters you walk around the perimeter of the pool.

Make a plan.

Draw a diagram and label the dimensions. Write the side lengths vertically and line up the decimal points to find the sum.



Solve and check.

$$\begin{array}{r} {\scriptstyle 1\,1\,2} \\ 618.44 \\ 50.90 \\ 618.44 \\ +\ \ 50.90 \\ \hline 1338.68 \end{array}$$

So, you walk about 1339 meters.

Check Reasonableness Estimate the distance by finding the sum of the side lengths rounded to the nearest ten.

$$620 + 50 + 620 + 50 = 1340 \text{ meters}$$

The answer is reasonable because $1340 \approx 1338.68$. ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

15. A field hockey field is rectangular. Its width is 54.88 meters, and its perimeter is 289.76 meters. Find the length of the field.

16. DIG DEEPER! You mix 23.385 grams of sugar and 12.873 grams of baking soda in a glass container for an experiment. You place the container on a scale to find that the total mass is 104.2 grams. What is the mass of the container?

17. One molecule of water is made of two hydrogen atoms and one oxygen atom. The masses (in atomic mass units) for one atom of hydrogen and oxygen are shown. What is the mass (in atomic mass units) of one molecule of water?

hydrogen
H
1.0079

oxygen
O
15.999

2.4 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Divide. Write the answer in simplest form.

1. $3\frac{1}{4} \div \frac{3}{4}$

2. $4\frac{1}{6} \div 5$

3. $6\frac{2}{3} \div 3\frac{1}{5}$

Find the GCF of the numbers.

4. 16, 28, 40

5. 39, 54, 63

6. 24, 72, 132

Find the value of the power.

7. 1^{12}

8. 2^4

9. 3^6

10. 5^4

Classify the quadrilateral.

11.



12.



13.



Concepts, Skills, & Problem Solving

USING TOOLS **Use a place value chart to find the sum or difference.**
(See Exploration 2, p. 67.)

14. $4.63 + 8.547$

15. $3.6257 - 2.98$

16. $14.065 + 13.8542$

ADDING DECIMALS **Add.**

17. $7.82 + 3.209$

18. $3.7 + 2.774$

19. $12.829 + 10.07$

20. $20.35 + 13.748$

21. $11.212 + 7.36$

22. $14.91 + 2.095$

23. $31.994 + 8.006$

24. $3.946 + 6.052$

25. $41.226 + 102.774$

26. $122.781 + 19.228$

27. $17.440 + 12.497$

28. $15.255 + 19.058$

SUBTRACTING DECIMALS **Subtract.**

29. $4.58 - 3.12$

30. $8.629 - 5.309$

31. $6.98 - 2.614$

32. $15.131 - 11.57$

33. $13.5 - 10.856$

34. $25.82 - 22.936$

35. $17.651 - 12.04$

36. $19.255 - 6.194$

37. $56.217 - 35.8$

38. $62.486 - 18.549$

39. $152.883 - 35.6247$

40. $129.343 - 125.0372$

YOU BE THE TEACHER **Your friend finds the sum or difference. Is your friend correct? Explain your reasoning.**

41.

$$\begin{array}{r} 6.058 \\ +\ 3.95 \\ \hline 10.008 \end{array}$$

42.

$$\begin{array}{r} 9.5 \\ -7.18 \\ \hline 2.48 \end{array}$$

43. **PROBLEM SOLVING** Vehicles must weigh no more than 10.75 tons to cross a bridge. A truck weighs 11.638 tons. By how many tons does the truck exceed the weight limit?

ADDING AND SUBTRACTING DECIMALS **Evaluate the expression.**

44. $6.105 + 10.4 + 3.075$

45. $22.6 - 12.286 - 3.542$

46. $15.35 + 7.604 - 12.954$

47. $16.5 - 13.45 + 7.293$

48. $25.92 - 18.478 + 8.164$

49. $23.45 + 17.75 - 19.618$

50. $14.549 - (8.131 + 3.7024)$

51. $41.563 - (18.65 + 15.9214) + 9.6$



52. **MODELING REAL LIFE** A day-care center is building a new outdoor play area. The diagram shows the dimensions in meters. How much fencing is needed to enclose the play area?

53. **PROBLEM SOLVING** On a fantasy football team, a tight end scores 11.15 points and a running back scores 11.75 points. A wide receiver scores 1.05 points less than the running back. How many total points do the three players score?

MODELING REAL LIFE **An astronomical unit (AU) is the average distance between Earth and the Sun. In Exercises 54–57, use the table that shows the average distance of each planet in our solar system from the Sun.**



Planet	Average Distance from the Sun (AU)
Mercury	0.387
Venus	0.723
Earth	1.000
Mars	1.524
Jupiter	5.203
Saturn	9.537
Uranus	19.189
Neptune	30.07

54. How much farther is Jupiter from the Sun than Mercury?

55. How much farther is Neptune from the Sun than Mars?

56. Estimate the greatest distance between Earth and Uranus.

57. Estimate the greatest distance between Venus and Saturn.

58. **STRUCTURE** When is the sum of two decimals equal to a whole number? When is the difference of two decimals equal to a whole number? Explain.

2.5 Multiplying Decimals

Learning Target: Multiply decimals and solve problems involving multiplication of decimals.

Success Criteria:
- I can multiply decimals by whole numbers.
- I can multiply decimals by decimals.
- I can evaluate expressions involving multiplication of decimals.

EXPLORATION 1 Multiplying Decimals

FLORIDA STANDARDS
MAFS.6.NS.2.3

Work with a partner.

a. Write the multiplication expression represented by each area model. Then find the product. Explain how you found your answer.

i.



ii.



iii.



iv.



Math Practice

View as Components
How can you use an area model to find the product?

b. How can you find the products in part (a) without using a model? How do you know where to place the decimal points in the answers?

c. Find the product of 0.55 and 0.45. Explain how you found your answer.

Key Idea

Multiplying Decimals by Whole Numbers

Words Multiply as you would with whole numbers. Then count the number of decimal places in the decimal factor. The product has the same number of decimal places.

Numbers

$$\begin{array}{r} 13.91 \\ \times \quad 7 \\ \hline 97.37 \end{array}$$ ← 2 decimal places

$$\begin{array}{r} 6.218 \\ \times \quad 4 \\ \hline 24.872 \end{array}$$ ← 3 decimal places

EXAMPLE 1 Multiplying Decimals and Whole Numbers

a. Find 6×3.91. **Estimate** $6 \times 4 = 24$

$$\begin{array}{r} {\scriptstyle 5} \\ 3.91 \\ \times \quad 6 \\ \hline 23.46 \end{array}$$

3.91 ← 2 decimal places

23.46 ← Count 2 decimal places from right to left.

So, $6 \times 3.91 = 23.46$. **Reasonable?** $23.46 \approx 24$ ✓

b. Find 3×0.016. **Estimate** $3 \times 0 = 0$

$$\begin{array}{r} {\scriptstyle 1} \\ 0.016 \\ \times \quad 3 \\ \hline 0.048 \end{array}$$

0.016 ← 3 decimal places

0.048 ← To have 3 decimal places, insert zeros to the left of 48.

So, $3 \times 0.016 = 0.048$. **Reasonable?** $0.048 \approx 0$ ✓

c. Find $5.1024 \cdot 12$. **Estimate** $5 \cdot 12 = 60$

$$\begin{array}{r} 5.1024 \\ \times \quad 12 \\ \hline 102048 \\ 51024 \\ \hline 61.2288 \end{array}$$

5.1024 ← 4 decimal places

61.2288 ← Count 4 decimal places from right to left.

So, $5.1024 \cdot 12 = 61.2288$. **Reasonable?** $61.2288 \approx 60$ ✓

Try It **Multiply. Use estimation to check your answer.**

1. 12.3×8 **2.** 5×14.51 **3.** $20 \cdot 0.008$ **4.** $2.3275 \cdot 90$

The rule for multiplying two decimals is similar to the rule for multiplying a decimal by a whole number.

Key Idea

Multiplying Decimals by Decimals

Words Multiply as you would with whole numbers. Then add the number of decimal places in the factors. The sum is the number of decimal places in the product.

Numbers

$$\begin{array}{rl} 4.71\,6 & \leftarrow \text{3 decimal places} \\ \times\ \ 0.2 & \leftarrow +\ \text{1 decimal place} \\ \hline 0.9432 & \leftarrow \text{4 decimal places} \end{array}$$

EXAMPLE 2 Multiplying Decimals

a. Multiply 4.8×7.2. **Estimate $5 \times 7 = 35$**

$$\begin{array}{rl} 4.8 & \leftarrow \text{1 decimal place} \\ \times\ \ 7.2 & \leftarrow +\ \text{1 decimal place} \\ \hline 96 & \\ 336 & \\ \hline 34.56 & \leftarrow \text{2 decimal places} \end{array}$$

So, $4.8 \times 7.2 = 34.56$. **Reasonable? $34.56 \approx 35$** ✓

b. Multiply 3.1×0.005. **Estimate $3 \times 0 = 0$**

$$\begin{array}{rl} 3.1 & \leftarrow \text{1 decimal place} \\ \times\ 0.005 & \leftarrow +\ \text{3 decimal places} \\ \hline 0.0155 & \leftarrow \text{4 decimal places} \end{array}$$

So, $3.1 \times 0.005 = 0.0155$. **Reasonable? $0.0155 \approx 0$** ✓

c. Multiply $4.25 \cdot 1.75$. **Estimate $4 \times 2 = 8$**

$$\begin{array}{rl} 4.25 & \leftarrow \text{2 decimal places} \\ \times\ 1.75 & \leftarrow +\ \text{2 decimal places} \\ \hline 2125 & \\ 2975 & \\ 425 & \\ \hline 7.4375 & \leftarrow \text{4 decimal places} \end{array}$$

So, $4.25 \cdot 1.75 = 7.4375$. **Reasonable? $7.4375 \approx 8$** ✓

Try It **Multiply. Use estimation to check your answer.**

5. 8.1×5.6

6. 2.7×9.04

7. 6.32×0.09

8. 1.785×0.2

EXAMPLE 3 Evaluating an Expression

What is the value of $2.44(4.5 - 3.175)$?

A. 3.233 **B.** 3.599 **C.** 7.805 **D.** 32.33

Step 1: Evaluate the expression in parentheses first.

$$\begin{array}{r} {\scriptstyle 9}\ {\scriptstyle 10}\ {\scriptstyle 10} \\ 4.5\,\emptyset\,\emptyset \\ -\ 3.175 \\ \hline 1.325 \end{array}$$

So, $2.44(4.5 - 3.175) = 2.44(1.325)$.

Step 2: Multiply the result from Step 1 by 2.44.

$$\begin{array}{rl} 1.325 & \leftarrow \text{3 decimal places} \\ \times\ \ 2.44 & \leftarrow +\ \text{2 decimal places} \\ \hline 5300 & \\ 5300 & \\ 2650 & \\ \hline 3.23300 & \leftarrow \text{5 decimal places} \end{array}$$

The correct answer is **A**.

Try It **Evaluate the expression.**

9. $12.67 + 8.2 \cdot 1.9$ **10.** $6.4(1.8 \cdot 7.5)$

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

EVALUATING AN EXPRESSION **Evaluate the expression.**

11. 8×11.215 **12.** $9.42 \cdot 6.83$ **13.** $0.15(4.3 - 2.417)$

14. MP **NUMBER SENSE** If you know $12 \times 24 = 288$, how can you find 0.12×0.24?

15. MP **NUMBER SENSE** Is the product 1.23×8 greater than or less than 8? Explain.

16. MP **REASONING** Copy the problem and place the decimal point in the product.

$$\begin{array}{r} 1.78 \\ \times\ \ 4.9 \\ \hline 8722 \end{array}$$

EXAMPLE 4 Modeling Real Life

Zinc: $2.41 per ounce

A science teacher buys 3.25 ounces of zinc for an experiment. The teacher pays with a $10 bill. How much change does the teacher receive?

Find the cost of 3.25 ounces of zinc at $2.41 per ounce. Then subtract that amount from $10.

Step 1: Multiply 2.41 by 3.25 to find the cost of the zinc.

$$\begin{array}{rl} 2.41 & \leftarrow \text{2 decimal places} \\ \times\ 3.25 & \leftarrow +\ \text{2 decimal places} \\ \hline 1205 & \\ 482 & \\ 723 & \\ \hline 7.8325 & \leftarrow \text{4 decimal places} \end{array}$$

The cost of 3.25 ounces of zinc is $7.83.

Step 2: Subtract the cost of the zinc from the amount of money the teacher uses to buy the zinc.

$$10.00 - 7.83 = 2.17$$

So, the teacher receives $2.17 in change.

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

17. You earn $9.15 per hour painting a fence. It takes 6.75 hours to paint the fence. Did you earn enough money to buy the jersey shown? If so, how much money do you have left? If not, how much money do you need to earn?

18. A sand volleyball court is a rectangle that has a length of 52.5 feet and a width that is half of the length. In case of rain, the court is covered with a tarp. How many square feet of tarp are needed to cover the court?

19. DIG DEEPER! You buy 4 cases of bottled water and 5 bottles of fruit punch for a birthday party. Each case of bottled water costs $2.75, and each bottle of fruit punch costs $1.35. You hand the cashier a $20 bill. How much change will you receive?

2.5 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Add or subtract.

1. $12.29 - 6.15$ **2.** $4.6 + 11.81$ **3.** $9.34 + 17.009$ **4.** $18.247 - 16.262$

Divide.

5. $78 \div 3$ **6.** $65 \div 13$ **7.** $57 \div 19$ **8.** $84 \div 12$

9. What is $4\frac{1}{3} \times \frac{4}{5}$?

A. $2\frac{1}{8}$ **B.** $3\frac{7}{15}$ **C.** $4\frac{4}{15}$ **D.** $5\frac{5}{12}$

Evaluate the expression.

10. $4 + 6^2 \div 2$ **11.** $(35 + 9) \div 4 - 3^2$ **12.** $8^2 \div [(14 - 12) \times 2^3]$

Concepts, Skills, & Problem Solving

USING TOOLS **Use an area model to find the product.** (See Exploration 1, p. 73.)

13. 2.1×1.5 **14.** 0.6×0.4 **15.** 0.7×0.3 **16.** 2.7×2.3

MULTIPLYING DECIMALS AND WHOLE NUMBERS **Multiply. Use estimation to check your answer.**

17. $\begin{array}{r} 4.8 \\ \times\ 7 \\ \hline \end{array}$ **18.** $\begin{array}{r} 6.3 \\ \times\ 5 \\ \hline \end{array}$ **19.** $\begin{array}{r} 7.19 \\ \times\ 16 \\ \hline \end{array}$ **20.** $\begin{array}{r} 0.87 \\ \times\ 21 \\ \hline \end{array}$

21. $\begin{array}{r} 1.95 \\ \times\ 11 \\ \hline \end{array}$ **22.** $\begin{array}{r} 5.89 \\ \times\ 5 \\ \hline \end{array}$ **23.** $\begin{array}{r} 3.472 \\ \times\ 4 \\ \hline \end{array}$ **24.** $\begin{array}{r} 8.188 \\ \times\ 12 \\ \hline \end{array}$

25. 100×0.024 **26.** 19×0.004 **27.** 3.27×14 **28.** $46 \cdot 5.448$

29. 50×12.21 **30.** $104 \cdot 4.786$ **31.** 0.0038×9 **32.** 10×0.0093

YOU BE THE TEACHER **Your friend finds the product. Is your friend correct? Explain your reasoning.**

33.

$$\begin{array}{r} 0.0045 \\ \times\ 9 \\ \hline 0.0405 \end{array}$$

34.

$$\begin{array}{r} 0.32 \\ \times\ 5 \\ \hline 0.160 \end{array}$$

35. **MODELING REAL LIFE** The weight of an object on the Moon is about 0.167 of its weight on Earth. How much does a 180-pound astronaut weigh on the Moon?

MULTIPLYING DECIMALS **Multiply.**

36. $\begin{array}{r} 0.7 \\ \times\ 0.2 \\ \hline \end{array}$

37. $\begin{array}{r} 0.08 \\ \times\ 0.3 \\ \hline \end{array}$

38. $\begin{array}{r} 0.007 \\ \times\ 0.03 \\ \hline \end{array}$

39. $\begin{array}{r} 0.0008 \\ \times\ 0.09 \\ \hline \end{array}$

40. $\begin{array}{r} 0.004 \\ \times\ 0.9 \\ \hline \end{array}$

41. $\begin{array}{r} 0.06 \\ \times\ 0.5 \\ \hline \end{array}$

42. $\begin{array}{r} 0.0008 \\ \times\ 0.004 \\ \hline \end{array}$

43. $\begin{array}{r} 0.0002 \\ \times\ 0.06 \\ \hline \end{array}$

44. 12.4×0.2

45. $18.6 \cdot 5.9$

46. 7.91×0.72

47. 1.16×3.35

48. 6.478×18.21

49. 1.9×7.216

50. 0.0021×18.2

51. $6.109 \cdot 8.4$

52. **YOU BE THE TEACHER** Your friend finds the product of 4.9 and 3.8. Is your friend correct? Explain your reasoning.

$$\begin{array}{r} 4.9 \\ \times\ 3.8 \\ \hline 186.2 \end{array}$$



53. MP **PROBLEM SOLVING** A Chinese restaurant offers buffet takeout for $4.99 per pound. How much does your takeout meal cost?

54. MP **PROBLEM SOLVING** On a tour of an old gold mine, you find a nugget containing 0.82 ounce of gold. Gold is worth $1323.80 per ounce. How much is your nugget worth?

55. MP **PRECISION** One meter is approximately 3.28 feet. Find the height of each building in feet.

Continent	Tallest Building	Height (meters)
Africa	Carlton Centre	223
Asia	Burj Khalifa	828
Australia	Q1	323
Europe	Federation Tower	374
North America	One World Trade Center	541
South America	Gran Torre Santiago	300

56. MP **REASONING** Show how to evaluate $(7.12 \times 8.22) \times 100$ without multiplying two decimals.

EVALUATING AN EXPRESSION **Evaluate the expression.**

57. $2.4 \times 16 + 7$

58. $6.85 \times 2 \times 10$

59. $1.047 \times 5 - 0.88$

60. $4.32(3.7 + 1.65)$

61. $23.98 - 1.7^2 \cdot 7.6$

62. $12 \cdot 5.16 + 10.064$

63. $0.9(8.2 \cdot 20.35)$

64. $7.5^2(6.084 - 5.44)$

65. $0.629[81 \div (10 \times 2.7)]$

66. MP **REASONING** Without multiplying, how many decimal places does 3.4^2 have? 3.4^3? 3.4^4? Explain your reasoning.

67. **MODELING REAL LIFE** You buy 2.6 pounds of apples and 1.475 pounds of peaches. You hand the cashier a \$20 bill. How much change will you receive?



MP **PATTERNS** **Describe the pattern. Find the next three numbers.**

68. 1, 0.6, 0.36, 0.216, . . .

69. 15, 1.5, 0.15, 0.015, . . .

70. 0.04, 0.02, 0.01, 0.005, . . .

71. 5, 7.5, 11.25, 16.875, . . .

72. DIG DEEPER! You are preparing for a trip to Canada. At the time of your trip, each U.S. dollar is worth 1.293 Canadian dollars and each Canadian dollar is worth 0.773 U.S. dollar.

a. You exchange 150 U.S. dollars for Canadian dollars. How many Canadian dollars do you receive?

b. You spend 120 Canadian dollars on the trip. Then you exchange the remaining Canadian dollars for U.S. dollars. How many U.S. dollars do you receive?

73. **OPEN-ENDED** You and four friends have dinner at a restaurant.

a. Draw a restaurant menu that has main items, desserts, and beverages, with their prices.

b. Write a guest check that shows what each of you ate. Find the subtotal.

c. Multiply by 0.07 to find the tax. Then find the total.

d. Round the total to the nearest whole number. Multiply by 0.20 to estimate a tip. Including the tip, how much did the dinner cost?

74. **GEOMETRY** A rectangular painting has an area of 9.52 square feet.

a. Draw three different ways in which this can happen.

b. The cost of a frame depends on the perimeter of the painting. Which of your drawings from part (a) is the least expensive to frame? Explain your reasoning.

c. The thin, black framing costs \$1 per foot. The fancy framing costs \$5 per foot. Will the fancy framing cost five times as much as the black framing? Explain why or why not.

d. Suppose the cost of a frame depends on the outside perimeter of the frame. Does this change your answer to part (c)? Explain why or why not.

2.6 Dividing Whole Numbers

Learning Target: Divide whole numbers and solve problems involving division of whole numbers.

Success Criteria:
- I can use long division to divide whole numbers.
- I can write a remainder as a fraction.
- I can interpret quotients in real-life problems.

EXPLORATION 1 Using a Double Bar Graph

Work with a partner. The double bar graph shows the history of a citywide cleanup day.

FLORIDA STANDARDS
MAFS.6.NS.2.2

a. Make five conclusions from the graph.

b. Compare the results of the city cleanup day in 2016 to the results in 2014.

c. What is the average combined amount of trash and recyclables collected each year over the four-year period?

d. Make a prediction about the amount of trash collected in a future year.

Math Practice

Calculate Accurately

How can you extend what you know about long division to divide any pair of multi-digit whole numbers accurately?

2.6 Lesson

You have used long division to divide whole numbers. When the *divisor* divides evenly into the *dividend*, the *quotient* is a whole number.

When the divisor does not divide evenly into the dividend, you obtain a remainder. When this occurs, you can write the quotient as a mixed number.

EXAMPLE 1 Dividing Whole Numbers

a. Find 672 ÷ 8.

```
  84
8)672      There are eight groups of 8 in 67.
-64↓
  32       There are four groups of 8 in 32.
 -32
   0       There is no remainder.
```

So, $672 \div 8 = 84$.

Check Find the product of the quotient and the divisor.

```
  84   quotient
× 8    divisor
 672   dividend ✓
```

Remember

$\frac{\text{dividend}}{\text{divisor}} = \text{quotient}$

So,
quotient × divisor = dividend.

b. Find the quotient of 9216 and 150.

```
  61 R66
150)9216     There are six groups of 150 in 921.
-900↓
  216        There is one group of 150 in 216.
 -150
   66        The remainder is 66.
```

The quotient is $61\frac{66}{150}$, or $61\frac{11}{25}$.

Try It **Divide. Use estimation to check your answer.**

1. $234 \div 9$ **2.** $\frac{6096}{30}$ **3.** $45{,}691 \div 28$

4. Find the quotient of 9920 and 320.

EXAMPLE 2 Solving a Problem Using Division

You make 12 equal payments for a go-kart. You pay a total of $1380. How much is each payment?

You want to find the number of groups of 12 in $1380. So, find the quotient of 1380 and 12 using long division.

```
   115
12)1380
 −12
   18
  −12
   60
  −60
    0
```

There is one group of 12 in 13.

There is one group of 12 in 18.

There are five groups of 12 in 60.

There is no remainder.

The quotient of 1380 and 12 is 115.

So, each payment is $115.

Check Find the product of the quotient and the divisor.

```
  115    quotient
× 12     divisor
 230
 115
1380     dividend ✓
```

Try It

5. **WHAT IF?** You make 30 equal payments for the go-kart. How much is each payment?

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

DIVIDING WHOLE NUMBERS **Divide. Use estimation to check your answer.**

6. $876 \div 12$
7. $3024 \div 7$
8. $1043 \div 22$

```
   26
34)884
```

9. **VOCABULARY** Use the division problem shown to tell whether the number is the divisor, dividend, or quotient.
   a. 884
   b. 26
   c. 34
10. **NUMBER SENSE** Without calculating, decide which is greater: $3999 \div 129$ or $3834 \div 142$. Explain.
11. **REASONING** In a division problem, can the remainder be greater than the divisor? Explain.

EXAMPLE 3 Modeling Real Life

A 301-foot-high swing at an amusement park can take 64 people on each ride. A total of 10,250 people ride the swing today. All the rides are full except for the last ride. How many rides are given? How many people are on the last ride?

To find the number of rides given, first you need to find the number of groups of 64 people in 10,250 people. So, find the quotient of 10,250 and 64.

```
        160 R10
    64)10,250      There is one group of 64 in 102.
     −64
       385         There are six groups of 64 in 385.
      −384
        10         There are no groups of 64 in 10.
        −0
        10         The remainder is 10.
```

Do not stop here. You must write a 0 in the ones place of the quotient.

The quotient is $160\frac{10}{64}$. This means there are 160 full rides, with 10 people remaining.

So, 161 rides are given, with 10 people on the last ride.

Check Find the product of the quotient and the divisor.

$$64 \cdot 160\frac{10}{64} = 64\left(160 + \frac{10}{64}\right) = 64(160) + 64\left(\frac{10}{64}\right) = 10{,}240 + 10 = 10{,}250 \checkmark$$

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

12. In a movie's opening weekend, 879,575 tickets are sold in 755 theaters. The average cost of a ticket is \$9.50. What is the average amount of money earned by each theater?

13. A boat can carry 582 passengers to the base of a waterfall. A total of 13,105 people ride the boat today. All the rides are full except for the first ride. How many rides are given? How many people are on the first ride?

14. DIG DEEPER! A new year begins at 12:00 A.M. on January 1. What is the date and time 12,345 minutes after the start of a new year?

2.6 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Multiply.

1. 8×3.79 **2.** 12.1×2.42 **3.** 6.43×0.28 **4.** $9.526 \cdot 6.61$

List the factor pairs of the number.

5. 26 **6.** 72 **7.** 50 **8.** 98

Match the expression with its value.

9. $\frac{6}{7} \div \frac{3}{5}$ **10.** $\frac{3}{7} \div \frac{6}{5}$ **11.** $\frac{6}{5} \div \frac{3}{7}$ **12.** $\frac{3}{5} \div \frac{6}{7}$

A. $\frac{7}{10}$ **B.** $1\frac{3}{7}$ **C.** $\frac{5}{14}$ **D.** $2\frac{4}{5}$

Concepts, Skills, & Problem Solving

OPERATIONS WITH WHOLE NUMBERS **The bar graph shows the attendance at a food festival. Use the graph to answer the question.**
(See Exploration 1, p. 81.)

13. What is the total attendance at the food festival from 2014 to 2017?

14. How many times more people attended the food festival in 2017 than in 2014?

15. What is the average attendance at the festival each year over the four-year period?

16. The festival projects that the attendance for 2018 will be twice the attendance in 2016. What is the projected attendance for 2018?



DIVIDING WHOLE NUMBERS **Divide. Use estimation to check your answer.**

17. $837 \div 27$ **18.** $1088 \div 34$ **19.** $903 \div 72$

20. $6409 \div 61$ **21.** $\frac{5986}{82}$ **22.** $6200 \div 163$

23. $6255 \div 118$ **24.** $\frac{588}{84}$ **25.** $7440 \div 124$

26. $26{,}862 \div 407$ **27.** $8241 \div 173$ **28.** $\frac{33{,}505}{160}$

29. **MODELING REAL LIFE** A pharmacist divides 364 pills into prescription bottles. Each bottle contains 28 pills. How many bottles does the pharmacist fill?

YOU BE THE TEACHER **Your friend finds the quotient. Is your friend correct? Explain your reasoning.**

30.

$$
\begin{array}{r}
12\ \text{R3} \\
8\overline{)963} \\
-\,8 \\
\hline
16 \\
-\,16 \\
\hline
03
\end{array}
$$

31.

$$
\begin{array}{r}
19 \\
12\overline{)1308} \\
-\,12 \\
\hline
108 \\
-\,108 \\
\hline
0
\end{array}
$$

GEOMETRY **Find the perimeter of the rectangle.**

32.



33.

34.



35. **MP REASONING** You borrow bookcases like the one shown to display 943 books at a book sale. You plan to put 22 books on each shelf. No books will be on top of the bookcases.

   a. How many bookcases must you borrow to display all the books?

   b. You fill the shelves of each bookcase in order, starting with the top shelf. How many books are on each shelf of the last bookcase?

36. **DIG DEEPER!** The siding of a house is 2250 square feet. The siding needs two coats of paint.

   a. What is the minimum cost of the paint needed to complete the job?

   b. How much paint is left over when you spend the minimum amount?

Can Size	Cost	Coverage
1 quart	$18	80 square feet
1 gallon	$29	320 square feet

37. **CRITICAL THINKING** Use the digits 3, 4, 6, and 9 to complete the division problem. Use each digit once.

$$\square\square,000 \div \square 00 = \square 0$$

2.7 Dividing Decimals

Learning Target: Divide decimals and solve problems involving division of decimals.

Success Criteria:
- I can divide decimals by whole numbers.
- I can divide decimals by decimals.
- I can divide whole numbers by decimals.

EXPLORATION 1 Dividing Decimals

Work with a partner.

FLORIDA STANDARDS
MAFS.6.NS.2.3

a. Write two division expressions represented by each area model. Then find the quotients. Explain how you found your answer.

i.



ii.



iii.



b. Use a calculator to find $119 \div 17$, $11.9 \div 1.7$, $1.19 \div 0.17$, and $0.119 \div 0.017$. What do you notice? Explain how you can use long division to divide any pair of multi-digit decimals.

Math Practice

Construct Arguments
Why do the quotients in part (b) have the relationship you observed?

2.7 Lesson

Key Idea

Dividing Decimals by Whole Numbers

Words Place the decimal point in the quotient above the decimal point in the dividend. Then divide as you would with whole numbers. Continue until there is no remainder.

Numbers

$$4\overline{)7.32} \quad 1.83$$

Place the decimal point in the quotient above the decimal point in the dividend.

EXAMPLE 1 Dividing Decimals by Whole Numbers

a. Find $7.6 \div 4$. Estimate $8 \div 4 = 2$

$$\begin{array}{r} 1.9 \\ 4\overline{)7.6} \\ -4 \\ \hline 3\,6 \\ -3\,6 \\ \hline 0 \end{array}$$

Place the decimal point in the quotient above the decimal point in the dividend.

So, $7.6 \div 4 = 1.9$. Reasonable? $1.9 \approx 2$ ✓

b. Find $4.374 \div 12$.

$$\begin{array}{r} 0.3645 \\ 12\overline{)4.3740} \\ -36 \\ \hline 77 \\ -72 \\ \hline 54 \\ -48 \\ \hline 60 \\ -60 \\ \hline 0 \end{array}$$

Place the decimal point in the quotient above the decimal point in the dividend.

Insert a zero and continue to divide.

So, $4.374 \div 12 = 0.3645$. Check $0.3645 \times 12 = 4.374$ ✓

Try It **Divide. Use estimation to check your answer.**

1. $36.4 \div 2$
2. $22.2 \div 6$
3. $59.64 \div 7$
4. $3.12 \div 16$
5. $6.224 \div 4$
6. $43.407 \div 14$

Key Idea

Dividing Decimals by Decimals

Words Multiply the divisor *and* the dividend by a power of 10 to make the divisor a whole number. Then place the decimal point in the quotient above the decimal point in the dividend and divide as you would with whole numbers. Continue until there is no remainder.

Numbers $1.2\overline{)4.56}$

Multiply each number by 10.

$$12\overline{)45.6}$$
$$3.8$$

Place the decimal point in the quotient above the decimal point in the dividend.

EXAMPLE 2 Dividing Decimals

a. Find $18.2 \div 1.4$.

$$1.4\overline{)18.2} \longrightarrow 14\overline{)182.}$$

Multiply each number by 10.

$$13.$$
$$-14$$
$$42$$
$$-42$$
$$0$$

Place the decimal point in the quotient above the decimal point in the dividend.

So, $18.2 \div 1.4 = 13$.

Check $13 \times 1.4 = 18.2$ ✓

b. Find $0.273 \div 0.39$.

$$0.39\overline{)0.273} \longrightarrow 39\overline{)27.3}$$

Multiply each number by 100.

$$0.7$$
$$-273$$
$$0$$

So, $0.273 \div 0.39 = 0.7$.

Check $0.7 \times 0.39 = 0.273$ ✓

Multiplying the divisor and the dividend by a power of 10 does not change the quotient.

For example:

$18.2 \div 1.4 = 13$

$182 \div 14 = 13$

$1820 \div 140 = 13$

Try It **Divide. Check your answer.**

7. $1.2\overline{)9.6}$

8. $3.4\overline{)57.8}$

9. $21.643 \div 2.3$

10. $0.459 \div 0.51$

EXAMPLE 3 Inserting Zeros in the Dividend and the Quotient

a. Find 2.45 ÷ 0.007.

Remember to check your answer by multiplying the quotient by the divisor.

$$0.007\overline{)2.450} \longrightarrow 7\overline{)2450}$$

Multiply each number by 1000. Insert a zero in the dividend.

$$\begin{array}{r} 350 \\ 7\overline{)2450} \\ -21 \\ \hline 35 \\ -35 \\ \hline 00 \end{array}$$

Because 0 ÷ 7 = 0, insert a zero in the quotient.

So, $2.45 \div 0.007 = 350$.

b. Find 32 ÷ 1.25.

$$1.25\overline{)32.00} \longrightarrow 125\overline{)3200.0}$$

Multiply each number by 100. Insert two zeros in the dividend.

$$\begin{array}{r} 25.6 \\ 125\overline{)3200.0} \\ -250 \\ \hline 700 \\ -625 \\ \hline 75\,0 \\ -75\,0 \\ \hline 0 \end{array}$$

Insert a zero and continue to divide.

So, $32 \div 1.25 = 25.6$.

Try It **Divide. Check your answer.**

11. $3.8 \div 0.16$

12. $15.6 \div 0.78$

13. $7.2 \div 0.048$

14. $42 \div 3.75$

Self-Assessment *for Concepts & Skills*

Solve each exercise. Then rate your understanding of the success criteria in your journal.

DIVIDING DECIMALS **Divide. Check your answer.**

15. $37.7 \div 13$

16. $33 \div 4.4$

17. $2.16 \div 0.009$

18. MP **NUMBER SENSE** Fix the one that is not correct.

$$\begin{array}{r} 6.1 \\ 4\overline{)24.4} \end{array} \qquad \begin{array}{r} 61 \\ 4\overline{)244} \end{array} \qquad \begin{array}{r} 6.1 \\ 4\overline{)2.44} \end{array}$$

19. MP **NUMBER SENSE** Rewrite $2.16\overline{)18.5}$ so that the divisor is a whole number.

20. MP **STRUCTURE** Write $1.8 \div 6$ as a multiplication problem with a missing factor. Explain your reasoning.

EXAMPLE 4 Modeling Real Life

How many times more cell phone subscribers were there in 2015 than in 1990? Round to the nearest whole number.



Divide the number of subscribers in 2015 by the number of subscribers in 1990.

From the graph, there were 377.92 million subscribers in 2015 and 5.3 million in 1990. So, divide 377.92 by 5.3.

$$5.3\overline{)377.92} \longrightarrow 53\overline{)3779.2}$$

$$\begin{array}{r} 71.3 \\ 53\overline{)3779.2} \\ -371 \\ \hline 69 \\ -53 \\ \hline 162 \\ -159 \\ \hline 3 \end{array}$$

Rounds to 71.

So, there were about 71 times more subscribers in 2015 than in 1990.

Check Reasonableness
Find an underestimate and an overestimate.

Underestimate:

$$370 \div 6 = 61\frac{2}{3}$$

Overestimate:

$$380 \div 5 = 76$$

The answer is reasonable because $61\frac{2}{3} < 71 < 76$. ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

21. A magazine subscription costs \$29.88 for 12 issues or \$15.24 for 6 issues. Which subscription costs more per issue? How much more?

Year	Visitors (millions)
1	2.4
2	32.22
3	88.4
4	102.6

22. The track of a roller coaster is 1.265 miles long. The ride lasts for 2.3 minutes. What is the average speed of the roller coaster in miles per hour?

23. DIG DEEPER! The table shows the number of visitors to a website each year for 4 years. Does the number of visitors increase more from Year 1 to Year 2 or from Year 3 to Year 4? How many times greater is the increase?

2.7 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Divide.

1. $84 \div 14$ **2.** $391 \div 23$ **3.** $1458 \div 54$ **4.** $\frac{68{,}134}{163}$

5. What is the value of $18 + 3^2 \div [3 \times (8 - 5)]$?

A. 3 **B.** 19 **C.** 27 **D.** 49

Add or subtract.

6. $7.635 - 5.046$ **7.** $12.177 + 3.09$ **8.** $14.008 - 9.433$

Concepts, Skills, & Problem Solving

DIVIDING DECIMALS **Write two division expressions represented by the area model. Then find the quotients. Explain how you found your answer.**
(See Exploration 1, p. 87.)

9.



10.



DIVIDING DECIMALS BY WHOLE NUMBERS **Divide. Use estimation to check your answer.**

11. $6\overline{)25.2}$ **12.** $5\overline{)33.5}$ **13.** $7\overline{)3.5}$ **14.** $8\overline{)10.4}$

15. $38.79 \div 9$ **16.** $37.72 \div 4$ **17.** $43.4 \div 7$ **18.** $22.505 \div 7$

19. $44.64 \div 8$ **20.** $0.294 \div 3$ **21.** $3.6 \div 24$ **22.** $52.014 \div 20$

YOU BE THE TEACHER **Your friend finds the quotient. Is your friend correct? Explain your reasoning.**

23.

$$
\begin{array}{r}
3.12 \\
9\overline{)28.08} \\
-27 \\
\hline
10 \\
-9 \\
\hline
18 \\
-18 \\
\hline
0
\end{array}
$$

24.

$$
\begin{array}{r}
0.86 \\
6\overline{)0.516} \\
-48 \\
\hline
36 \\
-36 \\
\hline
0
\end{array}
$$

25. MP **PROBLEM SOLVING** You buy the same pair of pants in 3 different colors for $89.85. How much does each pair of pants cost?

26. MP **REASONING** Which pack of fruit punch is the best buy? Explain.

DIVIDING DECIMALS **Divide. Check your answer.**

27. $2.1\overline{)25.2}$ **28.** $3.8\overline{)34.2}$ **29.** $36.47 \div 0.7$ **30.** $0.984 \div 12.3$

31. $6.64 \div 8.3$ **32.** $83.266 \div 13.43$ **33.** $0.09\overline{)1.053}$ **34.** $35.903 \div 16.1$

35. $0.996 \div 0.12$ **36.** $4.63\overline{)12.501}$ **37.** $0.005\overline{)0.00115}$ **38.** $56.7175 \div 4.63$

39. $4.23 \div 0.012$ **40.** $0.52 \div 0.0013$ **41.** $95.04 \div 0.0132$ **42.** $32.2 \div 0.07$

43. $1.37\overline{)54.8}$ **44.** $44.2 \div 3.25$ **45.** $4.04\overline{)50.5}$ **46.** $250 \div 0.008$

47. $11.16 \div 0.062$ **48.** $12.5\overline{)835}$ **49.** $597.6 \div 12.45$ **50.** $0.435\overline{)118.32}$

DIVIDING DECIMALS **Divide. Round to the nearest hundredth.**

51. $80.89 \div 8.425$ **52.** $0.8 \div 0.6$ **53.** $38.9 \div 6.44$ **54.** $11.6 \div 0.95$

55. **YOU BE THE TEACHER** Your friend rewrites the problem. Is your friend correct? Explain your reasoning.

$0.32\overline{)146.4} \rightarrow 32\overline{)1.464}$

ORDER OF OPERATIONS **Evaluate the expression.**

56. $7.68 + 3.18 \div 12$ **57.** $10.56 \div 3 - 1.9$ **58.** $19.6 \div 7 \times 9$

59. $5.5 \times 16.56 \div 9$ **60.** $35.25 \div 5 \div 3$ **61.** $13.41 \times (5.4 \div 9)$

62. $6.2 \cdot (5.16 \div 6.45)$ **63.** $132.06 \div (4^2 + 2.6)$ **64.** $4.8[23.9841 \div (1.16 + 1.27)]$

65. **MODELING REAL LIFE** A person's running stride is about 1.14 times the person's height. Your friend's stride is 5.472 feet. How tall is your friend?

66. MP **PROBLEM SOLVING** You have 3.4 gigabytes available on your tablet. A song is about 0.004 gigabyte. How many songs can you download onto your tablet?

MP **REASONING** **Without finding the quotient, copy and complete the statement using <, >, or =. Explain your reasoning.**

67. $6.66 \div 0.74 \square 66.6 \div 7.4$ **68.** $32.2 \div 0.7 \square 3.22 \div 7$

69. $160.72 \div 16.4 \square 160.72 \div 1.64$ **70.** $75.6 \div 63 \square 7.56 \div 0.63$

71. **DIG DEEPER!** The table shows the top three times in a swimming event at the Summer Olympics. The event consists of a team of four women swimming 100 meters each.

Women's 4 × 100 Freestyle Relay		
Medal	**Country**	**Time (seconds)**
Gold	Australia	210.65
Silver	United States	211.89
Bronze	Canada	212.89

a. Suppose the times of all four swimmers on each team were the same. For each team, how much time does it take a swimmer to swim 100 meters?

b. Suppose each U.S. swimmer completed 100 meters a quarter second faster. Would the U.S. team have won the gold medal? Explain your reasoning.

72. MP **PROBLEM SOLVING** To approximate the number of bees in a hive, multiply the number of bees that leave the hive in one minute by 3 and divide by 0.014. You count 25 bees leaving a hive in one minute. How many bees are in the hive?

73. MP **PROBLEM SOLVING** You are saving money to buy a new bicycle that costs $155.75. You have $30 and plan to save $5 each week. Your aunt decides to give you an additional $10 each week.

a. How many weeks will you have to save until you have enough money to buy the bicycle?

b. How many more weeks would you have to save to buy a new bicycle that costs $203.89? Explain how you found your answer.

74. MP **PRECISION** A store sells applesauce in two sizes.



a. How many bowls of applesauce fit in a jar? Round your answer to the nearest hundredth.

b. Explain two ways to find the better buy.

c. Which is the better buy?

75. **GEOMETRY** The large rectangle's dimensions are three times the dimensions of the small rectangle.



a. How many times greater is the perimeter of the large rectangle than the perimeter of the small rectangle?

b. How many times greater is the area of the large rectangle than the area of the small rectangle?

c. Are the answers to parts (a) and (b) the same? Explain why or why not.

d. What happens in parts (a) and (b) if the dimensions of the large rectangle are two times the dimensions of the small rectangle?

Using the Problem-Solving Plan

1. You change the water jug on the watercooler. How many glasses can be completely filled before you need to change the water jug again?

Understand the problem.

You know the capacities of the water jug and the glass. You are asked to determine how many glasses the water jug can fill.

Make a plan.

First, use what you know about converting measures to find the number of fluid ounces in 5 gallons. Then divide this amount by the capacity of the glass to find the number of glasses that can be filled.

Solve and check.

Use the plan to solve the problem. Then check your solution.

2. Two ferries just departed from their docks at the same time. Ferry A departs from its dock every 1.2 hours. Ferry B departs from its dock every 1.8 hours. How long will it be until both ferries depart from their docks at the same time again?

3. You want to paint the ceiling of your bedroom. The ceiling has two square skylights as shown. Each skylight has a side length of $1\frac{7}{8}$ feet. How many square feet will you paint? Justify your answer.



Performance Task

Space Explorers

At the beginning of this chapter, you watched a STEAM video called "Space is Big." You are now ready to complete the performance task for this video, available at ***BigIdeasMath.com***. Be sure to use the problem-solving plan as you work through the performance task.

2 Chapter Review

Go to *BigIdeasMath.com* to download blank graphic organizers.

Review Vocabulary

Write the definition and give an example of each vocabulary term.

reciprocals, *p. 54*

multiplicative inverses, *p. 54*

Graphic Organizers

You can use a **Summary Triangle** to explain a concept. Here is an example of a Summary Triangle for ***dividing fractions***.

Dividing fractions

Procedure: To divide a number by a fraction, multiply the number by the reciprocal of the fraction.

Algebra: $\frac{a}{b} \div \frac{c}{d} = \frac{a}{b} \cdot \frac{d}{c} = \frac{a \cdot d}{b \cdot c}$, where b, c, and $d \neq 0$

Example: $\frac{1}{5} \div \frac{3}{4} = \frac{1}{5} \times \frac{4}{3} = \frac{1 \times 4}{5 \times 3} = \frac{4}{15}$

Choose and complete a graphic organizer to help you study the concept.

1. multiplying fractions
2. multiplying mixed numbers
3. reciprocals
4. dividing mixed numbers
5. adding and subtracting decimals
6. multiplying decimals by decimals
7. dividing whole numbers
8. dividing decimals by decimals

"I finished my Summary Triangle about characteristics of igloos. I built one to use as my dog house. I'm calling it a dog-gloo."

Chapter Self-Assessment

As you complete the exercises, use the scale below to rate your understanding of the success criteria in your journal.

1	2	3	4
I do not understand.	I can do it with help.	I can do it on my own.	I can teach someone else.

2.1 Multiplying Fractions *(pp. 45–52)*

Learning Target: Find products involving fractions and mixed numbers.

Multiply. Write the answer in simplest form.

1. $\frac{2}{9} \times \frac{8}{11}$
2. $\frac{3}{10} \cdot \frac{4}{5}$
3. $2\frac{3}{10} \times 5\frac{1}{3}$
4. $\frac{2}{7} \times 4\frac{4}{9}$

5. Write two fractions whose product is $\frac{21}{32}$.

6. A costume designer needs to make 12 costumes for the school play. Each costume requires $2\frac{2}{3}$ yards of fabric. How many yards of fabric does the costume designer need to make all the costumes?

7. You spend $\frac{4}{5}$ of an hour on your homework. You spend $\frac{1}{2}$ of that time working on your science homework. How many minutes do you spend working on science homework?

2.2 Dividing Fractions *(pp. 53–60)*

Learning Target: Compute quotients of fractions and solve problems involving division by fractions.

Divide. Write the answer in simplest form.

8. $\frac{3}{4} \div \frac{5}{6}$
9. $\frac{2}{5} \div 8$
10. $5 \div \frac{1}{3}$
11. $\frac{8}{9} \div \frac{3}{10}$

12. A box contains 10 cups of pancake mix. You use $\frac{2}{3}$ cup each time you make pancakes. How many times can you make pancakes?

13. Write two fractions whose quotient is $\frac{28}{45}$.

2.3 Dividing Mixed Numbers *(pp. 61–66)*

Learning Target: Compute quotients with mixed numbers and solve problems involving division with mixed numbers.

Divide. Write the answer in simplest form.

14. $1\frac{2}{5} \div \frac{4}{7}$ **15.** $5\frac{5}{8} \div 3$ **16.** $5 \div 2\frac{6}{7}$ **17.** $4\frac{1}{8} \div 2\frac{1}{4}$

18. Evaluate $5\frac{5}{7} \div 1\frac{3}{5} \cdot 4\frac{2}{3}$. Write the answer in simplest form.

19. You have $23\frac{1}{2}$ pounds of blueberries to store in freezer bags. Each bag holds $3\frac{3}{4}$ pounds of blueberries. What is the minimum number of freezer bags needed to store all the blueberries?

20. A squirrel feeder holds $4\frac{1}{2}$ cups of seeds. Another squirrel feeder holds $6\frac{7}{8}$ cups of seeds. One scoop of seeds is $1\frac{5}{8}$ cups. How many scoops of seeds do you need to fill both squirrel feeders?

2.4 Adding and Subtracting Decimals *(pp. 67–72)*

Learning Target: Add and subtract decimals and solve problems involving addition and subtraction of decimals.

Add.

21. $3.78 + 8.94$ **22.** $19.89 + 4.372$ **23.** $24.916 + 17.385$

Subtract.

24. $7.638 - 2.365$ **25.** $14.21 - 4.103$ **26.** $5.467 - 2.736$

27. Write three decimals that have a sum of 10.806.

28. To make fuel for the main engines of a space shuttle, 102,619.377 kilograms of liquid hydrogen and 616,496.4409 kilograms of liquid oxygen are mixed together in the external tank. How much fuel is stored in the external tank?

2.5 Multiplying Decimals *(pp. 73–80)*

Learning Target: Multiply decimals and solve problems involving multiplication of decimals.

Multiply. Use estimation to check your answer.

29. 26.174×79 **30.** 9.475×8.03 **31.** 0.051×0.244

32. Evaluate $3.76(2.43 + 9.8)$.

33. Hair grows about 1.27 centimeters each month. How much does hair grow in 4 months?

2.6 Dividing Whole Numbers *(pp. 81–86)*

Learning Target: Divide whole numbers and solve problems involving division of whole numbers.

Divide. Use estimation to check your answer.

34. $7296 \div 38$ **35.** $5081 \div 203$ **36.** $\frac{17{,}264}{128}$

37. Your local varsity basketball team offers bus transportation for a playoff game. Each bus holds 56 people. A total of 328 people sign up. All buses are full except for the last bus. How many buses are used? How many people are in the last bus?

38. You have 600 elastic bands to make railroad bracelets. How many complete bracelets can you make?

Railroad Bracelet Supplies

- loom
- hook
- clip
- 28 elastic bands for outer rails
- 10 elastic bands for inner track

2.7 Dividing Decimals *(pp. 87–94)*

Learning Target: Divide decimals and solve problems involving division of decimals.

Divide. Check your answer.

39. $0.498 \div 6$ **40.** $8.9 \div 0.356$ **41.** $21.85 \div 3.8$

42. Evaluate $\frac{14.075 + 24.67}{3.15}$.

43. Your beginning balance on your lunch account is \$42. You buy lunch for \$1.80 every day and sometimes buy a snack for \$0.85. After 20 days, you have a balance of \$0.05. How many snacks did you buy?

2 Practice Test

Evaluate the expression. Write the answer in simplest form.

1. $5.138 + 2.624$

2. $\frac{5}{6} \div \frac{10}{21}$

3. $0.25\overline{)5.46}$

4. $\frac{9}{16} \times \frac{2}{3}$

5. $8\frac{3}{4} \div 2\frac{7}{8}$

6. 4.87×7.23

7. $1875 \div 125$

8. $10 \div \frac{2}{5}$

9. $57.82 \div 0.784$

10. $5.316 - 1.942$

11. 6.729×8.3

12. $\frac{13{,}376}{248}$

13. On a road trip, you notice that the gas tank is $\frac{1}{4}$ full. The gas tank can hold 18 gallons, and the vehicle averages 22 miles per gallon. Will you make it to your destination 110 miles away before you run out of gas? Explain.

14. For a diving event, the highest and the lowest of seven scores are discarded. Next, the total of the remaining scores is multiplied by the degree of difficulty of the dive. That value is then multiplied by 0.6 to determine the final score. Find the final score for the dive.

15. You are cutting as many $20\frac{1}{2}$-inch pieces from the board to make ladder steps for a tree fort. How many steps can you make? How much wood is left over?



16. You spend $2\frac{1}{2}$ hours online. You spend $\frac{1}{5}$ of that time writing a blog. How long do you spend writing your blog?

17. You and a friend take pictures at a motocross event. Your camera can take 24 pictures in 3.75 seconds. Your friend's camera can take 36 pictures in 4.5 seconds. Evaluate the expression $(36 \div 4.5) \div (24 \div 3.75)$ to find how many times faster your friend's camera is than your camera.

2 Cumulative Practice

1. Which number is equivalent to the expression below?

$$6 \times 8 - 2 \times 3^2$$

A. 12 **B.** 30

C. 324 **D.** 414

2. What is the greatest common factor of 48 and 120?

3. Which number is equivalent to $5.139 - 2.64$?

F. 2.499 **G.** 2.599

H. 3.519 **I.** 3.599

Test-Taking Strategy

Estimate the Answer

"Using estimation you can see that the answer is about 3. So, you should choose B."

4. Which number is equivalent to $\frac{4}{9} \div \frac{5}{7}$?

A. $\frac{20}{63}$ **B.** $\frac{28}{45}$

C. $\frac{45}{28}$ **D.** $\frac{63}{20}$

5. You buy orange and black streamers for a party. The orange streamers are 9 feet long, and the black streamers are 12 feet long. What are the least numbers of streamers you should buy in order for the total length of the orange streamers to be the same as the total length of the black streamers?

F. 36 orange streamers and 36 black streamers

G. 12 orange streamers and 9 black streamers

H. 3 orange streamers and 4 black streamers

I. 4 orange streamers and 3 black streamers

6. Which number is a prime factor of 572?

A. 4 **B.** 7

C. 13 **D.** 22

7. Which number is equivalent to $7059 \div 301$?

F. 23 **G.** $23\frac{136}{7059}$

H. $23\frac{136}{301}$ **I.** 136

8. A square wall tile has side lengths of 4 inches. You use 360 of the tiles. What is the area of the wall covered by the tiles?

A. 16 in.^2 **B.** 360 in.^2

C. 1440 in.^2 **D.** 5760 in.^2

9. Which expression is equivalent to a perfect square?

F. $3 + 2^2 \times 7$ **G.** $34 + 18 \div 3^2$

H. $(80 + 4) \div 4$ **I.** $3^2 + 6 \times 5 \div 3$

10. What is the missing denominator in the expression below?

$$\frac{4}{8} \div \frac{2}{\square} = \frac{3}{4}$$

A. 1 **B.** 2

C. 3 **D.** 8

11. What is 4.56×0.7?

12. The area of the large rectangle is how many times the area of the small rectangle?



F. 4.4515

G. 5.915

H. 17.2575

I. 111.2875

13. Which expression is equivalent to $5 \times 5 \times 5 \times 5$?

A. 5×4

B. 4^5

C. 5^4

D. 5^5

14. A walkway is built using identical concrete blocks.

Think
Solve
Explain



Part A How much longer, in inches, is the length of the walkway than the width of the walkway? Show your work and explain your reasoning.

Part B How many times longer is the length of the walkway than the width of the walkway? Show your work and explain your reasoning.

15. A meteoroid moving at a constant speed travels $6\frac{7}{8}$ miles in 30 seconds. How far does the meteoroid travel in 1 second?

F. $\frac{1}{5}$ mile

G. $\frac{11}{48}$ mile

H. $2\frac{7}{24}$ miles

I. $206\frac{1}{4}$ miles

3 Ratios and Rates

3.1 Ratios

3.2 Using Tape Diagrams

3.3 Using Ratio Tables

3.4 Graphing Ratio Relationships

3.5 Rates and Unit Rates

3.6 Converting Measures

Chapter Learning Target:
Understand ratios.

Chapter Success Criteria:
- I can write and interpret ratios.
- I can name ratios equivalent to a given ratio.
- I can solve a problem using ratios.
- I can convert units of measure using ratio reasoning.



STEAM Video

Human Circulatory System

Watch the STEAM Video "Human Circulatory System." Then answer the following questions.

1. Enid says the heart pumps about 5 liters of blood each minute. How can you find the amount of blood the heart pumps for any given number of minutes?
2. Explain how you can estimate the amount of blood your heart pumps in one heart beat.
3. The table shows the amounts of blood contained in several different types of blood vessels. How can you make meaningful comparisons of the amounts?

Vessel	Volume
Aorta and large arteries	300 mL
Small arteries	0.4 L
Small veins	2.43 qt
Large veins	0.24 gal

Performance Task


Performance Task

Oops! Unit Conversion Mistakes

Oops! Unit Conversion Mistakes

After completing this chapter, you will be able to use the concepts you learned to answer the questions in the *STEAM Video Performance Task*. You will be shown unit conversion mistakes in the following real-life situations.

Blood transfusion

Airplane fuel

Baby medication

Zoo enclosure

In each situation, you will analyze and correct the mistake in the unit conversion. How accurate must conversions be in real-life situations?

Getting Ready for Chapter 3

Chapter Exploration

Work with a partner. What portion of the rectangle is red? How did you write your answer?

1.

2.

3.

4.

5.

6. 

7.

8.

9.

10. Work with a partner. In Exercises 1–9, which of the rectangles have the same portion of red tiles? Explain your reasoning.

Work with a partner. Use square color tiles to build two different-sized rectangles that represent the description.

11. Five-sixths of the tiles are blue.
12. Three-fourths of the tiles are yellow.
13. Four-fifths of the tiles are green.
14. Five-sevenths of the tiles are red.
15. **MODELING REAL LIFE** Work with a partner. The soccer committee has 8 girls and 6 boys. The tennis committee has 9 girls and 8 boys. A friend tells you that the tennis committee has a greater portion of girls than the soccer committee. Is your friend correct? Explain. If not, how many boys could you add to the soccer committee so that your friend is correct?

Vocabulary

The following vocabulary terms are defined in this chapter. Think about what each term might mean and record your thoughts.

ratio
equivalent ratios
rate
unit rate
equivalent rates

3.1 Ratios

Learning Target: Understand the concepts of ratios and equivalent ratios.

Success Criteria:
- I can write and interpret ratios using appropriate notation and language.
- I can recognize multiplicative relationships in ratios.
- I can describe how to determine whether ratios are equivalent.
- I can name ratios equivalent to a given ratio.

FLORIDA STANDARDS
MAFS.6.RP.1.1
MAFS.6.RP.1.3

A **ratio** is a comparison of two quantities. Consider two quantities a and b. The ratio $a : b$ indicates that there are a units of the first quantity for every b units of the second quantity.

EXPLORATION 1 Writing Ratios

Work with a partner. A science class has two times as many girls as it has boys.

a. Discuss possible numbers of boys and girls in the science class.

b. What comparisons can you make between your class and the science class? Can you determine which class has more girls? more boys? Explain your reasoning.

c. Write three ratios that you observe in your classroom. Describe what each ratio represents.

Math Practice

Use a Table

How can you use a table to represent the relationship between the numbers of girls and boys?

EXPLORATION 2 Using Ratios in a Recipe

Work with a partner. The ratio of iced tea to lemonade in a recipe is 3 : 1. You begin by combining 3 cups of iced tea with 1 cup of lemonade.

a. You add 1 cup of iced tea and 1 cup of lemonade to the mixture. Does this change the taste of the mixture?

b. Describe how you can make larger amounts without changing the taste.

3.1 Lesson

Key Vocabulary
ratio, *p. 108*
value of a ratio, *p. 109*
equivalent ratios, *p. 109*

Key Idea

Ratio

Words A **ratio** is a comparison of two quantities. Ratios can be part-to-part, part-to-whole, or whole-to-part comparisons. Ratios may or may not include units.

Examples 2 cats *to* 6 dogs

1 cat *for every* 3 dogs

3 dogs *per* 1 cat

3 dogs *for each* cat

3 dogs *out of every* 4 pets

2 cats *out of* 8 pets

Algebra The ratio of a to b can be written as $a : b$.

Reading

Phrases that indicate ratios include *for each*, *for every*, and *per*.

EXAMPLE 1 Writing Ratios

You have the coins shown.

a. Write the ratio of pennies to quarters.

6 pennies → 6 to 7 ← 7 quarters

So, the ratio of pennies to quarters is 6 to 7, or 6 : 7.

b. Write the ratio of quarters to dimes.

7 quarters → 7 to 3 ← 3 dimes

So, the ratio of quarters to dimes is 7 to 3, or 7 : 3.

c. Write the ratio of dimes to the total number of coins.

3 dimes → 3 to 16 ← 16 coins

So, the ratio of dimes to the total number of coins is 3 to 16, or 3 : 16.

Try It **Write the indicated ratio using the coins in Example 1.**

1. dimes to pennies
2. quarters to the total number of coins

The number $\frac{a}{b}$ associated with the ratio $a : b$ is called the **value of the ratio**.

It describes the multiplicative relationship between the quantities in a ratio.

EXAMPLE 2 Writing and Interpreting Ratios

a. The ratio of rubies to diamonds on a ring is 1 : 2. Find and interpret the value of the ratio.

The value of the ratio 1 : 2 is $\frac{1}{2}$. So, the multiplicative relationship is $\frac{1}{2}$.

▶ The number of rubies is $\frac{1}{2}$ times the number of diamonds.

b. On another ring, the number of rubies is 4 times the number of diamonds. Write the ratio of rubies to diamonds.

Because the number of rubies is 4 times the number of diamonds, there are 4 rubies per diamond.

▶ So, the ratio of rubies to diamonds is 4 : 1.

Try It

3. An elephant sanctuary contains adult and baby elephants. The ratio of adult elephants to baby elephants is 5 : 1. Find and interpret the value of the ratio.

Key Idea

Equivalent Ratios

Words Two ratios that describe the same relationship are **equivalent ratios**. Two ratios are equivalent when you can multiply each quantity in one ratio by the same positive number to obtain the other ratio. The values of equivalent ratios are equivalent.

Example 1 : 3 and 2 : 6 are equivalent.

$$1 : 3 \xrightarrow{\times 2} 2 : 6 \qquad \frac{1}{3} = \frac{1 \times 2}{3 \times 2} = \frac{2}{6}$$

Algebra Two ratios $a : b$ and $c : d$ are equivalent when there exists a positive number n such that $a \times n = c$ and $b \times n = d$.

EXAMPLE 3 Determining Whether Ratios Are Equivalent

Determine whether the ratios are equivalent.

a. 4 : 3 and 20 : 15

You can multiply each number in the first ratio by 5 to obtain the numbers in the second ratio.

$$4:3 \xrightarrow{\times 5} 20:15$$

Also, the values of the ratios are equivalent.

$$\frac{4}{3} = \frac{4 \times 5}{3 \times 5} = \frac{20}{15}$$

▶ So, the ratios are equivalent.

b. 5 : 7 and 10 : 21

You need to multiply each number in the ratio by different amounts to obtain the numbers in the second ratio.

$$5:7 \xrightarrow{\times 2,\ \times 3} 10:21$$

Also, the values of the ratios are not equivalent.

$$\frac{5}{7} \neq \frac{10}{21}$$

▶ So, the ratios are not equivalent.

Try It **Determine whether the ratios are equivalent.**

4. 1 : 1 and 6 : 6 **5.** 1 : 2 and 3 : 4 **6.** 8 : 3 and 6 : 16

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

WRITING AND INTERPRETING RATIOS **Write the ratio. Then find and interpret the value of the ratio.**

7. sharks to dolphins **8.** dolphins : animals

IDENTIFYING EQUIVALENT RATIOS **Determine whether the ratios are equivalent. Explain your reasoning.**

9. 2 : 3 and 24 : 36 **10.** 5 : 7 and 20 : 28 **11.** 3 : 10 and 9 : 25

12. **DIFFERENT WORDS, SAME QUESTION** Which is different? Find "both" answers.

What kind of relationship is 2 peaches to 5 pears?

What kind of relationship is 2 pears out of every 5 fruit?

What kind of relationship is 2 pears per 5 peaches?

What kind of relationship is 2 peaches for every 5 pears?

EXAMPLE 4 Modeling Real Life

Meg is speedwalking at a pace of 5 meters every 2 seconds. Sean's pace is 10 meters every 5 seconds. Are they speedwalking at the same pace? If not, who is faster?

Write a ratio to represent each person's pace.

Meg's pace: 5 : 2

Sean's pace: 10 : 5

To decide whether Meg and Sean are speedwalking at the same pace, determine whether the ratios are equivalent.

$$5:2 \xrightarrow{\times 2} 10:5 \qquad 5:2 \xrightarrow{\times 2.5} \text{not equivalent}$$

So, they are not speedwalking at the same pace. To decide who is faster, use an equivalent ratio to compare Meg's pace to Sean's pace.

Meg's pace: $5:2 \xrightarrow{\times 2} 10:4$

Meg walks 10 meters every 4 seconds. It takes Sean 5 seconds to walk the same distance.

So, Meg is speedwalking faster than Sean.

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

13. The ratio of wolves to cougars in a forest is 5 : 3. Find and interpret the value of the ratio.

14. You are kayaking at a pace of 63 feet every 12 seconds. Your friend's pace is 21 feet every 3 seconds. Are you and your friend kayaking at the same pace? If not, who is faster?

15. DIG DEEPER! The ratio of Jet Ski rentals to boat rentals at a store is 7 : 2. If the number of boat rentals doubles and the number of Jet Ski rentals stays the same, then the number of boat rentals is how many times the number of Jet Ski rentals?

3.1 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Divide. Check your answer.

1. $15.4 \div 2.2$ **2.** $56.07 \div 8.9$ **3.** $8.43\overline{)12.645}$ **4.** $11.6\overline{)51.62}$

Find the value of the power.

5. 8^2 **6.** 1^6 **7.** 3^4 **8.** 2^6

The Venn diagram shows the prime factors of two numbers. Identify the numbers. Then find the GCF and the LCM of the two numbers.

9.



10.



Concepts, Skills, & Problem Solving

USING RATIOS **You mix the amounts of iced tea and lemonade shown. Describe how you can make larger amounts without changing the taste.** (See Exploration 2, p. 107.)

11.

12.

WRITING RATIOS **Write the ratio.**

13. frogs to turtles



14. basketballs to soccer balls

15. calculators : pencils

16. shirts : pants

17. MODELING REAL LIFE Twelve of the 28 students in a class own a dog. What is the ratio of students who own a dog to students who do not?

18. MP LOGIC Name two things that you would like to have in a ratio of 5 : 1 but not in a ratio of 1 : 5. Explain your reasoning.

OPEN-ENDED Describe a real-life relationship that can be represented by the ratio.

19. 1 out of every 7

20. 5 to 26

21. 2 per 5

22. 7 : 1

23. MODELING REAL LIFE During a given month, the ratio of sunny days to rainy days is 4 : 1.

a. Find and interpret the value of the ratio.

b. In another month, the number of sunny days is 5 times the number of rainy days. Write the ratio of sunny days to rainy days.

IDENTIFYING EQUIVALENT RATIOS Determine whether the ratios are equivalent.

24. 2 : 3 and 4 : 9

25. 3 : 8 and 9 : 24

26. 1 : 4 and 2 : 6

27. 5 : 3 and 15 : 12

28. 6 : 10 and 12 : 20

29. 2 : 3 and 4 : 5

30. 28 : 32 and 7 : 8

31. 24 : 100 and 6 : 25

32. 85 : 210 and 340 : 735

WRITING EQUIVALENT RATIOS Write a ratio that is equivalent to the given ratio. Justify your answer.

33. 3 : 1

34. 7 : 2

35. 6 : 6

36. 0 : 8

WRITING EQUIVALENT RATIOS Fill in the blank so that the ratios are equivalent.

37. 3 : 9 and 6 : ____

38. 2 : 6 and 8 : ____

39. ____ : 6 and 7 : 2

40. YOU BE THE TEACHER Your friend says that the two ratios are equivalent. Is your friend correct? Explain your reasoning.



41. OPEN-ENDED A *non-Newtonian* liquid demonstrates properties of both a solid and a liquid. A recipe for a non-Newtonian liquid calls for 1 cup of water and 2 cups of cornstarch. Find two possible combinations of water and cornstarch that you can use to make a larger batch. Justify your answer.

42. MP PROBLEM SOLVING You are downloading songs to your tablet. The ratio of pop songs to rock songs is 5 : 4. You download 40 pop songs. How many rock songs do you download?

43. **PROBLEM SOLVING** In the contiguous United States, the ratio of states that border an ocean to states that do not border an ocean is 7 : 9. How many of the states border an ocean?

44. **REASONING** The value of a ratio is $\frac{4}{3}$. The second quantity in the ratio is how many times the first quantity in the ratio? Explain your reasoning.

45. **MODELING REAL LIFE** A train moving at a constant speed travels 3 miles every 5 minutes. A car moving at a constant speed travels 12 miles every 20 minutes. Are the vehicles traveling at the same speed? If not, which is faster?

46. **CRITICAL THINKING** To win a relay race, you must swim 200 yards before your opponent swims 190 yards. You swim at a pace of 50 yards every 40 seconds. Your opponent swims at a pace of 10 yards every 8.5 seconds. Who wins the race? Justify your answer.

47. **DIG DEEPER!** There are 3 boys for every 2 girls in a dance competition. Does it make sense for there to be a total of 9 people in the competition? Explain.

48. **GEOMETRY** Use the blue and green rectangles.

a. Find the ratio of the length of the blue rectangle to the length of the green rectangle. Repeat this for width, perimeter, and area.

b. Compare your ratios in part (a).



49. **STRUCTURE** The ratio of the side lengths of a triangle is 2 : 3 : 4. The shortest side is 15 inches. What is the perimeter of the triangle? Explain.

50. **PROBLEM SOLVING** A restaurant sells tokens that customers use to play games while waiting for their orders.

a. Which option is the best deal? Justify your answer.

b. What suggestions, if any, would you give to the restaurant about how it could modify the prices of tokens?

51. **DIG DEEPER!** There are 12 boys and 10 girls in your gym class. If 6 boys joined the class, how many girls would need to join for the ratio of boys to girls to remain the same? Justify your answer.

3.2 Using Tape Diagrams

Learning Target: Use tape diagrams to model and solve ratio problems.

Success Criteria:
- I can interpret tape diagrams that represent ratio relationships.
- I can draw tape diagrams to model ratio relationships.
- I can find the value of one part of a tape diagram.
- I can use tape diagrams to solve ratio problems.

FLORIDA STANDARDS
MAFS.6.RP.1.1
MAFS.6.RP.1.3

You can use a visual model, called a *tape diagram*, to represent the relationship between two quantities in a ratio.

EXPLORATION 1

Using a Tape Diagram

Work with a partner. The tape diagram models the lengths of two snowboarding trails.

Math Practice

Make Sense of Quantities
How does the tape diagram help you make sense of the quantities and the relationship between the quantities?

a. What can you determine from the tape diagram?

b. Choose a length for one of the trails. What conclusions can you make from the tape diagram? Explain your reasoning.

c. Suppose you know the combined length of the trails or the difference in the lengths of the trails. Explain how you can use that information to find the lengths of the two trails. Provide an example with your explanation.



3.2 Lesson

You can use tape diagrams to represent ratios and solve ratio problems.

EXAMPLE 1 Interpreting a Tape Diagram

The tape diagram represents the ratio of blue monsters to green monsters you caught in a game. You caught 10 green monsters. How many blue monsters did you catch?

Reading

The tape diagram shows that the ratio of blue monsters to green monsters is 3 : 1.



The 1 part for green represents 10 monsters. So, the 3 parts for blue represents $3 \times 10 = 30$ monsters.

▶ You caught 30 blue monsters.

Try It

1. The tape diagram represents the ratio of gifts received to gifts given. You received 4 gifts. How many gifts did you give?



EXAMPLE 2 Drawing a Tape Diagram

There are 3 bones in a cat for every 4 bones in a dog. The cat has 240 bones. How many bones does the dog have?

The ratio of bones in the cat to bones in the dog is 3 : 4. Represent the ratio using a tape diagram.



One part represents $240 \div 3 = 80$ bones. So, 4 parts represent $4 \times 80 = 320$ bones.

▶ The dog has 320 bones.

Try It

2. There are 8 bones in a large snake for every 3 bones in a small snake. The small snake has 150 bones. How many bones does the large snake have?

EXAMPLE 3 Using a Tape Diagram to Solve a Ratio Problem

The ratio of your monthly allowance to your friend's monthly allowance is 5 : 3. The monthly allowances total $40. How much is each allowance?

Represent the ratio 5 : 3 using a tape diagram.



1 part represents $40 ÷ 8 = $5.

5 parts represent 5 × $5 = $25.

3 parts represent 3 × $5 = $15.

So, your allowance is $25, and your friend's allowance is $15.

Check Verify that the ratio of allowances is 5 : 3.



Try It

3. WHAT IF? Repeat Example 3 when the ratio of your monthly allowance to your friend's monthly allowance is 2 to 3.

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

4. MP STRUCTURE What ratio is represented by the tape diagram? Can you use the tape diagram to model the ratio 6 : 9? Can you use the tape diagram to model the ratio 8 : 16? Explain your reasoning.



5. MP REASONING You are given a tape diagram and the total value of the parts. How can you find the value of 1 part?

6. DRAWING A TAPE DIAGRAM Describe two ways that you can represent the ratio 12 : 4 using a tape diagram.

USING A TAPE DIAGRAM **You are given the number of tickets in a bag and the ratio of winning tickets to losing tickets. How many of each kind of ticket are in the bag?**

7. 35 tickets; 1 to 4

8. 80 tickets; 2 : 8

EXAMPLE 4 Modeling Real Life

In a seven-game basketball series, a team's power forward scores 8 points for every 5 points the center scores. The forward scores 60 more points than the center in the series. How many points does each player score in the series?

The ratio of the forward's points to the center's points is 8 : 5. Represent the ratio using a tape diagram.



1 part represents $60 \div 3 = 20$ points.

8 parts represent $8 \times 20 = 160$ points.

5 parts represent $5 \times 20 = 100$ points.

So, the forward scores 160 points in the series and the center scores 100 points in the series.

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

9. The tape diagram represents the ratio of the numbers of planets in two different solar systems. There are 8 planets in Solar System B. How many planets are in Solar System A?



10. You and your friend play an arcade game. You score 5 points for every 9 points that your friend scores. You score 320 points less than your friend. How many points do you each score?

11. DIG DEEPER! Your team wins 18 medals at a track meet. The medals are gold, silver, and bronze in a ratio of 2 : 2 : 5. How many of each medal were won by your team?

3.2 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Determine whether the ratios are equivalent.

1. 11 : 4 and 22 : 8

2. 12 : 18 and 2 : 3

3. 56 : 81 and 7 : 9

4. 2 : 12 and 6 : 24

Multiply. Write the answer in simplest form.

5. $\frac{7}{10} \cdot \frac{5}{7}$

6. $2\frac{1}{3} \cdot \frac{3}{4}$

7. $5\frac{3}{8} \cdot 2\frac{1}{2}$

8. Melissa earns $7.40 per hour working at a grocery store. She works 14.25 hours this week. How much does she earn?

A. $83.13 **B.** $105.45 **C.** $156.75 **D.** $1054.50

Concepts, Skills, & Problem Solving

USING A TAPE DIAGRAM **Use the tape diagram in Exploration 1 to answer the question.** (See Exploration 1, p. 115.)

9. The beginner trail is 200 meters long. How long is the expert trail?

10. The expert trail is 1200 meters long. How long is the beginner trail?

11. The combined length of the trails is 2000 meters. How long is each trail?

12. The expert trail is 750 meters longer than the beginner trail. How long is each trail?

INTERPRETING A TAPE DIAGRAM **The tape diagram represents the ratio of the time you spend tutoring to the time your friend spends tutoring. You tutor for 3 hours. How many hours does your friend spend tutoring?**

13.



14.



DRAWING A TAPE DIAGRAM **A bag contains red marbles and blue marbles. You are given the number of red marbles in the bag and the ratio of red marbles to blue marbles. Find the number of blue marbles in the bag.**

15. 10 red marbles; 5 to 1

16. 3 red marbles; 3 : 7

17. 12 red marbles; 4 : 3

18. 6 red marbles; 2 for every 5

19. 18 red marbles; 6 to 9

20. 12 red marbles; 3 : 4

USING A TAPE DIAGRAM **A bowl contains blueberries and strawberries. You are given the total number of berries in the bowl and the ratio of blueberries to strawberries. How many of each berry are in the bowl?**

21. 16 berries; 3 : 1

22. 10 berries; 2 for every 3

23. 12 berries; 1 to 2

24. 20 berries; 4 : 1

25. 48 berries; 9 to 3

26. 46 berries; 11 for every 12



27. **PROBLEM SOLVING** You separate bulbs of garlic into two groups: one for planting and one for cooking. The tape diagram represents the ratio of bulbs for planting to bulbs for cooking. You use 6 bulbs for cooking. Each bulb has 8 cloves. How many cloves of garlic will you plant?



28. **MODELING REAL LIFE** Methane gas contains carbon atoms and hydrogen atoms in the ratio of 1 : 4. A sample of methane gas contains 92 hydrogen atoms. How many carbon atoms are in the sample? How many total atoms are in the sample?



29. **MODELING REAL LIFE** There are 8 more girls than boys in a school play. The ratio of boys to girls is 5 : 7. How many boys and how many girls are in the play?

30. **DIG DEEPER!** A baseball team sells tickets for two games. The ratio of sold tickets to unsold tickets for the first game was 7 : 3. For the second game, the ratio was 13 : 2. There were 240 unsold tickets for the second game. How many tickets were sold for the first game?

31. **PROBLEM SOLVING** You have $150 in a savings account and you have some cash. The tape diagram represents the ratio of the amounts of money. You want to have twice the amount of money in your savings account as you have in cash. How much of your cash should you deposit into your savings account?

32. **DIG DEEPER!** A fish tank contains tetras, and minnows. The ratio of tetras to guppies is 4 : 2. The ratio of minnows to guppies is 1 : 3. There are 60 fish in the tank. How many more tetras are there than minnows? Justify your answer.

3.3 Using Ratio Tables

Learning Target: Use ratio tables to represent equivalent ratios and solve ratio problems.

Success Criteria:
- I can use various operations to create tables of equivalent ratios.
- I can use ratio tables to solve ratio problems.
- I can use ratio tables to compare ratios.

EXPLORATION 1

Making a Table of Equivalent Ratios

FLORIDA STANDARDS
MAFS.6.RP.1.1
MAFS.6.RP.1.3
MAFS.6.RP.1.3a

Math Practice

Compare Arguments

Compare your explanations in part (c) with another group. If they are different, are they both correct?

Work with a partner. You buy milk that contains 180 calories per 2 cups.

a. You measure 2 cups of the milk for a recipe and pour it into a pitcher. You repeat this four more times. Make a table to show the numbers of calories and cups in the pitcher as you add the milk.

b. Describe any relationships you see in your table.

c. Describe ways that you can find equivalent ratios using different operations.

EXPLORATION 2

Creating a Double Number Line

Work with a partner.

a. Represent the ratio in Exploration 1 by labeling the increments on the *double number line* below. Can you label the increments in more than one way?



b. How can you use the double number line to find the number of calories in 3 cups of milk? 3.5 cups of milk?

3.3 Lesson

Key Vocabulary
ratio table, *p. 122*

You can find and organize equivalent ratios in a **ratio table**. You can generate a ratio table by using repeated addition or multiplication.

EXAMPLE 1 Completing Ratio Tables

Find the missing values in each ratio table. Then write the equivalent ratios.

a.

Triangles	1	2		4
Sides	3		9	

b.

Frogs	4	20		
Toads	6		90	180

a. Because the original ratio is 1 triangle to 3 sides, you can repeatedly add 1 to the first row and repeatedly add 3 to the second row.



The equivalent ratios are 1 : 3, 2 : 6, 3 : 9, and 4 : 12.

b. You can use multiplication to find the missing values.



The equivalent ratios are 4 : 6, 20 : 30, 60 : 90, and 120 : 180.

Try It **Find the missing values in the ratio table. Then write the equivalent ratios.**

1.

Hands	4		12	16
People	2	4		

2.

Miles	4		24	96
Hours	3	6		

You can also generate a ratio table by using subtraction or division.
In summary, you can find equivalent ratios by:

- adding or subtracting quantities in equivalent ratios.
- multiplying or dividing each quantity in a ratio by the same number.

EXAMPLE 2 Completing Ratio Tables

Find the missing values in each ratio table. Then write the equivalent ratios.

a.

Dollars	1			8
Cents	100	300	900	

b.

Meters	3		2	
Minutes	1	2		$\frac{5}{3}$

In Example 2(a), notice that you obtain the fourth column by subtracting the values in the first column from the values in the third column.

$9 - 1 = 8$

$900 - 100 = 800$

a. You can use a combination of operations to find the missing values.

	×3	×3	−1
Dollars	1	3	9	8
Cents	100	300	900	800
	×3	×3	−100

▶ The equivalent ratios are 1 : 100, 3 : 300, 9 : 900, and 8 : 800.

b. You can use a combination of operations to find the missing values.

	×2	÷3	+3
Meters	3	6	2	5
Minutes	1	2	$\frac{2}{3}$	$\frac{5}{3}$
	×2	÷3	+1

▶ The equivalent ratios are 3 : 1, 6 : 2, 2 : $\frac{2}{3}$, and 5 : $\frac{5}{3}$.

Try It **Find the missing values in the ratio table. Then write the equivalent ratios.**

3.

Flowers	1	2	4	
Petals	5			15

4.

Students	24	12		36
Teachers	2		4	

EXAMPLE 3 Solving a Ratio Problem

A nutrition label shows that there are 75 milligrams of sodium in every 12 crackers. You eat 30 crackers. How much sodium do you consume?

Method 1: Use a double number line. Increment the number lines using the original ratio of 75 to 12.



So, you consume 187.5 milligrams of sodium in 30 crackers.

Method 2: Use a ratio table. The ratio of milligrams of sodium to crackers is 75 to 12. Find an equivalent ratio with 30 crackers.



So, you consume 187.5 milligrams of sodium in 30 crackers.

Try It

5. **WHAT IF?** You eat 21 crackers. How much sodium do you consume?

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

COMPLETING A RATIO TABLE **Find the missing values in the ratio table. Then write the equivalent ratios.**

6.

Fruit	2		6
Vegetables	6	12	

7.

Gnats	2	14		5
Flies	8		28	

8. **WRITING** Explain how creating a ratio table using repeated addition is similar to creating a ratio table using multiplication.

EXAMPLE 4 Modeling Real Life

You and your teacher make colored frosting. You add 3 drops of red food coloring for every 1 drop of blue food coloring. Your teacher adds 5 drops of red for every 3 drops of blue. Whose frosting is redder?

Understand the problem.

You are given the numbers of drops of food coloring that you and your teacher use to make frosting. You are asked to determine whose frosting is redder.

Make a plan.

Use ratio tables to compare the frostings. Find ratios in which the number of drops of red, the number of drops of blue, or the total number of drops is the same. Then compare the quantities to determine which is redder.

Solve and check.

Create ratio tables for 3 : 1 and 5 : 3 using repeated addition. Include a column for the total number of drops in each frosting.

Your Frosting		
Drops of Red	Drops of Blue	Total Drops
3	1	4
6	2	8
9	3	12
12	4	16
15	5	20

Your Teacher's Frosting		
Drops of Red	Drops of Blue	Total Drops
5	3	8
10	6	16
15	9	24
20	12	32
25	15	40

When both frostings have 3 drops of blue, your frosting has $9 - 5 = 4$ more drops of red than your teacher's frosting.

So, your frosting is redder than your teacher's frosting.

Look Back
The tables show that when both frostings have a total of 16 drops, your frosting has 2 more drops of red and 2 fewer drops of blue. So, your frosting is redder. ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

9. You mix 7 tablespoons of vinegar for every 4 tablespoons of baking soda to produce a chemical reaction. You use 15 tablespoons of baking soda. How much vinegar do you use?

10. You make a carbonated beverage by adding 7 ounces of soda water for every 3 ounces of regular water. Your friend uses 11 ounces of soda water for every 4 ounces of regular water. Whose beverage is more carbonated?

3.3 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

A bag contains green tokens and black tokens. You are given the number of green tokens in the bag and the ratio of green tokens to black tokens. Find the number of black tokens in the bag.

1. 8 green tokens; 4 for every 1
2. 6 green tokens; 2 : 7
3. 24 green tokens; 8 to 5
4. 36 green tokens; 3 for every 4

Find the GCF of the numbers.

5. 8, 16
6. 48, 80
7. 15, 45, 100

Evaluate the expression.

8. $35 - 2 \times 4^2$
9. $12 \div (1 + 3^3 - 2^4)$
10. $8^2 \div [(11 - 3) \cdot 2]$

Find the perimeter of the rectangle.

11.



12.



Concepts, Skills, & Problem Solving

USING A RATIO TABLE **Use a ratio table to find the number of calories in the indicated number of cups of milk from Exploration 1. Explain your method.**
(See Exploration 1, p. 121.)

13. 16 cups
14. 18 cups
15. 5.5 cups

COMPLETING RATIO TABLES **Find the missing value(s) in the ratio table. Then write the equivalent ratios.**

16.

Boys	1	
Girls	5	10

17.

Burgers	3		9
Hot Dogs	5	10	

18.

People	6		18
Benches	3	12	

19.

Adults	2	1		18
Children	14		21	

20.

Pies	5		$\frac{10}{3}$	
Cakes	3	12		5

21.

Plums	14	42		
Grapes	7		3	24

22. YOU BE THE TEACHER Your friend creates a ratio table for the ratio 5 : 3. Is your friend correct? Explain your reasoning.



COMPLETING RATIO TABLES **Complete the ratio table to solve the problem.**

23. For every 3 tickets you sell, your friend sells 4 tickets. You sell a total of 12 tickets. How many tickets does your friend sell?

You	3			12
Friend	4			

24. A store sells 2 printers for every 5 computers. The store sells 40 computers. How many printers does the store sell?

Printers	2		8	
Computers	5	10		40

25. First and second place in a contest use a ratio to share a cash prize. When first place pays \$100, second place pays \$60. How much does first place pay when second place pays \$36?

First	100		
Second	60		36

26. A grade has 81 girls and 72 boys. The grade is split into groups that have the same ratio of girls to boys as the whole grade. How many girls are in a group that has 16 boys?

Girls	81		
Boys	72		16

USING A DOUBLE NUMBER LINE **Find the missing quantity in the double number line.**

27.



28.



29. MP PROBLEM SOLVING A company sets sales goals for employees each month.

a. At her current pace, how many items will Kristina sell in 28 days? Is she on track to meet the goal? Explain.

b. At his current pace, how many dollars worth of product will Jim sell in 28 days? Is he on track to meet the goal? Explain.



30. MODELING REAL LIFE A gold alloy contains 15 milligrams of gold for every 4 milligrams of copper. A jeweler uses 48 milligrams of copper to make the alloy. How much gold does the jeweler use to make the alloy?

31. **MODELING REAL LIFE** You make candles by adding 2 fluid ounces of scented oil for every 22 fluid ounces of wax. Your friend makes candles by adding 3 fluid ounces of the same scented oil for every 37 fluid ounces of wax. Whose candles are more fragrant? Explain your reasoning.

32. **MODELING REAL LIFE** A mint milk shake contains 1.25 fluid ounces of milk for every 4 ounces of ice cream. A strawberry milk shake contains 1.75 fluid ounces of milk for every 5 ounces of ice cream. Which milk shake is thicker? Explain.

CRITICAL THINKING **Two whole numbers A and B satisfy the following conditions. Find A and B.**

33. $A + B = 30$

$A : B$ is equivalent to $2 : 3$.

34. $A + B = 44$

$A : B$ is equivalent to $4 : 7$.

35. $A - B = 18$

$A : B$ is equivalent to $11 : 5$.

36. $A - B = 25$

$A : B$ is equivalent to $13 : 8$.

Nutrition Facts

8 servings per container
Serving size **1 ounce (28g)**

Amount per serving
Calories **161**

	% Daily Value*
Total Fat 13g	**20%**
Saturated Fat 3g	**13%**
Trans Fat 0g	
Cholesterol 0mg	**0%**
Sodium 4mg	**0%**
Total Carbohydrate 9g	**3%**
Dietary Fiber 1g	**3%**
Total Sugars 1g	
Includes 0g Added Sugars	**0%**
Protein 4g	
Vitamin D 0mcg	0%
Calcium 14.8mg	1%
Iron 2.67mg	15%
Potassium 264mg	8%

* The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice.

37. **MODELING REAL LIFE** A nutrition label shows that there are 161 calories in 28 grams of dry roasted cashews. You eat 9 cashews totaling 12 grams.

a. Do you think it is possible to find the number of calories you consume? Explain your reasoning.

b. How many cashews are in one serving?

38. MP **REASONING** The ratio of three numbers is $4 : 5 : 3$. The sum of the numbers is 54. What are the three numbers?

39. **CRITICAL THINKING** Seven out of every 8 students surveyed own a bike. The difference between the number of students who own a bike and those who do not is 72. How many students were surveyed?

40. MP **LOGIC** You and a classmate have a bug collection for science class. You find 5 out of every 9 bugs in the collection. You find 4 more bugs than your classmate. How many bugs are in the collection?

41. MP **PROBLEM SOLVING** You earn $72 for every 8 hours you spend shoveling snow. You earn $60 for every 5 hours you spend babysitting. For every 3 hours you spend babysitting, you spend 2 hours shoveling snow. You babysit for 15 hours in January. How much money do you earn in January?

42. **DIG DEEPER!** You and a friend each have a collection of tokens. Initially, for every 8 tokens you had, your friend had 3. After you give half of your tokens to your friend, your friend now has 18 more tokens than you. Initially, how many more tokens did you have than your friend?

3.4 Graphing Ratio Relationships

Learning Target: Represent ratio relationships in a coordinate plane.

Success Criteria:
- I can create and plot ordered pairs from a ratio relationship.
- I can create graphs to solve ratio problems.
- I can create graphs to compare ratios.

EXPLORATION 1

Using a Coordinate Plane

Math Practice

Label Axes
Could you have placed each quantity on the other axis? Explain why or why not.

Work with a partner. An airplane travels 300 miles per hour.

a. Represent the relationship between distance and time in a coordinate plane. Explain your choice for labeling and scaling the axes.

b. Write a question that can be answered using the graph. Exchange your question with another group. Answer their question and discuss the solution with the other group.

EXPLORATION 2

Identifying Relationships in Graphs

FLORIDA STANDARDS
MAFS.6.RP.1.1
MAFS.6.RP.1.3
MAFS.6.RP.1.3a

Work with a partner. Use the graphs to make a ratio table. Explain how the blue, red, and green arrows correspond to the ratio table.





3.4 Lesson

For a ratio of two quantities, you can use equivalent ratios to create ordered pairs of the form (first quantity, second quantity). You can plot these ordered pairs in a coordinate plane and draw a line, starting at (0, 0), through the points.

EXAMPLE 1 Graphing Ratio Relationships

Represent each ratio relationship using a graph.

Remember

When plotting an ordered pair (x, y), the number x corresponds to the horizontal axis and the number y corresponds to the vertical axis.

a.

Flour (cups)	4	8	12
Water (cups)	2	4	6

The ordered pairs (flour, water) are (4, 2), (8, 4), and (12, 6).

Plot the ordered pairs. Starting at (0, 0), draw a line through the points.



b.

Time (hours)	1	2	3
Earnings (dollars)	10	20	30

Relationships involving time are often graphed with time on the horizontal axis.

The ordered pairs (time, earnings) are (1, 10), (2, 20), and (3, 30).

Plot the ordered pairs. Starting at (0, 0), draw a line through the points.



Try It **Represent the ratio relationship using a graph.**

1.

Time (minutes)	Number of Words
1	50
2	100
3	150

2.

Number of 6th Graders	Number of 7th Graders
5	4
10	8
15	12

EXAMPLE 2 Using a Graph to Solve a Ratio Problem

You buy dark chocolate cashews for $12.50 per pound.

a. Represent the ratio relationship using a graph.

Relationships involving cost are often graphed with cost on the vertical axis.

Create a ratio table.

Cashews (pounds)	1	2	3
Cost (dollars)	12.5	25	37.5

The ordered pairs (cashews, cost) are (1, 12.5), (2, 25), and (3, 37.5). Plot the ordered pairs and draw a line, starting at (0, 0), through the points.



b. How much does 2.5 pounds of dark chocolate cashews cost?



Using the graph, you can see that the cost of 2.5 pounds is halfway between $25 and $37.50.

So, 2.5 pounds of dark chocolate cashews cost $31.25.

Another Method Use a double number line to find the cost.



Try It

3. WHAT IF? Repeat Example 2 when the cost of the dark chocolate cashews is $15 per pound.

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

Rain (inches)	Snow (inches)
3	5
6	10
9	15

4. GRAPHING A RATIO RELATIONSHIP Represent the ratio relationship using a graph.

5. CRITICAL THINKING Use what you know about equivalent ratios to explain why the graph of a ratio relationship passes through (0, 0).

6. WHICH ONE DOESN'T BELONG? Which ordered pair does *not* belong with the other three? Explain your reasoning.

(4, 1) (8, 2) (12, 3) (24, 4)

EXAMPLE 3 Modeling Real Life

A hot-air balloon rises 9 meters every 3 seconds. A blimp rises 7 meters every 2 seconds. Graph each ratio relationship in the same coordinate plane. Which rises faster?

Create ratio tables for each rising object. Then plot the ordered pairs (time, height) from the table and use the graph to determine which rises faster.

Balloon	
Time (seconds)	Height (meters)
3	9
6	18
9	27

Blimp	
Time (seconds)	Height (meters)
2	7
4	14
6	21

Balloon: (3, 9), (6, 18), (9, 27)

Blimp: (2, 7), (4, 14), (6, 21)

Plot and label each set of ordered pairs. Then draw a line, starting at (0, 0), through each set of points.

Both graphs begin at (0, 0). The graph for the blimp is steeper, so the blimp rises faster than the hot-air balloon.

Rising Objects



Check From the ratio tables, you can see that every 6 seconds, the balloon rises 18 meters and the blimp rises 21 meters. So, the blimp rises faster. ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



7. You are skateboarding at a pace of 30 meters every 5 seconds. Your friend is in-line skating at a pace of 9 meters every 2 seconds. Graph each ratio relationship in the same coordinate plane. Who is faster?

8. You buy 2.5 pounds of pumpkin seeds and 2.5 pounds of sunflower seeds. Use a graph to find your total cost. Then use the graph to determine how much more you pay for pumpkin seeds than for sunflower seeds.

3.4 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Find the missing values in the ratio table. Then write the equivalent ratios.

1.

Chickens	8		24
Eggs	6	12	

2.

Fish	6	3		15
Snails	2		4	

Write the name of the decimal number.

3. 7.1 **4.** 3.54 **5.** 13.6 **6.** 8.132

Write two equivalent ratios that describe the relationship.

7. baseballs to gloves

8. ladybugs to bees

Concepts, Skills, & Problem Solving

USING A COORDINATE PLANE **Represent the relationship between distance and time in a coordinate plane.** (See Exploration 1, p. 129.)

9. A train travels 45 miles per hour.

10. A motorcycle travels 70 kilometers per hour.

11. A snail travels 80 centimeters per minute.

12. A whale travels 800 yards per minute.

GRAPHING RATIO RELATIONSHIPS **Represent the ratio relationship using a graph.**

13.

Height (inches)	20	40	60
Weight (pounds)	30	60	90

14.

Students	9	18	27
Computers	4	8	12

15.

Ribbon (inches)	1	2	3
String (inches)	3	6	9

16.

Water (gallons)	30	60	90
Soda (gallons)	5	10	15

17.

Cherries	5	10	15
Limes	8	16	24

18.

Jog (miles)	2	4	6
Sprint (meters)	400	800	1200

19. MODELING REAL LIFE A radio station collects donations for a new broadcast tower. The cost to construct the tower is $25.50 per inch.

a. Represent the ratio relationship using a graph.

b. How much does it cost to fund 4.5 inches of the construction?

20. MODELING REAL LIFE Your school organizes a clothing drive as a fundraiser for a class trip. The school earns $100 for every 400 pounds of donated clothing.

a. Represent the ratio relationship using a graph.

b. How much money does your school earn for donating 2200 pounds of clothing?

21. MP NUMBER SENSE Just by looking at the graph, determine who earns a greater hourly wage. Explain.



22. MODELING REAL LIFE An airplane traveling from Chicago to Los Angeles travels 15 miles every 2 minutes. On the return trip, the plane travels 25 miles every 3 minutes. Graph each ratio relationship in the same coordinate plane. Does the plane fly faster when traveling to Los Angeles or to Chicago?



23. MODELING REAL LIFE Your freezer produces 8 ice cubes every 2 hours. Your friend's freezer produces 24 ice cubes every 5 hours. Graph each ratio relationship in the same coordinate plane. Whose freezer produces ice faster?

24. MP CHOOSE TOOLS A chemist prepares two acid solutions.

a. Use a ratio table to determine which solution is more acidic.

b. Use a graph to determine which solution is more acidic.

c. Which method do you prefer? Explain.

25. DIG DEEPER! A company offers a nut mixture with 7 peanuts for every 3 almonds. The company changes the mixture to have 9 peanuts for every 5 almonds, but the number of nuts per container does not change.

a. How many nuts are in the smallest possible container?

b. Graph each ratio relationship. What can you conclude?

c. Almonds cost more than peanuts. Should the company change the price of the mixture? Explain your reasoning.

26. MP STRUCTURE The point (p, q) is on the graph of values from a ratio table. What are two additional points on the graph?

3.5 Rates and Unit Rates

Learning Target: Understand the concept of a unit rate and solve rate problems.

Success Criteria:
- I can find unit rates.
- I can use unit rates to solve rate problems.
- I can use unit rates to compare rates.

EXPLORATION 1

Using a Diagram

FLORIDA STANDARDS

MAFS.6.RP.1.2
MAFS.6.RP.1.3
MAFS.6.RP.1.3a
MAFS.6.RP.1.3b

Work with a partner. The diagram shows a story problem.



a. What information can you obtain from the diagram?

b. Assuming that the car travels at a constant speed, how far does the car travel in 3.25 hours? Explain your method.

c. Draw a speedometer that shows the speed of the car. How can you use the speedometer to answer part (b)?

Math Practice

Specify Units

What are the units for the speed in part (c)? Why is it important to keep track of units in ratio problems?

EXPLORATION 2

Using Equivalent Ratios

Work with a partner. Count the number of times you can clap your hands in 12 seconds. Have your partner record your results. Then switch roles with your partner and repeat the process.

a. Using your results and your partner's results, write ratios that represent the numbers of claps for every 12 seconds.

b. Explain how you can use the ratios in part (a) to find the numbers of times you and your partner can clap your hands in 2 minutes, in 2.5 minutes, and in 3 minutes.

3.5 Lesson

Key Vocabulary
rate, *p. 136*
unit rate, *p. 136*
equivalent rates, *p. 136*

A **rate** is a ratio of two quantities using different units. You solved various ratio problems in the previous sections that involved rates. Now you will use *unit rates* to solve rate problems.

Key Idea

Unit Rate

Words A **unit rate** compares a quantity to one unit of another quantity. **Equivalent rates** have the same unit rate.

Numbers You pay \$27 for 3 pizzas.

Rate: \$27 : 3 pizzas

Unit rate: \$9 : 1 pizza

Algebra Rate: a units : b units Unit rate: $\frac{a}{b}$ units : 1 unit

EXAMPLE 1 Finding Unit Rates

You make fruit juice by adding 4 pints of water for every 2 cups of concentrate.

a. Find the unit rate.

The ratio of pints of water to cups of concentrate is 4 : 2. Divide each quantity by 2 to find the unit rate.

Water (pints)	4	2
Concentrate (cups)	2	1

÷ 2 (above) ÷ 2 (below)

▶ The unit rate is 2 pints of water per cup of concentrate.

b. Write the ratio of cups of concentrate to pints of water. Then find the unit rate.

The ratio of cups of concentrate to pints of water is 2 : 4. Divide each quantity by 4 to find the unit rate.

Concentrate (cups)	2	$\frac{1}{2}$
Water (pints)	4	1

÷ 4 (above) ÷ 4 (below)

▶ The unit rate is $\frac{1}{2}$ cup of concentrate per pint of water.

For a rate $a : b$, the associated rate $b : a$ has a unit rate of $\frac{b}{a} : 1$. This can be useful when solving rate problems.

Try It

1. **WHAT IF?** Repeat Example 1 when you add 4 pints of water for every 3 cups of concentrate.

Multi-Language Glossary at BigIdeasMath.com

EXAMPLE 2 Using a Unit Rate to Solve a Rate Problem

A piece of space junk travels 5 miles every 6 seconds.

a. How far does the space junk travel in 30 seconds?

The ratio of miles to seconds is 5 : 6. Divide by 6 to find the unit rate in miles per second. Then multiply each quantity by 30 to find the distance traveled in 30 seconds.

▶ The space junk travels 25 miles in 30 seconds.

÷ 6 × 30

Distance (miles)	5	$\frac{5}{6}$	25
Time (seconds)	6	1	30

÷ 6 × 30

b. How many seconds does it take the space junk to travel 2 miles?

The ratio of seconds to miles is 6 : 5. Divide by 5 to find the unit rate in seconds per mile. Then multiply each quantity by 2 to find the time to travel 2 miles.

▶ It takes $\frac{12}{5} = 2\frac{2}{5}$ seconds for the space junk to travel 2 miles.

÷ 5 × 2

Time (seconds)	6	$\frac{6}{5}$	$\frac{12}{5}$
Distance (miles)	5	1	2

÷ 5 × 2

In Example 2, notice that you can use one step in each ratio table. Multiply by $\frac{1}{6} \times 30 = 5$ in part (a) and $\frac{1}{5} \times 2 = \frac{2}{5}$ in part (b).

Try It

2. **WHAT IF?** Repeat Example 2 when the space junk travels 3 miles every 5 seconds.

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

FINDING UNIT RATES **Write a unit rate for the situation.**

3. 5 revolutions in 50 seconds
4. 1400 words for every 4 pages

5. **WHICH ONE DOESN'T BELONG?** Which rate does *not* belong with the other three? Explain your reasoning.

8 pounds for every 2 feet

12 pounds per 3 feet

20 pounds per 4 feet

24 pounds for every 6 feet

EXAMPLE 3 Modeling Real Life

You buy 2 pounds of salmon filets at Store A for $21.50. Your friend buys 3 pounds of salmon filets at Store B for $33.75. How much less would you spend for 5 pounds of salmon filets at the store with the better deal?

Use ratio tables to find the cost of 5 pounds of salmon filets at each store.

Store A	
Cost (dollars)	Salmon (pounds)
21.50	2
10.75	1
53.75	5

Find the unit rate at each store.

Find the cost of 5 pounds at each store.

Store B	
Cost (dollars)	Salmon (pounds)
33.75	3
11.25	1
56.25	5

So, you would spend $56.25 − $53.75 = $2.50 less for 5 pounds of salmon filets at Store A.

Check The cost at Store A is $11.25 − $10.75 = $0.50 cheaper per pound than the cost at Store B. Because you are buying 5 pounds, you will pay 5 × $0.50 = $2.50 less at Store A. ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

6. You buy 10 pounds of bird seed at Store A for $11.50. Your friend buys 15 pounds of bird seed at Store B for $19.50. How much less would you spend by buying 20 pounds of bird seed at the store with the better deal?

7. A person hikes 4 miles in 2.5 hours. Find the unit rate in miles per hour. Then find the unit rate in hours per mile. How is each unit rate useful in a real-life situation?

8. DIG DEEPER! You buy 11 bagels with a $20 bill. How much change do you receive? How many more bagels could you buy?

3.5 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Represent the ratio relationship using a graph.

1.

Push-Ups	5	10	15
Sit-Ups	10	20	30

2.

Texts Sent	4	8	12
Texts Received	3	6	9

3.

Seeds	15	30	45
Plants	12	24	36

4.

Run (minutes)	6	12	18
Walk (minutes)	2	4	6

Divide. Write the answer in simplest form.

5. $\frac{1}{5} \div \frac{3}{10}$ **6.** $\frac{3}{8} \div 6$ **7.** $3\frac{1}{6} \div 2$ **8.** $5\frac{1}{3} \div 2\frac{2}{3}$

Add or subtract.

9. $6.94 + 12.301$ **10.** $8.753 - 7.71$ **11.** $14.532 - 6.613$

12. The winner in an election for class president received $\frac{3}{4}$ of the 240 votes. How many votes did the winner receive?

A. 60 **B.** 150 **C.** 180 **D.** 320

Concepts, Skills, & Problem Solving

USING EQUIVALENT RATIOS **Use the ratio in Exploration 2 to estimate the number of times you can clap your hands in the given amount of time.** (See Exploration 2, p. 135.)

13. 0.5 minute **14.** 1.75 minutes **15.** 2.25 minutes

FINDING UNIT RATES **Write a unit rate for the situation.**

16. 24 animals in 2 square miles

17. \$100 for every 5 guests

18. \$28 saved in 4 weeks

19. 18 necklaces made in 3 hours

20. 270 miles in 6 hours

21. 228 students in 12 classes

22. 2520 kilobytes in 18 seconds

23. 880 calories in 8 servings

24. 1080 miles on 15 gallons

25. \$12.50 for 5 ounces

USING UNIT RATES **Find the missing values in the ratio table.**

26.

Inches	2		
Years	3	1	8

27.

Gallons	30	1	17
Seconds	5		

28. MODELING REAL LIFE Lightning strikes Earth 1000 times in 10 seconds.

a. How many times does lightning strike in 12 seconds?

b. How many seconds does it take for lightning to strike 7250 times?

29. MODELING REAL LIFE You earn $35 for washing 7 cars.

a. How much do you earn for washing 4 cars?

b. You earn $45. How many cars did you wash?

COMPARING RATES Decide whether the rates are equivalent.

30. 24 laps in 6 minutes
72 laps in 18 minutes

31. 126 points for every 3 games
210 points for every 5 games

32. 15 breaths for every 36 seconds
90 breaths for every 3 minutes

33. $16 for 4 pounds
$1 for 4 ounces

34. MODELING REAL LIFE An office printer prints 25 photos in 12.5 minutes. A home printer prints 15 photos in 6 minutes. Which printer is faster? How many more photos can you print in 12 minutes using the faster printer?

35. MODELING REAL LIFE You jog 2 kilometers in 12 minutes. Your friend jogs 3 kilometers in 16.5 minutes. Who jogs faster? How much sooner will the faster jogger finish a five-kilometer race?

36. MP PROBLEM SOLVING A softball team has a budget of $200 for visors. The athletic director pays $90 for 12 sun visors. Is there enough money in the budget to purchase 15 more sun visors? Explain your reasoning.

37. DIG DEEPER! The table shows the amounts of food collected by two homerooms. Homeroom A collects 21 additional items of food. How many more items does Homeroom B need to collect to have more items per student?

	Homeroom A	Homeroom B
Students	24	16
Canned Food	30	22
Dry Food	42	24

38. MP REASONING A runner completed a 26.2-mile marathon in 210 minutes.

a. Estimate the unit rate, in miles per minute.

b. Estimate the unit rate, in minutes per mile.

c. Another runner says, "I averaged 10-minute miles in the marathon." Is this runner talking about the unit rate described in part (a) or in part (b)? Explain your reasoning.

39. DIG DEEPER! You can complete one-half of a job in an hour. Your friend can complete one-third of the same job in an hour. How long will it take to complete the job if you work together?



3.6 Converting Measures

Learning Target: Use ratio reasoning to convert units of measure.

Success Criteria:
- I can write conversion facts as unit rates.
- I can convert units of measure using ratio tables.
- I can convert units of measure using conversion factors.
- I can convert rates using conversion factors.

EXPLORATION 1 Estimating Unit Conversions

FLORIDA STANDARDS
MAFS.6.RP.1.3
MAFS.6.RP.1.3d

Work with a partner. You are given 4 one-liter containers and a one-gallon container.

a. A full one-gallon container can be used to fill the one-liter containers, as shown below. Write a unit rate that estimates the number of liters per gallon.

b. A full one-liter container can be used to partially fill the one-gallon container, as shown below. Write a unit rate that estimates the number of gallons per liter.

c. Estimate the number of liters in 5.5 gallons and the number of gallons in 12 liters. What method(s) did you use? What other methods could you have used?

EXPLORATION 2 Converting Units in a Rate

Work with a partner. The rate that a caterpillar moves is given in inches per minute. Using the rulers below, how can you convert the rate to centimeters per second? Justify your answer.

Math Practice

Recognize Usefulness of Tools

When would rulers be a useful tool for converting between centimeters and inches? When would they not be useful?

3.6 Lesson

Key Vocabulary

U.S. customary system, *p. 142*
metric system, *p. 142*
conversion factor, *p. 143*
unit analysis, *p. 143*

The **U.S. customary system** is a system of measurement that contains units for length, capacity, and weight. The **metric system** is a decimal system of measurement, based on powers of 10, that contains units for length, capacity, and mass.

You can use unit rates and ratio tables to convert measures within the same system and between systems.

EXAMPLE 1 Converting Measures within the Same System

Convert 36 quarts to gallons.

For a list of conversion facts, see the Mathematics Reference Sheet in the back of this book.

Because 1 gallon = 4 quarts, there are 4 quarts per gallon, and $\frac{1}{4}$ gallon per quart. You can use either of these unit rates to find an equivalent rate with 36 quarts.

Method 1: Create a ratio table using the unit rate 4 quarts per gallon. Multiply each quantity by 9 to find the number of gallons in 36 quarts.

			× 9 ↷
Quarts	4	36	
Gallons	1	9	
			× 9 ↷

So, 36 quarts is 9 gallons.

Method 2: Create a ratio table using the unit rate $\frac{1}{4}$ gallon per quart. Multiply each quantity by 36 to find the number of gallons in 36 quarts.

			× 36 ↷
Gallons	$\frac{1}{4}$	9	
Quarts	1	36	
			× 36 ↷

So, 36 quarts is 9 gallons.

Another Method Use a graph.



So, 36 quarts is 9 gallons. ✓

Try It

1. Convert 48 feet to yards.

Multi-Language Glossary at BigIdeasMath.com

EXAMPLE 2 Converting Measures Between Systems

Convert 10 meters to feet.

Because 1 meter ≈ 3.28 feet, there are about 3.28 feet per meter. Because 1 foot ≈ 0.3 meter, there is about 0.3 meter per foot. You can use either of these unit rates to find an equivalent rate with 10 meters.

In Example 2, it is more efficient to use the unit rate in Method 1 because there is 1 unit of the quantity you are converting. The anwers are slightly different due to differences in the rounding used with conversion facts, but both answers are acceptable.

Method 1: Create a ratio table using the unit rate 3.28 feet per meter.



So, 10 meters is about 32.8 feet.

Method 2: Create a ratio table using the unit rate 0.3 meter per foot.

So, 10 meters is about $\frac{10}{0.3} \approx 33.33$ feet.

Try It

2. Convert 7 miles to kilometers. Round to the nearest hundredth if necessary.

Another way to convert units of measure is to multiply by one or more *conversion factors.*

Key Idea

Because the quantities in a conversion factor are equal, conversion factors are equal to 1. So, you can multiply a quantity by a conversion factor and not change its value.

Conversion Factor

A **conversion factor** is a rate in which the two quantities are equal. When using conversion factors, write rates using fraction notation.

	Relationship	*Conversion Factors*
Example	1 ft = 12 in.	1 ft per 12 in., or $\frac{1 \text{ ft}}{12 \text{ in.}}$
		12 in. per 1 ft, or $\frac{12 \text{ in.}}{1 \text{ ft}}$

You can use **unit analysis** to decide which conversion factor will produce the appropriate units. You can "cross out" a unit that appears in both a numerator and a denominator of a product.

EXAMPLE 3 Using Conversion Factors

Another Method Use a double number line.



a. Convert 4 pounds to kilograms.

Use a conversion factor.

$$4 \text{ lb} \approx 4 \text{ lb} \times \frac{0.45 \text{ kg}}{1 \text{ lb}} = 1.8 \text{ kg}$$

(1 lb ≈ 0.45 kg)

So, 4 pounds is about 1.8 kilograms.

b. Convert 5 yards per second to yards per minute.

Write 5 yards per second as a fraction. Then use a conversion factor.

$$5 \text{ yards per second} = \frac{5 \text{ yd}}{1 \text{ sec}} \times \frac{60 \text{ sec}}{1 \text{ min}} = \frac{300 \text{ yd}}{1 \text{ min}}$$

(1 min = 60 sec)

So, 5 yards per second is 300 yards per minute.

Try It

3. Convert 20 quarts to liters. Round to the nearest hundredth if necessary.

4. Convert 60 kilometers per hour to miles per hour. Round to the nearest hundredth if necessary.

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

5. DIFFERENT WORDS, SAME QUESTION Which is different? Find "both" answers.

Convert 5 inches to centimeters.	Find the number of inches in 5 centimeters.
How many centimeters are in 5 inches?	Five inches equals how many centimeters?

CONVERTING MEASURES Copy and complete the statement. Round to the nearest hundredth if necessary.

6. $\frac{12 \text{ m}}{\text{min}} \approx \frac{\square \text{ ft}}{\text{min}}$

7. $\frac{12 \text{ ft}}{\text{sec}} = \frac{\square \text{ yd}}{\text{min}}$

EXAMPLE 4 Modeling Real Life

A runner's goal is to complete a mile in 4 minutes or less. The runner's speed is 20 feet per second. Does the runner meet the goal? If not, how much faster (in feet per second) must the runner be to meet the goal?

To meet the goal, the runner must complete 1 mile in 4 minutes or less. The minimum speed required is 1 mile per 4 minutes.

To compare this speed to the runner's speed of 20 feet per second, convert the minimum speed of 1 mile per 4 minutes to feet per second.

1 min = 60 sec　　1 mi = 5280 ft

$$\frac{1\text{ mi}}{4\text{ min}} = \frac{1\text{ mi}}{4\text{ min}} \times \frac{1\text{ min}}{60\text{ sec}} \times \frac{5280\text{ ft}}{1\text{ mi}} = \frac{22\text{ ft}}{1\text{ sec}}$$

So, the runner did not meet the goal because a speed of 20 feet per second is below the minimum speed of 22 feet per second. The runner must be $22 - 20 = 2$ feet per second faster to meet the goal.

Check Verify that the distances traveled in 4 minutes at the runner's speed and in 4 minutes at the additional speed have a sum of 1 mile.

At runner's speed

$$4\text{ min} \times \frac{60\text{ sec}}{1\text{ min}} \times \frac{20\text{ ft}}{1\text{ sec}} = 4800\text{ ft}$$

At additional speed

$$4\text{ min} \times \frac{60\text{ sec}}{1\text{ min}} \times \frac{2\text{ ft}}{1\text{ sec}} = 480\text{ ft}$$

The sum of the distances is $4800 + 480 = 5280$ feet, or 1 mile. ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

8. Will all of the water from a full two-liter bottle fit into a two-quart pitcher? Explain.

9. **DIG DEEPER!** The speed of light is about 300,000 kilometers per second. The Sun is about 93 million miles from Earth. How many minutes does it take for sunlight to reach Earth?

10. A race car driver's goal is to complete a 1000-kilometer auto race in 4 hours or less. The driver's average speed is 4200 meters per minute. Does the driver meet the goal? If not, how much faster (in meters per minute) must the driver be to meet the goal?

3.6 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Write a unit rate for the situation.

1. 102 beats per 2 minutes
2. 60 shirts for every 5 clothing racks
3. $100 donated for every 5 volunteers
4. 30 milliliters every 4 hours
5. What is the LCM of 6, 12, and 18?

   A. 6 **B.** 18 **C.** 36 **D.** 72

Write the prime factorization of the number.

6. 56
7. 74
8. 63
9. 132

Write the product as a power.

10. 6×6
11. $18 \times 18 \times 18 \times 18$
12. $12 \times 12 \times 12 \times 12 \times 12$

Concepts, Skills, & Problem Solving

COMPARING MEASURES **Answer the question. Explain your answer.**
(See Explorations 1 & 2, p. 141.)

13. Which juice container is larger: 2 L or 1 gal?
14. Which is longer: 1 in. or 2 cm?

CONVERTING MEASURES **Copy and complete the statement.**

15. 3 pt = ____ c
16. 1500 mL = ____ L
17. 40 oz = ____ lb
18. 5 ft = ____ in.
19. 6 gal = ____ qt
20. 48 cm = ____ mm
21. 500 cm = ____ m
22. 6000 g = ____ kg
23. 32 fl oz = ____ c

CONVERTING MEASURES **Copy and complete the statement. Round to the nearest hundredth if necessary.**

24. 12 L ≈ ____ qt
25. 14 m ≈ ____ ft
26. 4 ft ≈ ____ m
27. 64 lb ≈ ____ kg
28. 0.3 km ≈ ____ mi
29. 75.2 in. ≈ ____ cm
30. 17 kg ≈ ____ lb
31. 15 cm ≈ ____ in.
32. 9 mi ≈ ____ km

33. **GRAPHING RELATIONSHIPS** Represent the relationship between each pair of units in a coordinate plane.

   a. feet and yards **b.** pounds and kilograms

34. **MODELING REAL LIFE** Earth travels 30 kilometers each second as it revolves around the Sun. How many miles does Earth travel in 1 second?

35. MODELING REAL LIFE The Mackinac Bridge in Michigan is the third-longest suspension bridge in the United States.

a. How high above the water is the roadway in meters?

b. The bridge has a length of 26,372 feet. What is the length in kilometers?



USING CONVERSION FACTORS Copy and complete the statement. Round to the nearest hundredth if necessary.

36. 12 cu ft $\approx$ ____ gal

37. 6 qt $\approx$ ____ L

38. 5 L $\approx$ ____ gal

39. $\frac{13 \text{ km}}{\text{h}} \approx \frac{\quad \text{mi}}{\text{h}}$

40. $\frac{22 \text{ L}}{\text{min}} = \frac{\quad \text{L}}{\text{h}}$

41. $\frac{63 \text{ mi}}{\text{h}} = \frac{\quad \text{mi}}{\text{sec}}$

42. YOU BE THE TEACHER Your friend converts 8 liters to quarts. Is your friend correct? Explain your reasoning.

$8 \text{ L} \approx 8 \text{ L} \cdot \frac{1.06 \text{ qt}}{1 \text{ L}}$

$= 8.48 \text{ qt}$



43. MODELING REAL LIFE The diagram shows the number of quarts of blood the human heart pumps per minute.

a. How many quarts of blood does the human heart pump per hour?

b. How many liters of blood does the human heart pump per minute?

44. MP PROBLEM SOLVING After washing dishes, water drips from the faucet. The graph shows the number of cups of water that drip from the faucet over time. How many gallons of water drip from the faucet in 24 hours?



COMPARING MEASURES Copy and complete the statement using < or >.

45. 30 oz ____ 8 kg

46. 6 ft ____ 300 cm

47. 3 gal ____ 6 L

48. 10 in. ____ 200 mm

49. 5 lb ____ 1200 g

50. 1500 m ____ 3000 ft

USING DERIVED UNITS **Copy and complete the statement. Round to the nearest hundredth if necessary.**

51. $\frac{3 \text{ km}}{\text{min}} \approx \frac{\square \text{ mi}}{\text{h}}$

52. $\frac{17 \text{ gal}}{\text{h}} = \frac{\square \text{ qt}}{\text{min}}$

53. $\frac{600 \text{ cm}}{\text{min}} \approx \frac{\square \text{ in.}}{\text{sec}}$

54. **MODELING REAL LIFE** You are riding on a zip line. Your speed is 15 miles per hour. What is your speed in feet per second?

55. **MP PROBLEM SOLVING** Thunder is the sound caused by lightning. You hear thunder 5 seconds after a lightning strike. The speed of sound is about 1225 kilometers per hour. About how many miles away was the lightning?

MP PROBLEM SOLVING Boston, Massachusetts, and Buffalo, New York, are hit by snowstorms that last 3 days. Boston accumulates snow at a rate of 1.5 feet every 36 hours. Buffalo accumulates snow at a rate of 0.01 inch every minute. Which city accumulates more snow in 3 days? How much more snow?

DIG DEEPER! You travel 4000 feet every minute on a snowmobile.

a. The evening speed limit for snowmobiles in your state is 55 miles per hour. Is your speed less than or equal to the speed limit? Justify your answer

b. What is your pace in minutes per mile?

c. You are 22 miles from your house at 6:00 P.M. If you continue to travel at this speed, do you reach your house in time for dinner at 6:30 P.M.?

58. **MP REASONING** The table shows the flying speeds of several birds.

Bird	Speed
Spine-tailed swift	2843.2 m/min
Spur-winged goose	129.1 ft/sec
Eider duck	31.3 m/sec
Mallard	65 mi/h

a. Which bird is the fastest? Which is the slowest?

b. The peregrine falcon has a dive speed of 322 kilometers per hour. Is the dive speed of the peregrine falcon faster than the flying speed of any of the birds? Explain.

59. **MP STRUCTURE** Consider the conversion facts 1 inch = 2.54 centimeters and 1 centimeter ≈ 0.39 inch.

a. Write an expression for the exact number of inches in 1 centimeter.

b. Use a calculator to evaluate your expression in part (a). Explain why measurement conversions may be slightly different when converting between metric units and U.S. customary units using the conversion facts in the back of the book.

60. **DIG DEEPER!** One liter of paint covers 100 square feet. How many gallons of paint does it take to cover a room whose walls have an area of 800 square meters?

Using the Problem-Solving Plan

1. You mix water, glue, and borax in the ratio of 3 : 1 : 2 to make slime. How many gallons of each ingredient should you use to make 0.75 gallon of slime?

Understand the problem.

You know the ratio of the ingredients in the slime and that you are making 0.75 gallon of slime. You are asked to find the number of gallons of each ingredient needed to make 0.75 gallon of slime.

Make a plan.

Represent the ratio 3 : 1 : 2 using a tape diagram. Because there are 6 parts that represent 0.75 gallon, divide 0.75 by 6 to find the value of one part of the tape diagram. Then use the value of one part to find the number of gallons of each ingredient you should use.

Solve and check.

Use the plan to solve the problem. Then check your solution.

2. You buy yogurt cups and frozen fruit bars for a party. Yogurt cups are sold in packages of six. The ratio of the number of yogurt cups in a package to the number of frozen fruit bars in a package is 3 : 2. What are the least numbers of packages you should buy in order to have the same numbers of yogurt cups and frozen fruit bars?

3. The greatest common factor of two whole numbers is 9. The ratio of the greater number to the lesser number is 6 : 5. What are the two numbers? Justify your answer.

Performance Task



Oops! Unit Conversion Mistakes

At the beginning of this chapter, you watched a STEAM Video called "Human Circulatory System." You are now ready to complete the performance task related to this video, available at ***BigIdeasMath.com***. Be sure to use the problem-solving plan as you work through the performance task.

3 Chapter Review

Go to *BigIdeasMath.com* to download blank graphic organizers.

Review Vocabulary

Write the definition and give an example of each vocabulary term.

ratio, *p. 108*
value of a ratio, *p. 109*
equivalent ratios, *p. 109*
ratio table, *p. 122*
rate, *p. 136*
unit rate, *p. 136*
equivalent rates, *p. 136*
U.S. customary system, *p. 142*
metric system, *p. 142*
conversion factor, *p. 143*
unit analysis, *p. 143*

Graphic Organizers

You can use a **Definition and Example Chart** to organize information about a concept. Here is an example of a Definition and Example Chart for the vocabulary term ***ratio***.

Ratio: a comparison of two quantities. Ratios can be part-to-part, part-to-whole, or whole-to-part comparisons.

Example: 4 to 5

Example: 2 : 5

Example: teachers : students

Choose and complete a graphic organizer to help you study the concept.

1. value of a ratio
2. equivalent ratios
3. tape diagram
4. ratio table
5. rate
6. unit rate
7. conversion factor

"My math teacher taught us how to make a Definition and Example Chart."

Chapter Self-Assessment

As you complete the exercises, use the scale below to rate your understanding of the success criteria in your journal.

1	2	3	4
I do not understand.	I can do it with help.	I can do it on my own.	I can teach someone else.

3.1 Ratios *(pp. 107–114)*

Learning Target: Understand the concepts of ratios and equivalent ratios.

Write the ratio.

1. butterflies : caterpillars

2. saxophones : trumpets

3. The ratio of hydrogen atoms to nitrogen atoms in a container is 2 : 3.

a. Find and interpret the value of the ratio.

b. In another container, the number of hydrogen atoms is 3 times the number of nitrogen atoms. Write the ratio of hydrogen atoms to nitrogen atoms.

Determine whether the ratios are equivalent.

4. 5 : 2 and 30 : 12

5. 4 : 3 and 8 : 7

6. 6 : 4 and 18 : 6

7. 18 : 12 and 3 : 2

8. Write two equivalent ratios that have values of $\frac{5}{7}$.

9. During a chess match, there are 12 pieces left on the board. The ratio of white pieces to black pieces is 2 : 1. How many white pieces are on the board?

10. You run at a pace of 2 miles every 17 minutes. Your friend runs at a pace of 3 miles every 24 minutes. Are you and your friend running at the same pace? If not, who is running faster?

3.2 Using Tape Diagrams *(pp. 115–120)*

Learning Target: Use tape diagrams to model and solve ratio problems.

The tape diagram represents the ratio of the time you spend reading to the time your friend spends reading. You read for 8 hours. How many hours does your friend spend reading?

11.



12.



13. The tape diagram represents the ratio of customers to guides on a mountain climbing trip. There are 6 guides on the trip. How many customers are on the trip?



A container has peppermint gum and spearmint gum. You are given the number of pieces of peppermint gum in the container and the ratio of peppermint gum to spearmint gum. Find the number of pieces of spearmint gum in the container.

14. 24 peppermint; 8 to 5

15. 18 peppermint; 2 : 3

16. 32 peppermint; 8 to 7

17. 40 peppermint; 5 : 2

A theater sells adult tickets and student tickets. You are given the total number of tickets sold and the ratio of adult tickets sold to student tickets sold. How many of each type of ticket are sold?

18. 120 tickets; 6 to 4

19. 165 tickets; 8 to 7

20. 210 tickets; 16 : 5

21. 248 tickets; 5 : 3

22. You perform 7 sit-ups for every 2 pull-ups as part of an exercise routine. You perform 25 more sit-ups than pull-ups. How many sit-ups and how many pull-ups do you perform?

3.3 Using Ratio Tables *(pp. 121–128)*

Learning Target: Use ratio tables to represent equivalent ratios and solve ratio problems.

Find the missing values in the ratio table. Then write the equivalent ratios.

23.

Levers	6		18
Pulleys	3	6	

24.

Nails	5	10	
Screws	2		6

25.

Cars	3	6	
Trucks	4		24

26.

Customers	8	4	
Servings	12		30

Find the missing quantity in the double number line.

27.



28.



29. Use all four operations to complete the ratio table. Justify your answer.

Pumpkins Grown	4				
Seeds Planted	12				

30. A song has 12 beats every 5 seconds. How many beats are there in 30 seconds?

31. On New Year's Eve, the Times Square ball is lowered 47 feet every 20 seconds. How long does it take for the ball to be lowered 141 feet?

32. Welder A charges \$300 for every 4 hours of labor. Welder B charges \$240 for every 3 hours of labor. Which welder offers a better deal?

33. You make lemonade by adding 11 cups of water for every 3 cups of lemon juice. Your friend makes lemonade by adding 9 cups of water for every 2 cups of lemon juice. Whose lemonade is more watered down?

3.4 Graphing Ratio Relationships *(pp. 129–134)*

Learning Target: Represent ratio relationships in a coordinate plane.

Represent the ratio relationship using a graph.

34.

Time (years)	1	2	3
Penguins	6	12	18

35.

Televisions	12	24	36
Houses	4	8	12

36. You buy magnesium sulfate for $1.50 per pound.

a. Represent the ratio relationship using a graph.

b. How much does 3.5 pounds of magnesium sulfate cost?

37. A 5-ounce can of tuna costs $0.90. A 12-ounce can of tuna costs $2.40. Graph each ratio relationship in the same coordinate plane. Which is the better buy?

3.5 Rates and Unit Rates *(pp. 135–140)*

Learning Target: Understand the concept of a unit rate and solve rate problems.

Write a unit rate for the situation.

38. 12 stunts in 4 movies

39. 3600 stitches in 3 minutes

40. $18 for 6 pounds

41. 240 people in 5 buses

42. A train travels 120 miles in 3 hours. Write two unit rates that describe the relationship between the number of miles and the number of hours the train travels.

43. Mercury orbits the Sun 3 times in 264 days.

a. How many times does Mercury orbit the Sun in 440 days?

b. How many days does it take Mercury to orbit the Sun 8 times?

44. A cyclist travels 4 miles in 20 minutes. At this rate, how many miles does the cyclist travel in 30 minutes?

Decide whether the rates are equivalent.

45. 18 keystrokes in 3 seconds

48 keystrokes in 16 seconds

46. 210 miles in 3 hours

780 miles in 12 hours

47. You and a friend are picking up trash on a beach. You fill 2 bags with trash in 28 minutes. Your friend fills 3 bags with trash in 48 minutes. Who fills bags with trash faster? How much sooner will the faster person fill 7 bags with trash?

3.6 Converting Measures *(pp. 141–148)*

Learning Target: Use ratio reasoning to convert units of measure.

Copy and complete the statement. Round to the nearest hundredth if necessary.

48. $2.5 \text{ c} = \square \text{ fl oz}$

49. $12 \text{ ft} = \square \text{ yd}$

50. $3500 \text{ mg} = \square \text{ g}$

51. $3 \text{ L} \approx \square \text{ qt}$

52. $9.2 \text{ in.} \approx \square \text{ cm}$

53. $15 \text{ lb} \approx \square \text{ kg}$

54. $\frac{\$2}{\text{min}} = \frac{\$\square}{\text{h}}$

55. $\frac{13 \text{ gal}}{\text{h}} = \frac{\square \text{ qt}}{\text{h}}$

56. $\frac{8 \text{ ft}}{\text{h}} \approx \frac{\square \text{ m}}{\text{min}}$

57. Explain how to use conversion factors to find the number of fluid ounces in any given number of quarts of a liquid.

58. Water flows through a pipe at a rate of 10 gallons per minute. How many gallons of water flow through the pipe in an hour?

59. Germany suggests a speed limit of 130 kilometers per hour on highways. Is the speed shown greater than the suggested limit?

60. The distance between two stars increases at a rate of 3 centimeters per month. What is the rate in inches per year?

3 Practice Test

1. Write the ratio of scooters to bikes.

2. Determine whether the ratios 8 : 7 and 15 : 14 are equivalent.

Find the missing values in the ratio table. Then write the equivalent ratios.

3.

Lemons	4		36
Limes	2	6	

4.

Rabbits	2	12	
Hamsters	9		45

5. Represent the ratio relationship using a graph.

Cranberry Juice (cups)	2	4	6
Grape Juice (cups)	3	6	9

6. You travel 224 miles in 4 hours. Find the unit rate.

Copy and complete the statement. Round to the nearest hundredth if necessary.

7. $6 \text{ cm} \approx \square$ in.

8. $30 \text{ L} \approx \square$ gal

9. $\frac{10 \text{ gal}}{\text{h}} = \frac{\square \text{ gal}}{\text{wk}}$

10. $\frac{4 \text{ ft}}{\text{sec}} \approx \frac{\square \text{ m}}{\text{sec}}$

11. During a baseball season, Team A scores 9 runs for every 7 runs that Team B scores. The total number of runs scored by both teams is 1440. How many runs does each team score?

12. At a movie theater, the ratio of filled seats to empty seats is 6 : 5. There are 120 empty seats. How many seats are filled?

13. You and your friend mix water and citric acid. You add 3 cups of citric acid for every 16 cups of water. Your friend adds 2 cups of citric acid for every 12 cups of water. Whose mixture is more acidic?

14. Determine which windsurfer is faster. Explain your reasoning.

Speed:
720 feet per minute

Speed:
5 meters per second

15. In a rectangle, the ratio of the length to the width is 5 : 2. The length of the rectangle is 13.875 feet greater than the width. What are the perimeter and the area of the rectangle?

3 Cumulative Practice

1. Which number is equivalent to $\frac{2}{9} \div \frac{4}{5}$?

A. $\frac{8}{45}$ **B.** $\frac{5}{18}$

C. $\frac{7}{13}$ **D.** $3\frac{3}{5}$

2. Your speed while waterskiing is 22 miles per hour. How fast are you traveling in kilometers per hour? Round your answer to the nearest hundredth.

3. Which number is equivalent to the expression below?

$$2 \cdot 4^2 + 3(6 \div 2)$$

F. 25 **G.** 41

H. 73 **I.** 105

Test-Taking Strategy

Solve Problem before Looking at Choices



"Solve the problem before looking at the choices. You know one-fourth of 20 is 5, so the answer is 5 miles."

4. The tape diagram models the ratio of red beads to green beads in a bracelet. The bracelet uses 12 red beads. How many green beads are in the bracelet?

A. 4 green beads **B.** 8 green beads

C. 12 green beads **D.** 20 green beads

5. What is the least common multiple of 8, 12, and 20?

F. 24 **G.** 40

H. 60 **I.** 120

6. Which number is equivalent to $2.34 \times 1.08 \times 5.6$?

A. 12.787632

B. 14.15232

C. 23.5872

D. 14,152.32

7. The school store sells 4 pencils for \$0.50. At this rate, what is the cost (in dollars) of 10 pencils?

8. A factor tree for 14,700 is shown. Which factor of 14,700 is *not* a perfect square?



F. 25

G. 49

H. 196

I. 588

9. Which of the following is a ratio of frogs to snakes?



A. 4 : 8

B. 8 : 12

C. 8 : 4

D. 4 : 12

10. Which expression is equivalent to 3^5?

F. $3 \times 3 \times 3 \times 3 \times 3$

G. 3×5

H. $5 \times 5 \times 5$

I. $3 + 3 + 3 + 3 + 3$

11. Which is the correct order of operations when evaluating $5 + 4 \times 2^3$?

k. Add 5 and 4.

l. Add 5 and 32.

m. Evaluate 2^3.

n. Multiply 4 and 2.

p. Multiply 4 and 8.

q. Add 5 and 512.

r. Multiply 9 and 8.

s. Evaluate 8^3.

t. Multiply 9 and 2.

u. Evaluate 18^3.

A. k, t, u

B. n, s, q

C. m, k, r

D. m, p, l

12. The ratio of scrambled eggs to hard-boiled eggs served at a restaurant is 6 : 2.

Think
Solve
Explain

Part A Make a ratio table showing three possible combinations of scrambled eggs and hard-boiled eggs.

Part B Represent the ratio relationship using a graph.



Part C Use the graph to find the number of hard-boiled eggs served when the restaurant serves 15 scrambled eggs.

4 Percents

4.1 Percents and Fractions

4.2 Percents and Decimals

4.3 Comparing and Ordering Fractions, Decimals, and Percents

4.4 Solving Percent Problems

Chapter Learning Target:
Understand percents.

Chapter Success Criteria:

- I can write fractions and decimals as percents.
- I can write percents as fractions and as decimals.
- I can order fractions, decimals, and percents.
- I can solve percent problems.

STEAM Video

Chargaff's Rules

DNA is a molecule made up of four *nucleotide bases* called adenine (A), thymine (T), cytosine (C), and guanine (G). DNA contains the genetic information for a living organism. What can you learn about an organism from its DNA?

Watch the STEAM Video "Chargaff's Rules." Then answer the following questions.

1. Veronica says that the DNA of most mammals contains about 60 percent A and T nucleotides and 40 percent C and G nucleotides. What do you think this means?
2. Use your answer in Question 1 to determine which of the following DNA samples is most likely to belong to a mammal. Explain your reasoning.

	Sample 1	Sample 2	Sample 3
A and T Nucleotides	38	61	60
C and G Nucleotides	62	39	100

Performance Task



Genetic Ancestry

After completing this chapter, you will be able to use the concepts you learned to answer the questions in the *STEAM Video Performance Task*. You will be given the results of your friend's ancestry test.

Native American: $\frac{1}{50}$

African: $\frac{30}{40}$

Northern European: 0.10

Southwest Asian: $\frac{3}{75}$

Mediterranean: 0.06

You will be asked to compare the portions of your friend's ancestry from different regions of the world. How can you order the portions of your friend's ancestry from least to greatest.

Getting Ready for Chapter 4

Chapter Exploration

1. **THE MEANING OF A WORD** Work with a partner. Match the "cent" word with its definition.

a. centipede **b.** centimeter **c.** centennial **d.** centiliter
e. centuple **f.** century **g.** centenarian **h.** centigram

J. 100-year anniversary
K. one-hundredth of a gram
L. multiply by 100
M. bug with many legs
N. one-hundredth of a liter
O. one-hundredth of a meter
P. 100 years
Q. person who is at least 100 years old

2. **THE MEANING OF A WORD** Work with a partner. Describe a situation where you have seen the word *per* used and explain its use. In your own words, what do you think the word percent means? Use the word *percent* in a sentence.

Work with a partner. Represent the shaded portion of the square as (a) a fraction whose denominator is 100, (b) a fraction in simplest form, (c) a decimal, and (d) a percent.

3. 

4. 

5. 

6. 

7. 

8. 

Vocabulary

The following terms are used in this chapter. Think about what each term might mean and record your thoughts.

percent fraction decimal

4.1 Percents and Fractions

Learning Target: Write percents as fractions and fractions as percents.

Success Criteria:
- I can draw models to represent fractions and percents.
- I can write percents as fractions.
- I can write equivalent fractions with denominators of 100.
- I can write fractions as percents.

The Meaning of a Word ▶ Percent

A century is 100 years.

A cent is one hundredth of a dollar.

In Mexico, a centavo is one hundredth of a peso.

FLORIDA STANDARDS

Preparing for
MAFS.6.RP.1.3c
MAFS.6.NS.3.7a
MAFS.6.NS.3.7b

Cent means *one hundred*, so **percent** means *per one hundred*. The symbol for percent is %.

EXPLORATION 1 Interpreting Models

Work with a partner. Write a percent, a fraction, and a ratio shown by each model. How are percents, fractions, and ratios related?

a.



b.

c.



d.



Math Practice

Use Definitions

How does the meaning of *percent* help you determine how to write the percent of each diagram that is shaded?

4.1 Lesson

Key Vocabulary
percent, *p. 164*

Key Idea

Writing Percents as Fractions

Words A **percent** is the value of a part-to-whole ratio where the whole is 100. So, you can write a percent as a fraction with a denominator of 100. The symbol % is used to denote a percent.

Numbers

$$60\% = 60 \text{ out of } 100 = \frac{60}{100}$$

part; part; per; per one hundred (whole); one hundred (whole)

Algebra $n\% = \frac{n}{100}$

EXAMPLE 1 Writing Percents as Fractions

Fractions and percents that are equivalent represent the same number using different notations.

a. Write 35% as a fraction in simplest form.



$35\% = \frac{35}{100}$ Write as a fraction with a denominator of 100.

$= \frac{7}{20}$ Simplify.

So, $35\% = \frac{7}{20}$.

b. Write 100% as a fraction in simplest form.



$100\% = \frac{100}{100}$ Write as a fraction with a denominator of 100.

$= 1$ Simplify.

So, $100\% = 1$.

c. Write 174% as a mixed number in simplest form.



$174\% = \frac{174}{100}$ Write as a fraction with a denominator of 100.

$= \frac{87}{50}$, or $1\frac{37}{50}$ Simplify.

So, $174\% = 1\frac{37}{50}$.

Try It **Write the percent as a fraction or mixed number in simplest form.**

1. 5% **2.** 168% **3.** 36% **4.** 83%

Key Idea

Writing Fractions as Percents

Words Write an equivalent fraction with a denominator of 100. Then write the numerator with the percent symbol.

Numbers $\frac{1}{4} = \frac{1 \times 25}{4 \times 25} = \frac{25}{100} = 25\%$

EXAMPLE 2 Writing Fractions as Percents

a. Write $\frac{3}{50}$ as a percent.

$$\frac{3}{50} = \frac{3 \times 2}{50 \times 2} = \frac{6}{100} = 6\%$$

Because $50 \times 2 = 100$, multiply the numerator and denominator by 2. Write the numerator with a percent symbol.

b. Write $\frac{9}{1000}$ as a percent.

$$\frac{9}{1000} = \frac{9 \div 10}{1000 \div 10} = \frac{0.9}{100} = 0.9\%$$

Because $1000 \div 10 = 100$, divide the numerator and denominator by 10. Write the numerator with a percent symbol.

Try It **Write the fraction or mixed number as a percent.**

5. $\frac{31}{50}$
6. $\frac{19}{20}$
7. $\frac{1}{200}$
8. $1\frac{1}{2}$

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

9. **WRITING A FRACTION** Write 40% as a fraction in simplest form. Draw a model that represents this fraction.

10. **WRITING A PERCENT** Write $\frac{9}{20}$ as a percent.

11. **WHICH ONE DOESN'T BELONG?** Which number does *not* belong with the other three? Explain your reasoning.

$\frac{10}{100}$ 10% $\frac{1}{10}$ 0.01

12. **OPEN-ENDED** Write three different fractions that are less than 40%.

13. MP **NUMBER SENSE** Can $1\frac{1}{4}$ be written as a percent? Explain.

EXAMPLE 3 Modeling Real Life

A drought affects 9 out of 12 midwestern states. What percent of the midwestern states are affected by the drought?

Write a fraction that represents the portion of midwestern states affected by the drought. Then convert the fraction to a percent.

$$\frac{\text{number of states affected}}{\text{total number of midwestern states}} = \frac{9}{12}$$

The denominator of 12 is not a factor of 100. But 4 is a factor of both 12 and 100. So, first write an equivalent fraction whose denominator is 4. Then convert that fraction to a percent.

$\frac{9}{12} = \frac{3}{4}$ Divide the numerator and denominator by 3.

$= \frac{75}{100}$ Multiply the numerator and denominator by 25.

$= 75\%$ Write the numerator with a percent symbol.

So, 75% of the midwestern states are affected by the drought.

Check Reasonableness Notice that $\frac{9}{12} = \frac{9 \times 8}{12 \times 8} = \frac{72}{96}$. Because $\frac{72}{96} > \frac{72}{100}$, you know that $\frac{9}{12} > 72\%$. The answer is reasonable because $75\% > 72\%$. ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



14. You and a friend fill balloons with water. Two out of every 25 balloons pop while they are being filled. What percent of the balloons do *not* pop while they are being filled?

15. During the month of April, it rains 2 days for every 3 days that it does not rain. What percent of the days in April does it rain?

16. DIG DEEPER! There are 100 students in a band. Forty percent are 12 years old, $\frac{1}{2}$ are 13 years old, and the rest are 14 years old. Write the portion of the band for each age as a fraction and a percent.

4.1 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Copy and complete the statement. Round to the nearest hundredth if necessary.

1. 3 km = ____ m
2. 7 gal = ____ c
3. 54 in. = ____ yd
4. 4 mi ≈ ____ km
5. 6.5 L ≈ ____ gal
6. 45 lb ≈ ____ kg

Divide.

7. $120 \div 12$
8. $208 \div 4$
9. $195 \div 15$
10. $1428 \div 34$
11. $8528 \div 164$
12. $295 \div 8$

Use the table to write the ratio.

13. birch to willow
14. trees : oak
15. oak : willow
16. birch to trees

Tree	Oak	Birch	Willow
Number	4	3	1

Concepts, Skills, & Problem Solving

USING TOOLS **Use a 10-by-10 grid to model the percent.** (See Exploration 1, p. 163.)

17. 10%
18. 55%
19. 45%

WRITING PERCENTS AS FRACTIONS **Write the percent as a fraction or mixed number in simplest form.**

20. 45%
21. 90%
22. 15%
23. 7%
24. 34%
25. 79%
26. 77.5%
27. 188%
28. 8%
29. 224%
30. 0.25%
31. 0.4%

32. **YOU BE THE TEACHER** Your friend writes 225% as a fraction. Is your friend correct? Explain your reasoning.

$$225\% = \frac{225}{100} = \frac{9}{4}$$

WRITING FRACTIONS AS PERCENTS **Write the fraction or mixed number as a percent.**

33. $\frac{1}{10}$
34. $\frac{1}{5}$
35. $\frac{11}{20}$
36. $\frac{1}{400}$
37. $\frac{2}{25}$
38. $\frac{27}{50}$
39. $\frac{3}{250}$
40. $\frac{18}{25}$
41. $1\frac{17}{20}$
42. $2\frac{41}{50}$
43. $3\frac{1}{200}$
44. $4\frac{7}{500}$

45. **YOU BE THE TEACHER** Your friend writes $\frac{14}{25}$ as a percent. Is your friend correct? Explain your reasoning.

$$\frac{14}{25} = \frac{14 \times 4}{25 \times 4} = \frac{56}{100} = 0.56\%$$

46. **MODELING REAL LIFE** During a 10-year period, 6 out of 30 Major League Baseball teams won the World Series. What percent of Major League Baseball teams won the World Series during the 10-year period?

47. **MODELING REAL LIFE** A doctor conducts an experiment to test new treatments for a medical condition. Of the 16 volunteers in the experiment, 4 do not receive any treatment. What percent of the volunteers do not receive any treatment?

48. MP **LOGIC** Of the students in your class, 12% are left-handed and the rest are right-handed. What fraction of the students are left-handed? Are there more right-handed or left-handed students? Explain.

49. MP **NUMBER SENSE** You have 125% of the tickets required for a prize. What fraction of the required tickets do you have? Do you need more tickets for the prize? Explain.

FINDING PERCENTS **Find the percent.**

50. 3 is what percent of 8?

51. 13 is what percent of 16?

52. 9 is what percent of 16?

53. 33 is what percent of 40?

54. **MODELING REAL LIFE** A survey asked students to choose their favorite social media website.

a. What fraction of the students chose Website A?

b. What percent of the students chose Website C?

Social Media Website	Number of Students
Website A	35
Website B	13
Website C	22
Website D	10

55. DIG DEEPER! The percent of the total area of the United States that is in each of four states is shown.



a. Write the percents as fractions in simplest form.

b. Compared to the map of Florida, is the map of Alaska the correct size? Explain your reasoning.

c. **RESEARCH** Which of the 50 states are larger than Illinois?

56. **CRITICAL THINKING** A school fundraiser raised 120% of last year's goal and 25% of this year's goal. Did the fundraiser raise more money this year? Explain your reasoning.

57. **CRITICAL THINKING** How can you use a 10-by-10 grid to model $\frac{1}{2}\%$?

58. MP **REASONING** Write $\frac{1}{12}$ as a percent. Explain how you found your answer.

4.2 Percents and Decimals

Learning Target: Write percents as decimals and decimals as percents.

Success Criteria:
- I can draw models to represent decimals.
- I can explain why the decimal point moves when multiplying and dividing by 100.
- I can write percents as decimals.
- I can write decimals as percents.

EXPLORATION 1

Interpreting Models

FLORIDA STANDARDS

Preparing for
MAFS.6.RP.1.3c
MAFS.6.NS.3.7a
MAFS.6.NS.3.7b

Work with a partner. Write a percent and a decimal shown by each model. How are percents and decimals related?

a.



b.



c.



d.



e.



f.



g.



Math Practice

Look for Patterns

How does the decimal point move when you rewrite a percent as a decimal and a decimal as a percent? Explain why this occurs.

4.2 Lesson

Key Idea

Notice that 23 *percent* is equivalent to 23 *hundredths*.

Writing Percents as Decimals

Words Remove the percent symbol. Then divide by 100, which moves the decimal point two places to the left.

Numbers $23\% = 23.\% = 0.23$

Model



EXAMPLE 1 Writing Percents as Decimals

Write (a) 52% and (b) 7% as decimals. Use a model to represent each decimal.

When writing a percent as a decimal, you may need to include one or more zeros so that the digits are in the correct place-value positions.

a. $52\% = 52.\% = 0.52$



b. $7\% = 07.\% = 0.07$



Try It **Write the percent as a decimal. Use a model to represent the decimal.**

1. 24%
2. 3%
3. 107%
4. 92.5%

Key Idea

Writing Decimals as Percents

Words Multiply by 100, which moves the decimal point two places to the right. Then add a percent symbol.

Numbers $0.36 = 0.36 = 36\%$

Model



EXAMPLE 2 Writing Decimals as Percents

a. Write 0.47 as a percent.

$0.47 = 0.47 = 47\%$

b. Write 0.663 as a percent.

$0.663 = 0.663 = 66.3\%$

c. Write 1.8 as a percent.

$1.8 = 1.80 = 180\%$

d. Write 0.009 as a percent.

$0.009 = 0.009 = 0.9\%$

Try It **Write the decimal as a percent.**

5. 0.94 **6.** 1.2 **7.** 0.316 **8.** 0.005

EXAMPLE 3 Writing a Fraction as a Percent and a Decimal

On a math test, you earn 92 out of a possible 100 points. Which of the following is *not* another way of expressing 92 out of 100?

A. $\frac{23}{25}$ **B.** 92% **C.** $\frac{17}{20}$ **D.** 0.92

Write "92 out of 100" as a fraction, a decimal, and a percent.

$$92 \text{ out of } 100 = \frac{92}{100} \begin{cases} = 92\% & \text{Eliminate Choice B.} \\ = \frac{23}{25} & \text{Eliminate Choice A.} \\ = 0.92 & \text{Eliminate Choice D.} \end{cases}$$

So, the correct answer is **C**.

Try It

9. WHAT IF? You earn 90 out of a possible 100 points on the test. Write "90 out of 100" as a fraction, a decimal, and a percent.

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

WRITING PERCENTS AS DECIMALS **Write the percent as a decimal. Use a model to represent the decimal.**

10. 32% **11.** 54.5% **12.** 108%

WRITING DECIMALS AS PERCENTS **Write the decimal as a percent.**

13. 0.71 **14.** 0.052 **15.** 9.66

16. WRITING Explain why the decimal point moves left when dividing a number by 100.

EXAMPLE 4 Modeling Real Life

The figure shows the portions of ultraviolet (UV) rays reflected by four different surfaces. How many times more UV rays are reflected by water than by sea foam?

The diagram shows that sea foam reflects 25% of UV rays and water reflects $\frac{21}{25}$ of UV rays. First, write 25% and $\frac{21}{25}$ as decimals.

Sea foam: $25\% = 25.\% = 0.25$ **Water:** $\frac{21}{25} = \frac{84}{100} = 0.84$

Next, divide 0.84 by 0.25.

$$0.25\overline{)0.84} \longrightarrow 25\overline{)84.00}$$

$$\begin{array}{r} 3.36 \\ -75 \\ \hline 90 \\ -75 \\ \hline 150 \\ -150 \\ \hline 0 \end{array}$$

So, water reflects 3.36 times more UV rays than sea foam.

Another Method First, write 25% as a fraction:

$25\% = \frac{25}{100} = \frac{1}{4}$.

Then divide $\frac{21}{25}$ by $\frac{1}{4}$.

$$\frac{21}{25} \div \frac{1}{4} = \frac{21}{25} \cdot 4$$

$$= \frac{84}{25}$$

$$= 3\frac{9}{25}, \text{ or } 3.36$$ ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

17. Write the amount of occupied space on the computer as a percent.

Volume	Capacity	Free Space
(C:)	150 GB	132 GB

18. *Salinity* is a measure of the salt content of a body of water. One researcher measures the salinity of the Indian Ocean as 3.2%. Another researcher measures the salinity of the Dead Sea as 34%. A bucket of water from the Indian Ocean contains 56 grams of salt. How much salt is contained in the same amount of water from the Dead Sea? Justify your answer.

4.2 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Write the fraction or mixed number as a percent.

1. $\frac{7}{50}$ **2.** $\frac{2}{5}$ **3.** $\frac{1}{250}$ **4.** $5\frac{2}{25}$

Represent the ratio relationship using a graph.

5.

Bags of Gravel	6	12	18
Cost (dollars)	15	30	45

6.

Teachers	1	2	3
Students	12	24	36

Multiply. Write the answer in simplest form.

7. $\frac{3}{7} \times \frac{2}{9}$ **8.** $\frac{5}{12} \times \frac{1}{5}$ **9.** $4\frac{2}{3} \times \frac{9}{10}$ **10.** $2\frac{1}{6} \times 3\frac{1}{2}$

Concepts, Skills, & Problem Solving

INTERPRETING MODELS **Write the percent and the decimal shown by the model.** (See Exploration 1, p. 169.)

11.



12.



WRITING PERCENTS AS DECIMALS **Write the percent as a decimal.**

13. 78% **14.** 55% **15.** 18.5%

16. 57.4% **17.** 33% **18.** 9%

19. 47.63% **20.** 91.25% **21.** 166%

22. 217% **23.** 0.06% **24.** 0.034%

WRITING DECIMALS AS PERCENTS **Write the decimal as a percent.**

25. 0.74 **26.** 0.52 **27.** 0.89

28. 0.768 **29.** 0.99 **30.** 0.49

31. 0.487 **32.** 0.128 **33.** 3.68

34. 5.12 **35.** 0.0371 **36.** 0.0046

37. **YOU BE THE TEACHER** Your friend writes 0.86 as a percent. Is your friend correct? Explain your reasoning.

0.86 = 00.86 = 0.0086%

MATCHING **Match the decimal with its equivalent percent.**

38. 0.42 **39.** 4.02 **40.** 0.042 **41.** 0.0402

A. 4.02% **B.** 42% **C.** 4.2% **D.** 402%

42. **MODELING REAL LIFE** About 80% of the precipitation that enters Crater Lake falls directly on the surface of the lake. Write this percent as a decimal.

43. **MODELING REAL LIFE** About 0.34 of the length of a cat is its tail. Write this decimal as a percent.

44. **OPEN-ENDED** Write three different decimals that are between 10% and 20%.

WRITING PERCENTS AS FRACTIONS AND DECIMALS **Write the percent as a fraction in simplest form and as a decimal.**

45. 36% **46.** 23.5% **47.** 16.24%

48. **DIG DEEPER!** The percents of students who travel to school by car, bus, and bicycle are shown for a school of 825 students.

Car: 20%

School bus: 48%

Bicycle: 8%

a. Write the percents as decimals.

b. Write the percents as fractions.

c. What percent of students use another method to travel to school?

d. **RESEARCH** Make a bar graph that represents how the students in your class travel to school.

49. **MP** **LOGIC** A running back was the MVP (most valuable player) in 0.14 of the first 50 Super Bowls.

a. What percent of the MVPs were running backs?

b. What fraction of the MVPs were *not* running backs?

50. **CHOOSING A METHOD** Students in a class were asked to tell their favorite color.

a. What percent said red, blue, or yellow?

b. How many times more students said red than yellow?

c. Use two methods to find the percent of students who said green. Which method do you prefer? Explain.



4.3 Comparing and Ordering Fractions, Decimals, and Percents

Learning Target: Compare and order fractions, decimals, and percents.

Success Criteria:
- I can rewrite a group of fractions, decimals, and percents using the same representation.
- I can explain how to compare fractions, decimals, and percents.
- I can order fractions, decimals, and percents from least to greatest.

EXPLORATION 1

Using a Number Line to Order Numbers

FLORIDA STANDARDS
MAFS.6.NS.3.7a
MAFS.6.NS.3.7b

Work with three partners. Create a number line on the floor. Have your group stand on the number line to represent the four numbers in each list. Use the results to order each list of numbers from least to greatest. How did you know where to stand?

Math Practice

Find Entry Points
What strategies can you use to determine where to stand?

a.

0.25	0.9%	40%	0.5

b.

0%	$\frac{3}{4}$	30%	$\frac{1}{20}$

c.

100%	0.125	75%	$\frac{3}{10}$

d.

12.5%	1.02	$\frac{1}{100}$	25%

e.

0.3	$\frac{1}{8}$	4%	0.75

f.

$\frac{51}{50}$	105%	1.5	$\frac{9}{10}$

4.3 Lesson

When comparing and ordering fractions, decimals, and percents, write the numbers as all fractions, all decimals, or all percents.

EXAMPLE 1 Comparing Fractions, Decimals, and Percents

It is usually easier to order decimals or percents than to order fractions.

a. Which is greater, $\frac{3}{20}$ or 16%?

Write $\frac{3}{20}$ as a percent: $\frac{3}{20} = \frac{3 \times 5}{20 \times 5} = \frac{15}{100} = 15\%$.

▶ 15% is less than 16%. So, 16% is the greater number.

b. Which is greater, 79% or 0.08?

Write 79% as a decimal: $79\% = 79.\% = 0.79$.

▶ 0.79 is greater than 0.08. So, 79% is the greater number.

Try It **Tell which number is greater.**

1. 25%, $\frac{7}{25}$
2. 0.49, 94%

EXAMPLE 2 Ordering Fractions, Decimals, and Percents

Order 3%, $\frac{1}{50}$, 0.005, 0.8%, and 0.025 from least to greatest.

Remember

To order numbers from least to greatest, write them as they appear on a number line from left to right.

One way to order the numbers is to first write each number as a percent.

$\frac{1}{50} = \frac{1 \times 2}{50 \times 2} = \frac{2}{100} = 2\%$ $\quad 0.005 = 0.005 = 0.5\%$ $\quad 0.025 = 0.025 = 2.5\%$

Graph the percents on a number line.



▶ So, the order from least to greatest is 0.005, 0.8%, $\frac{1}{50}$, 0.025, and 3%.

Try It **Order the numbers from least to greatest.**

3. $\frac{3}{10}$, 15%, 0.2, $\frac{3}{8}$, 0.09
4. 100%, 0.95, 1.2, $\frac{5}{4}$, 110%

EXAMPLE 3 Comparing Numbers to Solve a Real-Life Problem



You, your sister, and a friend each take the same number of shots at a soccer goal. You make 72% of your shots, your sister makes $\frac{19}{25}$ of her shots, and your friend makes 0.67 of his shots. Who made the fewest shots?

To determine who made the fewest shots, find who made the least portion of their shots. One way to do this is to first write each number as a decimal.

You: $72\% = 72.\% = 0.72$ **Sister:** $\frac{19}{25} = \frac{19 \times 4}{25 \times 4} = \frac{76}{100} = 0.76$

Graph the decimals on a number line.



0.67 is the least number. So, your friend made the fewest shots.

Try It

5. WHAT IF? Your friend makes $\frac{3}{4}$ of his shots. Did your friend make more shots than you? your sister?

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

Fraction	Decimal	Percent
$\frac{18}{25}$	0.72	
$\frac{17}{20}$		85%
$\frac{13}{50}$		
	0.62	
		45%

6. MP NUMBER SENSE Copy and complete the table.

7. MP NUMBER SENSE How would you decide whether $\frac{3}{5}$ or 59% is greater? Explain.

COMPARING NUMBERS **Tell which number is greater.**

8. 33%, 0.34 **9.** 0.85, $\frac{4}{5}$ **10.** $\frac{9}{50}$, 17%

ORDERING NUMBERS **Order the numbers from least to greatest.**

11. 12%, 0.1, $\frac{4}{25}$ **12.** 1.35, 125%, $\frac{6}{5}$, 1.5, 130%

EXAMPLE 4 Modeling Real Life



The map shows the portions of the U.S. population that live in five states. List the five states in order by population from least to greatest.

Begin by writing each portion as a fraction, a decimal, and a percent.

State	Fraction	Decimal	Percent
Michigan	$\frac{3}{100}$	0.03	3%
New York	$\frac{6}{100}$	0.06	6%
Washington	$\frac{1}{50}$	0.02	2%
California	$\frac{12}{100}$	0.12	12%
Ohio	$\frac{1}{25}$	0.04	4%

Graph the percent for each state on a number line.



The states in order by population from least to greatest are Washington, Michigan, Ohio, New York, and California.

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

Ring	Portion that is Copper
Red gold	25%
Pink gold	0.2
Rose gold	$\frac{9}{40}$

13. The table shows the portions of copper in three rings. Which ring has the highest portion of copper?

14. DIG DEEPER! The table shows the results of five teams competing in a scavenger hunt. List the five teams in order by the portion of items collected from least to greatest. What is the minimum number of items in the scavenger hunt? Explain.

Team	1	2	3	4	5
Portion Collected	$\frac{3}{4}$	0.8	77.5%	0.825	$\frac{13}{20}$

4.3 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Write the percent as a decimal.

1. 12%

2. 98.37%

3. 0.046%

Find the missing value(s) in the ratio table. Then write the equivalent ratios.

4.

Cashews	5	
Almonds	4	36

5.

Cost (dollars)	2		13.5
Time (minutes)	50	75	

Multiply.

6. 5.3×6

7. 18.1×9

8. 12.43×1.51

9. 0.852×6.7

Find the GCF of the numbers.

10. 15, 36

11. 51, 85

12. 88, 112

Concepts, Skills, & Problem Solving

USING A NUMBER LINE **Use a number line to order the numbers from least to greatest.**
(See Exploration 1, p. 175.)

13. 80%, 0.65, $\frac{3}{10}$, 40%

14. 0.27, 20%, $\frac{1}{25}$, 9%

15. $\frac{1}{8}$, 0.25, 15%, $\frac{27}{100}$

COMPARING NUMBERS **Tell which number is greater.**

16. 0.9, 95%

17. 20%, 0.02

18. $\frac{37}{50}$, 37%

19. 50%, $\frac{13}{25}$

20. 0.086, 86%

21. 76%, 0.67

22. 60%, $\frac{5}{8}$

23. 0.12, 1.2%

24. 17%, $\frac{4}{25}$

25. 140%, 0.14

26. $\frac{3}{8}$, 30%

27. 80%, $\frac{7}{10}$

ORDERING NUMBERS **Order the numbers from least to greatest.**

28. 38%, $\frac{8}{25}$, 0.41

29. 68%, 0.63, $\frac{13}{20}$

30. $\frac{43}{50}$, 0.91, $\frac{7}{8}$, 84%

31. 0.15%, $\frac{3}{20}$, 0.015

32. 2.62, $2\frac{2}{5}$, 26.8%, 2.26, 271%

33. $\frac{87}{200}$, 0.44, 43.7%, $\frac{21}{50}$

34. MP **NUMBER SENSE** You answer 21 out of 25 questions correctly on a test. Do you reach your goal of answering at least 80% of the questions correctly?

35. MODELING REAL LIFE The table shows the approximate portions of the world population that live in four countries. Order the countries by population from least to greatest.

Country	Brazil	India	Russia	United States
Portion of World Population	2.8%	$\frac{7}{40}$	$\frac{1}{50}$	0.044

MP PRECISION Order the numbers from least to greatest.

36. $66.1\%, 0.66, \frac{133}{200}, 0.667$

37. $\frac{111}{500}, 21\%, 0.211, \frac{11}{50}$

MATCHING Tell which letter shows the graph of the number.

38. $\frac{2}{5}$ **39.** 45.2% **40.** 0.435 **41.** $\frac{89}{200}$



42. MP PRECISION The Tour de France is a bicycle road race. The whole race is made up of 21 small races called *stages*. The table shows how several stages compare to the whole Tour de France in a recent year. Order the stages by distance from shortest to longest.

Stage	1	7	8	17	21
Portion of Total Distance	$\frac{11}{200}$	0.044	$\frac{6}{125}$	0.06	4%

43. MP PRECISION The table shows the portions of the day that several animals sleep.

a. Order the animals by sleep time from least to greatest.

b. Estimate the portion of the day that you sleep.

c. Where do you fit on the ordered list?

Animal	Portion of Day Sleeping
Dolphin	0.433
Lion	56.3%
Rabbit	$\frac{19}{40}$
Squirrel	$\frac{31}{50}$
Tiger	65.8%

44. MP NUMBER SENSE Tell what whole number you can substitute for a in each list so the numbers are ordered from least to greatest. If there is none, explain why.

a. $\frac{1}{a}, \frac{a}{20}, 28\%$ **b.** $\frac{3}{a}, \frac{a}{5}, 75\%$

4.4 Solving Percent Problems

Learning Target: Find a percent of a quantity and solve percent problems.

Success Criteria:
- I can represent percents of numbers using an equation, a ratio table, or a model.
- I can find percents of numbers.
- I can find the whole given a part and the percent.

EXPLORATION 1 Using Percent Models

FLORIDA STANDARDS
MAFS.6.RP.1.3
MAFS.6.RP.1.3c

Work with a partner.

a. Find the missing values. What does the model represent?



b. Label at least three percents and their corresponding numbers on the model below. How do you know you are correct?

EXPLORATION 2 Solving a Percent Problem

Work with a partner. You purchase a national parks annual pass for 75% of the full price of the pass.

a. Suppose you know the full price or the discounted price. How can you find the other price? Compare your answers with other students in your class.

b. Suppose the full price of the pass is $80. How can you use a percent model to find the purchase price?

Math Practice

Consider Simpler Forms

Suppose you know 1% and 10% of the full price. How can you use these values to find the purchase price?

Key Idea

Finding the Percent of a Number

Words Write the percent as a fraction or decimal. Then multiply by the whole. The percent times the whole equals the part.

Numbers 20% of 60 is 12.

$0.2 \times 60 = 12$

$\frac{1}{5} \times 60 = 12$

Model



EXAMPLE 1 Finding the Percent of a Number

25% of 40 is what number?

25% of $40 = \frac{1}{4} \times 40$ Write the percent as a fraction and multiply.

$= \frac{40}{4} = 10$ Simplify.

So, 25% of 40 is 10.



You can use mental math to check your answer in Example 1.

10% of 40 = 4

5% of 40 = 2

So, 25% of 40 is 4 + 4 + 2 = 10.

Try It **Find the percent of the number.**

1. 90% of 20
2. 75% of 32

Because $n\%$ means n per 100, you can also solve percent problems using part-to-whole ratios.

EXAMPLE 2 Finding the Percent of a Number Using a Ratio Table

60% of 150 is what number?

Use a ratio table to find the part. Let one row be the *part*, and let the other row be the *whole*. Find an equivalent ratio with 150 as the whole.

The first column represents the percent.

$\frac{\text{part}}{\text{whole}} = \frac{60}{100} = 60\%$

		÷ 2	× 3
Part	60	30	90
Whole	100	50	150
		÷ 2	× 3

So, 60% of 150 is 90.

Try It **Find the percent of the number.**

3. 10% of 110
4. 30% of 75

You can use a related division equation to find the whole given the part and the percent.

Key Idea

Finding the Whole

Write the percent as a fraction or decimal. Then divide the part by the fraction or decimal.

Words The part divided by the percent equals the whole.

Numbers 20% of 60 is 12.

$$\frac{1}{5} \times 60 = 12 \longrightarrow 12 \div \frac{1}{5} = 60$$

Multiplication equation — Related division equation

EXAMPLE 3 Finding the Whole

50% of what number is 48?

The question can be represented by the multiplication equation $50\% \times \square = 48$. By definition, $\square = 48 \div 50\%$.



$48 \div 50\% = 48 \div \frac{1}{2}$ Write the percent as a fraction.

$= 96$ Multiply 48 by the reciprocal of $\frac{1}{2}$, which is 2.

So, 50% of 96 is 48.

Try It **Find the whole.**

5. 15% of what number is 9?

6. 5% of what number is 10?

EXAMPLE 4 Finding the Whole Using a Ratio Table

120% of what number is 72?

Use a ratio table to find the whole. Find an equivalent ratio with 72 as the part.

The first column represents the percent.

$\frac{\text{part}}{\text{whole}} = \frac{120}{100} = 120\%$

		÷ 20	× 12
Part	120	6	72
Whole	100	5	60
		÷ 20	× 12

So, 120% of 60 is 72.

Try It **Find the whole.**

7. 62% of what number is 31?

8. 125% of what number is 50?

EXAMPLE 5 Solving a Percent Problem

The width of a rectangular room is 80% of its length. What is the area of the room?



Find 80% of 15 feet to determine the width of the room.

$$80\% \text{ of } 15 = 0.8 \times 15$$
$$= 12$$

The width is 12 feet.



Use the formula for the area of a rectangle.

$$\text{Area} = \ell w$$
$$= 15(12)$$
$$= 180$$

So, the area of the room is 180 square feet.

Try It

9. The width of a rectangular stage is 55% of its length. The stage is 120 feet long. What is the area of the stage?

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

10. DIFFERENT WORDS, SAME QUESTION Which is different? Find "both" answers.

- What is twenty percent of 30?
- What is one-fifth of 30?
- Twenty percent of what number is 30?
- What is two-tenths of 30?

11. FINDING THE PERCENT OF A NUMBER Find 12% of 75.

12. FINDING THE WHOLE 35% of what number is 21?

13. MP NUMBER SENSE If 52 is 130% of a number, is the number greater than or less than 52? Explain.

14. MP STRUCTURE How can you find 10% of any number without multiplying or dividing? Explain your reasoning.

EXAMPLE 6 Modeling Real Life

You win an online auction for concert tickets. Your winning bid is 60% of your maximum bid. How much more were you willing to pay for the tickets than you actually paid?

A. \$72 **B.** \$80

C. \$120 **D.** \$200

Understand the problem.

You are given the winning bid and the percent of your maximum bid represented by the winning bid. You are asked to find how much more you were willing to pay for the tickets than you actually paid.

Make a plan.

Your maximum bid is the whole and your winning bid is the part. Create a model using the fact that 60% of the whole is \$120 to find the maximum bid. Then subtract the winning bid from the maximum bid to determine how much more you were willing to pay.

Solve and check.



Your maximum bid is \$200, and your winning bid is \$120. So, you were willing to pay \$200 − \$120 = \$80 more for the tickets.

The correct answer is **B**.

Look Back

Verify that the additional \$80 you were willing to pay is 100% − 60% = 40% of the maximum bid.

The model shows that 40% of the maximum bid is \$80. ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

15. You raise \$420 during a fundraising event. The amount of money that you raise is 120% of your goal. How much more did you raise than your goal?

16. A shirt is on sale for 60% of the original price. The original price is \$28 more than the sale price. What was the original price?

17. You have a meal at a restaurant. The sales tax is 8%. You leave a tip for the waitress that is 20% of the pretax price. You spend a total of \$23.04. What is the pretax price of the meal?

4.4 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Order the numbers from least to greatest.

1. $\frac{1}{8}$, 35%, 0.33 **2.** 0.3, $\frac{9}{25}$, 0.35, 33% **3.** $\frac{13}{50}$, 22%, 0.28, $\frac{1}{5}$, 0.41

Write the percent as a fraction or mixed number in simplest form.

4. 65% **5.** 0.45% **6.** 110%

Divide.

7. $19.2 \div 1.6$ **8.** $0.61\overline{)0.244}$ **9.** $0.9\overline{)0.558}$ **10.** $4.65 \div 0.003$

The tape diagram represents the ratio of the time you spend online to the time your friend spends online. You are online for 30 minutes. How many minutes does your friend spend online?

11.



12.



Concepts, Skills, & Problem Solving

USING TOOLS **An annual pass to a park costs $120. Use a percent model to find the given percent of the full price of the annual pass.** (See Exploration 2, p. 181.)

13. 25% **14.** 50% **15.** 200%

FINDING THE PERCENT OF A NUMBER **Find the percent of the number. Explain your method.**

16. 20% of 60 **17.** 10% of 40 **18.** 50% of 70 **19.** 30% of 30

20. 10% of 90 **21.** 15% of 20 **22.** 25% of 50 **23.** 5% of 60

24. 30% of 70 **25.** 75% of 48 **26.** 45% of 45 **27.** 92% of 19

28. 40% of 60 **29.** 38% of 22 **30.** 70% of 20 **31.** 87% of 55

32. 140% of 60 **33.** 120% of 33 **34.** 175% of 54 **35.** 250% of 146

36. **MODELING REAL LIFE** The tail of the spider monkey is 64% of the length shown. What is the length of the tail?



37. **PROBLEM SOLVING** A family pays $45 each month for cable television. The cost increases 7%.

a. How many dollars is the increase?

b. What is the new monthly cost?

38. YOU BE THE TEACHER Your friend finds 40% of 75. Is your friend correct? Explain your reasoning.

$$40\% \text{ of } 75 = \frac{2}{5} \times 75 = 30$$

FINDING THE WHOLE **Find the whole. Explain your method.**

39. 10% of what number is 14?

40. 20% of what number is 18?

41. 25% of what number is 21?

42. 75% of what number is 27?

43. 15% of what number is 12?

44. 85% of what number is 17?

45. 140% of what number is 35?

46. 160% of what number is 32?

47. 125% of what number is 25?

48. 175% of what number is 42?

49. YOU BE THE TEACHER Your friend answers the question "20% of what number is 5?" Is your friend correct? Explain your reasoning.

$$5 \div 20\% = \frac{5}{20} = \frac{1}{4}$$

50. MP PROBLEM SOLVING You have a coupon for a restaurant. You save $3 on a meal. What was the original cost of the meal?

51. MP PROBLEM SOLVING The results of a survey are shown at the right. In the survey, 12 students said that they would like to learn French. How many of the students surveyed would like to learn Spanish?



52. MODELING REAL LIFE A sixth grader weighs 90 pounds, which is 120% of what he weighed in fourth grade. How much did he weigh in fourth grade?

53. MP LOGIC In an asteroid field, 75% of the asteroids are *carbonaceous* asteroids. There are 375,000 carbonaceous asteroids in the asteroid field. How many asteroids are *not* carbonaceous?



54. DIG DEEPER! A bottle contains 20 fluid ounces of lotion and sells for $5.80. The 20-fluid-ounce bottle contains 125% of the lotion in the next smallest size, which sells for $5.12. Which is the better buy? Explain.

COMPARING PERCENTS **Copy and complete the statement using <, >, or = .**

55. 80% of 60 ☐ 60% of 80

56. 20% of 30 ☐ 30% of 40

57. 120% of 5 ☐ 0.8% of 250

58. 85% of 40 ☐ 25% of 136

59. TIME How many minutes is 40% of 2 hours?

60. LENGTH How many inches is 78% of 3 feet?

61. GEOMETRY The width of the rectangle is 75% of its length.

a. What is the area of the rectangle?

b. The length of the rectangle is doubled. What percent of the length is the width now? Explain your reasoning.

62. MP PRECISION To pass inspection, a new basketball should bounce between 68% and 75% of the starting height. A new ball is dropped from 6 feet and bounces back 4 feet 1 inch. Does the ball pass inspection? Explain.

63. MP REASONING You know that 15% of a number n is 12. How can you use this to find 30% of n? 45% of n? Explain.

64. MP REASONING You have a coupon for 10% off the sale price of a surfboard. Which is the better buy? Explain your reasoning.

- 40% off the regular price
- 30% off the regular price and then 10% off the sale price

65. CRITICAL THINKING Consider two different numbers x and y. Is x% of y the same as y% of x? Justify your answer.

66. GEOMETRY Square $ABCD$ and Square $EFGH$ both have side lengths of 8 inches. The squares overlap and form Rectangle $ABGH$, which has a length of 10 inches. What percent of Rectangle $ABGH$ is shaded purple?



67. MP NUMBER SENSE On three 150-point geography tests, you earned grades of 88%, 94%, and 90%. The final test is worth 250 points. What *percent* do you need on the final to earn 93% of the total points on all tests?

4 Connecting Concepts

Using the Problem-Solving Plan

1. During a football game, a total of 63 points are scored by the two teams. Team A scores 80% of the number of points that Team B scores. What is the final score of the game?

Understand the problem.

You know that Team A's score is 80% of Team B's score, and the total points scored is 63. You are asked to find the final score of the football game.

Make a plan.

Because 80% means 80 per 100, write the relationship between the scores of the teams as a ratio. Then represent the situation using a tape diagram. Use the total points to find the value of each part of the tape diagram and the final score of the game.

Solve and check.

Use the plan to solve the problem. Then check your solution.

2. A pen at a pet store contains male and female guinea pigs. The ratio of female guinea pigs to male guinea pigs is 7 to 3. Find the percent of guinea pigs in the pen that are male. Justify your answer.

3. You multiply two numbers. The first number, 21, is 6.25% of the product. What is the second number? Justify your answer.

4. You have a bag containing dollar coins, dimes, and pennies. The bag contains 40 coins. The number of dollar coins is 20% of the total number of coins. The number of pennies is $\frac{7}{9}$ of the number of dimes. How much money is in the bag?

Performance Task

Genetic Ancestry

At the beginning of this chapter, you watched a STEAM video called "Chargaff's Rules." You are now ready to complete the performance task for this video, available at ***BigIdeasMath.com***. Be sure to use the problem-solving plan as you work through the performance task.

4 Chapter Review

Go to *BigIdeasMath.com* to download blank graphic organizers.

Review Vocabulary

Write the definition and give an example of the vocabulary term.

percent, *p. 164*

Graphic Organizers

You can use a **Four Square** to organize information about a concept. Each of the four squares can be a category, such as definition, vocabulary, example, non-example, words, algebra, table, numbers, visual, graph, or equation. Here is an example of a Four Square for ***finding the percent of a number***.

Answer

$\frac{20}{100} \times 50 = \frac{1}{5} \times 50 = \frac{50}{5} = 10$

Meaning

Percent means per one hundred. So, 20% means 20 out of 100, which is the same as 10 out of 50.

What is 20% of 50?

Model



Application

On a football team, 20% of the 50 players are sophomores. How many players on the team are sophomores?

10 players

Choose and complete a graphic organizer to help you study the concept.

1. percent
2. writing percents as fractions
3. writing fractions as percents
4. writing percents as decimals
5. writing decimals as percents
6. finding the whole



"Sorry, but I have limited space in my Four Square. I needed pet names with only three letters."

Chapter Self-Assessment

As you complete the exercises, use the scale below to rate your understanding of the success criteria in your journal.

1	2	3	4
I do not understand.	I can do it with help.	I can do it on my own.	I can teach someone else.

4.1 Percents and Fractions *(pp. 163–168)*

Learning Target: Write percents as fractions and fractions as percents.

Write the percent as a fraction or mixed number in simplest form.

1. 12%

2. 88%

3. 0.8%

4. 127%

5. 2.5%

6. 18%

Write the fraction or mixed number as a percent.

7. $\frac{3}{5}$

8. $1\frac{18}{25}$

9. $1\frac{21}{50}$

10. $\frac{14}{35}$

11. $5\frac{7}{25}$

12. $\frac{7}{400}$

13. Write a fraction in simplest form that is greater than 43% and less than 47%.

14. Write a percent that is greater than $3\frac{3}{4}$ and less than $3\frac{4}{5}$.

15. Your computer displays the progress of a downloading video. What fraction of the video is downloaded?



16. You complete 40% of your homework problems before dinner. What fraction of the problems did you complete before dinner?

17. There are nine different colonies of bacteria on the Petri dish. What percent of the bacteria on the Petri dish is from Colony 3?

4.2 Percent and Decimals *(pp. 169–174)*

Learning Target: Write percents as decimals and decimals as percents.

Write the percent as a decimal.

18. 76%

19. 6%

20. 17%

21. 0.8%

22. 0.016%

23. 334%

Write the decimal as a percent.

24. 0.15

25. 0.77

26. 0.56

27. 1.06

28. 1.24

29. 0.097

30. Write a decimal that is greater than 0.62% and less than 0.64%.

31. Write a percent that is greater than 0.026 and less than 0.028.

32. On a fishing trip, 38% of the fish that you catch are perch. Write this percent as a decimal.

4.3 Comparing and Ordering Fractions, Decimals, and Percents *(pp. 175–180)*

Learning Target: Compare and order fractions, decimals, and percents.

Tell which number is greater.

33. $\frac{1}{2}$, 52%

34. $\frac{12}{5}$, 245%

35. 0.46, 43%

36. 0.023, 22%

Order the numbers from least to greatest.

37. $\frac{9}{4}$, 220%, 2.15, 218%

38. 0.88, $\frac{7}{8}$, 92%, $\frac{9}{10}$, 0.89

39. Write a percent that is greater than $\frac{13}{25}$ and less than 0.54.

40. The table shows the portions of students in your grade who participate in five activities. List the activities in order by number of students from least to greatest.

Activity	Band	Chorus	Debate	Gymnastics	Theater
Portion of Students	0.14	$\frac{3}{25}$	$\frac{1}{20}$	11%	0.08

4.4 Solving Percent Problems *(pp. 181–188)*

Learning Target: Find a percent of a quantity and solve percent problems.

Find the percent of the number. Explain your method.

41. 60% of 80

42. 80% of 55

43. 150% of 48

44. 42% of 150

45. 112% of 75

46. 45% of 42

Find the whole. Explain your method.

47. 70% of what number is 35?

48. 28% of what number is 21?

49. 56% of what number is 84?

50. 20% of what number is 96?

51. 140% of what number is 56?

52. 175% of what number is 112?

53. Each cell of a dog contains 78 chromosomes. Exactly 50% of the chromosomes are inherited from the father. How many chromosomes in each cell of the dog are inherited from the father?



54. You went to the mall with $80. You spent 25% of your money on a pair of shorts and 65% of the remainder on sandals. How much did you spend on the sandals?

Which country would you most like to visit?



55. The results of a survey are shown at the left. In the survey, 7 students said that they would most like to visit Italy. How many of the students surveyed would most like to visit Ireland?

56. You answer 24 questions on a 100-point test correctly and earn a 96%.

a. All of the questions are worth the same number of points. How many questions are on the test? How many points is each question worth?

b. Your friend earns a grade of 76% on the same test. How many questions did your friend answer correctly?

4 Practice Test

Write the fraction or mixed number as a percent.

1. $\frac{21}{25}$ **2.** $\frac{17}{20}$ **3.** $1\frac{2}{5}$

Write the decimal as a percent.

4. 0.42 **5.** 7.88 **6.** 0.5854

Write the percent as a fraction in simplest form and as a decimal.

7. 0.96% **8.** 65% **9.** 25.7%

Tell which number is greater.

10. $\frac{16}{25}$, 65% **11.** 56%, 5.6

Order the numbers from least to greatest.

12. 85%, $\frac{7}{10}$, 0.74, $\frac{4}{5}$ **13.** 130%, 1.32, $\frac{6}{5}$, $\frac{5}{4}$, 1.28

14. 80% of 90 is what number? **15.** 120% of 75 is what number?

16. 40% of what number is 34? **17.** 130% of what number is 52?

18. A goalie's saves (•) and goals scored against (×) are shown. What percent of shots did the goalie save? Explain.



19. About 62% of the human body is composed of water. Write this percent as a fraction in simplest form.

20. You, your cousin, and a friend each take the same number of free throws at a basketball hoop. You make $\frac{17}{20}$ of your free throws, your cousin makes 0.8 of her free throws, and your friend makes 87.5% of his free throws. Who made the most free throws?



21. In a class of 20 students, 40% are boys. Twenty-five percent of the boys and 50% of the girls wear glasses. How many students in the class wear glasses?

22. Eighty percent of the picture frame is glass. What is the area of the moulding?

4 Cumulative Practice

1. How many pints are in 8 quarts?

A. 2 pints **B.** 4 pints

C. 16 pints **D.** 32 pints

2. Which fraction is *not* equivalent to 25%?

F. $\frac{1}{4}$ **G.** $\frac{2}{5}$

H. $\frac{5}{20}$ **I.** $\frac{25}{100}$

Test-Taking Strategy
Answer Easy Questions First

"Answer the easy questions first. Then try the hard ones."

3. What is the missing value in the ratio table?

Pairs of Shoes	7		56
Pairs of Boots	2	8	16

4. Your friend was finding the percent of a number in the box below.

25% of 24 is what number?

$$25\% \text{ of } 24 = 24 \div \frac{1}{4}$$

$$= 96$$

What should your friend do to correct the error?

A. Divide 24 by 25. **B.** Divide $\frac{1}{4}$ by 24.

C. Multiply 24 by 25. **D.** Multiply 24 by $\frac{1}{4}$.

5. Which percent is equivalent to $\frac{4}{5}$?

F. 20% **G.** 45%

H. 80% **I.** 125%

6. Which pair of numbers does *not* have a least common multiple less than 100?

A. 10, 15

B. 12, 16

C. 16, 18

D. 18, 24

7. You are comparing the costs of buying bottles of water at the supermarket. Which of the following has the least cost per liter?

F. 6 one-liter bottles for $1.80

G. 1 two-liter bottle for $0.65

H. 8 half-liter bottles for $1.50

I. 12 half-liter bottles for $1.98

8. What is 75% of 36?

9. Which number is equivalent to $\frac{5}{12} \times \frac{4}{9}$?

A. $\frac{5}{27}$

B. $\frac{3}{7}$

C. $\frac{15}{16}$

D. $\frac{5}{3}$

10. Which list of numbers is in order from least to greatest?

F. $0.8, \frac{5}{8}, 70\%, 0.09$

G. $\frac{5}{8}, 70\%, 0.8, 0.09$

H. $0.09, \frac{5}{8}, 0.8, 70\%$

I. $0.09, \frac{5}{8}, 70\%, 0.8$

11. Which number is equivalent to $1.32 \div 0.006$?

A. 2.2

B. 22

C. 220

D. 2200

12. Which ratio is equivalent to 4 : 14?

F. 2 : 12

G. 10 : 35

H. 18 : 28

I. 8 : 18

13. For a party, you make a gelatin dessert in a rectangular pan and cut the dessert into equal-sized pieces, as shown below.

Think
Solve
Explain



The dessert consists of 5 layers of equal height. Each layer is a different flavor, as shown below by a side view of the pan.

Your guests eat $\frac{3}{5}$ of the pieces of the dessert.

Part A Write the amount of cherry gelatin that your guests eat as a fraction of the total dessert. Justify your answer.

Part B Write the amount of cherry gelatin that your guests eat as a percent of the total dessert. Justify your answer.

5 Algebraic Expressions and Properties

5.1 Algebraic Expressions

5.2 Writing Expressions

5.3 Properties of Addition and Multiplication

5.4 The Distributive Property

5.5 Factoring Expressions

Chapter Learning Target:
Understand algebraic expressions.

Chapter Success Criteria:
- I can identify parts of an algebraic expression.
- I can write algebraic expressions.
- I can solve a problem using algebraic expressions.
- I can interpret algebraic expressions in real-life problems.



STEAM Video

Shadow Drawings

Expressions can be used to represent the growth of living things over time. Can you think of any other real-life situations in which you would want to use an expression to represent a changing quantity?

Watch the STEAM Video "Shadow Drawings." Then answer the following questions.

1. Tory traces the shadow of a plant each week on the same day of the week and at the same time of day. Why does she need to be so careful about the timing of the drawing?

2. The table shows the height of the plant each week for the first three weeks. About how tall was the plant after 1.5 weeks? Explain your reasoning.

Week	1	2	3
Height (inches)	7	14	22

3. Predict the height of the plant when Tory makes her next three weekly drawings.

Performance Task



Describing Change

After completing this chapter, you will be able to use the concepts you learned to answer the questions in the *STEAM Video Performance Task*. You will be given data sets for the following real-life situations.

Savings account

Temperature

Human growth

Plant growth

You will be asked to use given data to write expressions and make predictions. Do the expressions provide accurate predictions far into the future?

Getting Ready for Chapter 5

Chapter Exploration

1. Work with a partner.

a. You babysit for 3 hours. You receive $24. What is your hourly wage?

- Write the problem. Underline the important numbers and units you need to solve the problem.
- Read the problem carefully a second time. Circle the key phrase for the question.

You babysit for 3 hours. You receive $24.

What is your hourly wage?

- Write each important number or phrase, with its units, on a piece of paper. Write $+$, $-$, $\times$, $\div$, and $=$ on five other pieces of paper.

hourly wage ($ per hour)

- Arrange the pieces of paper to answer the question, "What is your hourly wage?"
- Evaluate the expression that represents the hourly wage.

hourly wage = ☐ ÷ ☐ Write.

= ☐ Evaluate.

So, your hourly wage is $ ☐ per hour.

b. How can you use your hourly wage to find how much you will receive for any number of hours worked?

Vocabulary

The following vocabulary terms are defined in this chapter. Think about what each term might mean and record your thoughts.

algebraic expression
variable
constant
equivalent expressions
factoring an expression

5.1 Algebraic Expressions

Learning Target: Evaluate algebraic expressions given values of their variables.

Success Criteria:
- I can identify parts of an algebraic expression.
- I can evaluate algebraic expressions with one or more variables.
- I can evaluate algebraic expressions with one or more operations.

EXPLORATION 1

Evaluating Expressions

Work with a partner. Identify any missing information that is needed to answer each question. Then choose a reasonable quantity and write an expression for each problem. After you have written the expression, evaluate it using mental math or some other method.

Math Practice

Make Sense of Quantities
What are the units in the problem? How does this help you write an expression?

FLORIDA STANDARDS
MAFS.6.EE.1.2b
MAFS.6.EE.1.2c

a. You receive $24 for washing cars. How much do you earn per hour?

b. You buy 5 silicone baking molds at a craft store. How much do you spend?

c. You are running in a mud race. How much farther do you have to go after running 2000 feet?

d. A rattlesnake is 25 centimeters long when it hatches. The snake grows at a rate of about 1.6 centimeters per month for several months. What is the length of the rattlesnake?

5.1 Lesson

Key Vocabulary

algebraic expression, *p. 202*
variable, *p. 202*
term, *p. 202*
coefficient, *p. 202*
constant, *p. 202*

An **algebraic expression** is an expression that may contain numbers, operations, and one or more *variables*. A **variable** is a symbol that represents one or more numbers. Each number or variable by itself, or product of numbers and variables in an algebraic expression, is called a **term**.



EXAMPLE 1 Identifying Parts of an Algebraic Expression

Identify the terms, coefficients, and constants in each expression.

a. $5x + 13$

$5x + 13$

Terms: $5x$, 13
Coefficient: 5
Constant: 13

b. $2z^2 + y + 3$

$2z^2 + y + 3$

Terms: $2z^2$, $1y$, 3
Coefficients: 2, 1
Constant: 3

A variable by itself has a coefficient of 1. So, the term y in Example 1(b) has a coefficient of 1.

Try It **Identify the terms, coefficients, and constants in the expression.**

1. $12 + 10c$ **2.** $15 + 3w + \frac{1}{2}$ **3.** $z^2 + 9z$

EXAMPLE 2 Writing Algebraic Expressions Using Exponents

Write each expression using exponents.

a. $d \cdot d \cdot d \cdot d$

Because d is used as a factor 4 times, its exponent is 4.

So, $d \cdot d \cdot d \cdot d = d^4$.

b. $1.5 \cdot h \cdot h \cdot h$

Because h is used as a factor 3 times, its exponent is 3.

So, $1.5 \cdot h \cdot h \cdot h = 1.5h^3$.

Try It **Write the expression using exponents.**

4. $j \cdot j \cdot j \cdot j \cdot j \cdot j$ **5.** $9 \cdot k \cdot k \cdot k \cdot k \cdot k$

To evaluate an algebraic expression, substitute a number for each variable. Then use the order of operations to find the value of the numerical expression.

EXAMPLE 3 Evaluating Algebraic Expressions

a. Evaluate $k + 10$ when $k = 25$.

$k + 10 = 25 + 10$ Substitute 25 for k.

$= 35$ Add 25 and 10.

b. Evaluate $4 \cdot n$ when $n = 12$.

$4 \cdot n = 4 \cdot 12$ Substitute 12 for n.

$= 48$ Multiply 4 and 12.

You can write the product of 4 and n in several ways.

$4 \cdot n$

$4n$

$4(n)$

Try It

6. Evaluate $24 + c$ when $c = 9$.

7. Evaluate $d - 17$ when $d = 30$.

8. Evaluate $18 \div q$ when $q = \frac{1}{2}$.

EXAMPLE 4 Evaluating an Expression with Two Variables

a. Evaluate $n - m$ when $m = 12$ and $n = 30$.

$n - m = 30 - 12$ Substitute 30 for n and 12 for m.

$= 18$ Subtract 12 from 30.

b. Evaluate $a \div b$ when $a = 16$ and $b = \frac{2}{3}$.

$a \div b = 16 \div \frac{2}{3}$ Substitute 16 for a and $\frac{2}{3}$ for b.

$= 16 \cdot \frac{3}{2}$ Multiply by the reciprocal of $\frac{2}{3}$, which is $\frac{3}{2}$.

$= 24$ Multiply.

Try It

Evaluate the expression when $p = 24$ and $q = 8$.

9. $p \div q$

10. $q + p$

11. $p - q$

12. $p \cdot q$

EXAMPLE 5 Evaluating Expressions with Two Operations

a. Evaluate $3x - 14$ when $x = 5$.

$3x - 14 = 3(5) - 14$ Substitute 5 for x.

$= 15 - 14$ Using order of operations, multiply 3 and 5.

$= 1$ Subtract 14 from 15.

b. Evaluate $n^2 + 8.5$ when $n = 2$.

$n^2 + 8.5 = 2^2 + 8.5$ Substitute 2 for n.

$= 4 + 8.5$ Using order of operations, evaluate 2^2.

$= 12.5$ Add 4 and 8.5.

Try It **Evaluate the expression when $y = 6$.**

13. $5y + 1$

14. $30 - 24 \div y$

15. $y^2 - 7$

16. $1.5 + y^2$

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

17. WHICH ONE DOESN'T BELONG? Which expression does *not* belong with the other three? Explain your reasoning.

$2x + 1$ $5w \cdot c$ $3(4) + 5$ $2y \cdot z$

18. ALGEBRAIC EXPRESSIONS Identify the terms, coefficients, and constants in the expression $9h + 1$.

EVALUATING EXPRESSIONS **Evaluate the expression when $m = 8$.**

19. $m - 7$

20. $5m + 4$

21. MP NUMBER SENSE Does the value of the expression $20 - x$ *increase*, *decrease*, or *stay the same* as x increases? Explain.

22. OPEN-ENDED Write an algebraic expression using more than one operation. When you evaluate the expression, how do you know which operation to perform first?

23. MP STRUCTURE Is the expression $8.2 \div m \cdot m \cdot m \cdot m$ the same as the expression $8.2 \div m^4$? Explain your reasoning.

EXAMPLE 6 Modeling Real Life

You are saving to buy a meteorite fragment for \$125. You begin with \$45 and you save \$3 each week. The expression $45 + 3w$ gives the amount of money you save after w weeks. Can you buy the meteorite after 20 weeks?

Understand the problem.

You are given an expression that represents your savings after w weeks. You are asked whether you have enough money to buy a \$125 meteorite after 20 weeks.

Make a plan.

To find the amount of money you save after 20 weeks, evaluate the expression when $w = 20$. Then compare the value of the expression to the price of the meteorite.

Solve and check.

$$45 + 3w = 45 + 3(20) \quad \text{Substitute 20 for } w.$$
$$= 45 + 60 \quad \text{Multiply 3 and 20.}$$
$$= 105 \quad \text{Add 45 and 60.}$$

▶ You cannot buy the \$125 meteorite after 20 weeks because you only have \$105.

Another Method You start with \$45, so you need to save another $125 - 45 = \$80$. At \$3 per week, it will take you $\frac{80}{3} \approx 27$ weeks of saving.

$$45 + 3(27) = 45 + 81 = \$126 \checkmark$$

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

24. The expression $12.25m + 29.99$ gives the cost (in dollars) of a gym membership for m months. You have \$180 to spend on a membership. Can you buy a one-year membership?

25. DIG DEEPER! The expression $p - 15$ gives the amount (in dollars) you pay after using the coupon when the original amount of a purchase is p dollars. The expression $30 + 6n$ gives the amount of money (in dollars) you save after n weeks. A jacket costs \$78. Can you buy the jacket after 6 weeks? Explain.

Coupon

Good for \$15 off any purchase of \$75 or more

5.1 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

You ask 40 students which of three items from the cafeteria they like the best. You record the results on the piece of paper shown.

What is your favorite cafeteria food?
Pizza: 30%
Pasta: 18 students
Salad: 10 students

1. What percent of students answered salad?
2. How many students answered pizza?
3. What percent of students answered pasta?

Find the missing quantity in the double number line.

4. Fiber (grams)



5. Pastries



Divide. Write the answer in simplest form.

6. $1\frac{3}{8} \div \frac{3}{4}$
7. $2\frac{7}{9} \div 2$
8. $4 \div 4\frac{2}{5}$
9. $3\frac{2}{3} \div 1\frac{2}{7}$

Concepts, Skills, & Problem Solving

EVALUATING EXPRESSIONS **Write and evaluate an expression for the problem.** (See Exploration 1, p. 201.)

10. The scores on your first two history tests are 82 and 95. By how many points did you improve on your second test?
11. You buy a hat for $12 and give the cashier a $20 bill. How much change do you receive?
12. You receive $8 for raking leaves for 2 hours. What is your hourly wage?
13. Music lessons cost $20 per week. How much do 6 weeks of lessons cost?

ALGEBRAIC EXPRESSIONS **Identify the terms, coefficients, and constants in the expression.**

14. $7h + 3$
15. $g + 12 + 9g$
16. $5c^2 + 7d$
17. $2m^2 + 15 + 2p^2$
18. $6 + n^2 + \frac{1}{2}d$
19. $8x + \frac{x^2}{3}$

Terms: $2, x^2, y$
Coefficient: 2
Constant: none

20. **YOU BE THE TEACHER** Your friend finds the terms, coefficients, and constants in the algebraic expression $2x^2y$. Is your friend correct? Explain your reasoning.

21. PERIMETER You can use the expression $2\ell + 2w$ to find the perimeter of a rectangle, where ℓ is the length and w is the width.

a. Identify the terms, coefficients, and constants in the expression.

b. Interpret the coefficients of the terms.

USING EXPONENTS **Write the expression using exponents.**

22. $b \cdot b \cdot b$

23. $g \cdot g \cdot g \cdot g \cdot g$

24. $8 \cdot w \cdot w \cdot w \cdot w$

25. $5.2 \cdot y \cdot y \cdot y$

26. $a \cdot a \cdot c \cdot c$

27. $2.1 \cdot x \cdot z \cdot z \cdot z \cdot z$

28. YOU BE THE TEACHER Your friend writes the product using exponents. Is your friend correct? Explain your reasoning.

29. AREA Write an expression using exponents that represents the area of the square.


As I was going to St. Ives
I met a man with seven wives
Each wife had seven sacks
Each sack had seven cats
Each cat had seven kits
Kits, cats, sacks, wives
How many were going to St. Ives?

30. MP REASONING Suppose the man in the St. Ives poem has x wives, each wife has x sacks, each sack has x cats, and each cat has x kits. Write an expression using exponents that represents the total number of kits, cats, sacks, and wives.

EVALUATING EXPRESSIONS **Evaluate the expression when $a = 3$, $b = 2$, and $c = 12$.**

31. $6 + a$

32. $b \cdot 5$

33. $c - 1$

34. $27 \div a$

35. $12 - b$

36. $c + 5$

37. $2a$

38. $c \div 6$

39. $a + b$

40. $c + a$

41. $c - a$

42. $a - b$

43. $\frac{c}{a}$

44. $\frac{c}{b}$

45. $b \cdot c$

46. $c(a)$

47. MP PROBLEM SOLVING You earn $15n$ dollars for mowing n lawns. How much do you earn for mowing 1 lawn? 7 lawns?

EVALUATING EXPRESSIONS **Copy and complete the table.**

48.

x	3	6	9
$x \cdot 8$			

49.

x	2	4	8
$64 \div x$			

50. MODELING REAL LIFE Due to gravity, an object falls $16t^2$ feet in t seconds. You drop a rock from a bridge that is 75 feet above the water. Will the rock hit the water in 2 seconds? Explain.

EVALUATING EXPRESSIONS **Evaluate the expression when $a = 10$, $b = 9$, and $c = 4$.**

51. $2a + 3$

52. $4c - 7.8$

53. $\frac{a}{4} + \frac{1}{3}$

54. $\frac{24}{b} + 8$

55. $c^2 + 6$

56. $a^2 - 18$

57. $a + 9c$

58. $bc + 12.3$

59. $3a + 2b - 6c$

$5m + 3 = 5 \cdot 8 + 3$

$= 5 \cdot 11$

$= 55$

60. YOU BE THE TEACHER Your friend evaluates the expression when $m = 8$. Is your friend correct? Explain your reasoning.

61. PROBLEM SOLVING After m months, the height of a plant is $(10 + 3m)$ millimeters. How tall is the plant after 8 months? 3 years?

62. STRUCTURE You use a video streaming service to rent x new releases and y standard rentals. Which expression tells you how much money you will need?

$3x + 4y$ $4x + 3y$ $7(x + y)$



63. OPEN-ENDED You float 2000 feet along a lazy river water ride. The ride takes less than 10 minutes. Give two examples of possible times and speeds.

64. DIG DEEPER! The expression $20a + 13c$ is the cost (in dollars) for a adults and c students to enter a science center.

a. How much does it cost for an adult? a student? Explain your reasoning.

b. Find the total cost for 4 adults and 24 students.

c. You find the cost for a group. Then the numbers of adults and students in the group both double. Does the cost double? Explain your answer using an example.

d. In part (b), the number of adults is cut in half, but the number of students doubles. Is the cost the same? Explain your answer.

65. REASONING The volume of the cube (in cubic inches) is equal to four times the area of one of its faces (in square inches). What is the volume of the cube?



5.2 Writing Expressions

Learning Target: Write algebraic expressions and solve problems involving algebraic expressions.

Success Criteria:
- I can write numerical expressions.
- I can write algebraic expressions.
- I can write and evaluate algebraic expressions that represent real-life problems.

EXPLORATION 1

Writing Expressions

FLORIDA STANDARDS
MAFS.6.EE.1.2a

Work with a partner. You use a $20 bill to buy lunch at a café. You order a sandwich from the menu board shown.

Math Practice

Use Expressions

How do the numerical expressions help you generalize the situation and write an algebraic expression?

a. Complete the table. In the last column, write a numerical expression for the amount of change you receive.

Sandwich	Price (dollars)	Change Received (dollars)
Reuben		
BLT		
Egg salad		
Roast beef		

b. MP **REPEATED REASONING** Write an algebraic expression that represents the amount of change you receive when you order any sandwich from the menu board.

c. The expression $20 - 4.65s$ represents the amount of change one customer receives after ordering from the menu board. Explain what each part of the expression represents. Do you know what the customer ordered? Explain your reasoning.

5.2 Lesson

Some words can imply math operations.

Operation	Addition	Subtraction	Multiplication	Division
Key Words and Phrases	added to plus sum of more than increased by total of and	subtracted from minus difference of less than decreased by fewer than take away	multiplied by times product of twice	divided by quotient of

EXAMPLE 1 Writing Numerical Expressions

Write each phrase as an expression.

a. 8 fewer than 21

$21 - 8$ The phrase *fewer than* means *subtraction*.

b. the product of 30 and 9

30×9, or $30 \cdot 9$ The phrase *product of* means *multiplication*.

Try It **Write the phrase as an expression.**

1. the sum of 18 and 35

2. 6 times 50

EXAMPLE 2 Writing Algebraic Expressions

Write each phrase as an expression.

a. 14 more than a number x

$x + 14$ The phrase *more than* means *addition*.

b. a number y minus 75

$y - 75$ The word *minus* means *subtraction*.

c. the quotient of 3 and a number z

$3 \div z$, or $\frac{3}{z}$ The phrase *quotient of* means *division*.

Common Error

When writing expressions involving subtraction or division, order is important. For example, the quotient of a number x and 2 means

$x \div 2$, not $2 \div x$.

Try It **Write the phrase as an expression.**

3. 25 less than a number b

4. a number x divided by 4

5. the total of a number t and 11

6. 100 decreased by a number k

EXAMPLE 3 Writing an Algebraic Expression

The length of Interstate 90 from the West Coast to the East Coast is 153.5 miles more than 2 times the length of Interstate 15 from southern California to northern Montana. Let m be the length of Interstate 15. Which expression can you use to represent the length of Interstate 90?

A. $2m + 153.5$ **B.** $2m - 153.5$

C. $153.5 - 2m$ **D.** $153.5m + 2$

Variables can be lowercase or uppercase. Make sure you consistently use the same case for a variable when solving a problem.

The word *times* means *multiplication*. So, multiply 2 and m.

The phrase *more than* means *addition*. So, add $2m$ and 153.5.

$2m + 153.5$

The correct answer is **A**.

Try It

7. Your friend has 5 more than twice as many game tokens as you. Let t be the number of game tokens you have. Write an expression for the number of game tokens your friend has.

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

WRITING EXPRESSIONS **Write the phrase as an expression.**

8. the sum of 7 and 11

9. 5 subtracted from 9

10. DIFFERENT WORDS, SAME QUESTION Which is different? Write "both" expressions.

12 more than x

x increased by 12

x take away 12

the sum of x and 12

11. MP PRECISION Your friend says that the phrases below have the same meaning. Is your friend correct? Explain your reasoning.

the difference of a number x and 12

the difference of 12 and a number x

EXAMPLE 4 Modeling Real Life

You plant a cypress tree that is 10 inches tall. Each year, its height increases by 15 inches. Write an expression that represents the height (in inches) after t years. What is the height after 9 years?

Make a table showing the height of the tree each year for the first several years. Use the results to write an expression and evaluate the expression when $t = 9$.



The height is *increasing*, so *add* 15 each year, as shown in the table.

Year, t	Height (inches)
0	10
1	$10 + 15(1) = 25$
2	$10 + 15(2) = 40$
3	$10 + 15(3) = 55$
4	$10 + 15(4) = 70$

When t is 0, the height is 10 inches.

You can see that an expression is $10 + 15t$.

Evaluate $10 + 15t$ when $t = 9$.

$$10 + 15t = 10 + 15(9) = 145$$

So, the height (in inches) after t years is $10 + 15t$. After 9 years, the height of the tree is 145 inches.

Sometimes, as in Example 3, a variable represents a single value. Other times, as in Example 4, a variable can represent more than one value.

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

12. A company rents paddleboards by charging a rental fee plus an hourly rate. Write an expression that represents the cost (in dollars) of renting a paddleboard for h hours. How much does an eight-hour rental cost?

13. **DIG DEEPER!** A county fair charges an entry fee of \$7 and \$0.75 for each ride token. You have \$15. Write an expression that represents the amount (in dollars) you have left after entering the fair and purchasing n tokens. How many tokens can you purchase? How much money do you have left after purchasing 6 tokens?

5.2 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Identify the terms, coefficients, and constants in the expression.

1. $4f + 8$

2. $\frac{4}{5} + 3s + 2$

3. $9h^2 + \frac{8}{9}p + 1$

Copy and complete the statement.

4. $\frac{2\text{ c}}{\text{min}} = \frac{\square\text{ gal}}{\text{h}}$

5. $\frac{12\text{ m}}{\text{sec}} \approx \frac{\square\text{ ft}}{\text{min}}$

6. $\frac{3\text{ lb}}{\text{sec}} \approx \frac{\square\text{ kg}}{\text{h}}$

Divide. Write the answer in simplest form.

7. $\frac{1}{2} \div \frac{5}{8}$

8. $\frac{1}{3} \div \frac{3}{4}$

9. $\frac{2}{5} \div 3$

10. $3 \div \frac{6}{7}$

Concepts, Skills, & Problem Solving

MP **STRUCTURE** **The expression represents the amount of change you receive after buying n sandwiches. Explain what each part of the expression represents.** (See Exploration 1, p. 209.)

11. $10 - 5.25n$

12. $20 - 4.95n$

13. $100 - 6.75n$

WRITING EXPRESSIONS **Write the phrase as an expression.**

14. 5 less than 8

15. the product of 3 and 12

16. 28 divided by 7

17. the total of 6 and 10

18. 3 fewer than 18

19. 17 added to 15

20. 13 subtracted from a number x

21. 5 times a number d

22. the quotient of 18 and a number a

23. the difference of a number s and 6

24. 7 increased by a number w

25. a number t cubed

YOU BE THE TEACHER **Your friend writes the phrase as an expression. Is your friend correct? Explain your reasoning.**

26.

The quotient of 8 and a number y is $\frac{y}{8}$.

27.

16 decreased by a number x is 16 – x.

28. MP **NUMBER SENSE** Five friends share the cost of a dinner equally.

a. Write an expression that represents the cost (in dollars) per person.

b. Make up a reasonable total cost and test your expression.

29. **MODELING REAL LIFE** A biologist analyzes 15 bacteria samples each day.

a. Copy and complete the table.

b. Write an expression that represents the total number of samples analyzed after n days.

Days	1	2	3	4	5
Total Samples					

30. MP **PROBLEM SOLVING** To rent a moving truck for the day, it costs \$33 plus \$1 for each mile driven.

a. Write an expression that represents the cost (in dollars) to rent the truck.

b. You drive the truck 300 miles. How much do you pay?

WRITING PHRASES **Give two ways to write the expression as a phrase.**

31. $n + 6$ **32.** $4w$ **33.** $15 - b$ **34.** $14 - 3z$

EVALUATING EXPRESSIONS **Write the phrase as an expression. Then evaluate the expression when $x = 5$ and $y = 20$.**

35. 3 less than the quotient of a number y and 4

36. the sum of a number x and 4, all divided by 3

37. 6 more than the product of 8 and a number x

38. the quotient of 40 and the difference of a number y and 16

39. **MODELING REAL LIFE** It costs \$3 to bowl a game and \$2 for shoe rental.

a. Write an expression that represents the total cost (in dollars) of g games.

b. Use your expression to find the total cost of 8 games.

40. **MODELING REAL LIFE** Florida has 8 less than 5 times the number of counties in Arizona. Georgia has 25 more than twice the number of counties in Florida.

a. Write an expression that represents the number of counties in Florida.

b. Write an expression that represents the number of counties in Georgia.

c. Arizona has 15 counties. How many do Florida and Georgia have?

41. MP **PATTERNS** There are 140 people in a singing competition. The graph shows the results for the first five rounds.

a. Write an expression that represents the number of people after each round.

b. Assuming this pattern continues, how many people compete in the ninth round? Explain your reasoning.



42. MP **NUMBER SENSE** The difference between two numbers is 8. The lesser number is a. Write an expression that represents the greater number.

43. MP **NUMBER SENSE** One number is four times another. The greater number is x. Write an expression that represents the lesser number.

5.3 Properties of Addition and Multiplication

Learning Target: Identify equivalent expressions and apply properties to generate equivalent expressions.

Success Criteria:
- I can explain the meaning of equivalent expressions.
- I can use properties of addition to generate equivalent expressions.
- I can use properties of multiplication to generate equivalent expressions.

EXPLORATION 1 Identifying Equivalent Expressions

FLORIDA STANDARDS
MAFS.6.EE.1.3
MAFS.6.EE.1.4

Work with a partner.

a. Choose four values for a variable x. Then evaluate each expression for each value of x. Are any of the expressions *equivalent*? Explain your reasoning.

x				
$4 + x + 4$				

x				
$16x$				

x				
$4 \cdot (x \cdot 4)$				

x				
$x + 4 + 4$				

x				
$x + 8$				

x				
$(4 \cdot x) \cdot 4$				

b. You have used the following properties in a previous course. Use the examples to explain the meaning of each property.

Commutative Property of Addition: $3 + 5 = 5 + 3$

Commutative Property of Multiplication: $9 \cdot 3 = 3 \cdot 9$

Associative Property of Addition: $8 + (3 + 1) = (8 + 3) + 1$

Associative Property of Multiplication: $12 \cdot (6 \cdot 2) = (12 \cdot 6) \cdot 2$

Are these properties true for algebraic expressions? Explain your reasoning.

Math Practice

Use Counterexamples
Use a counterexample to show that the Commutative Property is not true for division.

5.3 Lesson

Key Vocabulary
equivalent expressions, *p. 216*

Expressions that result in the same number for any value of each variable are **equivalent expressions**. You can use the Commutative and Associative Properties to write equivalent expressions.

Key Ideas

Commutative Properties

Words Changing the order of addends or factors does not change the sum or product.

Numbers $5 + 8 = 8 + 5$
$5 \cdot 8 = 8 \cdot 5$

Algebra $a + b = b + a$
$a \cdot b = b \cdot a$

Associative Properties

Words Changing the grouping of addends or factors does not change the sum or product.

Numbers $(7 + 4) + 2 = 7 + (4 + 2)$
$(7 \cdot 4) \cdot 2 = 7 \cdot (4 \cdot 2)$

Algebra $(a + b) + c = a + (b + c)$
$(a \cdot b) \cdot c = a \cdot (b \cdot c)$

EXAMPLE 1 Using Properties to Write Equivalent Expressions

One way to check whether expressions are equivalent is to evaluate each expression for any value of the variable. In Example 1(a), use $x = 2$.

$7 + (12 + x) \stackrel{?}{=} 19 + x$
$7 + (12 + 2) \stackrel{?}{=} 19 + 2$
$21 = 21$ ✓

a. Simplify the expression $7 + (12 + x)$.

$7 + (12 + x) = (7 + 12) + x$ Associative Property of Addition
$= 19 + x$ Add 7 and 12.

b. Simplify the expression $(6.1 + x) + 8.4$.

$(6.1 + x) + 8.4 = (x + 6.1) + 8.4$ Commutative Property of Addition
$= x + (6.1 + 8.4)$ Associative Property of Addition
$= x + 14.5$ Add 6.1 and 8.4.

c. Simplify the expression $5(11y)$.

$5(11y) = (5 \cdot 11)y$ Associative Property of Multiplication
$= 55y$ Multiply 5 and 11.

Try It **Simplify the expression. Explain each step.**

1. $10 + (a + 9)$
2. $\left(c + \frac{2}{3}\right) + \frac{1}{2}$
3. $5(4n)$

Key Ideas

Addition Property of Zero

Words The sum of any number and 0 is that number.

Numbers $7 + 0 = 7$ **Algebra** $a + 0 = a$

Multiplication Properties of Zero and One

Words The product of any number and 0 is 0.

The product of any number and 1 is that number.

Numbers $9 \cdot 0 = 0$ **Algebra** $a \cdot 0 = 0$

$4 \cdot 1 = 4$ $a \cdot 1 = a$

EXAMPLE 2 Using Properties to Write Equivalent Expressions

a. Simplify the expression $9 \cdot 0 \cdot p$.

$9 \cdot 0 \cdot p = (9 \cdot 0) \cdot p$ Associative Property of Multiplication

$= 0 \cdot p$ Multiplication Property of Zero

$= 0$ Multiplication Property of Zero

b. Simplify the expression $4.5 \cdot r \cdot 1$.

$4.5 \cdot r \cdot 1 = 4.5 \cdot (r \cdot 1)$ Associative Property of Multiplication

$= 4.5 \cdot r$ Multiplication Property of One

$= 4.5r$ Rewrite.

Try It **Simplify the expression. Explain each step.**

4. $12 \cdot b \cdot 0$ **5.** $1 \cdot m \cdot 24$ **6.** $(t + 15) + 0$

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

USING PROPERTIES Simplify the expression. Explain each step.

7. $(7 + c) + 4$ **8.** $4(b \cdot 6)$ **9.** $0 \cdot b \cdot 9$

10. WRITING Explain what it means for expressions to be equivalent. Then give an example of equivalent expressions.

11. OPEN-ENDED Write an algebraic expression that can be simplified using the Associative Property of Multiplication and the Multiplication Property of One.

EXAMPLE 3 Modeling Real Life

You and six friends play on a basketball team. A sponsor paid \$100 for the league fee, x dollars for each player's T-shirt, and \$68.25 for basketballs. Write an expression that represents the total amount (in dollars) the sponsor paid. Then find the total amount paid when each T-shirt costs \$14.50.

Use a verbal model to write an expression that represents the sum of the league fee, the cost of the T-shirts, and the cost of the basketballs. Then evaluate the expression when $x = 14.5$.

League fee (dollars)	+	Number of T-shirts	·	Cost per T-shirt (dollars)	+	Cost of basketballs (dollars)
\$100		7		x		\$68.25

$$\begin{aligned} 100 + 7x + 68.25 &= 7x + 100 + 68.25 && \text{Commutative Property of Addition} \\ &= 7x + (100 + 68.25) && \text{Associative Property of Addition} \\ &= 7x + 168.25 && \text{Add 100 and 68.25.} \end{aligned}$$

Evaluate $7x + 168.25$ when $x = 14.5$.

$$7x + 168.25 = 7(14.5) + 168.25 = 101.5 + 168.25 = 269.75$$

An expression that represents the total amount (in dollars) is $7x + 168.25$. When each T-shirt costs \$14.50, the sponsor pays \$269.75.

Common Error

You **and** six friends are on the team, so use 7, not 6, to represent the number of T-shirts.

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



12. You and five friends form a team for an outdoor adventure race. Your team needs to raise money to pay for \$130 of travel fees, x dollars for each team member's entry fee, and \$85.50 for food. Use an algebraic expression to find the total amount your team needs to raise when the entry fee is \$25.50 per person.

13. You have \$50 and a \$15 gift card to spend online. You purchase a pair of headphones for \$34.99 and 8 songs for x dollars each. Use an algebraic expression to find the amount you have left when each song costs \$1.10.

5.3 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Write the phrase as an expression.

1. 10 added to a number p
2. the product of 6 and a number m
3. the quotient of a number b and 15
4. 7 fewer than a number s

Write the prime factorization of the number.

5. 36
6. 144
7. 147
8. 205

Evaluate the expression.

9. $8.092 + 3.5$
10. $16.78 - 12.237$
11. $9.17 + 1.83 + 2.641$
12. $8.43 - 6.218 + 4.2$

Represent the ratio relationship using a graph.

13.

Oil (teaspoons)	8	16	24
Flour (cups)	1	2	3

14.

Atoms	4	8	12
Protons	64	128	192

Concepts, Skills, & Problem Solving

MATCHING Match the expression with an equivalent expression.
(See Exploration 1, p. 215.)

15. $3 + 3 + y$
16. $(y \cdot y) \cdot 3$
17. $3 \cdot 1 \cdot y$
18. $(3 + 0) + (y + y)$

A. $y \cdot 3$
B. $y + 3 + 3$
C. $y(3 \cdot y)$
D. $(3 + y) + y$

IDENTIFYING PROPERTIES Tell which property the statement illustrates.

19. $5 \cdot p = p \cdot 5$
20. $2 + (12 + r) = (2 + 12) + r$
21. $4 \cdot (x \cdot 10) = (4 \cdot x) \cdot 10$
22. $x + 7.5 = 7.5 + x$
23. $(c + 2) + 0 = c + 2$
24. $a \cdot 1 = a$

25. **YOU BE THE TEACHER** Your friend states the property that the statement illustrates. Is your friend correct? Explain your reasoning.

$(7 + x) + 3 = (x + 7) + 3$

Associative Property of Addition

USING PROPERTIES Simplify the expression. Explain each step.

26. $6 + (5 + x)$
27. $(14 + y) + 3$
28. $6(2b)$
29. $7(9w)$
30. $3.2 + (x + 5.1)$
31. $(0 + a) + 8$
32. $9 \cdot c \cdot 4$
33. $(18.6 \cdot d) \cdot 1$
34. $\left(3k + 4\frac{1}{5}\right) + 8\frac{3}{5}$
35. $(2.4 + 4n) + 9$
36. $(3s) \cdot 8$
37. $z \cdot 0 \cdot 12$

38. GEOMETRY The expression $12 + x + 4$ represents the perimeter of a triangle. Simplify the expression.

39. MP PRECISION A case of scout cookies has 10 cartons. A carton has 12 boxes. The amount you earn on a whole case is $10(12x)$ dollars.

a. What does x represent?

b. Simplify the expression.

40. MODELING REAL LIFE A government estimates the cost to design new radar technology over a period of m months. The government estimates \$840,000 for equipment, \$15,000 for software, and \$40,000 per month for wages. Use an algebraic expression to find the total cost the government estimates when the project takes 16 months to complete.

WRITING EXPRESSIONS Write the phrase as an expression. Then simplify the expression.

41. 7 plus the sum of a number x and 5

42. the product of 8 and a number y, multiplied by 9

USING PROPERTIES Copy and complete the statement using the specified property.

	Property	Statement
43.	Associative Property of Multiplication	$7(2y) =$
44.	Commutative Property of Multiplication	$13.2 \cdot (x \cdot 1) =$
45.	Associative Property of Addition	$17 + (6 + 2x) =$
46.	Addition Property of Zero	$2 + (c + 0) =$
47.	Multiplication Property of One	$1 \cdot w \cdot 16 =$

48. GEOMETRY Five identical triangles form the trapezoid shown.



a. What is the perimeter of the trapezoid?

b. How can you use some or all of the triangles to form a new trapezoid with a perimeter of $3x + 14$? Explain your reasoning.

49. DIG DEEPER! You and a friend sell hats at a fair booth. You sell 16 hats on the first shift and 21 hats on the third shift. Your friend sells x hats on the second shift.

a. The expression $37(14) + 10x$ represents the amount (in dollars) that you both earn. How can you tell that your friend is selling the hats for a lower price?

b. You earn more money than your friend. What can you say about the value of x?

5.4 The Distributive Property

Learning Target: Apply the Distributive Property to generate equivalent expressions.

Success Criteria:
- I can explain how to apply the Distributive Property.
- I can use the Distributive Property to simplify algebraic expressions.
- I can use the Distributive Property to combine like terms.

EXPLORATION 1 Using Models to Simplify Expressions

FLORIDA STANDARDS
MAFS.6.EE.1.2b
MAFS.6.EE.1.3
MAFS.6.EE.1.4

Work with a partner.

a. Use the models to simplify the expressions. Explain your reasoning.



$3(x + 4) =$ ☐



$8(6 + y) =$ ☐



$5n + 4n =$ ☐

$5n - 4n =$ ☐

b. In part (a), check that the original expressions are equivalent to the simplified expressions.

c. You used the Distributive Property in a previous course. Use the example to explain the meaning of the property.

Distributive Property: $6(20 + 3) = 6(20) + 6(3)$

Is this property true for algebraic expressions? Explain your reasoning.

Math Practice

Find Entry Points
How can the Distributive Property be used to find the product of 9 and 32?

5.4 Lesson

Key Vocabulary
like terms, *p. 223*

Key Idea

Distributive Property

Words To multiply a sum or difference by a number, multiply each term in the sum or difference by the number outside the parentheses. Then simplify.

Numbers $3(7 + 2) = 3 \times 7 + 3 \times 2$ **Algebra** $a(b + c) = ab + ac$

$3(7 - 2) = 3 \times 7 - 3 \times 2$ $a(b - c) = ab - ac$

EXAMPLE 1 Simplifying Algebraic Expressions

Use the Distributive Property to simplify each expression.

a. $4(n + 5)$

$4(n + 5) = 4(n) + 4(5)$ Distributive Property

$= 4n + 20$ Multiply.

b. $12(2y - 3)$

$12(2y - 3) = 12(2y) - 12(3)$ Distributive Property

$= 24y - 36$ Multiply.

c. $\frac{1}{2}(6y - 2z)$

$\frac{1}{2}(6y - 2z) = \frac{1}{2}(6y) - \frac{1}{2}(2z)$ Distributive Property

$= 3y - z$ Multiply.

d. $9(6 + x + 2)$

$9(6 + x + 2) = 9(6) + 9(x) + 9(2)$ Distributive Property

$= 54 + 9x + 18$ Multiply.

$= 9x + 54 + 18$ Commutative Property of Addition

$= 9x + (54 + 18)$ Associative Property of Addition

$= 9x + 72$ Add 54 and 18.

You can use the Distributive Property when there are more than two terms in the sum or difference.

Try It **Use the Distributive Property to simplify the expression.**

1. $7(a + 2)$
2. $3(d - 11)$
3. $12\left(a + \frac{2}{3}b\right)$
4. $7(2 + 6 - 4d)$

In an algebraic expression, **like terms** are terms that have the same variables raised to the same exponents. Constant terms are also like terms.



You can use the Distributive Property to *combine* like terms.

EXAMPLE 2 Combining Like Terms

Simplify each expression.

When you combine like terms, you are using the Distributive Property. You are applying the rules

$ab + ac = a(b + c)$

and

$ab - ac = a(b - c)$.

a. $3x + 9 + 2x - 5$

$3x + 9 + 2x - 5 = 3x + 2x + 9 - 5$ Commutative Property of Addition

$= (3 + 2)x + 9 - 5$ Distributive Property

$= 5x + 4$ Simplify.

b. $y + y + y$

$y + y + y = 1y + 1y + 1y$ Multiplication Property of One

$= (1 + 1 + 1)y$ Distributive Property

$= 3y$ Add coefficients.

c. $7z + 2(z - 5y)$

$7z + 2(z - 5y) = 7z + 2(z) - 2(5y)$ Distributive Property

$= 7z + 2z - 10y$ Multiply.

$= (7 + 2)z - 10y$ Distributive Property

$= 9z - 10y$ Add coefficients.

Try It **Simplify the expression.**

5. $8 + 3z - z$

6. $3(b + 5) + b + 2$

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

7. WRITING One meaning of the word *distribute* is *to give something to each member of a group*. How can this help you remember the Distributive Property?

SIMPLIFYING EXPRESSIONS **Use the Distributive Property to simplify the expression.**

8. $3(x + 10)$

9. $15(4n - 2)$

10. $2w + 4 + 13w + 1$

EXAMPLE 3 Modeling Real Life

José is x years old. His brother, Felipe, is 2 years older than José. Their aunt, Maria, is three times as old as Felipe. Write and simplify an expression that represents Maria's age in years.

Use a table to organize the given information and write an expression that represents each person's age in years.

Name	Description	Expression
José	He is x years old.	x
Felipe	He is 2 years *older* than José. So, *add* 2 to x.	$x + 2$
Maria	She is three *times* as old as Felipe. So, *multiply* 3 and $(x + 2)$.	$3(x + 2)$

Look Back
If José is 10 years old, then Felipe is $10 + 2 = 12$ years old and Maria is $3(12) = 36$ years old. So, you should obtain 36 when you evaluate $3x + 6$ for $x = 10$.

$3x + 6 = 3(10) + 6$
$= 36$ ✓

Simplify the expression that represents Maria's age.

$3(x + 2) = 3(x) + 3(2)$ Distributive Property
$= 3x + 6$ Multiply.

▶ Maria's age in years is represented by the expression $3x + 6$.

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

11. You purchase a remote-controlled drone for d dollars. Your friend purchases a drone that costs \$35 more than your drone. Your brother purchases a drone that costs three times as much as your friend's drone. Write and simplify an expression that represents the cost (in dollars) of your brother's drone.

12. Write and simplify an expression that represents the total cost (in dollars) of buying the items shown for each member of a baseball team.

13. DIG DEEPER! One molecule of caffeine contains x oxygen atoms, twice as many nitrogen atoms as oxygen atoms, 4 more carbon atoms than nitrogen atoms, and 1.25 times as many hydrogen atoms as carbon atoms. Write and simplify an expression that represents the number of hydrogen atoms in one molecule of caffeine.

5.4 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Simplify the expression. Explain each step.

1. $(s + 4) + 8$ **2.** $(12 + x) + 2$ **3.** $3(4n)$

You are given the difference of the numbers of boys and girls in a class and the ratio of boys to girls. How many boys and how many girls are in the class?

4. 3 more boys; 5 for every 4

5. 8 more girls; 3 for every 5

6. 4 more girls; 9 for every 13

7. 6 more boys; 7 for every 4

Divide.

8. $301 \div 7$ **9.** $1722 \div 14$ **10.** $629 \div 12$ **11.** $8068 \div 31$

Concepts, Skills, & Problem Solving

USING MODELS **Use the model to simplify the expression. Explain your reasoning.** (See Exploration 1, p. 221.)

12. $5(z + 6) =$ ____



13. $4s + 2s =$ ____



SIMPLIFYING EXPRESSIONS **Use the Distributive Property to simplify the expression.**

14. $3(x + 4)$ **15.** $10(b - 6)$ **16.** $6(s - 9)$ **17.** $7(8 + y)$

18. $8(12 + a)$ **19.** $9(2n + 1)$ **20.** $12(6 - k)$ **21.** $18(5 - 3w)$

22. $9(3 + c + 4)$ **23.** $\frac{1}{4}(8 + x + 4)$ **24.** $8(5g + 5 - 2)$ **25.** $6(10 + z + 3)$

26. $4(x + y)$ **27.** $25(x - y)$ **28.** $7(p + q + 9)$ **29.** $\frac{1}{2}(2n + 4 + 6m)$

MATCHING **Match the expression with an equivalent expression.**

30. $6(n + 4)$ **31.** $2(3n + 9)$ **32.** $6(n + 2)$ **33.** $3(2n + 3)$

A. $3(2n + 6)$ **B.** $6n + 9$ **C.** $3(2n + 8)$ **D.** $6n + 12$

34. MP **STRUCTURE** Each day, you run on a treadmill for r minutes and lift weights for 15 minutes. Which expressions can you use to find how many minutes of exercise you do in 5 days? Explain your reasoning.

$5(r + 15)$ $5r + 5 \cdot 15$ $5r + 15$ $r(5 + 15)$

35. MODELING REAL LIFE A cheetah can run 103 feet per second. A zebra can run x feet per second. Write and simplify an expression that represents how many feet farther the cheetah can run in 10 seconds.

COMBINING LIKE TERMS **Simplify the expression.**

36. $6(x + 4) + 1$

37. $5 + 8(3 + x)$

38. $x + 3 + 5x$

39. $7y + 6 - 1 + 12y$

40. $4d + 9 - d - 8$

41. $n + 3(n - 1)$

42. $2v + 8v - 5v$

43. $5(z + 4) + 5(2 - z)$

44. $2.7(w - 5.2)$

45. $\frac{2}{3}y + \frac{1}{6}y + y$

46. $\frac{3}{4}\left(z + \frac{2}{5}\right) + 2z$

47. $7(x + y) - 7x$

48. $4x + 9y + 3(x + y)$

49. YOU BE THE TEACHER Your friend simplifies the expression. Is your friend correct? Explain your reasoning.

$$8x - 2x + 5x = 8x - 7x$$
$$= (8 - 7)x$$
$$= x$$

50. MP REASONING Evaluate each expression by (1) using the Distributive Property and (2) evaluating inside the parentheses first. Which method do you prefer? Is your preference the same for both expressions? Explain your reasoning.

a. $2(3.22 - 0.12)$ **b.** $12\left(\frac{1}{2} + \frac{2}{3}\right)$

51. DIG DEEPER! An art club sells 42 large candles and 56 small candles.

a. Write and simplify an expression that represents the profit.

b. A large candle costs \$5, and a small candle costs \$3. What is the club's profit?

Profit = Price − Cost

52. MP REASONING Find the difference between the perimeters of the rectangle and the hexagon. Interpret your answer.





53. PUZZLE Add one set of parentheses to the expression $7 \cdot x + 3 + 8 \cdot x + 3 \cdot x + 8 - 9$ so that it is equivalent to $2(9x + 10)$.

5.5 Factoring Expressions

Learning Target: Factor numerical and algebraic expressions.

Success Criteria:
- I can use the Distributive Property to factor numerical expressions.
- I can identify the greatest common factor of terms including variables.
- I can use the Distributive Property to factor algebraic expressions.
- I can interpret factored expressions in real-life problems.

EXPLORATION 1 Finding Dimensions

FLORIDA STANDARDS
MAFS.6.NS.2.4
MAFS.6.EE.1.2b
MAFS.6.EE.1.3
MAFS.6.EE.1.4

Work with a partner.

a. The models show the area (in square units) of each part of a rectangle. Use the models to find missing values that complete the expressions. Explain your reasoning.

$8 + 24 = \square(\square + \square)$



$80 + 56 = \square(\square + \square)$



$3x + 18 = \square(\square + \square)$

Math Practice

Evaluate Results
Do your answers in the first two models seem reasonable? How can you check your answers?

b. In part (a), check that the original expressions are equivalent to the expressions you wrote. Explain your reasoning.

c. Explain how you can use the Distributive Property to rewrite a sum of two whole numbers with a common factor.

5.5 Lesson

Key Vocabulary
factoring an expression, *p. 228*

Key Idea

Factoring an Expression

Words Writing a numerical expression or algebraic expression as a product of factors is called **factoring the expression**. You can use the Distributive Property to factor expressions.

Numbers $3 \cdot 7 + 3 \cdot 2 = 3(7 + 2)$
$3 \cdot 7 - 3 \cdot 2 = 3(7 - 2)$

Algebra $ab + ac = a(b + c)$
$ab - ac = a(b - c)$

EXAMPLE 1 Factoring Numerical Expressions

When you factor an expression, you can *factor out* any common factor.

a. Factor 18 + 30 using the GCF.

One way to find the GCF of 18 and 30 is to list their factors.

Factors of 18: (1), (2), (3), (6), 9, 18
Factors of 30: (1), (2), (3), 5, (6), 10, 15, 30

Circle the common factors.

The GCF of 18 and 30 is 6.

Write each term of the expression as a product of the GCF and the remaining factor. Then use the Distributive Property to factor the expression.

$18 + 30 = 6(3) + 6(5)$ Rewrite using GCF.
$= 6(3 + 5)$ Distributive Property

b. Factor 20 − 12 using the GCF.

One way to find the GCF of 20 and 12 is to list their factors.

Factors of 20: (1), (2), (4), 5, 10, 20
Factors of 12: (1), (2), 3, (4), 6, 12

Circle the common factors.

The GCF of 20 and 12 is 4.

Write each term of the expression as a product of the GCF and the remaining factor. Then use the Distributive Property to factor the expression.

$20 - 12 = 4(5) - 4(3)$ Rewrite using GCF.
$= 4(5 - 3)$ Distributive Property

Try It **Factor the expression using the GCF.**

1. $9 + 15$ **2.** $60 + 45$ **3.** $30 - 20$

EXAMPLE 2 Factoring Algebraic Expressions

a. Factor $3x + 42$ using the GCF.

You can find the GCF of $3x$ and 42 by writing their prime factorizations.

$3x = 3 \cdot x$

$42 = 2 \cdot 3 \cdot 7$

Circle the common prime factor.

The GCF of $3x$ and 42 is 3. Use the GCF to factor the expression.

$3x + 42 = 3(x) + 3(14)$ Rewrite using GCF.

$= 3(x + 14)$ Distributive Property

b. Factor $63z - 27y$ using the GCF.

You can find the GCF of $63z$ and $27y$ by writing their prime factorizations.

$63z = 3 \cdot 3 \cdot 7 \cdot z$

$27y = 3 \cdot 3 \cdot 3 \cdot y$

Circle the common prime factors.

The GCF of $63z$ and $27y$ is $3 \cdot 3 = 9$. Use the GCF to factor the expression.

$63z - 27y = 9(7z) - 9(3y)$ Rewrite using GCF.

$= 9(7z - 3y)$ Distributive Property

Try It **Factor the expression using the GCF.**

4. $7x + 49$ **5.** $8y - 44$ **6.** $25a + 10b$

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

FACTORING EXPRESSIONS **Factor the expression using the GCF.**

7. $16 + 24$ **8.** $49 - 28$ **9.** $8y + 14$

10. WHICH ONE DOESN'T BELONG? Which expression does *not* belong with the other three? Explain your reasoning.

$3(8n + 12)$ $4(6n + 9)$ $6(4n + 3)$ $12(2n + 3)$

11. MP REASONING Use what you know about factoring to explain how you can factor the expression $18x + 30y + 9z$. Then factor the expression.

12. CRITICAL THINKING Identify the GCF of the terms $(x \cdot x)$ and $(4 \cdot x)$. Explain your reasoning. Then use the GCF to factor the expression $x^2 + 4x$.

EXAMPLE 3 Modeling Real Life

You receive a discount on each book you buy for your electronic reader. The original price of each book is x dollars. You buy 5 books for a total of $(5x - 15)$ dollars. Factor the expression. What can you conclude about the discount?

To factor $5x - 15$, you can find the GCF of $5x$ and 15 by writing their prime factorizations.

$5x = 5 \cdot x$

$15 = 5 \cdot 3$ Circle the common prime factor.

So, the GCF of $5x$ and 15 is 5. Use the GCF to factor the expression.

$5x - 15 = 5(x) - 5(3)$ Rewrite using GCF.

$= 5(x - 3)$ Distributive Property

The factor 5 represents the number of books purchased. The factor $(x - 3)$ represents the discounted price of each book. This factor is a difference of two terms, showing that the original price, $\$x$, of each book is decreased by \$3.

So, the factored expression shows a \$3 discount for every book you buy. The original expression shows a total savings of \$15.

Check Suppose that the original price of each book is \$6. Verify that each expression has the same value when $x = 6$.

$5x - 15 = 5(6) - 15 = 15$

$5(x - 3) = 5(6 - 3) = 15$ ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

13. A youth club receives a discount on each pizza purchased for a party. The original price of each pizza is x dollars. The club leader purchases 8 pizzas for a total of $(8x - 32)$ dollars. Factor the expression. What can you conclude about the discount?

14. Three crates of food are packed on a shuttle departing for the Moon. Each crate weighs x pounds. On the Moon, the combined weight of the crates is $(3x - 81)$ pounds. What can you conclude about the weight of each crate on the Moon?

5.5 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Use the Distributive Property to simplify the expression.

1. $2(n + 8)$ **2.** $3(4 + m)$ **3.** $7(b - 3)$ **4.** $10(4 - w)$

Write the phrase as an expression.

5. 5 plus a number p

6. 18 less than a number r

7. 11 times a number d

8. a number c divided by 25

Decide whether the rates are equivalent.

9. 84 feet in 12 seconds
217 feet in 31 seconds

10. 12 cups of soda for every 54 cups of juice
8 cups of soda for every 36 cups of juice

Match the decimal with its equivalent percent.

11. 0.36 **12.** 3.6 **13.** 0.0036 **14.** 0.036

A. 0.36% **B.** 360% **C.** 36% **D.** 3.6%

Concepts, Skills, & Problem Solving

FINDING DIMENSIONS **The model shows the area (in square units) of each part of a rectangle. Use the model to find missing values that complete the expression. Explain your reasoning.** (See Exploration 1, p. 227.)

15. $12 + 16 = \square(\square + \square)$



16. $48 + 32 = \square(\square + \square)$



FACTORING NUMERICAL EXPRESSIONS **Factor the expression using the GCF.**

17. $7 + 14$ **18.** $12 + 42$ **19.** $22 + 11$ **20.** $70 + 95$

21. $60 - 36$ **22.** $100 - 80$ **23.** $84 + 28$ **24.** $48 + 80$

25. $19 + 95$ **26.** $44 - 11$ **27.** $18 - 12$ **28.** $48 + 16$

29. $98 - 70$ **30.** $58 + 28$ **31.** $72 - 39$ **32.** $69 + 84$

33. MP **REASONING** The whole numbers a and b are divisible by c, where b is greater than a. Is $a + b$ divisible by c? Is $b - a$ divisible by c? Explain your reasoning.

34. **MULTIPLE CHOICE** Which expression is *not* equivalent to $81x + 54$?

A. $27(3x + 2)$ **B.** $3(27x + 18)$ **C.** $9(9x + 6)$ **D.** $6(13x + 9)$

FACTORING ALGEBRAIC EXPRESSIONS **Factor the expression using the GCF.**

35. $2x + 10$ **36.** $15x + 6$ **37.** $26x - 13$ **38.** $50x - 60$

39. $36x + 9$ **40.** $14x - 98$ **41.** $18p + 26$ **42.** $16m + 40$

43. $24 + 72n$ **44.** $50 + 65h$ **45.** $76d - 24$ **46.** $27 - 45c$

47. $18t + 38x$ **48.** $90y + 65z$ **49.** $10x - 25y$ **50.** $24y + 88x$

51. OPEN-ENDED Use the Distributive Property to write two expressions that are equivalent to $8x + 16$.

MATCHING **Match the expression with an equivalent expression.**

52. $8x + 16y$ **53.** $4x + 8y$ **54.** $16x + 8y$ **55.** $8x + 4y$

A. $4(2x + y)$ **B.** $2(4y + 2x)$ **C.** $4(2x + 4y)$ **D.** $8(y + 2x)$

56. YOU BE THE TEACHER Your friend factors the expression $24x + 56$. Is your friend correct? Explain your reasoning.

$$24x + 56 = 8(3x) + 8(7)$$
$$= (8 + 8) \cdot (3x + 7)$$
$$= 16(3x + 7)$$

57. MODELING REAL LIFE You sell soup mixes for a fundraiser. For each soup mix you sell, the company that makes the soup receives x dollars, and you receive the remaining amount. You sell 16 soup mixes for a total of $(16x + 96)$ dollars. How much money do you receive for each soup mix that you sell?

58. MP PROBLEM SOLVING A clothing store is having a sale on holiday socks. Each pair of socks costs x dollars. You leave the store with 6 pairs of socks and spend a total of $(6x - 14)$ dollars. You pay with \$40. How much change do you receive? Explain your reasoning.

59. MP STRUCTURE You buy 37 concert tickets for \$8 each, and then sell all 37 tickets for \$11 each. The work below shows two ways you can determine your profit. Describe each solution method. Which do you prefer? Explain your reasoning.

$$\text{Profit} = 37(11) - 37(8)$$
$$= 407 - 296$$
$$= \$111$$

$$\text{Profit} = 37(11) - 37(8)$$
$$= 37(11 - 8)$$
$$= 37(3)$$
$$= \$111$$

60. MP NUMBER SENSE The prime factorizations of two numbers are shown, where a and b represent prime numbers. Write the sum of the two numbers as an expression of the form $14(\square + \square)$. Explain your reasoning.

Number 1: $2 \cdot 11 \cdot 5 \cdot a$ **Number 2:** $7 \cdot b \cdot 3 \cdot 3$

Using the Problem-Solving Plan

1. A store sells 18 pairs of the wireless earbuds shown. Customers saved a total of $882 on the earbuds. Find the original price of the earbuds.

Understand the problem.

You know the percent discount on a pair of wireless earbuds, the number of pairs of earbuds sold, and the total amount of money that customers saved. You are asked to find the original price of the earbuds.

Make a plan.

First, write an expression that represents the total amount of money that customers pay for the earbuds. Then factor the expression to find the discount (in dollars) on each pair of earbuds. Finally, solve a percent problem to find the original price.

Solve and check.

Use the plan to solve the problem. Then check your solution.

2. All of the weight plates in a gym are labeled in kilograms. You want to convert the weights to pounds. Write an expression to find the number of pounds in z kilograms. Then find the weight in pounds of a plate that weighs 20.4 kilograms.

3. You buy apple chips and banana chips in the ratio of 2 : 7.

a. How many ounces of banana chips do you buy when you buy n ounces of apple chips? Explain.

b. You buy 12 ounces of apple chips. How many ounces of banana chips do you buy?

Performance Task

Describing Change

At the beginning of this chapter, you watched a STEAM video called "Shadow Drawings." You are now ready to complete the performance task related to this video, available at ***BigIdeasMath.com***. Be sure to use the problem-solving plan as you work through the performance task.

5 Chapter Review

Go to *BigIdeasMath.com* to download blank graphic organizers.

Review Vocabulary

Write the definition and give an example of each vocabulary term.

algebraic expression, *p. 202*
variable, *p. 202*
term, *p. 202*
coefficient, *p. 202*
constant, *p. 202*
equivalent expressions, *p. 216*
like terms, *p. 223*
factoring an expression, *p. 228*

Graphic Organizers

You can use an **Example and Non-Example Chart** to list examples and non-examples of a concept. Here is an Example and Non-Example Chart for the ***Commutative Property of Addition***.

Commutative Property of Addition

Examples	Non-Examples
$a + b = b + a$	$a \cdot b = b \cdot a$
$2.1 + 9 = 9 + 2.1$	$(7 + 4) + 2 = 7 + (4 + 2)$
$17 + 34 = 34 + 17$	$b \cdot 0 = 0$
$(6 + x) + 8 = (x + 6) + 8$	$46 \cdot 1 = 46$
$(3 + y) + 1 = 1 + (3 + y)$	$2(12 + x) = 2(12) + 2(x)$

Choose and complete a graphic organizer to help you study the concept.

1. algebraic expressions
2. variable
3. Commutative Property of Multiplication
4. Associative Property of Addition
5. Associative Property of Multiplication
6. Addition Property of Zero
7. Multiplication Property of Zero
8. Multiplication Property of One
9. Distributive Property

"I finished my Example and Non-Example Chart about things we need on the moon."

Chapter Self-Assessment

As you complete the exercises, use the scale below to rate your understanding of the success criteria in your journal.

1	2	3	4
I do not understand.	I can do it with help.	I can do it on my own.	I can teach someone else.

5.1 Algebraic Expressions *(pp. 201–208)*

Learning Target: Evaluate algebraic expressions given values of their variables.

Identify the terms, coefficients, and constants in the expression.

1. $9x + 2 + 8y$

2. $3x^2 + x + 7$

3. $1 + \frac{q}{4} + 7q$

Evaluate the expression when $x = 20$, $y = 4$, and $z = 7$.

4. $x \div 5$

5. $12 - z$

6. $4y$

7. $y + x$

8. $x \cdot z$

9. $x - y$

10. $3z + 8$

11. $8y - x$

12. $\frac{x^2}{y}$

13. The amount earned (in dollars) for recycling p pounds of copper is $2p$. How much do you earn for recycling 28 pounds of copper?

14. While playing a video game, you score p game points and b triple bonus points. An expression for your score is $p + 3b$. What is your score when you earn 245 game points and 20 triple bonus points?

15. Tickets for a baseball game cost a dollars for adults and c dollars for children. The expression $2a + 3c$ represents the cost (in dollars) for a family to go to the game. What is the cost for the family when an adult ticket is \$17 and a child ticket is \$12?

16. Add one set of parentheses to the expression $2x^2 + 4 - 5$ so that the value of the expression is 75 when $x = 6$.

5.2 Writing Expressions *(pp. 209–214)*

Learning Target: Write algebraic expressions and solve problems involving algebraic expressions.

Write the phrase as an expression.

17. 9 fewer than 23

18. 6 more than the quotient of 15 and 3

19. the product of a number d and 32

20. a number t decreased by 17

21. Your basketball team scored 4 fewer than twice as many points as the other team.

a. Write an expression that represents the number of points your team scored.

b. The other team scored 24 points. How many points did your team score?

22. The boiling temperature (in degrees Celsius) of platinum is 199 more than four times the boiling temperature (in degrees Celsius) of zinc.

a. Write an expression that represents the boiling temperature (in degrees Celsius) of platinum.

b. The boiling temperature of zinc is 907 degrees Celsius. What is the boiling temperature of platinum?

23. Write an algebraic expression with two variables, x and y, that has a value of 50 when $x = 3$ and $y = 5$.

5.3 Properties of Addition and Multiplication *(pp. 215–220)*

Learning Target: Identify equivalent expressions and apply properties to generate equivalent expressions.

Simplify the expression. Explain each step.

24. $10 + (2 + y)$

25. $(21 + b) + 1$

26. $3(7x)$

27. $1(3.2w)$

28. $5.3 + (w + 1.2)$

29. $(0 + t) + 9$

30. The expression $7 + 3x + 4$ represents the perimeter of the triangle. Simplify the expression.



31. Write an algebraic expression that can be simplified using the Associative Property of Addition.

5.4 The Distributive Property *(pp. 221–226)*

Learning Target: Apply the Distributive Property to generate equivalent expressions.

Use the Distributive Property to simplify the expression.

32. $2(x + 12)$ **33.** $11(4b - 3)$ **34.** $8(s - 1)$ **35.** $6(6 + y)$

Simplify the expression.

36. $5(n + 3) + 4n$ **37.** $t + 2 + 6t$ **38.** $3z + 14 + 5z - 9$

39. A family of three goes to a salon. Each person gets a haircut and highlights. The cost of each haircut is \$15, and the cost per person for highlights is x dollars. Write and simplify an expression that represents the total cost (in dollars) for the family at the salon.

40. Each day, you take vocal lessons for v minutes and trumpet lessons for 30 minutes. Write and simplify an expression to find how many minutes of lessons you take in 4 days.

5.5 Factoring Expressions *(pp. 227–232)*

Learning Target: Factor numerical and algebraic expressions.

Factor the expression using the GCF.

41. $42 - 12$ **42.** $15 + 35$ **43.** $36x - 28$

44. $24 + 64x$ **45.** $60 - 150x$ **46.** $16x + 56y$

47. A soccer team receives a discount on each jersey purchased. The original price of each jersey is x dollars. The team buys 18 jerseys for a total of $(18x - 36)$ dollars. What can you conclude about the discount?

48. You sell apple cider for a fundraiser. For each gallon of cider you sell, the company that makes the cider receives x dollars, and you receive the remaining amount. You sell 15 gallons of cider for $(15x + 45)$ dollars. How much money do you receive for each gallon of cider that you sell?

5 Practice Test

1. Identify the terms, coefficients, and constants of $\frac{q}{3} + 6 + 9q$.

2. Evaluate $4b - a$ when $a = 12$ and $b = 7$.

Write the phrase as an expression.

3. 25 more than 50

4. 6 less than the quotient of 32 and a number y

Simplify the expression. Explain each step.

5. $3.1 + (8.6 + m)$

6. $\left(\frac{2}{3} \cdot t\right) \cdot 1\frac{1}{2}$

7. $4(x + 8)$

8. $4t + 7 + 2t - 2$

Factor the expression using the GCF.

9. $18 + 24$

10. $15x + 20$

11. $32x - 40y$

12. Playing time is added at the end of a soccer game to make up for stoppages. An expression for the length (in minutes) of a 90-minute soccer game with x minutes of stoppage time is $90 + x$. How long is a game with 4 minutes of stoppage time?



13. The expression $15 \cdot x \cdot 6$ represents the volume of a rectangular prism with a length of 15, a width of x, and a height of 6. Simplify the expression.

14. The Coiling Dragon Cliff Skywalk in China is 128 feet longer than the length x (in feet) of the Tianmen Skywalk in China. The world's longest glass-bottom bridge, located in China's Zhangjiajie National Park, is about 4.3 times longer than the Coiling Dragon Cliff Skywalk. Write and simplify an expression that represents the length (in feet) of the world's longest glass-bottom bridge.

15. A youth group is making and selling sandwiches to raise money. The cost to make each sandwich is h dollars. The group sells 150 sandwiches for a total of $(150h + 450)$ dollars. How much profit does the group earn for each sandwich sold?

16. You make party favors for an event. You tie 9 inches of ribbon around each party favor. Write an expression for the number of inches of ribbon needed for n party favors. The ribbon costs \$3 for each *yard*. Write an expression for the total cost (in dollars) of the ribbon.

5 Cumulative Practice

1. The student council is organizing a school fair. Council members are making signs to show the prices for admission and for each game a person can play.

SCHOOL FAIR	
Admission	$2.00
Price per game	$0.25

Let x represent the number of games. Which expression can you use to determine the total amount (in dollars) a person pays for admission and playing x games?

A. 2.25 **B.** $2.25x$

C. $2 + 0.25x$ **D.** $2x + 0.25$

Test-Taking Strategy

After Answering Easy Questions, Relax

"After answering easy questions, relax and try the harder ones. For this, 3(4) = 12. So, it is B."

2. Which ratio relationship is represented in the graph?



F. 2 cups of flour for every $\frac{1}{2}$ cup of sugar

G. 6 cups of flour for every 3 cups of sugar

H. 1 cup of flour for every 4 cups of sugar

I. $\frac{1}{2}$ cup of flour for every 1 cup of sugar

3. At a used bookstore, you can purchase two types of books.

You can use the expression $3h + 2p$ to find the total cost (in dollars) for h hardcover books and p paperback books. What is the total cost (in dollars) for 6 hardcover books and 4 paperback books?

4. Your friend divided two decimal numbers. Her work is shown in the box below. What should your friend change in order to divide the two decimal numbers correctly?

$$0.07\overline{)14.56} \rightarrow 7\overline{)14.56}$$
$$\quad\quad\quad\quad\quad\quad 2.08$$

A. Rewrite the problem as $0.07\overline{)0.1456}$.

B. Rewrite the problem as $0.07\overline{)1456}$.

C. Rewrite the problem as $7\overline{)0.1456}$.

D. Rewrite the problem as $7\overline{)1456}$.

5. What is the value of $4.391 + 5.954$?

F. 9.12145

G. 9.245

H. 9.345

I. 10.345

6. The circle graph shows the eye color of students in a sixth-grade class. Nine students in the class have brown eyes. How many students are in the class?

A. 4 students

B. 18 students

C. 20 students

D. 405 students



7. Properties of Addition and Multiplication are used to simplify an expression.

$$\begin{aligned} 36 \cdot 23 + 33 \cdot 64 &= 36 \cdot 23 + 64 \cdot 33 \\ &= 36 \cdot 23 + 64 \cdot (23 + 10) \\ &= 36 \cdot 23 + 64 \cdot 23 + 64 \cdot 10 \\ &= x \cdot 23 + 64 \cdot 10 \end{aligned}$$

What number belongs in place of the x?

8. What is the prime factorization of 1350?

F. $10 \cdot 135$

G. $2 \cdot 3 \cdot 5$

H. $6 \cdot 225$

I. $2 \cdot 3^3 \cdot 5^2$

9. A horse gallops at a speed of 44 feet per second. What is the speed of the horse in miles per hour?

A. $\frac{1}{2}$ mile per hour

B. 30 miles per hour

C. $64\frac{8}{15}$ miles per hour

D. 158,400 miles per hour

10. Which equation correctly demonstrates the Distributive Property?

F. $a(b + c) = ab + c$

G. $a(b + c) = ab + ac$

H. $a + (b + c) = (a + b) + (a + c)$

I. $a + (b + c) = (a + b) \cdot (a + c)$

11. Which number is equivalent to $2\frac{4}{5} \cdot 1\frac{2}{7}$?

A. $2\frac{8}{45}$

B. $2\frac{8}{35}$

C. $3\frac{3}{5}$

D. $4\frac{3}{35}$

12. Which pair of numbers does *not* have a least common multiple of 24?

F. 2, 12

G. 3, 8

H. 6, 8

I. 12, 24

13. Use the Properties of Multiplication to simplify the expression in an efficient way. Show your work and explain how you used the Properties of Multiplication.

Think
Solve
Explain

$$(25 \times 18) \times 4$$

14. Which number is *not* a perfect square?

A. 64

B. 81

C. 96

D. 100

6 Equations

6.1 Writing Equations in One Variable

6.2 Solving Equations Using Addition or Subtraction

6.3 Solving Equations Using Multiplication or Division

6.4 Writing Equations in Two Variables

Chapter Learning Target:
Understand equations.

Chapter Success Criteria:

- I can identify key words and phrases.
- I can write word sentences as equations.
- I can solve equations using properties of equality.
- I can model different types of equations to solve real-life problems.

STEAM Video

Rock Climbing

Equations can be used to solve many different kinds of problems in real life, such as estimating the amount of time it will take to climb a rock wall. Can you think of any other real-life situations where equations are useful?

In rock climbing, a *pitch* is a section of a climbing route between two anchor points. Watch the STEAM Video "Rock Climbing." Then answer the following questions.

1. How can you use pitches to estimate the amount of time it will take to climb a rock wall?
2. Are there any other methods you could use to estimate the amount of time it will take to climb a rock wall? Explain.
3. You know two of the three pieces of information below. Explain how you can find the missing piece of information.

   Average climbing speed

   Height of rock wall

   Time to complete climb

Performance Task



Planning the Climb

After completing this chapter, you will be able to use the concepts you learned to answer the questions in the *STEAM Video Performance Task*. You will be given information about two rock-climbing routes.

Route 1: 500 feet, 125 feet per pitch

Route 2: 1200 feet, 8 pitches

You will find the average speed of the climbers on Route 1 and the amount of time it takes to complete Route 2. Will the average speed of the climbers on Route 1 provide accurate predictions for the amount of time it takes to climb other routes? Explain why or why not.

Getting Ready for Chapter 6

Chapter Exploration

Work with a partner. Every equation that has an unknown variable can be written as a question. Write a question that represents the equation. Then answer the question.

	Equation	Question	Answer to Question
1.	$x + 3 = 7$		
2.	$5 - x = 2$		
3.	$3x = 12$		
4.	$x \div 5 = 3$		
5.	$20 \div x = 4$		

Work with a partner. Write an equation that represents the question. Then answer the question.

	Question	Equation	Answer to Question
6.	What number can be added to 7 to get 12?		
7.	What number can be subtracted from 11 to get 3?		
8.	What number can be multiplied by 10 to get 30?		
9.	What number can be divided by 7 to get 3?		
10.	**MODELING REAL LIFE** Your friend says that he will be 21 years old in 7 years. How old is he now?		

Vocabulary

The following vocabulary terms are defined in this chapter. Think about what each term might mean and record your thoughts.

equation
inverse operations
equation in two variables
independent variable
dependent variable

6.1 Writing Equations in One Variable

Learning Target: Write equations in one variable and write equations that represent real-life problems.

Success Criteria:
- I can identify key words and phrases that indicate equality.
- I can write word sentences as equations.
- I can create equations to represent real-life problems.

EXPLORATION 1

Writing Equations

FLORIDA STANDARDS
MAFS.6.EE.2.5
MAFS.6.EE.2.6
MAFS.6.EE.2.7

Work with a partner. Customers order sandwiches at a café from the menu board shown.

a. The equation $6.75x = 20.25$ represents the purchase of one customer from the menu board. What does the equation tell you about the purchase? What cannot be determined from the equation?

b. The four customers in the table buy multiple sandwiches of the same type. For each customer, write an equation that represents the situation. Then determine how many sandwiches each customer buys. Explain your reasoning.

Math Practice

Analyze Givens
What information do you need to solve the problem?

	Sandwich	Amount Used for Payment	Change Received
Customer A	Reuben	$20	$0.65
Customer B	Chicken salad	$10	$0.10
Customer C	BLT	$30	$9.00
Customer D	Egg salad	$50	$26.75

6.1 Lesson

Key Vocabulary
equation, *p. 246*

An **equation** is a mathematical sentence that uses an equal sign, $=$, to show that two expressions are equal.

Expressions	*Equations*
$4 + 8$	$4 + 8 = 12$
$x + 8$	$x + 8 = 12$

To write a word sentence as an equation, look for key words or phrases such as *is*, *the same as*, or *equals* to determine where to place the equal sign.

EXAMPLE 1 Writing Equations

Write each word sentence as an equation.

a. The sum of a number n and 7 is 15.

The sum of a number n and 7 is 15.

$n + 7 = 15$ *Sum of* means *addition*.

An equation is $n + 7 = 15$.

b. A number y decreased by 4 is 3.

A number y decreased by 4 is 3.

$y - 4 = 3$ *Decreased by* means *subtraction*.

An equation is $y - 4 = 3$.

c. 48 equals 12 times a number p.

48 equals 12 times a number p.

$48 = 12p$ *Times* means *multiplication*.

An equation is $48 = 12p$.

Try It **Write the word sentence as an equation.**

1. 9 less than a number b equals 2.
2. The product of a number g and 5 is 30.
3. A number k increased by 10 is the same as 24.
4. The quotient of a number q and 4 is 12.
5. $2\frac{1}{2}$ is the same as the sum of a number w and $\frac{1}{2}$.

Multi-Language Glossary at *BigIdeasMath.com*

EXAMPLE 2 Writing an Equation

Ten servers decorate 25 tables for a wedding. Each table is decorated as shown. Let c be the total number of yellow and purple candles. Which equation can you use to find c?

A. $c = 25 + (4 \times 6)$ **B.** $c = 25(4 + 6)$

C. $c = 10(25 + 4 + 6)$ **D.** $c = 10(4 + 6)$

Use a verbal model to write an equation.

Verbal Model

Total number of candles	=	Number of tables	•	Number of candles on each table

Variable Let c be the total number of candles.

Equation $c = 25 \cdot (4 + 6)$

The correct answer is **B**.

Try It

6. **WHAT IF?** Each server decorates one table. Which equation can you use to find c?

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

7. **VOCABULARY** How are expressions and equations different?

8. **DIFFERENT WORDS, SAME QUESTION** Which is different? Write "both" equations.

   4 less than a number n is 8.

   A number n is 4 less than 8.

   A number n minus 4 equals 8.

   4 subtracted from a number n is 8.

9. **OPEN-ENDED** Write a word sentence for the equation $28 - n = 5$.

10. **WRITING** You purchase x items for \$4 each. Explain how the variable in the expression $4x$ and the variable in the equation $4x = 20$ are similar. Explain how they are different.

EXAMPLE 3 Modeling Real Life

After two rounds, 24 students are eliminated from a spelling bee. There are 96 students remaining. Find the number of students who started the spelling bee.

Understand the problem.

You are given the numbers of students who have and have not been eliminated from a spelling bee. You are asked for the number of students who started the spelling bee.

Make a plan.

Write and solve an equation relating the number of students who started, the number eliminated, and the number remaining. Use a verbal model.

Solve and check.

Verbal Model

Number of students who started	−	Number of students eliminated	=	Number of students remaining

Reading

The word *eliminated* indicates *subtraction*.

Variable Let s be the number of students who started.

Equation $s - 24 = 96$

An equation is $s - 24 = 96$. Because you can think of the equation as saying, "*What number minus 24 is 96?*," you know that s is 24 more than 96.

So, $96 + 24 = 120$ students started the spelling bee.

Check Verify that $120 - 24 = 96$.

$$120 - 24 = 120 - 20 - 4$$
$$= 100 - 4$$
$$= 96 \checkmark$$

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

11. After four rounds, 74 teams are eliminated from a robotics competition. There are 18 teams remaining. Write and solve an equation to find the number of teams that started the competition.

30 grams

12. The mass of the blue copper sulfate crystal is two-thirds the mass of the red fluorite crystal. Write an equation you can use to find the mass (in grams) of the blue copper sulfate crystal.

m grams

13. **DIG DEEPER!** You print photographs from a vacation. Find the number of photographs you can print for $3.60.

6.1 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Factor the expression using the GCF.

1. $6 + 27$ **2.** $9w + 72$ **3.** $42 + 24n$ **4.** $18h + 30k$

5. Which number is *not* equal to 225%?

A. $2\frac{1}{4}$ **B.** $\frac{9}{4}$ **C.** $\frac{50}{40}$ **D.** $\frac{45}{20}$

Evaluate the expression when $a = 7$.

6. $6 + a$ **7.** $a - 4$ **8.** $4a$ **9.** $\frac{35}{a}$

Find the perimeter of the rectangle.

10.

11.



12.

Concepts, Skills, & Problem Solving

WRITING EQUATIONS **A roast beef sandwich costs $6.75. A customer buys multiple roast beef sandwiches. Write an equation that represents the situation. Then determine how many sandwiches the customer buys.** (See Exploration 1, p. 245.)

13.

Amount Used for Payment	$50
Change Received	$16.25

14.

Amount Used for Payment	$80
Change Received	$19.25

WRITING EQUATIONS **Write the word sentence as an equation.**

15. A number y decreased by 9 is 8.

16. The sum of a number x and 4 equals 12.

17. 9 times a number b is 36.

18. A number w divided by 5 equals 6.

19. 54 equals 9 more than a number t.

20. 5 is one-fourth of a number c.

21. 9.5 less than a number n equals 27.

22. $11\frac{3}{4}$ is the quotient of a number y and $6\frac{1}{4}$.

23. **YOU BE THE TEACHER** Your friend writes the word sentence as an equation. Is your friend correct? Explain your reasoning.

5 less than a number n is 12.

$n - 5 = 12$

24. **MODELING REAL LIFE** Students and faculty raise $6042 for band uniforms. The faculty raised $1780. Write an equation you can use to find the amount a (in dollars) the students raised.

25. MODELING REAL LIFE You hit a golf ball 90 yards. It travels three-fourths of the distance to the hole. Write an equation you can use to find the distance d (in yards) from the tee to the hole.



GEOMETRY Write an equation you can use to find the value of x.

26. Perimeter of triangle: 16 in.



27. Perimeter of square: 30 mm



28. MODELING REAL LIFE You sell instruments at a Caribbean music festival. You earn \$326 by selling 12 sets of maracas, 6 sets of claves, and x djembe drums. Find the number of djembe drums you sold.

29. MP PROBLEM SOLVING Neil Armstrong set foot on the Moon 109.4 hours after *Apollo 11* departed from the Kennedy Space Center. *Apollo 11* landed on the Moon about 6.6 hours before Armstrong's first step. How many hours did it take for *Apollo 11* to reach the Moon?

30. MP LOGIC You buy a basket of 24 strawberries. You eat them as you walk to the beach. It takes the same amount of time to walk each block. When you are halfway there, half of the berries are gone. After walking 3 more blocks, you still have 5 blocks to go. You reach the beach 28 minutes after you began. One-sixth of your strawberries are left.

a. Is there enough information to find the time it takes to walk each block? Explain.

b. Is there enough information to find how many strawberries you ate while walking the last block? Explain.

31. DIG DEEPER! Find a sales receipt from a store that shows the total price of the items and the total amount paid including sales tax.

a. Write an equation you can use to find the sales tax rate r.

b. Can you use r to find the *percent* for the sales tax? Explain.

32. GEOMETRY A square is cut from a rectangle. The side length of the square is half of the unknown width w. The area of the shaded region is 84 square inches. Write an equation you can use to find the width (in inches).



6.2 Solving Equations Using Addition or Subtraction

Learning Target: Write and solve equations using addition or subtraction.

Success Criteria:
- I can determine whether a value is a solution of an equation.
- I can apply the Addition and Subtraction Properties of Equality to generate equivalent equations.
- I can solve equations using addition or subtraction.
- I can create equations involving addition or subtraction to solve real-life problems.

EXPLORATION 1

Solving an Equation Using a Tape Diagram

FLORIDA STANDARDS

MAFS.6.EE.2.5
MAFS.6.EE.2.6
MAFS.6.EE.2.7

Work with a partner. A student solves an equation using the tape diagrams below.

Step 1:



Step 2:



Step 3:



a. What equation did the student solve? What is the solution?

b. Explain how the tape diagrams in Steps 2 and 3 relate to the equation and its solution.

EXPLORATION 2

Solving an Equation Using a Model

Work with a partner.

When two sides of a scale weigh the same, the scale will balance.



a. How are the two sides of an equation similar to a balanced scale?

b. When you add weight to one side of a balanced scale, what can you do to balance the scale? What if you subtract weight from one side of a balanced scale? How does this relate to solving an equation?

c. Use a model to solve $x + 2 = 7$. Describe how you can solve the equation algebraically.

Math Practice

Analyze Relationships

How can you use the relationship between addition and subtraction to solve $x + 2 = 7$?

6.2 Lesson

Key Vocabulary
solution, *p. 252*
inverse operations, *p. 253*

Equations may be true for some values and false for others. A **solution** of an equation is a value that makes the equation true.

Value of x	$x + 3 = 7$	Are both sides equal?
3	$3 + 3 \stackrel{?}{=} 7$ $6 \neq 7$ ✗	no
4	$4 + 3 \stackrel{?}{=} 7$ $7 = 7$ ✓	yes
5	$5 + 3 \stackrel{?}{=} 7$ $8 \neq 7$ ✗	no

Reading
The symbol $\neq$ means *is not equal to*.

So, the value $x = 4$ is a solution of the equation $x + 3 = 7$.

EXAMPLE 1 Checking Solutions

Tell whether the given value is a solution of the equation.

a. $p + 10 = 38; p = 18$

$18 + 10 \stackrel{?}{=} 38$ Substitute 18 for p.

$28 \neq 38$ ✗ Sides are *not* equal.

So, $p = 18$ is *not* a solution.

b. $4y = 56; y = 14$

$4(14) \stackrel{?}{=} 56$ Substitute 14 for y.

$56 = 56$ ✓ Sides are equal.

So, $y = 14$ is a solution.

Try It **Tell whether the given value is a solution of the equation.**

1. $a + 6 = 17; a = 9$
2. $9 - g = 5; g = 3$
3. $35 = 7n; n = 5$
4. $\frac{q}{2} = 28; q = 14$

Multi-Language Glossary at *BigIdeasMath.com*

You can use *inverse operations* to solve equations. **Inverse operations** "undo" each other. Addition and subtraction are inverse operations.

Key Ideas

Addition Property of Equality

Words When you add the same number to each side of an equation, the two sides remain equal.

Numbers
$$\begin{aligned} 8 &= 8 \\ +5 &\quad +5 \\ 13 &= 13 \end{aligned}$$

Algebra
$$\begin{aligned} x - 4 &= 5 \\ +4 &\quad +4 \\ x &= 9 \end{aligned}$$

Subtraction Property of Equality

Words When you subtract the same number from each side of an equation, the two sides remain equal.

Numbers
$$\begin{aligned} 8 &= 8 \\ -5 &\quad -5 \\ 3 &= 3 \end{aligned}$$

Algebra
$$\begin{aligned} x + 4 &= 5 \\ -4 &\quad -4 \\ x &= 1 \end{aligned}$$

You can add or subtract any number on each side of an equation to generate an equivalent equation. For example, $x + 4 = 5$ and $x + 2 = 3$ are equivalent equations.

$$\begin{aligned} x + 4 &= 5 \\ -2 &\quad -2 \\ x + 2 &= 3 \end{aligned}$$

EXAMPLE 2 Solving Equations Using Addition

a. Solve $x - 2 = 6$.

$$\begin{aligned} x - 2 &= 6 && \text{Write the equation.} \\ +2 &\quad +2 && \text{Addition Property of Equality} \\ x &= 8 && \text{Simplify.} \end{aligned}$$

Undo the subtraction.

The solution is $x = 8$.

Check
$$x - 2 = 6$$
$$8 - 2 \stackrel{?}{=} 6$$
$$6 = 6 \checkmark$$

b. Solve $18 = x - 7$.

$$\begin{aligned} 18 &= x - 7 && \text{Write the equation.} \\ +7 &\quad +7 && \text{Addition Property of Equality} \\ 25 &= x && \text{Simplify.} \end{aligned}$$

The solution is $x = 25$.

Check Verify that $25 - 7 = 18$.



Try It **Solve the equation. Check your solution.**

5. $k - 3 = 1$ **6.** $n - 10 = 4$ **7.** $15 = r - 6$

EXAMPLE 3 Solving Equations Using Subtraction

a. Solve $x + 2 = 9$.

Undo the addition.

$$\begin{aligned} x + 2 &= 9 && \text{Write the equation.} \\ -2 \quad &-2 && \text{Subtraction Property of Equality} \\ x &= 7 && \text{Simplify.} \end{aligned}$$

The solution is $x = 7$.

Check

$x + 2 = 9$

$7 + 2 \stackrel{?}{=} 9$

$9 = 9$ ✓

b. Solve $26 = 11 + x$.

$$\begin{aligned} 26 &= 11 + x && \text{Write the equation.} \\ -11 \quad &-11 && \text{Subtraction Property of Equality} \\ 15 &= x && \text{Simplify.} \end{aligned}$$

The solution is $x = 15$.

Another Method

26	
11	x
11	15 ✓

Try It **Solve the equation. Check your solution.**

8. $s + 8 = 17$ **9.** $9 = y + 6$ **10.** $13 + m = 20$

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

CHECKING SOLUTIONS **Tell whether the given value is a solution of the equation.**

11. $n + 8 = 42; n = 36$ **12.** $g - 9 = 24; g = 35$

SOLVING EQUATIONS **Solve the equation. Check your solution.**

13. $x - 8 = 12$ **14.** $b + 14 = 33$

15. WRITING When solving $x + 5 = 16$, why do you subtract 5 from the left side of the equation? Why do you subtract 5 from the right side of the equation?

16. MP REASONING Do the equations have the same solution? Explain your reasoning.

$$x - 8 = 6$$
$$x - 6 = 8$$

17. MP STRUCTURE Just by looking at the equation $x + 6 + 2x = 2x + 6 + 4$, find the value of x. Explain your reasoning.

EXAMPLE 4 Modeling Real Life

Your aunt gives you $50 to help buy the reflector telescope shown. After you buy the telescope, you have $25.50 left. How much money did you have before your aunt gave you $50?

Use a verbal model to write an equation that represents the situation. Then solve the equation.

Verbal Model

Starting amount (dollars)	+	Aunt's money (dollars)	−	Telescope price (dollars)	=	Amount left (dollars)

Variable Let s be the starting amount.

Equation

$$s + 50 - 275.95 = 25.50$$ Write the equation.

$$s + 50 - 275.95 + 275.95 = 25.50 + 275.95$$ Addition Property of Equality

$$s + 50 = 301.45$$ Simplify.

$$s + 50 - 50 = 301.45 - 50$$ Subtraction Property of Equality

$$s = 251.45$$ Simplify.

▶ You had $251.45 before your aunt gave you money.

Addition and subtraction preserve units. For example, when you add dollars to dollars, you get dollars.

Another Method Solve the problem arithmetically by working backwards from $25.50.

$$25.50 + 275.95 - 50 = \$251.45$$ ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

18. An emperor penguin is 45 inches tall. It is 24 inches taller than a rockhopper penguin. Write and solve an equation to find the height (in inches) of a rockhopper penguin. Is your answer reasonable? Explain.

19. DIG DEEPER! You get in an elevator and go up 2 floors and down 8 floors before exiting. Then you get back in the elevator and go up 4 floors before exiting on the 12th floor. On what floors did you enter the elevator?

6.2 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Write the word sentence as an equation.

1. The sum of a number x and 9 is 15.

2. 12 less than a number m equals 20.

3. The product of a number d and 7 is 63.

4. 18 divided by a number s equals 3.

Divide. Write the answer in simplest form.

5. $\frac{1}{2} \div \frac{1}{4}$

6. $12 \div \frac{3}{8}$

7. $8 \div \frac{4}{5}$

8. $\frac{7}{9} \div \frac{3}{2}$

9. Which ratio is *not* equivalent to 72 : 18?

A. 36 : 9 **B.** 18 : 6 **C.** 4 : 1 **D.** 288 : 72

Evaluate the expression.

10. $(2 + 5^2) \div 3$

11. $6 + 2^3 \cdot 3 - 5$

12. $4 \cdot [3 + 3(20 - 4^2 - 2)]$

13. Find the missing values in the ratio table. Then write the equivalent ratios.

Snakes	2		24
Mice	5	20	

Concepts, Skills, & Problem Solving

MP CHOOSE TOOLS **Use a model to solve the equation.** (See Explorations 1 and 2, p. 251.)

14. $n + 7 = 9$

15. $t + 4 = 5$

16. $c + 2 = 8$

CHECKING SOLUTIONS **Tell whether the given value is a solution of the equation.**

17. $x + 42 = 85; x = 43$

18. $8b = 48; b = 6$

19. $19 - g = 7; g = 15$

20. $\frac{m}{4} = 16; m = 4$

21. $w + 23 = 41; w = 28$

22. $s - 68 = 11; s = 79$

SOLVING EQUATIONS **Solve the equation. Check your solution.**

23. $y - 7 = 3$

24. $z - 3 = 13$

25. $8 = r - 14$

26. $p + 5 = 8$

27. $k + 6 = 18$

28. $64 = h + 30$

29. $f - 27 = 19$

30. $25 = q + 14$

31. $\frac{3}{4} = j - \frac{1}{2}$

32. $x + \frac{2}{3} = \frac{9}{10}$

33. $1.2 = m - 2.5$

34. $a + 5.5 = 17.3$

YOU BE THE TEACHER **Your friend solves the equation. Is your friend correct? Explain your reasoning.**

35.

$$x + 7 = 13$$
$$-7 \quad -7$$
$$x = 20$$

36.

$$34 = y - 12$$
$$+12 \quad +12$$
$$22 = y$$

37. MODELING REAL LIFE The main span of the Sunshine Skyway Bridge is 366 meters long. The bridge's main span is 30 meters shorter than the main span of the Dames Point Bridge. Write and solve an equation to find the length (in meters) of the main span of the Dames Point Bridge.

38. MP PROBLEM SOLVING A park has 22 elm trees. Elm leaf beetles have been attacking the trees. After removing several of the diseased trees, there are 13 healthy elm trees left. Write and solve an equation to find the number of elm trees that were removed.



39. MP PROBLEM SOLVING The area of Jamaica is 6460 square miles less than the area of Haiti. Find the area (in square miles) of Haiti.

40. MP REASONING The solution of the equation $x + 3 = 12$ is shown. Explain each step. Use a property, if possible.

	Write the equation.
$x + 3 = 12$	
$x + 3 - 3 = 12 - 3$	
$x + 0 = 9$	
$x = 9$	

WRITING EQUATIONS **Write the word sentence as an equation. Then solve the equation.**

41. 13 subtracted from a number w is 15.

42. A number k increased by 7 is 34.

43. 9 is the difference of a number n and 7.

44. 93 is the sum of a number g and 58.

45. 11 more than a number k equals 29.

46. A number p decreased by 19 is 6.

47. 46 is the total of 18 and a number d.

48. 84 is 99 fewer than a number c.

SOLVING EQUATIONS **Solve the equation. Check your solution.**

49. $b + 7 + 12 = 30$

50. $y + 4 - 1 = 18$

51. $m + 18 + 23 = 71$

52. $v - 7 = 9 + 12$

53. $5 + 44 = 2 + r$

54. $22 + 15 = d - 17$

GEOMETRY **Solve for x.**

55. Perimeter = 48 ft



56. Perimeter = 132 in.



57. Perimeter = 93 ft



58. **SIMPLIFYING AND SOLVING** Compare and contrast the two problems.

Simplify the expression $2(x + 3) - 4$.

$$2(x + 3) - 4 = 2x + 6 - 4$$
$$= 2x + 2$$

Solve the equation $x + 3 = 4$.

$$x + 3 = 4$$
$$-3 \quad -3$$
$$x = 1$$

59. **PUZZLE** In a *magic square*, the sum of the numbers in each row, column, and diagonal is the same. Find the values of a, b, and c. Justify your answers.

a	37	16
19	25	b
34	c	28

60. **REASONING** On Saturday, you spend \$33, give \$15 to a friend, and receive \$20 for mowing your neighbor's lawn. You have \$21 left. Use two methods to find how much money you started with that day.

61. **DIG DEEPER!** You have \$15.

Bumper Cars:	\$1.75
Super Pendulum:	\$1.25 more than Ferris Wheel
Giant Slide:	\$0.50 less than Bumper Cars
Ferris Wheel:	\$1.50 more than Giant Slide

a. How much money do you have left if you ride each ride once?

b. Do you have enough money to ride each ride twice? Explain.

62. **CRITICAL THINKING** Consider the equation $15 - y = 8$. Explain how you can solve the equation using the Addition and Subtraction Properties of Equality.

6.3 Solving Equations Using Multiplication or Division

Learning Target: Write and solve equations using multiplication or division.

Success Criteria:
- I can apply the Multiplication and Division Properties of Equality to generate equivalent equations.
- I can solve equations using multiplication or division.
- I can create equations involving multiplication or division to solve real-life problems.

EXPLORATION 1

Solving an Equation Using a Tape Diagram

FLORIDA STANDARDS
MAFS.6.EE.2.5
MAFS.6.EE.2.6
MAFS.6.EE.2.7

Work with a partner. A student solves an equation using the tape diagrams below.

Step 1:



Step 2:



Step 3:



Math Practice

Maintain Oversight

How do these explorations help you solve equations of the form $ax = b$?

a. What equation did the student solve? What is the solution?

b. Explain how the tape diagrams in Steps 2 and 3 relate to the equation and its solution.

EXPLORATION 2

Solving an Equation Using a Model

Work with a partner. Three robots go out to lunch. They decide to split the $12 bill evenly. The scale represents the number of robots and the price of the meal.



a. How much does each robot pay?

b. When you triple the weight on one side of a balanced scale, what can you do to balance the scale? What if you divide the weight on one side of a balanced scale in half? How does this relate to solving an equation?

c. Use a model to solve $5x = 15$. Describe how you can solve the equation algebraically.

6.3 Lesson

Key Ideas

Remember

Inverse operations "undo" each other. Multiplication and division are inverse operations.

Multiplication Property of Equality

Words When you multiply each side of an equation by the same nonzero number, the two sides remain equal.

Numbers

$$\frac{8}{4} = 2$$

$$\frac{8}{4} \cdot 4 = 2 \cdot 4$$

$$8 = 8$$

Algebra

$$\frac{x}{4} = 2$$

$$\frac{x}{4} \cdot 4 = 2 \cdot 4$$

$$x = 8$$

Multiplicative Inverse Property

Words The product of a nonzero number n and its reciprocal, $\frac{1}{n}$, is 1.

Numbers $5 \cdot \frac{1}{5} = 1$

Algebra $n \cdot \frac{1}{n} = \frac{1}{n} \cdot n = 1, n \neq 0$

EXAMPLE 1 Solving Equations Using Multiplication

a. Solve $\frac{w}{4} = 12$.

$\frac{w}{4} = 12$ Write the equation.

Undo the division. → $\frac{w}{4} \cdot 4 = 12 \cdot 4$ Multiplication Property of Equality

$w = 48$ Simplify.

▶ The solution is $w = 48$.

Check

$$\frac{w}{4} = 12$$

$$\frac{48}{4} \stackrel{?}{=} 12$$

$$12 = 12 \checkmark$$

b. Solve $\frac{2}{7}x = 6$.

$\frac{2}{7}x = 6$ Write the equation.

Use the Multiplicative Inverse Property. → $\frac{7}{2} \cdot \left(\frac{2}{7}x\right) = \frac{7}{2} \cdot 6$ Multiplication Property of Equality

$x = 21$ Simplify.

▶ The solution is $x = 21$.

Try It **Solve the equation. Check your solution.**

1. $\frac{a}{8} = 6$
2. $14 = \frac{2y}{5}$
3. $3z \div 2 = 9$

You can multiply or divide each side of an equation by any number to generate an equivalent equation. For example, $4x = 32$ and $2x = 16$ are equivalent equations.

$$4x = 32$$
$$\frac{4x}{2} = \frac{32}{2}$$
$$2x = 16$$

Key Idea

Division Property of Equality

Words When you divide each side of an equation by the same nonzero number, the two sides remain equal.

Numbers

$8 \cdot 4 = 32$

$8 \cdot 4 \div 4 = 32 \div 4$

$8 = 8$

Algebra

$4x = 32$

$\frac{4x}{4} = \frac{32}{4}$

$x = 8$

EXAMPLE 2 Solving an Equation Using Division

Solve $65 = 5b$.

$65 = 5b$ Write the equation.

Undo the multiplication. → $\frac{65}{5} = \frac{5b}{5}$ Division Property of Equality

$13 = b$ Simplify.

▶ The solution is $b = 13$.

Check

$65 = 5b$

$65 \stackrel{?}{=} 5(13)$

$65 = 65$ ✓

Try It **Solve the equation. Check your solution.**

4. $p \cdot 3 = 18$ **5.** $12q = 60$ **6.** $81 = 9r$

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

SOLVING EQUATIONS **Solve the equation. Check your solution.**

7. $6 = \frac{2y}{3}$ **8.** $8s = 56$

9. WHICH ONE DOESN'T BELONG? Which equation does *not* belong with the other three? Explain your reasoning.

$\frac{1}{4}x = 27$ $3x = 36$ $\frac{3}{4}x = 9$ $4x = 48$

MP **STRUCTURE** **Just by looking at the equation, find the value of x. Explain your reasoning.**

10. $5x + 3x = 5x + 18$ **11.** $8x + \frac{x}{2} = 8x + 6$

EXAMPLE 3 Modeling Real Life

The area of a rectangular LED "sky screen" in Beijing, China, is 7500 square meters. The width of the sky screen is 30 meters. What is the length of the sky screen?

Use the given information to draw a diagram. Then substitute for the area A and the width w in the formula for the area of a rectangle, $A = \ell w$. Solve for the length ℓ.

$A = \ell w$	Use the formula for area of a rectangle.
$7500 = 30\ell$	Substitute 7500 for A and 30 for w.
$\frac{7500}{30} = \frac{30\ell}{30}$	Division Property of Equality
$250 = \ell$	Simplify.

So, the sky screen is 250 meters long.

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

Area = 1625 mm²

12. The area of the screen of the smart watch is shown. What are possible dimensions for the length and the width of the screen? Justify your answer.

13. A rock climber climbs at a rate of 720 feet per hour. Write and solve an equation to find the number of minutes it takes for the rock climber to climb 288 feet.

14. **DIG DEEPER!** A gift card stores data using a black, magnetic stripe on the back of the card. Find the width w of the stripe.



Area = $46\frac{3}{4}$ cm²

6.3 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Solve the equation. Check your solution.

1. $y - 5 = 6$ **2.** $m + 7 = 8$ **3.** $\frac{7}{8} = \frac{1}{4} + p$

4. What is the value of a^3 when $a = 4$?

A. 12 **B.** 43 **C.** 64 **D.** 81

Multiply. Write the answer in simplest form.

5. $\frac{1}{5} \cdot \frac{2}{9}$ **6.** $\frac{5}{12} \times \frac{4}{7}$ **7.** $2\frac{1}{3} \cdot \frac{3}{10}$ **8.** $1\frac{3}{4} \times 2\frac{2}{3}$

Multiply.

9. $\begin{array}{r} 0.4 \\ \times\ 0.9 \\ \hline \end{array}$ **10.** $\begin{array}{r} 0.78 \\ \times\ 0.5 \\ \hline \end{array}$ **11.** 2.63×4.31 **12.** 1.115×3.28

Concepts, Skills, & Problem Solving

MP **CHOOSE TOOLS** **Use a model to solve the equation.** (See Explorations 1 and 2, p. 259.)

13. $8x = 8$ **14.** $9 = 3y$ **15.** $2z = 14$

SOLVING EQUATIONS **Solve the equation. Check your solution.**

16. $\frac{s}{10} = 7$ **17.** $6 = \frac{t}{5}$ **18.** $5x \div 6 = 20$ **19.** $24 = \frac{3}{4}r$

20. $3a = 12$ **21.** $5 \cdot z = 35$ **22.** $40 = 4y$ **23.** $42 = 7k$

24. $7x = 105$ **25.** $75 = 6 \cdot w$ **26.** $13 = d \div 6$ **27.** $9 = v \div 5$

28. $\frac{5d}{9} = 10$ **29.** $\frac{3}{5} = 4m$ **30.** $136 = 17b$ **31.** $\frac{2}{3} = \frac{1}{4}k$

32. $\frac{2c}{15} = 8.8$ **33.** $7b \div 12 = 4.2$ **34.** $12.5 \cdot n = 32$ **35.** $3.4m = 20.4$

36. YOU BE THE TEACHER Your friend solves the equation $x \div 4 = 28$. Is your friend correct? Explain your reasoning.

$x \div 4 = 28$

$\frac{x \div 4}{4} = \frac{28}{4}$

$x = 7$

37. ANOTHER WAY Show how you can solve the equation $3x = 9$ by multiplying each side by the reciprocal of 3.

38. **MODELING REAL LIFE** Forty-five basketball players participate in a three-on-three tournament. Write and solve an equation to find the number of three-person teams in the tournament.

39. **MODELING REAL LIFE** A theater has 1200 seats. Each row has 20 seats. Write and solve an equation to find the number of rows in the theater.

GEOMETRY **Solve for x. Check your answer.**

40. Area = 45 square units

41. Area = 176 square units

42. MP **LOGIC** On a test, you earn 92% of the possible points by correctly answering 6 five-point questions and 8 two-point questions. How many points p is the test worth?

43. **MODELING REAL LIFE** You use index cards to play a homemade game. The object is to be the first to get rid of all your cards. How many cards are in your friend's stack?





44. **DIG DEEPER!** A slush drink machine fills 1440 cups in 24 hours.

a. Find the number c of cups each symbol represents.

b. To lower costs, you replace the cups with paper cones that hold 20% less. Find the number n of paper cones that the machine can fill in 24 hours.

45. MP **NUMBER SENSE** The area of the picture is 100 square inches. The length is 4 times the width. Find the length and width of the picture.

6.4 Writing Equations in Two Variables

Learning Target: Write equations in two variables and analyze the relationship between the two quantities.

Success Criteria:
- I can determine whether an ordered pair is a solution of an equation in two variables.
- I can distinguish between independent and dependent variables.
- I can write and graph an equation in two variables.
- I can create equations in two variables to solve real-life problems.

EXPLORATION 1

Writing Equations in Two Variables

FLORIDA STANDARDS
MAFS.6.EE.2.6
MAFS.6.EE.3.9

Work with a partner. In Section 3.4 Exploration 1, you used a ratio table to create a graph for an airplane traveling 300 miles per hour. Below is one possible ratio table and graph.

Time (hours)	1	2	3	4
Distance (miles)	300	600	900	1200



Math Practice

Look for Patterns
How can you use the patterns in the table to help you write an equation?

a. Describe the relationship between the two quantities. Which quantity *depends* on the other quantity?

b. Use variables to write an equation that represents the relationship between the time and the distance. What can you do with this equation? Provide an example.

c. Suppose the airplane is 1500 miles away from its destination. Write an equation that represents the relationship between time and distance from the destination. How can you represent this relationship using a graph?

6.4 Lesson

An **equation in two variables** represents two quantities that change in relationship to one another. A **solution of an equation in two variables** is an ordered pair that makes the equation true.

Key Vocabulary

equation in two variables, *p. 266*

solution of an equation in two variables, *p. 266*

independent variable, *p. 266*

dependent variable, *p. 266*

EXAMPLE 1 Identifying Solutions of Equations in Two Variables

Tell whether the ordered pair is a solution of the equation.

a. $y = 2x$; $(3, 6)$

$6 \stackrel{?}{=} 2(3)$ Substitute.

$6 = 6$ ✓ Compare.

▶ So, $(3, 6)$ is a solution.

b. $y = 4x - 3$; $(4, 12)$

$12 \stackrel{?}{=} 4(4) - 3$

$12 \neq 13$ ✗

▶ So, $(4, 12)$ is *not* a solution.

Try It **Tell whether the ordered pair is a solution of the equation.**

1. $y = 7x$; $(2, 21)$

2. $y = 5x + 1$; $(3, 16)$

Equations in two variables have an *independent variable* and a *dependent variable*. The variable representing the quantity that can change freely is the **independent variable**. The other variable is called the **dependent variable** because its value *depends* on the independent variable.

EXAMPLE 2 Using an Equation in Two Variables

The equation $y = 64 - 8x$ represents the amount y (in fluid ounces) of chemical remaining in a flask after you pour x cups. Identify the independent and dependent variables. How much of the chemical remains in the flask after you pour 5 cups?

Because the amount y of fluid ounces remaining depends on the number x of cups you pour, y is the dependent variable and x is the independent variable.

Use the equation to find the value of y when $x = 5$.

$y = 64 - 8x$ Write the equation.

$= 64 - 8(5)$ Substitute 5 for x.

$= 24$ Simplify.

▶ There are 24 fluid ounces remaining.

Try It

3. The equation $y = 10x + 25$ represents the amount y (in dollars) in your savings account after x weeks. Identify the independent and dependent variables. How much is in your savings account after 8 weeks?

Multi-Language Glossary at BigIdeasMath.com

Key Idea

Tables, Graphs, and Equations

You can use tables and graphs to represent equations in two variables. The independent variable is graphed on the horizontal axis, and the dependent variable is graphed on the vertical axis. The table and graph below represent the equation $y = x + 2$.

When you draw a line through the points, you graph *all* the solutions of the equation.

Independent Variable, x	Dependent Variable, y	Ordered Pair, (x, y)
1	3	(1, 3)
2	4	(2, 4)
3	5	(3, 5)



EXAMPLE 3 Graphing an Equation in Two Variables

Graph $y = 2x + 1$.

To graph the equation, first make a table.

Independent Variable, x	$y = 2x + 1$	Dependent Variable, y	Ordered Pair, (x, y)
0	$y = 2(0) + 1$	1	(0, 1)
1	$y = 2(1) + 1$	3	(1, 3)
2	$y = 2(2) + 1$	5	(2, 5)
3	$y = 2(3) + 1$	7	(3, 7)

Remember

In a coordinate plane, the horizontal axis is often called the *x-axis*. The vertical axis is often called the *y-axis*. In real-life problems, other variables can be used.

Then plot the ordered pairs and draw a line through the points.



Try It **Graph the equation.**

4. $y = 3x$ **5.** $y = 4x + 1$ **6.** $y = \frac{1}{2}x + 2$

EXAMPLE 4 Writing and Graphing an Equation in Two Variables

An athlete burns 200 calories weight lifting. The athlete then works out on an elliptical trainer and burns 10 calories for every minute. Write and graph an equation that represents the total number of calories burned during the workout.

Use a verbal model to write an equation.

Verbal Model

Total number of calories burned	=	Calories burned weight lifting	+	Calories burned per minute	•	Number of minutes

Variables Let c be the total number of calories burned, and let m be the number of minutes on the elliptical trainer.

Equation $c = 200 + 10 \cdot m$



To graph the equation, first notice that the total number of calories burned depends on the number of minutes. So, create a table and plot the ordered pairs with minutes m on the horizontal axis and calories c on the vertical axis. Then draw a line through the points.

Minutes, m	Calories, c
10	300
20	400
30	500

Try It

7. It costs \$25 to rent a kayak plus \$8 for each hour. Write and graph an equation that represents the total cost (in dollars) of renting the kayak.

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

8. WRITING Describe the difference between independent variables and dependent variables.

IDENTIFYING SOLUTIONS Tell whether the ordered pair is a solution of the equation.

9. $y = 3x + 8$; $(4, 20)$

10. $y = 6x - 14$; $(7, 29)$

11. MP PRECISION Explain how to graph an equation in two variables.

12. WHICH ONE DOESN'T BELONG? Which one does *not* belong with the other three? Explain your reasoning.

$y = 12x + 25$ $c = 10t - 5$ $a = 7b + 11$ $n = 4n - 6$

You can model many rate problems by using the *distance formula*, $d = rt$, where d is the distance traveled, r is the speed, and t is the time.

EXAMPLE 5 Modeling Real Life

A train averages 40 miles per hour between two cities. Write and graph an equation that represents the relationship between the time and the distance traveled. How long does it take the train to travel 220 miles?

The rate r is 40 miles per hour. Using the distance formula, an equation that represents the relationship between time and distance traveled is $d = 40t$.

Make a table and graph the equation.



Time (hours), t	1	2	3	4
Distance (miles), d	40	80	120	160

Use the equation to find the value of t when $d = 220$.

$d = 40t$ Write the equation.

$220 = 40t$ Substitute 220 for d.

$5.5 = t$ Divide each side by 40.

The train travels 220 miles in 5.5 hours.

You can also tell from the graph that the distance is about 220 miles after 5.5 hours.

Another Method Use a ratio table.

	÷2		×11	
Time (hours), t	1	0.5	5.5 ✓	
Distance (miles), d	40	20	220	
	÷2		×11	

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

13. A sky lantern rises at an average speed of 8 feet per second. Write and graph an equation that represents the relationship between the time and the distance risen. How long does it take the lantern to rise 100 feet?

14. You and a friend start biking in opposite directions from the same point. You travel 108 feet every 8 seconds. Your friend travels 63 feet every 6 seconds. How far apart are you and your friend after 15 minutes?

6.4 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Solve the equation.

1. $4x = 36$ **2.** $\frac{x}{8} = 5$ **3.** $\frac{4x}{3} = 8$ **4.** $\frac{2}{5}x = 6$

Divide. Write the answer in simplest form.

5. $3\frac{1}{2} \div \frac{4}{5}$ **6.** $7 \div 5\frac{1}{4}$ **7.** $\frac{3}{11} \div 1\frac{1}{8}$ **8.** $7\frac{1}{2} \div 1\frac{1}{3}$

9. Find the area of the carpet tile. Then find the area covered by 120 carpet tiles.

Copy and complete the statement. Round to the nearest hundredth if necessary.

10. 8 m = ____ cm **11.** 88 oz = ____ lb

12. 3 c ≈ ____ mL **13.** 15 km ≈ ____ mi

Divide.

14. $6\overline{)34.8}$ **15.** $4\overline{)12.8}$ **16.** $45.92 \div 2.8$ **17.** $39.525 \div 4.25$

Concepts, Skills, & Problem Solving

WRITING EQUATIONS **Use variables to write an equation that represents the relationship between the time and the distance.** (See Exploration 1, p. 265.)

18. An eagle flies 40 miles per hour.

19. A person runs 175 yards per minute.

IDENTIFYING SOLUTIONS **Tell whether the ordered pair is a solution of the equation.**

20. $y = 4x; (0, 4)$ **21.** $y = 3x; (2, 6)$ **22.** $y = 5x - 10; (3, 5)$

23. $y = x + 7; (1, 6)$ **24.** $y = x + 4; (2, 4)$ **25.** $y = x - 5; (6, 11)$

26. $y = 6x + 1; (2, 13)$ **27.** $y = 7x + 2; (2, 0)$ **28.** $y = 2x - 3; (4, 5)$

29. $y = 3x - 3; (1, 0)$ **30.** $7 = y - 5x; (4, 28)$ **31.** $y + 3 = 6x; (3, 15)$

32. **YOU BE THE TEACHER** Your friend determines whether $(5, 1)$ is a solution of $y = 3x + 2$. Is your friend correct? Explain your reasoning.

$y = 3x + 2; (5, 1)$

$1 \stackrel{?}{=} 3(5) + 2$

$1 \neq 17$

So, (5, 1) is not a solution.

IDENTIFYING VARIABLES **Identify the independent and dependent variables.**

33. The equation $A = 25w$ represents the area A (in square feet) of a rectangular dance floor with a width of w feet.

34. The equation $c = 0.09s$ represents the amount c (in dollars) of commission a salesperson receives for making a sale of s dollars.

35. The equation $t = 12p + 12$ represents the total cost t (in dollars) of a meal with a tip of p percent (in decimal form).

36. The equation $h = 60 - 4m$ represents the height h (in inches) of the water in a tank m minutes after it starts to drain.

OPEN-ENDED **Complete the table by describing possible independent or dependent variables.**

	Independent Variable	Dependent Variable
37.	The number of hours you study for a test	
38.	The speed you are pedaling a bike	
39.		Your monthly cell phone bill
40.		The amount of money you earn

GRAPHING EQUATIONS **Graph the equation.**

41. $y = 2x$

42. $y = 5x$

43. $y = 6x$

44. $y = x + 2$

45. $y = x + 0.5$

46. $y = x + 4$

47. $y = x + 10$

48. $y = 3x + 2$

49. $y = 2x + 4$

50. $y = \frac{2}{3}x + 8$

51. $y = \frac{1}{4}x + 6$

52. $y = 2.5x + 12$

53. **MODELING REAL LIFE** A cheese pizza costs \$5. Additional toppings cost \$1.50 each. Write and graph an equation that represents the total cost (in dollars) of a pizza.

54. **MODELING REAL LIFE** It costs \$35 for a membership at a wholesale store. The monthly fee is \$15. Write and graph an equation that represents the total cost (in dollars) of a membership.

55. **MP PROBLEM SOLVING** The maximum size of a text message is 160 characters. A space counts as one character.

a. Write an equation that represents the number of remaining (unused) characters in a text message as you type.

b. Identify the independent and dependent variables.

c. How many characters remain in the message shown?

56. MP **CHOOSE TOOLS** A car averages 60 miles per hour on a road trip. Use a graph to represent the relationship between the time and the distance traveled.

MP **PRECISION** **Write and graph an equation that represents the relationship between the time and the distance traveled.**

57.

Moves 2 meters every 3 hours

58.

Rises 5 stories every 6 seconds

59.

Moves 660 feet every 10 seconds

60.

Moves 960 kilometers every 4 minutes

IDENTIFYING SOLUTIONS **Fill in the blank so that the ordered pair is a solution of the equation.**

61. $y = 8x + 3$; $(1, ____)$ **62.** $y = 12x + 2$; $(____, 14)$ **63.** $y = 9x + 4$; $(____, 22)$



64. DIG DEEPER! Can the dependent variable cause a change in the independent variable? Explain.

65. **OPEN-ENDED** Write an equation that has (3, 4) as a solution.

66. **MODELING REAL LIFE** You walk 5 city blocks in 12 minutes. How many city blocks can you walk in 2 hours?

67. **GEOMETRY** How fast should the ant walk to go around the rectangle in 4 minutes?

68. **MODELING REAL LIFE** To estimate how far you are from lightning (in miles), count the number of seconds between a lightning flash and the thunder that follows. Then divide the number of seconds by 5. Use two different methods to find the number of seconds between a lightning flash and the thunder that follows when a storm is 2.4 miles away.

69. MP **REASONING** The graph represents the cost c (in dollars) of buying n tickets to a baseball game.



a. Should the points be connected with a line to show all the solutions? Explain your reasoning.

b. Write an equation that represents the graph.

Using the Problem-Solving Plan

1. A tornado forms 12.25 miles from a weather station. It travels away from the station at an average speed of 440 yards per minute. How far from the station is the tornado after 30 minutes?

Understand the problem.

You know the initial distance between the tornado and the station, and the average speed the tornado is traveling away from the station. You are asked to determine how far the tornado is from the station after 30 minutes.

Make a plan.

First, convert the average speed to miles per minute. Then write an equation that represents the distance d (in miles) between the tornado and the station after t minutes. Use the equation to find the value of d when $t = 30$.

Solve and check.

Use the plan to solve the problem. Then check your solution.

2. You buy 96 cans of soup to donate to a food bank. The store manager discounts the cost of each case for a total discount of \$40. Use an equation in two variables to find the discount for each case of soup. What is the total cost when each can of soup originally costs \$1.20?

3. The diagram shows the initial amount raised by an organization for cancer research. A business agrees to donate \$2 for every \$5 donated by the community during an additional fundraising event. Write an equation that represents the total amount raised (in dollars). How much money does the community need to donate for the organization to reach its fundraising goal?



Performance Task

Planning the Climb

At the beginning of this chapter, you watched a STEAM video called "Rock Climbing." You are now ready to complete the performance task related to this video, available at ***BigIdeasMath.com***. Be sure to use the problem-solving plan as you work through the performance task.

6 Chapter Review

Go to *BigIdeasMath.com* to download blank graphic organizers.

Review Vocabulary

Write the definition and give an example of each vocabulary term.

equation, *p. 246*
solution, *p. 252*
inverse operations, *p. 253*
equation in two variables, *p. 266*
solution of an equation in two variables, *p. 266*
independent variable, *p. 266*
dependent variable, *p. 266*

Graphic Organizers

You can use an **Example and Non-Example Chart** to list examples and non-examples of a concept. Here is an Example and Non-Example Chart for the vocabulary term ***equation***.

Equation

Examples	Non-Examples
$x = 5$	5
$2a = 16$	$2a$
$x + 4 = 19$	$x + 4$
$5 = x + 3$	$x + 3$
$12 - 7 = 5$	$12 - 7$
$\frac{3}{4}y = 6$	$\frac{3}{4}$

Choose and complete a graphic organizer to help you study the concept.

1. inverse operations
2. solving equations using addition or subtraction
3. solving equations using multiplication or division
4. equations in two variables
5. independent variables
6. dependent variables



"I need a good non-example of a cool animal for my Example and Non-Example Chart."

Chapter Self-Assessment

As you complete the exercises, use the scale below to rate your understanding of the success criteria in your journal.

1	2	3	4
I do not understand.	I can do it with help.	I can do it on my own.	I can teach someone else.

6.1 Writing Equations in One Variable *(pp. 245–250)*

Learning Target: Write equations in one variable and write equations that represent real-life problems.

Write the word sentence as an equation.

1. The product of a number m and 2 is 8.

2. 6 less than a number t is 7.

3. A number m increased by 5 is 7.

4. 8 is the quotient of a number g and 3.

5. The height of the 50-milliliter beaker is one-third the height of the 2000-milliliter beaker. Write an equation you can use to find the height (in centimeters) of the 2000-milliliter beaker.



6. There are 16 teams in a basketball tournament. After two rounds, 12 teams are eliminated. Write and solve an equation to find the number of teams remaining after two rounds.

7. Write an equation that has a solution of $x = 8$.

8. Write a word sentence for the equation $y + 3 = 5$.

6.2 Solving Equations Using Addition or Subtraction *(pp. 251–258)*

Learning Target: Write and solve equations using addition or subtraction.

9. Tell whether $x = 7$ is a solution of $x + 9 = 16$.

Solve the equation. Check your solution.

10. $x - 1 = 8$ **11.** $m + 7 = 11$ **12.** $21 = p - 12$

Write the word sentence as an equation. Then solve the equation.

13. 5 more than a number x is 9. **14.** 82 is the difference of a number b and 24.

15. A stuntman is running on the roof of a train. His combined speed is the sum of the speed of the train and his running speed. The combined speed is 73 miles per hour, and his running speed is 15 miles per hour. Find the speed of the train.

16. Before swallowing a large rodent, a python weighs 152 pounds. After swallowing the rodent, the python weighs 164 pounds. Find the weight of the rodent.

6.3 Solving Equations Using Multiplication or Division *(pp. 259–264)*

Learning Target: Write and solve equations using multiplication or division.

Solve the equation. Check your solution.

17. $6 \cdot q = 54$ **18.** $k \div 3 = 21$ **19.** $\frac{5}{7}a = 25$

20. The weight of an object on the Moon is about 16.5% of its weight on Earth. The weight of an astronaut on the Moon is 24.75 pounds. How much does the astronaut weigh on Earth?

21. Write an equation that can be solved using multiplication and has a solution of $x = 12$.

22. At a farmers' market, you buy 4 pounds of tomatoes and 2 pounds of sweet potatoes. You spend 80% of the money in your wallet. How much money is in your wallet before you pay?

6.4 Writing Equations in Two Variables *(pp. 265–272)*

Learning Target: Write equations in two variables and analyze the relationship between the two quantities.

Tell whether the ordered pair is a solution of the equation.

23. $y = 3x + 1; (2, 7)$

24. $y = 7x - 4; (4, 22)$

25. The equation $E = 360m$ represents the kinetic energy E (in joules) of a roller-coaster car with a mass of m kilograms. Identify the independent and dependent variables.

Graph the equation.

26. $y = x + 1$

27. $y = 7x$

28. $y = 4x + 3$

29. $y = \frac{1}{2}x + 5$

30. A taxi ride costs \$3 plus \$2.50 per mile. Write and graph an equation that represents the total cost (in dollars) of a taxi ride. What is the total cost of a five-mile taxi ride?

31. Write and graph an equation that represents the total cost (in dollars) of renting the bounce house. How much does it cost to rent the bounce house for 6 hours?

32. A car averages 50 miles per hour on a trip. Write and graph an equation that represents the relationship between the time and the distance traveled. How long does it take the car to travel 525 miles?

6 Practice Test

1. Write "7 times a number s is 84" as an equation.

Solve the equation. Check your solution.

2. $15 = 7 + b$

3. $v - 6 = 16$

4. $5x = 70$

5. $\frac{6m}{7} = 30$

6. Tell whether $(3, 27)$ is a solution of $y = 9x$.

7. Tell whether $(8, 36)$ is a solution of $y = 4x + 2$.

8. The drawbridge shown consists of two identical sections that open to allow boats to pass. Write an equation you can use to find the length s (in feet) of each section of the drawbridge.

9. Each ticket to a school dance is \$4. The total amount collected in ticket sales is \$332. Find the number of students attending the dance.

10. A soccer team sells T-shirts for a fundraiser. The company that makes the T-shirts charges \$10 per shirt plus a \$20 shipping fee per order.

a. Write and graph an equation that represents the total cost (in dollars) of ordering the shirts.

b. Choose an ordered pair that lies on your graph in part (a). Interpret it in the context of the problem.

11. You hand in 2 homework pages to your teacher. Your teacher now has 32 homework pages to grade. Find the number of homework pages that your teacher originally had to grade.

GUEST CHECK

240796

1	Cheeseburger	7	49
2	Onion rings	7	00
1	Chx finger basket	9	50
1	12" Combo sub	6	50
2	Sodas	3	00
	Tax	2	51
	Total	36	00

12. Write an equation that represents the total cost (in dollars) of the meal shown with a tip that is a percent of the check total. What is the total cost of the meal when the tip is 15%?

6 Cumulative Practice



1. You buy roses at a flower shop for $3 each. How many roses can you buy with $27?

A. 9 **B.** 10

C. 24 **D.** 81

2. You are making identical fruit baskets using 16 apples, 24 pears, and 32 bananas. What is the greatest number of baskets you can make using all of the fruit?

F. 2 **G.** 4

H. 8 **I.** 16

3. Which equation represents the word sentence?

The sum of 18 and 5 is equal to 9 less than a number y.

A. $18 - 5 = 9 - y$ **B.** $18 + 5 = 9 - y$

C. $18 + 5 = y - 9$ **D.** $18 - 5 = y - 9$

4. The tape diagram shows the ratio of tickets sold by you and your friend. How many more tickets did you sell than your friend?



F. 6 **G.** 12

H. 18 **I.** 30

5. What is the value of x that makes the equation true?

$$59 + x = 112$$

6. The steps your friend took to divide two mixed numbers are shown.

$$3\frac{3}{5} \div 1\frac{1}{2} = \frac{18}{5} \times \frac{3}{2}$$
$$= \frac{27}{5}$$
$$= 5\frac{2}{5}$$

What should your friend change in order to divide the two mixed numbers correctly?

A. Find a common denominator of 5 and 2.

B. Multiply by the reciprocal of $\frac{18}{5}$.

C. Multiply by the reciprocal of $\frac{3}{2}$.

D. Rename $3\frac{3}{5}$ as $2\frac{8}{5}$.

7. A company ordering parts receives a charge of $25 for shipping and handling plus $20 per part. Which equation represents the cost c (in dollars) of ordering p parts?

F. $c = 25 + 20p$

G. $c = 20 + 25p$

H. $p = 25 + 20c$

I. $p = 20 + 25c$

8. Which property is illustrated by the statement?

$$5(a + 6) = 5(a) + 5(6)$$

A. Associative Property of Multiplication

B. Commutative Property of Multiplication

C. Commutative Property of Addition

D. Distributive Property

9. What is the value of the expression?

$$46.8 \div 0.156$$

10. In the mural below, the squares that are painted red are marked with the letter R.


R R R

7 Area, Surface Area, and Volume

7.1 Areas of Parallelograms
7.2 Areas of Triangles
7.3 Areas of Trapezoids and Kites
7.4 Three-Dimensional Figures
7.5 Surface Areas of Prisms
7.6 Surface Areas of Pyramids
7.7 Volumes of Rectangular Prisms

Chapter Learning Target:
Understand measurement.

Chapter Success Criteria:
- I can explain how to find areas of figures.
- I can explain how to find surface areas and volumes of solids.
- I can describe and draw three-dimensional figures.
- I can apply units of measurement to solve real-life problems.

STEAM Video

Packaging Design

Surface area can be used to determine amounts of materials needed to create objects. Describe another situation in which you need to find the surface area of an object.

Watch the STEAM Video "Packaging Design." Then answer the following questions. Alex is cutting a design out of paper and folding it to form a box.

1. Tory says that the length of the design is 47 inches and the width is 16 inches. Show several ways that you can arrange three of the designs on a roll of paper that is 48 inches wide. You can make the length of the paper as long as is needed.

2. Tory says that the cut-out design has an area of 619 square inches. What is the least possible amount of paper that is wasted when you cut out three of the designs?



Performance Task

Maximizing the Volumes of Boxes

After completing this chapter, you will be able to use the concepts you learned to answer the questions in the *STEAM Video Performance Task*. You will be given the dimensions of a small box and two larger boxes.

Small box: $4\frac{1}{2}$ in. $\times$ $4\frac{1}{2}$ in. $\times$ 8 in.

Large box 1: $24\frac{1}{4}$ in. $\times$ 18 in. $\times$ 24 in.

Large box 2: $20\frac{1}{2}$ in. $\times$ $18\frac{1}{2}$ in. $\times$ 24 in.

You will be asked to determine how many small boxes can be placed in each larger box. When a company is deciding on packaging for a product, why should the surface area of the packaging also be considered?

Getting Ready for Chapter 7

Chapter Exploration

The formulas for the areas of polygons can be derived from one area formula, the area of a rectangle.



Work with a partner. Find (a) the dimensions of the figures and (b) the areas of the figures. What do you notice?

1.



2.



3.



Vocabulary

The following vocabulary terms are defined in this chapter. Think about what each term might mean and record your thoughts.

prism

pyramid

surface area

volume

7.1 Areas of Parallelograms

Learning Target: Find areas and missing dimensions of parallelograms.

Success Criteria:
- I can explain how the area of a rectangle is used to find the area of a parallelogram.
- I can use the base and the height of a parallelogram to find its area.
- I can use the area of a parallelogram and one of its dimensions to find the other dimension.

FLORIDA STANDARDS
MAFS.6.EE.1.2c
MAFS.6.G.1.1

A **polygon** is a closed figure in a plane that is made up of three or more line segments that intersect only at their endpoints. Several examples of polygons are parallelograms, rhombuses, triangles, trapezoids, and kites.

The formula for the area of a parallelogram can be derived from the definition of the area of a rectangle. Recall that the area of a rectangle is the product of its length ℓ and its width w. The process you use to derive this and other area formulas in this chapter is called *deductive reasoning*.



Area $= \ell w$

EXPLORATION 1 Deriving the Area Formula of a Parallelogram

Work with a partner.

a. Draw *any* rectangle on a piece of centimeter grid paper. Cut the rectangle into two pieces that can be arranged to form a parallelogram. What do you notice about the areas of the rectangle and the parallelogram?

b. Copy the parallelogram below on a piece of centimeter grid paper. Cut the parallelogram and rearrange the pieces to find its area.



Math Practice

Justify Conclusions
How does decomposing the parallelogram into other figures help you justify your formula?

c. Draw *any* parallelogram on a piece of centimeter grid paper and find its area. Does the area change when you use a different side as the base? Explain your reasoning.

d. Use your results to write a formula for the area A of a parallelogram.

7.1 Lesson

Key Vocabulary
polygon, *p. 285*

The *area* of a polygon is the amount of surface it covers. You can find the area of a parallelogram in much the same way as you can find the area of a rectangle.

The base of a parallelogram does not have to be horizontal. Any side of a parallelogram can be the base.

Key Idea

Area of a Parallelogram

Words The area A of a parallelogram is the product of its base b and its height h.

Algebra $A = bh$



EXAMPLE 1 Finding Areas of Parallelograms

Find the area of each parallelogram.

a.



$A = bh$ Write formula.

$= 12(14)$ Substitute values.

$= 168$ Multiply.

The area of the parallelogram is 168 square meters.

b.



$A = bh$ Write formula.

$= 4\left(8\frac{1}{2}\right)$ Substitute values.

$= 34$ Multiply.

The area of the parallelogram is 34 square feet.

Remember
Area is measured in square units.

Try It **Find the area of the parallelogram.**

1.



2.



3.



Multi-Language Glossary at BigIdeasMath.com



When finding areas, you may need to convert square units. The diagrams at the left show that there are 9 square feet per square yard.

$$1 \text{ yd}^2 = (1 \text{ yd})(1 \text{ yd}) = (3 \text{ ft})(3 \text{ ft}) = 9 \text{ ft}^2$$

You can use a similar procedure to convert other square units.

EXAMPLE 2 Finding the Area of a Parallelogram

Find the area of the parallelogram in square inches.



$A = bh$	Write formula.
$= 2.5(2)$	Substitute values.
$= 5$	Multiply.

The area of the parallelogram is 5 square feet.
To convert the area to square inches, use a conversion factor.
Notice that $1 \text{ ft}^2 = (1 \text{ ft})(1 \text{ ft}) = (12 \text{ in.})(12 \text{ in.}) = 144 \text{ in.}^2$.

$$5 \text{ ft}^2 = 5 \text{ ft}^2 \times \frac{144 \text{ in.}^2}{1 \text{ ft}^2} = 720 \text{ in.}^2$$

▶ The area of the parallelogram is 5 square feet, or 720 square inches.

Try It

4. Find the area of the parallelogram in square centimeters.



Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

5. WRITING Explain how to use the area of a rectangle to find the area of a parallelogram.

FINDING AREA Find the area of the parallelogram.

6.

7.

8. MP REASONING Draw a parallelogram that has an area of 24 square inches.

EXAMPLE 3 Modeling Real Life

The area of the parallelogram-shaped forest bordered by roads is 99,000 square yards. What is the length of the deer trail?



Understand the problem.

You are given the area of a parallelogram-shaped forest, and the map shows the length of one of its bases. You are asked to find the length of the deer trail, which represents the height of the parallelogram.

Make a plan.

Use the formula for the area of a parallelogram. Substitute for the area and the base, then solve for the height.

Solve and check.

$A = bh$ — Write formula for area of a parallelogram.

$99{,}000 = 660h$ — Substitute 99,000 for A and 660 for b.

$\frac{99{,}000}{660} = \frac{660h}{660}$ — Division Property of Equality

$150 = h$ — Simplify.

So, the deer trail is 150 yards long.

Check

$A = bh$

$99{,}000 \stackrel{?}{=} 660(150)$

$99{,}000 = 99{,}000$ ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

9. The side of an office building in Hamburg, Germany, is in the shape of a parallelogram. The area of the side of the building is about 2150 square meters. What is the length x of the portion of the building that extends over the river?



10. You make a photo prop for a school fair. You cut a 10-inch square out of a parallelogram-shaped piece of wood. What is the area of the photo prop?



11. DIG DEEPER! A galaxy contains a parallelogram-shaped dust field. The dust field has a base of 150 miles. The height is 14% of the base. What is the area of the dust field?

7.1 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Graph the equation.

1. $y = 4x$ **2.** $y = x + 3$ **3.** $y = 2x + 5$

Represent the ratio relationship using a graph.

4.

Length (inches)	4	8	12
Width (inches)	3	6	9

5.

Red Blood Cells	600	1200	1800
White Blood Cells	1	2	3

Write the prime factorization of the number.

6. 55 **7.** 60 **8.** 150 **9.** 126

Add or subtract.

10. $2.36 + 15.71$ **11.** $9.035 - 6.144$ **12.** $28.351 - 19.3518$

Concepts, Skills, & Problem Solving

USING TOOLS **Rearrange the parallelogram as a rectangle. Then find the area.**
(See Exploration 1, p. 285.)

13.



14.



15.



FINDING AREA **Find the area of the parallelogram.**

16.



17.



18.



19.



20.



21.



22. **YOU BE THE TEACHER** Your friend finds the area of the parallelogram. Is your friend correct? Explain your reasoning.



23. **MODELING REAL LIFE** A ceramic tile in the shape of a parallelogram has a base of 4 inches and a height of 1.5 inches. What is the area of the tile?

FINDING AREA **Find the area of the parallelogram. Round to the nearest hundredth if necessary.**

24. Area = ☐ cm^2



25. Area ≈ ☐ mi^2



26. Area ≈ ☐ ft^2



27. **OPEN-ENDED** Your deck has an area of 128 square feet. After adding a section, the area will be $(s^2 + 128)$ square feet. Draw a diagram of how this can happen.



28. **MODELING REAL LIFE** You use the parallelogram-shaped sponge to create the T-shirt design. The area of the design is 66 square inches. How many times do you use the sponge to create the design? Draw a diagram to support your answer.

FINDING A MISSING DIMENSION **Find the missing dimension of the parallelogram described.**

29. $b = 6$ ft, $h =$ ☐ ft, $A = 54$ ft^2

30. $b =$ ☐ cm, $h = 2.5$ cm, $A = 16$ cm^2

31. $b = (x + 4)$ yd, $h =$ ☐ yd, $A = (5x + 20)$ yd^2

32. **DIG DEEPER!** The staircase has three identical parallelogram-shaped panels. The horizontal distance between each panel is 4.25 inches. The area of each panel is 287 square inches. What is the value of x?



33. **MP** **LOGIC** Each dimension of a parallelogram is multiplied by a positive number n. Write an expression for the area of the new parallelogram.

34. **CRITICAL THINKING** Rearrange the rhombus shown to write a formula for the area of a rhombus in terms of its diagonals.



7.2 Areas of Triangles

Learning Target: Find areas and missing dimensions of triangles, and find areas of composite figures.

Success Criteria:
- I can explain how the area of a parallelogram is used to find the area of a triangle.
- I can use the base and the height of a triangle to find its area.
- I can use the area of a triangle and one of its dimensions to find the other dimension.
- I can use decomposition to find the area of a figure.

EXPLORATION 1 Deriving the Area Formula of a Triangle

FLORIDA STANDARDS
MAFS.6.EE.1.2c
MAFS.6.G.1.1

Work with a partner.

a. Draw *any* parallelogram on a piece of centimeter grid paper. Cut the parallelogram into two identical triangles. How can you use the area of the parallelogram to find the area of each triangle?

b. Copy the triangle below on a piece of centimeter grid paper. Find the area of the triangle. Explain how you found the area.



c. Draw *any* acute triangle on a piece of centimeter grid paper and find its area. Repeat this process for a right triangle and an obtuse triangle.

d. Do the areas change in part (c) when you use different sides as the base? Explain your reasoning.

e. Use your results to write a formula for the area A of a triangle. Use the formula to find the area of the triangle shown.



Math Practice

Calculate Accurately

If you use the base and the height to calculate the area in part (d), how can you estimate the dimensions so that your calculations are accurate?

7.2 Lesson

Key Vocabulary
composite figure, *p. 294*

Key Idea

Area of a Triangle

Words The area A of a triangle is one-half the product of its base b and its height h.

Algebra $A = \frac{1}{2}bh$



EXAMPLE 1 Finding Areas of Triangles

Find the area of each triangle.

a.



$A = \frac{1}{2}bh$ Write formula.

$= \frac{1}{2}(5)(8)$ Substitute values.

$= \frac{1}{2}(40)$ Multiply.

$= 20$ Multiply.

The area of the triangle is 20 square inches.

b.



$A = \frac{1}{2}bh$

$= \frac{1}{2}(12)(9)$

$= 6(9)$

$= 54$

The area of the triangle is 54 square meters.

The base of a triangle does not have to be horizontal. Any side of a triangle can be the base. In Example 1(a), you could have used 8 inches as the base and 5 inches as the height.

Try It **Find the area of the triangle.**

1.



2.



3.



4.



Multi-Language Glossary at BigIdeasMath.com

EXAMPLE 2 Finding a Missing Dimension



Find the base of the triangle.

Use the formula for the area of a triangle. Substitute for the area and the height, then solve for the base.

$A = \frac{1}{2}bh$ Write formula for area of a triangle.

$56 = \frac{1}{2}b(12)$ Substitute 56 for A and 12 for h.

$56 = 6b$ Simplify.

$\frac{56}{6} = \frac{6b}{6}$ Division Property of Equality

$9\frac{1}{3} = b$ Simplify.

So, the base is $9\frac{1}{3}$ millimeters.

Try It **Find the missing dimension of the triangle.**

5.



6.



Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.



7. FINDING AREA Find the area of the triangle at the left.

8. WRITING Explain how to use the area of a parallelogram to find the area of a triangle.

FINDING A MISSING DIMENSION **Find the missing dimension of the triangle.**

9.



10.



A **composite figure** is made up of triangles, squares, rectangles, and other two-dimensional figures. To find the area of a composite figure, separate it into figures with areas you know how to find. This is called *decomposition*.

EXAMPLE 3 Modeling Real Life



Find the area of the fairway between two streams on a golf course.

There are several ways to separate the fairway into figures with areas you can find using formulas. It appears that one way is to separate the fairway into a rectangle and a right triangle.

Identify each shape and find any missing dimensions. Then find the area of each shape.



The height of the right triangle is $70 - 40 = 30$ yards.

Area of Rectangle

$$A = \ell w$$
$$= 70(40)$$
$$= 2800$$

Area of Right Triangle

$$A = \frac{1}{2}bh$$
$$= \frac{1}{2}(40)(30)$$
$$= 600$$

So, the area of the fairway is $2800 + 600 = 3400$ square yards.

Another Method It appears that you can separate the fairway into a parallelogram, a triangle, and a square.

$40(30) = 1200$

$\frac{1}{2}(40)(30) = 600$

$40(40) = 1600$

$1200 + 600 + 1600 = 3400 \text{ yd}^2$ ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



11. A wildlife conservation group buys the 9 square miles of land shown. What is the distance from Point A to Point B?



12. DIG DEEPER! Find the area of the side of the chimney. Explain how you found the area.

7.2 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Find the area of the parallelogram.

1.



2.



3.



Tell which property the statement illustrates.

4. $n \cdot 1 = n$

5. $4 \cdot m = m \cdot 4$

6. $(x + 2) + 5 = x + (2 + 5)$

7. What is the first step when using order of operations?

A. Multiply and divide from left to right.

B. Add and subtract from left to right.

C. Perform operations in grouping symbols.

D. Evaluate numbers with exponents.

Concepts, Skills, & Problem Solving

USING TOOLS **Find the area of the triangle by forming a parallelogram.**
(See Exploration 1, p. 291.)

8.



9.



10.



FINDING AREA **Find the area of the triangle.**

11.



12.



13.

14.



15.



16.



17. **YOU BE THE TEACHER** Your friend finds the area of the triangle. Is your friend correct? Explain your reasoning.





18. **MODELING REAL LIFE** Estimate the area of the cottonwood leaf.

19. **MODELING REAL LIFE** A shelf has the shape of a triangle. The base of the shelf is 36 centimeters, and the height is 18 centimeters. Find the area of the shelf in square inches.

FINDING A MISSING DIMENSION **Find the missing dimension of the triangle.**

20. Area = 28 m^2



21. Area = 14 ft^2



22.



COMPOSITE FIGURES **Find the area of the figure.**

23.



24.



25.





26. **WRITING** You know the height and the perimeter of an equilateral triangle. Explain how to find the area of the triangle. Draw a diagram to support your reasoning.

27. **CRITICAL THINKING** The total area of the polygon is 176 square feet. What is the value of x?

28. MP **REASONING** The base and the height of Triangle A are one-half the base and the height of Triangle B. How many times greater is the area of Triangle B?

29. MP **STRUCTURE** Use what you know about finding areas of triangles to write a formula for the area of a rhombus in terms of its diagonals. Compare the formula with your answer to Section 7.1 Exercise 34.



7.3 Areas of Trapezoids and Kites

Learning Target: Find areas of trapezoids, kites, and composite figures.

Success Criteria:
- I can explain how the area of a parallelogram is used to find the area of a trapezoid.
- I can decompose trapezoids and kites into smaller shapes.
- I can use decomposition to find the area of a figure.
- I can use the bases and the height of a trapezoid to find its area.

EXPLORATION 1 Deriving the Area Formula of a Trapezoid

FLORIDA STANDARDS
MAFS.6.EE.1.2c
MAFS.6.G.1.1

Work with a partner.

a. Draw *any* parallelogram on a piece of centimeter grid paper. Cut the parallelogram into two identical trapezoids. How can you use the area of the parallelogram to find the area of each trapezoid?

b. Copy the trapezoid below on a piece of centimeter grid paper. Find the area of the trapezoid. Explain how you found the area.



Math Practice

Make a Plan

How can you use the diagram below to justify the formula you wrote in part (d)?



c. Draw *any* trapezoid on a piece of centimeter grid paper and find its area.

d. Use your results to write a formula for the area A of a trapezoid. Use the formula to find the area of the trapezoid shown.



7.3 Lesson

Key Vocabulary
kite, *p. 298*

You can use decomposition to find areas of trapezoids and *kites*. A **kite** is a quadrilateral that has two pairs of adjacent sides with the same length and opposite sides with different lengths.

EXAMPLE 1 Finding Areas of Trapezoids and Kites

Find the area of each figure.

a.



Decompose the trapezoid into a triangle and a rectangle. Find the sum of the areas of the figures.



$$A = \frac{1}{2}(5)(5) + 5(4)$$
$$= 12\frac{1}{2} + 20$$
$$= 32\frac{1}{2}$$

The area of the trapezoid is $32\frac{1}{2}$ square kilometers.

b.



Decompose the kite into two triangles. Find the sum of the areas of the triangles.



$$A = \frac{1}{2}(8)(3) + \frac{1}{2}(8)(6)$$
$$= 12 + 24$$
$$= 36$$

The area of the kite is 36 square feet.

Try It **Find the area of the figure.**

1.



2.



Multi-Language Glossary at BigIdeasMath.com

In Example 1(a), you could have used a copy of the trapezoid to form a parallelogram. As you may have discovered in the exploration, this leads to the following formula for the area of a trapezoid.

Key Idea

Area of a Trapezoid

Words The area A of a trapezoid is one-half the product of its height h and the sum of its bases b_1 and b_2.

Algebra $A = \frac{1}{2}h(b_1 + b_2)$



EXAMPLE 2 Finding Areas of Trapezoids

Find the area of each trapezoid.

a.



$A = \frac{1}{2}h(b_1 + b_2)$ Write formula.

$= \frac{1}{2}(6)(5 + 9)$ Substitute.

$= \frac{1}{2}(6)(14)$ Add.

$= 42$ Multiply.

The area of the trapezoid is 42 square feet.

b.



$A = \frac{1}{2}h(b_1 + b_2)$ Write formula.

$= \frac{1}{2}(5)(8.5 + 11.5)$ Substitute.

$= \frac{1}{2}(5)(20)$ Add.

$= 50$ Multiply.

The area of the trapezoid is 50 square meters.

Try It **Find the area of the trapezoid.**

3.



4.



EXAMPLE 3 Finding the Area of a Composite Figure

There is often more than one way to separate composite figures. In Example 3, you can separate the figure into one rectangle and two triangles.

Find the area of the figure.

You can separate the figure into a rectangle and a trapezoid. Identify the height of the trapezoid. Then find the area of each shape.





Area of Rectangle

$$A = \ell w$$
$$= 6(4)$$
$$= 24$$

Area of Trapezoid

$$A = \frac{1}{2}h(b_1 + b_2)$$
$$= \frac{1}{2}(2)(4 + 8)$$
$$= 12$$

So, the area of the figure is $24 + 12 = 36$ square inches.

Try It **Find the area of the figure.**

5.



6.



Self-Assessment *for Concepts & Skills*

Solve each exercise. Then rate your understanding of the success criteria in your journal.

7. WRITING Explain how to use the area of a parallelogram to find the area of a trapezoid.

8. MP REASONING What measures do you need to find the area of a kite?

FINDING AREA **Find the area of the figure.**

9.



10.



EXAMPLE 4 Modeling Real Life

You can use a trapezoid to approximate the shape of Scott County, Virginia. The population is about 22,100. About how many people are there per square mile?



Understand the problem.

You are given the population and the dimensions of a county shaped like a trapezoid. You are asked to find the number of people per square mile.

Make a plan.

Use the formula for the area of a trapezoid to find the area of Scott County. Then divide the population by the area to find the number of people per square mile.

Solve and check.

$$A = \frac{1}{2}h(b_1 + b_2)$$ Write formula for area of a trapezoid.

$$= \frac{1}{2}(20)(15 + 38)$$ Substitute 20 for h, 15 for b_1, and 38 for b_2.

$$= \frac{1}{2}(20)(53)$$ Add.

$$= 530$$ Multiply.

The area of Scott County is about 530 square miles.

So, there are about $\frac{22{,}100 \text{ people}}{530 \text{ mi}^2} \approx 42$ people per square mile.

Check Reasonableness

Round the population to 20,000 and the area to 500 square miles to obtain an estimate that is simpler to calculate.

$$20{,}000 \div 500 = 40$$

The answer is reasonable because

$40 \approx 42$. ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

11. DIG DEEPER! An archaeologist estimates that the manuscript shown was originally a rectangle with a length of 20 inches. Estimate the area of the fragment that is missing.



12. The stained-glass window is made of identical kite-shaped glass panes. The approximate dimensions of one pane are shown. The glass used to make the window costs $12.50 per square foot. Find the total cost of the glass used to make the window.



7.3 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Find the area of the triangle.

1.



2.



3.



Classify the quadrilateral.

4.

5.



6.



7. On a normal day, 12 airplanes arrive at an airport every 15 minutes. Which rate does *not* represent this situation?

A. 24 airplanes every 30 minutes

B. 4 airplanes every 5 minutes

C. 6 airplanes every 5 minutes

D. 48 airplanes each hour

Concepts, Skills, & Problem Solving

USING TOOLS **Find the area of the trapezoid by forming a parallelogram.**
(See Exploration 1, p. 297.)

8.



9.



10.



FINDING AREA **Use decomposition to find the area of the figure.**

11.



12.



13.



14.



15.



16.



FINDING AREA **Find the area of the trapezoid.**

17.



18.



19.



20. **YOU BE THE TEACHER** Your friend finds the area of the trapezoid. Is your friend correct? Explain your reasoning.





21. **MODELING REAL LIFE** Light shines through a window. What is the area of the trapezoid-shaped region created by the light?

COMPOSITE FIGURES **Find the area of the figure.**

22.



23.



24.



FINDING A MISSING DIMENSION **Find the height of the trapezoid.**

25. Area $= 180 \text{ km}^2$



26. Area $= 600 \text{ yd}^2$

27. Area $= 21\frac{1}{5} \text{ mm}^2$



FINDING AREA **Find the area (in square feet) of a trapezoid with height h and bases b_1 and b_2.**

28. $h = 6$ in.
$b_1 = 9$ in.
$b_2 = 12$ in.

29. $h = 12$ yd
$b_1 = 5$ yd
$b_2 = 7$ yd

30. $h = 6$ m
$b_1 = 3$ m
$b_2 = 8$ m

31. OPEN-ENDED The area of the trapezoidal student election sign is 5 square feet. Find two possible values for each base length.

32. MP REASONING How many times greater is the area of the floor covered by the larger speaker than by the smaller speaker?



33. MP REASONING The rectangle and the trapezoid have the same area. What is the length ℓ of the rectangle?



34. CRITICAL THINKING In the figure shown, the area of the trapezoid is less than twice the area of the triangle. Find the possible values of x. Can the trapezoid have the same area as the triangle? Explain your reasoning.

35. MP STRUCTURE In Section 7.1 Exercise 34 and Section 7.2 Exercise 29, you wrote a formula for the area of a rhombus in terms of its diagonals.

a. Use what you know about finding areas of figures to write a formula for the area of a kite in terms of its diagonals.

b. Are there any similarities between your formula in part (a) and the formula you found in Sections 7.1 and 7.2? Explain why or why not.



7.4 Three-Dimensional Figures

Learning Target: Describe and draw three-dimensional figures.

Success Criteria:
- I can find the numbers of faces, edges, and vertices of a three-dimensional figure.
- I can draw prisms and pyramids.
- I can draw the front, side, and top views of a three-dimensional figure.

EXPLORATION 1

Exploring Faces, Edges, and Vertices

FLORIDA STANDARDS
Preparing for MAFS.6.G.1.4

Math Practice

View as Components

What are the different parts of a solid? How can you use these parts to help you draw a solid?

Work with a partner. Use the rectangular prism shown.



a. Prisms have *faces*, *edges*, and *vertices*. What does each of these terms mean?

b. What does it mean for lines or planes to be parallel or perpendicular in three dimensions? Use drawings to identify one pair of each of the following.

- parallel faces
- parallel edges
- edge parallel to a face
- perpendicular faces
- perpendicular edges
- edge perpendicular to a face

EXPLORATION 2

Drawing Views of a Solid





Number of cubes: 3

Work with a partner. Draw the front, side, and top views of each stack of cubes. Then find the number of cubes in the stack. An example is shown at the left.

a.



b.



c.

d.



7.4 Lesson

Key Vocabulary
solid, *p. 306*
polyhedron, *p. 306*
face, *p. 306*
edge, *p. 306*
vertex, *p. 306*
prism, *p. 306*
pyramid, *p. 306*

A **solid** is a three-dimensional figure that encloses a space. A **polyhedron** is a solid whose *faces* are all polygons.



EXAMPLE 1 Finding the Numbers of Faces, Edges, and Vertices

Find the numbers of faces, edges, and vertices of the solid.



The solid has 1 face on the bottom, 1 face on the top, and 4 faces on the sides.

The faces intersect at 12 different line segments.

The edges intersect at 8 different points.

So, the solid has 6 faces, 12 edges, and 8 vertices.

Try It

1. Find the numbers of faces, edges, and vertices of the solid.



Key Ideas

Prisms

A **prism** is a polyhedron that has two parallel, identical *bases*. The *lateral faces* are parallelograms.



Triangular Prism

Pyramids

A **pyramid** is a polyhedron that has one base. The lateral faces are triangles.



Rectangular Pyramid

The shape of the base tells the name of the prism or the pyramid.

Multi-Language Glossary at BigIdeasMath.com

EXAMPLE 2 Drawing Solids

a. Draw a rectangular prism.

Step 1: Draw identical rectangular bases.



Step 2: Connect corresponding vertices.



Step 3: Change any *hidden* lines to dashed lines.



b. Draw a triangular pyramid.

Step 1: Draw a triangular base and a point.

Step 2: Connect the vertices of the triangle to the point.



Step 3: Change any *hidden* lines to dashed lines.



Try It **Draw the solid.**

2. square prism

3. pentagonal pyramid



Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

4. FACES, EDGES, AND VERTICES Find the numbers of faces, edges, and vertices of the solid at the left.

5. DRAWING A SOLID Draw an octagonal prism.

6. WHICH ONE DOESN'T BELONG? Which figure does *not* belong with the other three? Explain your reasoning.

EXAMPLE 3 Modeling Real Life

a. Find the numbers of faces, edges, and vertices of the table-cut diamond.



The diamond has 1 face on the top and 8 faces on the sides.

The faces intersect at 16 different line segments.

The edges intersect at 9 different points.

So, the diamond has 9 faces, 16 edges, and 9 vertices.

b. Draw the front, side, and top views of the diamond.

Front view

Side view

Top view



Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

7. The Flatiron Building in New York City is in the shape of a triangular prism. Draw a sketch of the building.

8. The Pyramid of the Niches is in El Tajín, an archaeological site in Veracruz, Mexico. Draw the front, side, and top views of the pyramid. Explain.

9. Use the point-cut diamond shown.



a. Find the numbers of faces, edges, and vertices of the diamond.

b. Draw the front, side, and top views of the diamond.

c. How can a jeweler transform the point-cut diamond into a table-cut diamond as in Example 3?

7.4 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Find the area of the figure.

1.



2.



3.



Find the LCM of the numbers.

4. 8, 12 **5.** 15, 25 **6.** 32, 44 **7.** 3, 7, 10

A bucket contains stones and seashells. You are given the number of seashells in the bucket and the ratio of stones to seashells. Find the number of stones in the bucket.

8. 18 seashells; 2 to 1 **9.** 30 seashells; 4 : 3 **10.** 40 seashells; 7 : 4

Concepts, Skills, & Problem Solving

DRAWING VIEWS OF A SOLID **Draw the front, side, and top views of the stack of cubes. Then find the number of cubes in the stack.** (See Exploration 2, p. 305.)

11.



12.



13.



FACES, EDGES, AND VERTICES **Find the numbers of faces, edges, and vertices of the solid.**

14.



15.

16.



DRAWING SOLIDS **Draw the solid.**

17. triangular prism **18.** pentagonal prism

19. rectangular pyramid **20.** hexagonal pyramid

21. **MODELING REAL LIFE** The Pyramid of Cestius in Rome, Italy, is in the shape of a square pyramid. Draw a sketch of the pyramid.

22. **RESEARCH** Use the Internet to find a picture of the Washington Monument. Describe its shape.

DRAWING VIEWS OF A SOLID **Draw the front, side, and top views of the solid.**

23.

24.



25.

26.



27.

28.



DRAWING SOLIDS **Draw a solid with the following front, side, and top views.**

29.

30.



31. **MODELING REAL LIFE** Design and draw a house. Name the different solids that you can use to make a model of the house.



32. **DIG DEEPER!** Two of the three views of a solid are shown.



a. What is the greatest number of cubes in the solid?

b. What is the least number of cubes in the solid?

c. Draw the front views of both solids in parts (a) and (b).

33. **OPEN-ENDED** Draw two different solids with five faces.

a. Write the numbers of vertices and edges for each solid.

b. Explain how knowing the numbers of edges and vertices helps you draw a three-dimensional figure.

34. **CRITICAL THINKING** The base of a pyramid has n sides. Find the numbers of faces, edges, and vertices of the pyramid. Explain your reasoning.

7.5 Surface Areas of Prisms

Learning Target: Represent prisms using nets and use nets to find surface areas of prisms.

Success Criteria:
- I can draw nets to represent prisms.
- I can use nets to find surface areas of prisms.
- I can use a formula to find the surface area of a cube.
- I can apply surface areas of prisms to solve real-life problems.

EXPLORATION 1 Using Grid Paper to Construct a Solid

FLORIDA STANDARDS
MAFS.6.G.1.4

Work with a partner. Copy the figure shown below onto grid paper.



a. Cut out and fold the figure to form a solid. What type of solid does the figure form?

b. What is the area of the entire surface of the solid?

EXPLORATION 2 Finding the Area of the Entire Surface

Work with a partner. Find the area of the entire surface of each solid. Explain your reasoning.

Math Practice

Repeat Calculations
When finding the area of the entire surface, what calculations do you repeat?

a.

b.



7.5 Lesson

Key Vocabulary
surface area, *p. 312*
net, *p. 312*

The **surface area** of a solid is the sum of the areas of all of its faces. You can use a two-dimensional representation of a solid, called a **net**, to find the surface area of the solid. Surface area is measured in *square units*.

Key Idea

Net of a Rectangular Prism

A *rectangular prism* is a prism with rectangular bases.



EXAMPLE 1 Finding the Surface Area of a Rectangular Prism



Find the surface area of the rectangular prism.

Use a net to find the area of each face.

Top: $7 \cdot 4 = 28$
Bottom: $7 \cdot 4 = 28$
Front: $7 \cdot 3 = 21$
Back: $7 \cdot 3 = 21$
Side: $4 \cdot 3 = 12$
Side: $4 \cdot 3 = 12$



Find the sum of the areas of the faces.

$$\text{Surface Area} = \text{Area of top} + \text{Area of bottom} + \text{Area of front} + \text{Area of back} + \text{Area of a side} + \text{Area of a side}$$

$$S = 28 + 28 + 21 + 21 + 12 + 12 = 122$$

So, the surface area is 122 square inches.

Try It **Find the surface area of the rectangular prism.**

1.



2.



Multi-Language Glossary at BigIdeasMath.com

Key Idea

Net of a Triangular Prism

A *triangular prism* is a prism with triangular bases.



EXAMPLE 2 Finding the Surface Area of a Triangular Prism



Find the surface area of the triangular prism.

Use a net to find the area of each face.

Bottom: $12 \cdot 8 = 96$

Front: $\frac{1}{2} \cdot 12 \cdot 5 = 30$

Back: $\frac{1}{2} \cdot 12 \cdot 5 = 30$

Side: $13 \cdot 8 = 104$

Side: $8 \cdot 5 = 40$



Find the sum of the areas of the faces.

$$\text{Surface Area} = \text{Area of bottom} + \text{Area of front} + \text{Area of back} + \text{Area of a side} + \text{Area of a side}$$

$$S = 96 + 30 + 30 + 104 + 40$$

$$= 300$$

So, the surface area is 300 square centimeters.

Try It **Find the surface area of the triangular prism.**

3.



4.





When all the edges of a rectangular prism have the same length s, the rectangular prism is a cube. The net of a cube shows that each of the 6 identical square faces has an area of s^2. So, a formula for the surface area of a cube is

$S = 6s^2$. Formula for surface area of a cube



EXAMPLE 3 Finding the Surface Area of a Cube



Find the surface area of the cube.

$S = 6s^2$ Write formula for surface area of a cube.

$= 6(12)^2$ Substitute 12 for s.

$= 6(144)$ Evaluate power.

$= 864$ Multiply.

▶ The surface area of the cube is 864 square meters.

Try It **Find the surface area of the cube.**

5.



6.



Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

7. **FINDING SURFACE AREA** Find the surface area of a cube with edge lengths of 9 centimeters.



8. **DIFFERENT WORDS, SAME QUESTION** Which is different? Find "both" answers.

What is the sum of the areas of all of the faces of the prism?

What is the area of the entire surface of the prism?

What is the combined area of the triangular faces of the prism?

What is the surface area of the prism?

EXAMPLE 4 Modeling Real Life



Space instruments are often wrapped in gold-colored multi-layer insulation (MLI) to reflect radiation from the Sun. What is the least amount of MLI needed to wrap an instrument in the shape of a rectangular prism with a length of 5 feet, a width of 5 feet, and a height of 3 feet?

Draw the prism. The least amount of MLI needed is represented by the surface area of the prism. Use a net to find the surface area.



Top: $5 \cdot 5 = 25$
Bottom: $5 \cdot 5 = 25$
Front: $5 \cdot 3 = 15$
Back: $5 \cdot 3 = 15$
Side: $5 \cdot 3 = 15$
Side: $5 \cdot 3 = 15$



$S = 25 + 25 + 15 + 15 + 15 + 15 = 110$

So, the least amount of MLI needed is 110 square feet.

Check Reasonableness The surface area of a 5 ft × 5 ft × 3 ft prism should be less than the surface area of a 5 ft × 5 ft × 5 ft cube. The cube has a surface area of $6(5)^2 = 150$ square feet. Because $110 \text{ ft}^2 < 150 \text{ ft}^2$, the answer is reasonable. ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



9. Light shines through a glass prism and forms a rainbow. What is the surface area of the prism?

10. One pint of chalkboard paint covers 60 square feet. What is the least number of pints of paint needed to paint the walls of a room in the shape of a rectangular prism with a length of 15 feet, a width of 13 feet, and a height of 10 feet? Explain.

11. **DIG DEEPER!** A flexible *metamaterial* is developed for use in robotics and prosthetics. A block of metamaterial is in the shape of a cube with a surface area of 600 square centimeters. What is the edge length of the block of metamaterial?

7.5 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Draw the front, side, and top views of the solid.

1.



2.

3.



Find the GCF of the numbers.

4. 18, 72

5. 44, 110

6. 78, 93

7. 60, 96, 156

Solve the equation.

8. $s - 5 = 12$

9. $x + 9 = 20$

10. $48 = 6r$

11. $\frac{m}{5} = 13$

Divide.

12. $496 \div 16$

13. $765 \div 45$

14. $1173 \div 23$

Concepts, Skills, & Problem Solving

USING TOOLS **Use a net to find the area of the entire surface of the solid. Explain your reasoning.** (See Exploration 2, p. 311.)

15.

16.



17.



FINDING SURFACE AREA **Find the surface area of the rectangular prism.**

18.



19.



20.



21.



22.



23.



FINDING SURFACE AREA **Find the surface area of the triangular prism.**

24.



25.



26.



27.



28.



29.



30. **MODELING REAL LIFE** A gift box in the shape of a rectangular prism measures 8 inches by 8 inches by 10 inches. What is the least amount of wrapping paper needed to wrap the gift box? Explain.

31. **MODELING REAL LIFE** What is the least amount of fabric needed to make the tent?

FINDING SURFACE AREA **Find the surface area of the cube.**

32.



33.



34.



35. **MODELING REAL LIFE** A piece of dry ice is in the shape of a cube with edge lengths of 7 centimeters. Find the surface area of the dry ice.

36. **YOU BE THE TEACHER** Your friend finds the surface area of the prism. Is your friend correct? Explain your reasoning.



37. CRITICAL THINKING A public library has the aquarium shown. The front piece of glass has an area of 24 square feet. How many square feet of glass were used to build the aquarium? (The top of the aquarium is open and the bottom is glass.)

38. MP PROBLEM SOLVING A cereal box has the dimensions shown.

a. Find the surface area of the cereal box.

b. The manufacturer decides to decrease the size of the box by reducing each of the dimensions by 1 inch. Find the decrease in surface area.

39. MP REASONING The material used to make a storage box costs $1.25 per square foot. The boxes have the same volume. Which box might a company prefer to make? Explain your reasoning.

	Length	Width	Height
Box 1	20 in.	6 in.	4 in.
Box 2	15 in.	4 in.	8 in.

40. MP LOGIC Which of the following are nets of a cube? Select all that apply.

A. 

B. 

C. 

D. 



41. MODELING REAL LIFE A quart of stain covers 100 square feet. How many quarts should you buy to stain the wheelchair ramp? (Assume you do not have to stain the bottom of the ramp.)

42. DIG DEEPER! A cube is removed from a rectangular prism. Find the surface area of the figure after removing the cube.



7.6 Surface Areas of Pyramids

Learning Target: Represent pyramids using nets and use nets to find surface areas of pyramids.

Success Criteria:
- I can draw nets to represent pyramids.
- I can use nets to find surface areas of pyramids.
- I can apply surface areas of pyramids to solve real-life problems.

EXPLORATION 1 Using a Net to Construct a Solid

FLORIDA STANDARDS
MAFS.6.G.1.4

Work with a partner. Copy the net shown below onto grid paper.



a. Cut out and fold the net to form a solid. What type of solid does the net form?

b. What is the surface area of the solid?

EXPLORATION 2 Finding Surface Areas of Solids

Work with a partner. Find the surface area of each solid. Explain your reasoning.

Math Practice

Analyze Givens
What information can you determine from the diagram? How does this help you find the surface area of the solid?

a.



b.



7.6 Lesson

Key Idea

Net of a Pyramid



In this book, the base of every pyramid is either a square or an equilateral triangle. So, the lateral faces are identical triangles.

Remember

A *square pyramid* is a pyramid with a square base.
A *triangular pyramid* is a pyramid with a triangular base.

EXAMPLE 1 Finding the Surface Area of a Square Pyramid



Find the surface area of the square pyramid.

Use a net to find the area of each face.



Bottom: $7 \cdot 7 = 49$

Side: $\frac{1}{2} \cdot 7 \cdot 10 = 35$

Side: $\frac{1}{2} \cdot 7 \cdot 10 = 35$

Side: $\frac{1}{2} \cdot 7 \cdot 10 = 35$

Side: $\frac{1}{2} \cdot 7 \cdot 10 = 35$

Find the sum of the areas of the faces.

$$\begin{array}{rcccccccccc} \text{Surface Area} & = & \text{Area of bottom} & + & \text{Area of a side} & + & \text{Area of a side} & + & \text{Area of a side} & + & \text{Area of a side} \\ S & = & 49 & + & 35 & + & 35 & + & 35 & + & 35 & = 189 \end{array}$$

So, the surface area is 189 square meters.

Try It **Find the surface area of the square pyramid.**

1.



2.



EXAMPLE 2 Finding the Surface Area of a Triangular Pyramid



Find the surface area of the triangular pyramid.

Use a net to find the area of each face.

$$\text{Bottom: } \frac{1}{2} \cdot 6 \cdot 5.2 = 15.6$$

$$\text{Side: } \frac{1}{2} \cdot 6 \cdot 8 = 24$$

$$\text{Side: } \frac{1}{2} \cdot 6 \cdot 8 = 24$$

$$\text{Side: } \frac{1}{2} \cdot 6 \cdot 8 = 24$$



Find the sum of the areas of the faces.

$$\begin{aligned} \text{Surface Area} &= \text{Area of bottom} + \text{Area of a side} + \text{Area of a side} + \text{Area of a side} \\ S &= 15.6 + 24 + 24 + 24 \\ &= 87.6 \end{aligned}$$

So, the surface area is 87.6 square feet.

Try It **Find the surface area of the triangular pyramid.**

3.



4.



Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

5. MP **PRECISION** Explain how to find the surface area of a pyramid.

FINDING SURFACE AREA **Find the surface area of the pyramid.**

6.



7.



EXAMPLE 3 Modeling Real Life



The uppermost piece of an ancient Egyptian pyramid is called a pyramidion. These square pyramid-shaped pieces were sometimes covered with gold. What is the least amount of gold needed to cover a pyramidion in which each triangular face has a height of 1.2 meters and a base of 1.5 meters?

Draw the pyramid. The least amount of gold needed is represented by the surface area of the pyramid. Use a net to find the surface area.



Bottom: $1.5 \cdot 1.5 = 2.25$

Side: $\frac{1}{2} \cdot 1.5 \cdot 1.2 = 0.9$

Side: $\frac{1}{2} \cdot 1.5 \cdot 1.2 = 0.9$

Side: $\frac{1}{2} \cdot 1.5 \cdot 1.2 = 0.9$

Side: $\frac{1}{2} \cdot 1.5 \cdot 1.2 = 0.9$



$S = 2.25 + 0.9 + 0.9 + 0.9 + 0.9 = 5.85$

So, the least amount of gold needed is 5.85 square meters.

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



Surface Area = 15.75 in.^{2}

8. A salt lamp is shaped like a triangular pyramid. Find the surface area of each triangular face.

9. DIG DEEPER! Originally, each triangular face of the Great Pyramid of Giza had a height of 612 feet and a base of 756 feet. Today, the height of each triangular face of the square pyramid is 592 feet. Find the change in the total surface area of the four triangular faces of the Great Pyramid of Giza.

7.6 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Find the surface area of the prism.

1.



2.



3.



Match the expression with an equivalent expression.

4. $3(4n + 2)$ **5.** $6(2n + 3)$ **6.** $4(3n + 4)$ **7.** $12(n + 1)$

A. $2(6n + 6)$ **B.** $12n + 18$ **C.** $2(6n + 3)$ **D.** $12n + 16$

Write the fraction or mixed number as a percent.

8. $\frac{17}{25}$ **9.** $\frac{19}{20}$ **10.** $6\frac{7}{8}$ **11.** $\frac{3}{400}$

Concepts, Skills, & Problem Solving

USING TOOLS **Use a net to find the surface area of the solid. Explain your reasoning.** (See Exploration 2, p. 319.)

12.



13.



14.



FINDING SURFACE AREA **Find the surface area of the pyramid.**

15.



16.



17.



18.



19.



20.



21. MODELING REAL LIFE A paperweight is shaped like a triangular pyramid. Find the surface area of the paperweight.



22. MP PROBLEM SOLVING The entrance to the Louvre Museum in Paris, France, is a square pyramid. The side length of the base is 116 feet, and the height of one of the triangular faces is 91.7 feet. Find the surface area of the four triangular faces of the entrance to the Louvre Museum.



23. MODELING REAL LIFE A silicon wafer is textured to minimize light reflection. This results in a surface made up of square pyramids. Each triangular face of one of the pyramids has a base of 5 micrometers and a height of 5.6 micrometers. Find the surface area of the pyramid, including the base.

24. MP REASONING A hanging light cover made of glass is shaped like a square pyramid. The cover does not have a bottom. One square foot of the glass weighs 2.45 pounds. The chain can support 35 pounds. Will the chain support the light cover? Explain.





25. GEOMETRY The surface area of the square pyramid shown is 84 square inches. What is the value of x?

26. MP STRUCTURE In the diagram of the base of the hexagonal pyramid, all the triangles are the same. Find the surface area of the hexagonal pyramid.





27. CRITICAL THINKING Can you form a square pyramid using a square with side lengths of 14 inches and four of the triangles shown? Explain your reasoning.

7.7 Volumes of Rectangular Prisms

Learning Target: Find volumes and missing dimensions of rectangular prisms.

Success Criteria:
- I can use a formula to find the volume of a rectangular prism.
- I can use a formula to find the volume of a cube.
- I can use the volume of a rectangular prism and two of its dimensions to find the other dimension.
- I can apply volumes of rectangular prisms to solve real-life problems.

FLORIDA STANDARDS
MAFS.6.G.1.2

Recall that he **volume** of a three-dimensional figure is a measure of the amount of space that it occupies. Volume is measured in *cubic units*.

EXPLORATION 1 Using a Unit Cube



Work with a partner. A *unit cube* is a cube with an edge length of 1 unit. The parallel edges of the unit cube have been divided into 2, 3, and 4 equal parts to create smaller rectangular prisms that are identical.



a. The volumes of the identical prisms are equal. What else can you determine about the volumes of the prisms? Explain.

b. Use the identical prisms in part (a) to find the volume of the prism below. Explain your reasoning.



Math Practice

Communicate Precisely
In part (c), explain why you decided to divide the unit cube in the way you did.

c. How can you use a unit cube to find the volume of the prism below? Explain.



d. Do the formulas $V = Bh$ and $V = \ell wh$ work for rectangular prisms with fractional edge lengths? Give examples to support your answer.

7.7 Lesson

Key Vocabulary
volume, *p. 325*

Key Idea

Volume of a Rectangular Prism

Words The volume V of a rectangular prism is the product of the area of the base and the height of the prism.

Algebra $V = Bh$ or $V = \ell wh$



When a rectangular prism is a cube with an edge length of s, you can also use the formula $V = s^3$ to find the volume V of the cube.

EXAMPLE 1 Finding Volumes of Rectangular Prisms

Find the volume of each prism.

In Example 1(b), the rectangular prism is a cube. Notice that you obtain the same answer when you use the formula $V = \ell wh$ to find the volume.

a.



$V = \ell wh$

$= \frac{7}{8}\left(\frac{1}{2}\right)\left(\frac{5}{8}\right)$

$= \frac{35}{128}$

So, the volume is $\frac{35}{128}$ cubic meter.

b.



$V = s^3$

$= \left(\frac{3}{2}\right)^3$

$= \frac{3}{2}\left(\frac{3}{2}\right)\left(\frac{3}{2}\right)$

$= \frac{27}{8}$, or $3\frac{3}{8}$

So, the volume is $3\frac{3}{8}$ cubic inches.

Try It **Find the volume of the prism.**

1.



2.



EXAMPLE 2 Finding a Missing Dimension of a Rectangular Prism

Volume = 1792 in.^{3}

Find the height of the computer tower.

$V = \ell wh$ Write formula for volume.

$1792 = 16(7)h$ Substitute values.

$1792 = 112h$ Simplify.

$\frac{1792}{112} = \frac{112h}{112}$ Division Property of Equality

$16 = h$ Simplify.

So, the height of the computer tower is 16 inches.

Try It **Find the missing dimension of the prism.**

3. Volume = 72 in.^{3}

4. Volume = 1375 cm^3



Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

5. CRITICAL THINKING Explain how volume and surface area are different.

6. FINDING A MISSING DIMENSION The base of a rectangular prism has an area of 24 square millimeters. The volume of the prism is 144 cubic millimeters. Make a sketch of the prism. Then find the height of the prism.

FINDING VOLUME **Find the volume of the prism.**

7.



8.





When finding volumes, you may need to convert cubic units. The diagrams at the left show that there are 27 cubic feet per cubic yard.

$$1 \text{ yd}^3 = (1 \text{ yd})(1 \text{ yd})(1 \text{ yd}) = (3 \text{ ft})(3 \text{ ft})(3 \text{ ft}) = 27 \text{ ft}^3$$

You can use a similar procedure to convert other cubic units.

EXAMPLE 3 Modeling Real Life

The dump truck shown delivers dirt for $18 per cubic yard. About how much does a full load of dirt cost?

Find the volume of a full load of dirt in cubic feet.

$$\begin{aligned} V &= \ell wh && \text{Write formula for volume.} \\ &= 17(8)\left(4\tfrac{3}{4}\right) && \text{Substitute values.} \\ &= 646 && \text{Multiply.} \end{aligned}$$

A full load of dirt is 646 cubic feet. Because $1 \text{ yd}^3 = 27 \text{ ft}^3$, convert the volume to cubic yards using a conversion factor.

$$646 \text{ ft}^3 = 646 \text{ ft}^3 \times \frac{1 \text{ yd}^3}{27 \text{ ft}^3} \approx 24 \text{ yd}^3$$

So, a full load of dirt costs about $24 \text{ yd}^3 \times \frac{\$18}{1 \text{ yd}^3} = \$432$.

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

9. DIG DEEPER! The shark cage is in the shape of a rectangular prism and has a volume of 315 cubic feet. Find a set of reasonable dimensions for the base of the cage. Justify your answer.

10. The hot tub is in the shape of a rectangular prism. How many pounds of water can the hot tub hold? One cubic foot of water weighs about 62.4 pounds.

7.7 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Find the surface area of the pyramid.

1.



2.



3.



Write the phrase as an expression. Then evaluate the expression when $x = 2$ and $y = 12$.

4. 8 more than a number x

5. the difference of a number y and 9

Concepts, Skills, & Problem Solving

MP **STRUCTURE** **The unit cube is divided into identical rectangular prisms. What is the volume of one of the identical prisms?** (See Exploration 1, p. 325.)

6.



7.



8.



FINDING VOLUME **Find the volume of the prism.**

9.



10.



11.



12.



13.



14.



FINDING A MISSING DIMENSION **Find the missing dimension of the prism.**

15. Volume $= 1620 \text{ cm}^3$

16. Volume $= 220.5 \text{ cm}^3$

17. Volume $= 532 \text{ in.}^3$



18. MODELING REAL LIFE An FBI agent orders a block of ballistics gel. The gel weighs 54 pounds per cubic foot. What is the weight of the block of gel?



19. MODELING REAL LIFE

a. Estimate the amount of casserole left in the dish.

b. Will the casserole fit in the storage container? Explain your reasoning.

20. GEOMETRY How many $\frac{3}{4}$-centimeter cubes do you need to create a cube with an edge length of 12 centimeters?

21. MP REASONING How many one-millimeter cubes do you need to fill a cube that has an edge length of 1 centimeter? How can this result help you convert a volume from cubic millimeters to cubic centimeters? from cubic centimeters to cubic millimeters?



22. MP LOGIC The container is partially filled with unit cubes. How many unit cubes fit in the container? Explain your reasoning.



23. MP PROBLEM SOLVING The area of the shaded face is 96 square centimeters. What is the volume of the rectangular prism?

24. DIG DEEPER! Is the combined volume of a 4-foot cube and a 6-foot cube equal to the volume of a 10-foot cube? Use a diagram to justify your answer.

25. PROJECT You have 1400 square feet of boards to use for a new tree house.

a. Design a tree house that has a volume of at least 250 cubic feet. Include sketches of your tree house.

b. Are your dimensions reasonable? Explain your reasoning.

Using the Problem-Solving Plan

1. A sports complex has two swimming pools that are shaped like rectangular prisms. The amount of water in the smaller pool is what percent of the amount of water in the larger pool?



Understand the problem. You know the shape and the dimensions of the two swimming pools. You are asked to find the amount of water in the smaller pool as a percent of the amount of water in the larger pool.

Make a plan. First, find the volume of each pool. Then represent the amount of water in the smaller pool as a fraction of the amount of water in the larger pool. Find an equivalent fraction whose denominator is 100 to find the percent.

Solve and check. Use the plan to solve the problem. Then check your solution.



2. Use a graph to represent the relationship between the surface area S (in square meters) and the height h (in meters) of the triangular prism. Then find the height when the surface area is 260 square meters.

3. A toy company sells two different toy chests. The toy chests have different dimensions, but the same volume. What is the width w of Toy Chest 2?

Performance Task



Maximizing the Volumes of Boxes

At the beginning of this chapter, you watched a STEAM Video called "Packaging Design." You are now ready to complete the performance task related to this video, available at ***BigIdeasMath.com***. Be sure to use the problem-solving plan as you work through the performance task.

7 Chapter Review

Go to *BigIdeasMath.com* to download blank graphic organizers.

Review Vocabulary

Write the definition and give an example of each vocabulary term.

polygon, *p. 285*
composite figure, *p. 294*
kite, *p. 298*
solid, *p. 306*
polyhedron, *p. 306*
face, *p. 306*
edge, *p. 306*
vertex, *p. 306*
prism, *p. 306*
pyramid, *p. 306*
surface area, *p. 312*
net, *p. 312*
volume, *p. 325*

Graphic Organizers

You can use a **Four Square** to organize information about a concept. Each of the four squares can be a category, such as definition, vocabulary, example, non-example, words, algebra, table, numbers, visual, graph, or equation. Here is an example of a Four Square for the ***area of a parallelogram***.

Words
The area A of a parallelogram is the product of its base b and its height h.

Algebra
$A = bh$

Area of a parallelogram

Example
$A = bh$
$= 8(5)$
$= 40$



The area of the parallelogram is 40 square inches.

Example
$A = bh$
$= 6(10)$
$= 60$

The area of the parallelogram is 60 square feet.

Choose and complete a graphic organizer to help you study the concept.

1. area of a triangle
2. area of a trapezoid
3. area of a composite figure
4. polyhedron
5. surface area of a prism
6. surface area of a pyramid
7. volume of a rectangular prism

"Here is my Four Square to organize information about rattlesnakes. How do you like it?"

Chapter Self-Assessment

As you complete the exercises, use the scale below to rate your understanding of the success criteria in your journal.

1	2	3	4
I do not understand.	I can do it with help.	I can do it on my own.	I can teach someone else.

7.1 Areas of Parallelograms *(pp. 285–290)*

Learning Target: Find areas and missing dimensions of parallelograms.

Find the area of the parallelogram.

1.



2.



3.





4. Find the area (in square inches) of the parallelogram.

5. The billboard shown is in the shape of a parallelogram with a base of 48 feet. What is the height of the billboard?

6. The freeway noise barrier shown is made of identical parallelogram-shaped sections. The area of each section is 7.5 square meters, and the height of the barrier is 5 meters. How many meters wide is each section of the noise barrier?

7. Draw a parallelogram that has an area between 58 and 60 square centimeters.

7.2 Areas of Triangles *(pp. 291–296)*

Learning Target: Find areas and missing dimensions of triangles, and find areas of composite figures.

Find the area of the triangle.

8.



9.



Find the missing dimension of the triangle.

10. Area = 35 mi²



11. Area = 5 cm²



Find the area of the figure.

12.



13.





14. Draw a composite figure that has an area less than 35 square inches.

15. The triangle-shaped entrance to the cavern is $2\frac{1}{2}$ feet tall and 4 feet wide. What is the area of the entrance?

7.3 Areas of Trapezoids and Kites *(pp. 297–304)*

Learning Target: Find areas of trapezoids, kites, and composite figures.

16. Use decomposition to find the area of the kite.



Find the area of the trapezoid.

17.



18.



19.



Find the area of the figure.

20.



21.



22.





23. You are creating a design for the side of the soapbox car. How much area do you have for the design?

24. Find the area (in square centimeters) of a trapezoid with a height of 2 meters and base lengths of 3 meters and 5 meters.

7.4 Three-Dimensional Figures *(pp. 305–310)*

Learning Target: Describe and draw three-dimensional figures.

Find the numbers of faces, edges, and vertices of the solid.

25. 

26. 

27.

Draw the solid.

28. square pyramid

29. hexagonal prism

Draw the front, side, and top views of the solid.

30.

31.

32.

7.5 Surface Areas of Prisms *(pp. 311–318)*

Learning Target: Represent prisms using nets and use nets to find the surface areas of prisms.

Find the surface area of the prism.

33.



34.



35.



36.



37.



38.



39. One quart of water-resistant paint covers 75 square feet. A swimming pool is in the shape of a rectangular prism with a length of 20 feet, a width of 10 feet, and a height of 5 feet. How many quarts should you buy to paint the swimming pool with two coats of paint?

7.6 Surface Areas of Pyramids *(pp. 319–324)*

Learning Target: Represent pyramids using nets and use nets to find the surface areas of pyramids.

Find the surface area of the pyramid.

40.



41.



42.



43. You make a square pyramid for a school project. Find the surface area of the pyramid.



7.7 Volumes of Rectangular Prisms *(pp. 325–330)*

Learning Target: Find volumes and missing dimensions of rectangular prisms.

Find the volume of the prism.

44.



45.



46.



47. The prism has a volume of 150 cubic feet. Find the length of the prism.





48. How many cubic inches of tissues can the box hold?

49. Draw a rectangular prism that has a volume less than 1 cubic inch.

Practice Test

Find the area of the figure.

1.



2.



3.



Find the surface area of the solid.

4.



5.



Find the volume of the prism.

6.



7.



8. Draw an octagonal prism.

9. Find the numbers of faces, edges, and vertices of the solid.

10. The area of a parallelogram is 156 square meters. What is the height of the parallelogram when the base is 13 meters?



11. A candle is shaped like a square pyramid. Find the surface area of the candle.

12. You are wrapping the boxed DVD collection as a present. What is the least amount of wrapping paper needed to wrap the box?



13. A cube has an edge length of 4 inches. You double the edge lengths. How many times greater is the volume of the new cube?

14. The Pentagon in Arlington, Virginia, is the headquarters of the U.S. Department of Defense. The building's center contains a pentagon-shaped courtyard with an area of about 5 acres. Find the land areas (in square feet) of the courtyard and the building.



Cumulative Practice

1. A cruise ship is carrying a total of 4971 people. Each lifeboat can hold a maximum of 150 people. What is the minimum number of lifeboats needed to evacuate everyone on the cruise ship?

A. 33 lifeboats

B. 34 lifeboats

C. 54 lifeboats

D. 332 lifeboats

2. Which number is equivalent to the expression?

$$3 \cdot 4^2 + 6 \div 2$$

F. 27

G. 33

H. 51

I. 75

3. What is the volume of the package?



A. 240 in.^{3}

B. 376 in.^{3}

C. 480 in.^{3}

D. 960 in.^{3}

4. A housing community started with 60 homes. In each of the following years, 8 more homes were built. Let y represent the number of years that have passed since the first year, and let n represent the number of homes. Which equation describes the relationship between n and y?

F. $n = 8y + 60$

G. $n = 68y$

H. $n = 60y + 8$

I. $n = 60 + 8 + y$

Test-Taking Strategy

Answer Easy Questions First



"Scan the test and answer the easy questions first. You know that the area of a triangle is one-half times the product of its base and its height."

5. What is the value of m that makes the equation true?

$$4m = 6$$

6. What is the surface area of the square pyramid?



A. 30 in.^2

B. 31.5 in.^2

C. 39 in.^2

D. 69 in.^2

7. A wooden box has a length of 12 inches, a width of 6 inches, and a height of 8 inches.

Think
Solve
Explain

Part A Draw and label a rectangular prism with the dimensions of the wooden box.

Part B What is the surface area, in square inches, of the wooden box? Show your work.

Part C You have a two-fluid ounce sample of wood stain that covers 900 square inches. Is this enough to give the entire box two coats of stain? Show your work and explain your reasoning.

8. On Saturday, you earned \$35 mowing lawns. This was x dollars more than you earned on Thursday. Which expression represents the amount, in dollars, you earned mowing lawns on Thursday?

F. $35x$

G. $x + 35$

H. $x - 35$

I. $35 - x$

9. What is the area, in square yards, of the triangle?



10. Which expression is equivalent to $\frac{12}{35}$?

A. $\frac{5}{6} \div \frac{2}{7}$

B. $\frac{2}{7} \div \frac{6}{5}$

C. $\frac{2}{7} \div \frac{5}{6}$

D. $\frac{5}{6} \div \frac{7}{2}$

11. The description below represents the area of which polygon?

> "one-half the product of its height and the sum of its bases"

F. rectangle

G. parallelogram

H. trapezoid

I. triangle

12. What is the missing quantity in the double number line?

A. 25 ounces

B. 165 ounces

C. 525 ounces

D. 600 ounces

8 Integers, Number Lines, and the Coordinate Plane

8.1 Integers
8.2 Comparing and Ordering Integers
8.3 Rational Numbers
8.4 Absolute Value
8.5 The Coordinate Plane
8.6 Polygons in the Coordinate Plane
8.7 Writing and Graphing Inequalities
8.8 Solving Inequalities

Chapter Learning Target:
Understand integers.

Chapter Success Criteria:
- I can write integers to represent quantities.
- I can describe quantities.
- I can order and compare quantities.
- I can apply integers to model real-life problems.

STEAM Video

STEAM Video



Designing a CubeSat

A *CubeSat* is a type of miniature satell
research. Each CubeSat has the dimer
mass of no more than 1.33 kilograms.

Watch the STEAM Video "Designing
Then answer the following question

1. For what fields of study do you thi
can be used?

2. Tony says g-forces are a measure
The table shows the g-forces on a
in time. Why can g-forces be as hi
launch and as low as 0 in space?

Time	Before launch	During launch
G-Force	1	6

3. What would happen to a CubeSat
a g-force of 6? a g-force of 0?

Performance Task

Launching a CubeSat

After completing this chapter, you wil
the concepts you learned to answer th
the *STEAM Video Performance Task*.
information about three different type
that you can purchase.

English Spanish

Getting Ready for Chapter 8

Chapter Exploration

1. Work with a partner. Plot and connect the points to make a picture.

1(6, 9)	**2**(4, 11)	**3**(2, 12)	**4**(0, 11)	**5**(−2, 9)
6(−6, 2)	**7**(−9, 1)	**8**(−11, −3)	**9**(−7, 0)	**10**(−5, −1)
11(−5, −5)	**12**(−4, −8)	**13**(−6, −10)	**14**(−3, −9)	**15**(−3, −10)
16(−4, −11)	**17**(−4, −12)	**18**(−3, −11)	**19**(−2, −12)	**20**(−2, −11)
21(−1, −12)	**22**(−1, −11)	**23**(−2, −10)	**24**(−2, −9)	**25**(1, −9)
26(2, −8)	**27**(2, −10)	**28**(1, −11)	**29**(1, −12)	**30**(2, −11)
31(3, −12)	**32**(3, −11)	**33**(4, −12)	**34**(4, −11)	**35**(3, −10)
36(3, −8)	**37**(4, −6)	**38**(6, 0)	**39**(9, −3)	**40**(9, −1)
41(8, 1)	**42**(5, 3)	**43**(3, 6)	**44**(3, 7)	**45**(4, 8)



2. Create your own "dot-to-dot" picture. Use at least 20 points.

Vocabulary

The following vocabulary terms are defined in this chapter. Think about what each term might mean and record your thoughts.

negative numbers opposites inequality quadrants

8.1 Integers

Learning Target: Understand the concept of negative numbers and that they are used along with positive numbers to describe quantities.

Success Criteria:
- I can write integers to represent quantities in real life.
- I can graph integers on a number line.
- I can find the opposite of an integer.
- I can apply integers to model real-life problems.

EXPLORATION 1

Reading and Describing Temperatures

FLORIDA STANDARDS
MAFS.6.NS.3.5
MAFS.6.NS.3.6a
MAFS.6.NS.3.6c

Work with a partner. The thermometers show the temperatures in four cities.

Honolulu, Hawaii *Anchorage, Alaska*

Death Valley, California *Seattle, Washington*

a. Match each temperature with its most appropriate location.

i. **ii.** **iii.** **iv.**



Math Practice

Maintain Oversight

How does this exploration help you represent numbers less than 0?

b. What do all of the temperatures have in common?

c. What does it mean for a temperature to be *below* zero? Provide an example. Can you think of any other situations in which numbers may be less than zero?

d. The thermometers show temperatures on a vertical number line. How else can you represent numbers less than zero? Provide an example.

8.1 Lesson

Key Vocabulary

positive numbers, *p. 346*

negative numbers, *p. 346*

opposites, *p. 346*

integers, *p. 346*

Positive numbers are greater than 0. They can be written with or without a positive sign (+).

+1 5 +20 10,000

Negative numbers are less than 0. They are written with a negative sign (−).

−1 −5 −20 −10,000

Two numbers that are the same distance from 0 on a number line, but on opposite sides of 0, are called **opposites**. The opposite of 0 is 0.

The Meaning of a Word

Opposite

When you sit across from your friend at the lunch table, you sit **opposite** your friend.

Key Idea

Integers

Words **Integers** are the set of whole numbers and their opposites.

Graph



EXAMPLE 1 Writing Positive and Negative Integers

Write a positive or negative integer that represents each situation.

a. A contestant gains 250 points on a game show.

Gains indicates a number greater than 0. So, use a positive integer.

▶ +250, or 250

b. Gasoline freezes at 40 degrees below zero.

Below zero indicates a number less than 0. So, use a negative integer.

▶ −40

Try It **Write a positive or negative integer that represents the situation.**

1. A hiker climbs 900 feet up a mountain.
2. You have a debt of $24.
3. A student loses 5 points for not showing work on a quiz.
4. A savings account earns $10.

EXAMPLE 2 Graphing Integers

Graph each integer and its opposite.

a. 3



b. −2



Reading

You can think of the negative sign (−) as referring to the opposite of a number. In Example 2(b), you can read −2 as "the opposite of 2."

Try It **Graph the integer and its opposite.**

5. 6 **6.** −4 **7.** −12 **8.** 1

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

WRITING INTEGERS **Write a positive or negative integer that represents the situation.**

9. A baseball is thrown at a speed of 78 miles per hour.

10. A submarine is 3750 feet below sea level.

GRAPHING INTEGERS **Graph the integer and its opposite.**

11. 8 **12.** −7 **13.** 11

14. VOCABULARY Which of the following numbers are integers?

$$8, -4.1, -9, \frac{1}{6}, 1.75, 22$$

15. VOCABULARY List three words or phrases used in real life that indicate negative integers.

16. WRITING Describe the opposite of a positive integer, the opposite of a negative integer, and the opposite of zero.

EXAMPLE 3 Modeling Real Life

You deliver flowers to an office building. You enter at ground level and go down 2 floors to make the first delivery. Then you go up 7 floors to make the second delivery.

a. Write an integer that represents each position.

Position	*Integer*
You enter at ground level.	0
You go down 2 floors.	−2
You go up 7 floors.	+7

b. Write an integer that represents how you return to ground level.

Use a number line to model your movement, as shown.

The second delivery is on the fifth floor. You must go down 5 floors to return to ground level.

The integer representing "down 5 floors" is −5.



Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

17. The world record for scuba diving is 332 meters below sea level. Write an integer that represents a new world record. Explain.

18. The indoor and outdoor temperatures are shown. The freezing point of water is 32°F. Write integers that represent how each temperature must change to reach the freezing point of water. Explain.

19. An *ion* is an atom that has a positive or negative electric charge. When an ion has more protons than electrons, it has a positive charge. When an ion has fewer protons than electrons, it has a negative charge. Explain what it means for an atom to have an electric charge of zero.



8.1 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Find the volume of the prism.

1.



2.



3.



Factor the expression using the GCF.

4. $4m + 32$ **5.** $18z - 22$ **6.** $38x + 80$ **7.** $42n - 27s$

8. The height of a statue is 276 inches. What is the height of the statue in meters? Round your answer to the nearest hundredth.

A. 1.09 m **B.** 7.01 m **C.** 108.66 m **D.** 701.04 m

Concepts, Skills, & Problem Solving

OPEN-ENDED **Describe a situation that can be represented by the integer.**
(See Exploration 1, p. 345.)

9. -6 **10.** 12 **11.** -45

WRITING INTEGERS **Write a positive or negative integer that represents the situation.**

12. A football team loses 3 yards.

13. The temperature is 6 degrees below zero.

14. You earn $15 raking leaves.

15. A person climbs 600 feet up a mountain.

16. You withdraw $42 from an account.

17. An airplane climbs to 37,500 feet.

18. The temperature rises 17 degrees.

19. You lose 56 points in a video game.

20. A ball falls 350 centimeters.

21. You receive 5 bonus points in class.

22. **MODELING REAL LIFE** On December 17, 1903, the Wright brothers accomplished the first powered flight. The plane traveled a distance of 120 feet. Write this distance as an integer.

23. **MODELING REAL LIFE** A stock market gains 83 points. The next day, the stock market loses 47 points. Write each amount as an integer.

GRAPHING INTEGERS **Graph the integer and its opposite.**

24. -5 **25.** -8 **26.** 14 **27.** 9

28. -14 **29.** 20 **30.** -26 **31.** 18

32. 30 **33.** -150 **34.** -32 **35.** 400

36. **YOU BE THE TEACHER** Your friend describes the positive integers. Is your friend correct? Explain your reasoning.

> The positive integers are 0, 1, 2, 3, ...

USING A NUMBER LINE **Identify the integer represented by the point on the number line.**

37. A **38.** B **39.** C **40.** D



41. **DIG DEEPER!** Low tide, represented by the integer -1, is 1 foot below the average water level. High tide is 5 feet higher than low tide.

a. What does 0 represent in this situation?

b. Write an integer that represents the average water level relative to high tide.

42. MP **REPEATED REASONING** Consider an integer n.

a. Is the opposite of n always less than 0? Explain your reasoning.

b. What can you conclude about the opposite of the opposite of n? Justify your answer.

c. Describe the meaning of $-[-(-n)]$. What is it equal to?

43. MP **NUMBER SENSE** In a game of tug-of-war, a team wins by pulling the flag over its goal line. The flag begins at 0. During a game, the flag moves 8 feet to the right, 12 feet to the left, and 13 feet back to the right. Did a team win? Explain. If not, what does each team need to do in order to win?



8.2 Comparing and Ordering Integers

Learning Target: Compare and order integers.

Success Criteria:
- I can explain how to determine which of two integers is greater.
- I can order a set of integers from least to greatest.
- I can interpret statements about order in real-life problems.

EXPLORATION 1

FLORIDA STANDARDS
MAFS.6.NS.3.6c
MAFS.6.NS.3.7a
MAFS.6.NS.3.7b

Seconds to Liftoff

Work with a partner. You are listening to a command center before the liftoff of a rocket.

You hear the following:

> **"T minus 10 seconds . . . go for main engine start . . . T minus 9 . . . 8 . . . 7 . . . 6 . . . 5 . . . 4 . . . 3 . . . 2 . . . 1 . . . we have liftoff."**



a. Represent these events on a number line.

b. List the events in the order they occurred. Explain your reasoning.

c. Extend the number line in part (a) to show events in an astronaut's day. Include at least five events before liftoff and at least five events after liftoff. Use the Internet or another reference source to gather information.

Math Practice

Use Other Resources

Which sources would give you the most accurate information? How do you know you can trust the information you find?

8.2 Lesson

Recall that on a horizontal number line, numbers to the left are less than numbers to the right. Numbers to the right are greater than numbers to the left.

On a vertical number line, numbers below are less than numbers above. Numbers above are greater than numbers below.

EXAMPLE 1 Comparing Integers

a. Compare 2 and −6.

Graph each number on a horizontal number line.



2 is to the right of −6. So, $2 > -6$.

b. Compare −5 and −3.

Graph each number on a vertical number line.



−5 is below −3. So, $-5 < -3$.

Try It **Copy and complete the statement using < or >.**

1. $0 \square -4$ **2.** $-5 \square 5$ **3.** $-8 \square -7$

EXAMPLE 2 Ordering Integers

Order −4, 3, 0, −1, −2 from least to greatest.

Graph each integer on a number line.



Write the integers as they appear on the number line from left to right.

So, the order from least to greatest is −4, −2, −1, 0, 3.

Try It **Order the integers from least to greatest.**

4. −2, −3, 3, 1, −1 **5.** 4, −7, −8, 6, 1

EXAMPLE 3 Reasoning with Integers

A number is greater than −8 and less than 0. What is the greatest possible integer value of this number?

A. −10 **B.** −7 **C.** −1 **D.** 2

In Example 3, you can eliminate Choices A and D because −10 is to the left of −8 and 2 is to the right of 0.

The number is greater than −8 and less than 0. So, the number must be to the right of −8 and to the left of 0 on a horizontal number line.



The greatest possible integer value between −8 and 0 is the integer farthest to the right on the number line between these values, which is −1.

So, the correct answer is **C**.

Try It

6. In Example 3, what is the least possible integer value of the number?

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

ORDERING INTEGERS **Order the integers from least to greatest.**

7. 6, −4, −1, 3, 5

8. −7, −9, 0, 8, −2

9. WRITING Explain how to determine which of two integers is greater.



10. MP REASONING The positions of four fish are shown.

a. Use red, blue, yellow, and green dots to graph the positions of the fish on a horizontal number line and a vertical number line.

b. Explain how to use the number lines from part (a) to order the positions from least to greatest.

11. MP NUMBER SENSE a and b are negative integers. Compare a and b. Explain your reasoning.

EXAMPLE 4 Modeling Real Life



The diagram shows the coldest recorded temperatures for several cities in North Carolina.



a. Which city has the coldest recorded temperature?

Graph each integer on a vertical number line.

▶ −9 is the lowest on the number line. So, Raleigh has the coldest recorded temperature.

b. Has a negative Fahrenheit temperature ever been recorded in Wilmington? Explain.

▶ The coldest recorded temperature in Wilmington is 0°F, which is greater than every negative Fahrenheit temperature. So, a negative Fahrenheit temperature has never been recorded in Wilmington.

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

12. The freezing temperature of nitrogen is −210°C, and the freezing temperature of oxygen is −219°C. A container of nitrogen and a container of oxygen are both cooled to −215°C. Do the contents of each container freeze? Explain.

13. DIG DEEPER! The diagram shows the daily high temperatures during a school week. Was a positive Celsius temperature recorded on Tuesday? on Friday? Explain.



8.2 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Write a positive or negative integer that represents the situation.

1. You walk up 83 stairs.
2. A whale is 17 yards below sea level.
3. An organization receives a $75 donation.
4. A rock falls 250 feet off a cliff.

5. What is the area of the trapezoid?



   A. 6.3 ft^2 **B.** 44.1 ft^2

   C. 50.4 ft^2 **D.** 88.2 ft^2

Divide. Write the answer in simplest form.

6. $\frac{1}{5} \div \frac{1}{9}$
7. $\frac{2}{5} \div \frac{1}{3}$
8. $\frac{1}{4} \div 3$
9. $\frac{4}{7} \div 8$

Concepts, Skills, & Problem Solving

OPEN-ENDED **Name an event that could occur at the given time (in seconds) in Exploration 1. Describe when the event occurs in the order of events from the exploration.** (See Exploration 1, p. 351.)

10. -300
11. -150
12. 10

COMPARING INTEGERS **Copy and complete the statement using < or >.**

13. $3 \square 0$
14. $-2 \square 0$
15. $6 \square -6$
16. $3 \square -4$
17. $-1 \square 4$
18. $-7 \square -8$
19. $-3 \square -2$
20. $-5 \square -10$

YOU BE THE TEACHER **Your friend compares two integers. Is your friend correct? Explain your reasoning.**

21. *Compare −3 and −1.*
    3 > 1. So, −3 > −1.

22. *Compare −7 and −3.*
    Because −7 is to the left of −3 on a number line, −7 < −3.

ORDERING INTEGERS **Order the integers from least to greatest.**

23. $0, -1, 2, 3, -3$
24. $-4, -2, -3, 2, 1$
25. $-2, 3, -3, -4, 4$
26. $5, -11, -9, 3, -4$
27. $-3, 8, 4, 0, -13$
28. $-7, 2, 6, -4, 3$
29. $12, -8, -16, 7, 1$
30. $10, -10, 30, -30, -50$
31. $-5, 15, -10, -20, 25$



32. **MODELING REAL LIFE** An archaeologist discovers the two artifacts shown.

a. What integer represents ground level?

b. A dinosaur bone is 42 centimeters below ground level. Is it deeper than both of the artifacts? Explain.

33. MP **REASONING** A number is between -2 and -10. What is the least possible integer value of this number? What is the greatest possible integer value of this number?

34. MP **NUMBER SENSE** Describe the locations of the integers m and n on a number line for each situation.

a. $m < n$ **b.** $m > n$ **c.** $n > m$ **d.** $n < m$

CRITICAL THINKING **Tell whether the statement is *always*, *sometimes*, or *never* true. Explain.**

35. A positive integer is greater than its opposite.

36. An integer is less than its opposite and greater than 0.

37. **MODELING REAL LIFE** The table shows the highest and lowest elevations for five states.

State	Highest Elevation (feet)	Lowest Elevation (feet)
Arkansas	2753	55
California	14,494	−282
Florida	345	0
Louisiana	535	−8
Tennessee	6643	178

a. Order the states by their highest elevations, from least to greatest.

b. Order the states by their lowest elevations, from least to greatest.

c. What does the lowest elevation for Florida represent?

38. MP **NUMBER SENSE** Point A is on a number line halfway between -17 and 5. Point B is halfway between Point A and 0. What integer does Point B represent?

39. MP **REASONING** Eleven Fahrenheit temperatures are shown on a map during a weather report. When the temperatures are ordered from least to greatest, the middle temperature is below 0°F. Do you know exactly how many of the temperatures are represented by negative numbers? Explain.

40. **PUZZLE** Nine students each choose one integer. Here are seven of them:

$$5, -8, 10, -1, -12, -20, \text{and } 1.$$

a. When all nine integers are ordered from least to greatest, the middle integer is 1. Describe the integers chosen by the other two students.

b. When all nine integers are ordered from least to greatest, the middle integer is -3. Describe the integers chosen by the other two students.

8.3 Rational Numbers

Learning Target: Compare and order rational numbers.

Success Criteria:
- I can explain the meaning of a rational number.
- I can graph rational numbers on a number line.
- I can determine which of two rational numbers is greater.
- I can order a set of rational numbers from least to greatest.

EXPLORATION 1

Locating Fractions on a Number Line

FLORIDA STANDARDS

MAFS.6.NS.3.5
MAFS.6.NS.3.6a
MAFS.6.NS.3.6c
MAFS.6.NS.3.7a
MAFS.6.NS.3.7b

Work with a partner. Represent the events on a number line using a fraction or a mixed number.

a. Radio Transmission: 11:30 A.M.

b. Space Walk: 7:30 P.M.

c. Physical Exam: 4:45 A.M.

d. Take Photograph: 3:15 A.M.

e. Float in the Cabin: 6:20 P.M.

f. Eat Dinner: 8:40 P.M.

Math Practice

Use a Diagram

How can you graph values between negative integers on a number line?

8.3 Lesson

Key Vocabulary
rational number, *p. 358*

Integers, fractions, and decimals make up the set of *rational numbers*.

A **rational number** is a number that can be written as $\frac{a}{b}$, where a and b are integers and $b \neq 0$.

EXAMPLE 1 Graphing Rational Numbers

Graph each number and its opposite.

You can also graph rational numbers on vertical number lines.



a. $\frac{3}{4}$



b. -1.6



Try It **Graph the number and its opposite.**

1. $2\frac{1}{2}$
2. $-\frac{4}{5}$
3. -3.5
4. 5.25

EXAMPLE 2 Comparing Fractions and Mixed Numbers

a. Compare $-\frac{1}{2}$ and $-\frac{3}{4}$.



$-\frac{1}{2}$ is to the right of $-\frac{3}{4}$.

So, $-\frac{1}{2} > -\frac{3}{4}$.

b. Compare $-4\frac{5}{6}$ and $-4\frac{1}{6}$.



$-4\frac{5}{6}$ is to the left of $-4\frac{1}{6}$.

So, $-4\frac{5}{6} < -4\frac{1}{6}$.

Try It **Copy and complete the statement using < or >.**

5. $-\frac{4}{7} \square -\frac{1}{7}$
6. $-1\frac{2}{3} \square -1\frac{5}{6}$

EXAMPLE 3 Comparing Decimals

a. Compare −2.3 and −1.5.



−2.3 is to the left of −1.5.

So, $-2.3 < -1.5$.

b. Compare −3.08 and −3.8.



−3.08 is to the right of −3.8.

So, $-3.08 > -3.8$.

Try It **Copy and complete the statement using < or >.**

7. $-0.5 \square 0.3$

8. $-6.5 \square -6.75$

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

COMPARING RATIONAL NUMBERS **Copy and complete the statement using < or >.**

9. $-\frac{2}{3} \square -\frac{5}{9}$

10. $-2\frac{1}{4} \square -2\frac{3}{8}$

11. $-1.7 \square -2.4$

12. MP **NUMBER SENSE** Which statement is *not* true?

A. On a number line, $-2\frac{1}{6}$ is to the left of $-2\frac{2}{3}$.

B. $-2\frac{2}{3}$ is less than $-2\frac{1}{6}$.

C. On a number line, $-2\frac{2}{3}$ is to the left of $-2\frac{1}{6}$.

13. **WRITING** Explain how to determine whether a number is a rational number.

EXAMPLE 4 Modeling Real Life

A *Chinook wind* is a warm mountain wind that can cause rapid temperature changes. The table shows three of the greatest temperature drops ever recorded after a Chinook wind occurred. On which date did the temperature drop the fastest? Explain.



Date	Temperature Change
January 10, 1911	$-3\frac{1}{10}$°F per minute
November 10, 1911	$-\frac{5}{8}$°F per minute
January 22, 1943	$-2\frac{1}{5}$°F per minute

Graph the numbers on a number line.



$-3\frac{1}{10}$ is farthest to the left.

So, the temperature dropped the fastest on January 10, 1911.

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

14. You and your friend rappel down a cliff. Your friend descends 0.11 mile and then waits for you to catch up. You descend and your current change in elevation is −0.12 mile. Have you reached your friend? Explain.

15. The table shows the changes in the value of a stock over a period of three days. On which day does the value of the stock change the most? Explain your reasoning.

Day	1	2	3
Change (dollars)	−0.42	0	−0.45

8.3 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Copy and complete the statement using < or >.

1. $5 \square 8$ **2.** $-4 \square -7$ **3.** $2 \square -5$ **4.** $0 \square -3$

5. You pay \$48 for 8 pounds of chicken. Which is an equivalent rate?

A. \$44 for 4 pounds **B.** \$28 for 4 pounds

C. \$15 for 3 pounds **D.** \$30 for 5 pounds

Find the whole.

6. 40% of what number is 24? **7.** 12% of what number is 9?

8. 48% of what number is 84? **9.** 140% of what number is 98?

Multiply.

10. $\begin{array}{r} 0.53 \\ \times \quad 3 \\ \hline \end{array}$ **11.** $\begin{array}{r} 0.06 \\ \times \quad 0.7 \\ \hline \end{array}$ **12.** 3.7×4.854 **13.** 2.9×8.8609

Concepts, Skills, & Problem Solving

USING TOOLS **Use a fraction or a mixed number to represent the time on a number line. Let 0 represent noon.** (See Exploration 1, p. 357.)

14. 8:30 A.M. **15.** 12:15 P.M. **16.** 3:12 P.M.

GRAPHING RATIONAL NUMBERS **Graph the number and its opposite.**

17. $\frac{2}{3}$ **18.** -4.3 **19.** 2.15 **20.** $-\frac{3}{7}$

21. -0.4 **22.** $5\frac{1}{3}$ **23.** $-2\frac{1}{4}$ **24.** $-5\frac{3}{10}$

COMPARING RATIONAL NUMBERS **Copy and complete the statement using < or >.**

25. $-3\frac{1}{3} \square -3\frac{2}{3}$ **26.** $-\frac{1}{2} \square -\frac{1}{6}$ **27.** $-\frac{3}{4} \square \frac{5}{8}$

28. $-2\frac{2}{3} \square -2\frac{1}{2}$ **29.** $-1\frac{5}{6} \square -1\frac{3}{4}$ **30.** $-4.6 \square -4.8$

31. $-0.12 \square -0.05$ **32.** $2.41 \square -3.16$ **33.** $-3.524 \square -3.542$

ORDERING RATIONAL NUMBERS **Order the numbers from least to greatest.**

34. $1.3, -2, -1.8, 0, -1.75$ **35.** $-4, -4.35, -4.9, -5, -4.3$

36. $1.6, 1.2, 0, 0.8, -0.1$ **37.** $-\frac{1}{2}, \frac{1}{8}, \frac{3}{4}, -1, -\frac{1}{4}$

38. $-2\frac{3}{10}, -2\frac{2}{5}, -2, -2\frac{1}{2}, -3$ **39.** $-\frac{1}{20}, -\frac{5}{8}, 0, -1, -\frac{3}{4}$

40. MODELING REAL LIFE In rough water, a small sand dollar burrows $-\frac{1}{2}$ centimeter into the sand. A larger sand dollar burrows $-1\frac{1}{4}$ centimeters into the sand. Which sand dollar burrowed deeper?

41. MODELING REAL LIFE Two golfers calculate their average scores relative to par over several rounds of golf. Golfer A has an average score of $-1\frac{1}{4}$. Golfer B has an average score of $-1\frac{3}{8}$. Who has the lesser average score?

42. MODELING REAL LIFE The *apparent magnitude* of a star measures how bright the star appears as seen from Earth. The brighter the star, the lesser the number. Which star is the brightest?

Star	Alpha Centauri	Antares	Canopus	Deneb	Sirius
Apparent Magnitude	−0.27	0.96	−0.72	1.25	−1.46



43. MP REPEATED REASONING The daily water level relative to the pier is recorded for seven straight days at a tide station on the Big Marco River in Florida. On which days is the water level higher than on the previous day? On which days is it lower? Explain.

Day	Sun	Mon	Tues	Wed	Thurs	Fri	Sat
Water Level (feet)	$-\frac{3}{25}$	$-\frac{7}{20}$	$-\frac{27}{50}$	$-\frac{13}{20}$	$-\frac{16}{25}$	$-\frac{53}{100}$	$-\frac{1}{3}$

44. DIG DEEPER! A guitar tuner allows you to tune a guitar string to its correct pitch. The units on a tuner are measured in *cents*. The units tell you how far the string tone is above or below the correct pitch.

Guitar String	6	5	4	3	2	1
Number of Cents Away from the Correct Pitch	−0.3	1.6	−2.3	2.8	2.4	−3.6

a. What number on the tuner represents a correctly tuned guitar string?

b. Which strings have a pitch below the correct pitch?

c. Which string has a pitch closest to its correct pitch?

d. Which string has a pitch farthest from its correct pitch?

e. The tuner is rated to be accurate to within 0.5 cent of the true pitch. Which string could possibly be correct? Explain your reasoning.

45. MP NUMBER SENSE What integer values of x make the statement $-\frac{3}{x} < -\frac{x}{3}$ true?

8.4 Absolute Value

Learning Target: Understand the concept of absolute value.

Success Criteria:
- I can find the absolute value of a number.
- I can make comparisons that involve absolute values of numbers.
- I can apply absolute value in real-life problems.

EXPLORATION 1 Comparing Positions of Objects

FLORIDA STANDARDS
MAFS.6.NS.3.7c
MAFS.6.NS.3.7d

Work with a partner. The diagram shows the positions of several objects.



Math Practice

Understand Quantities
What do positive numbers represent in the problem? What do negative numbers represent?

a. What integer represents sea level? How can you compare the positions of objects relative to sea level?

b. Which pairs of objects are the same distance from sea level? How do you know?

c. The vessels *Kaiko*, *Alvin*, and *Jason Jr.* move to be the same distance from sea level as the Boeing 747. About how many meters did each vessel travel?

8.4 Lesson

Key Vocabulary
absolute value, *p. 364*

Key Idea

Absolute Value

Words The **absolute value** of a number is the distance between the number and 0 on a number line. The absolute value of a number a is written as $|a|$.

Numbers $|-2| = 2$ $\quad$ $|2| = 2$



EXAMPLE 1 Finding Absolute Value

a. Find the absolute value of 3.



So, $|3| = 3$.

b. Find the absolute value of $-2\frac{1}{2}$.



So, $\left|-2\frac{1}{2}\right| = 2\frac{1}{2}$.

Try It **Find the absolute value.**

1. $|8|$
2. $|-6|$
3. $|0|$
4. $\left|\frac{1}{4}\right|$
5. $\left|-7\frac{1}{3}\right|$
6. $|-12.9|$

EXAMPLE 2 Comparing Values

a. Compare 2 and $|-5|$.



So, $2 < |-5|$.

b. Compare $|3.5|$ and -1.



So, $|3.5| > -1$.

Try It **Copy and complete the statement using <, >, or =.**

7. $|-4|$ ☐ -2

8. -5 ☐ $|5|$

9. $|9|$ ☐ 10

10. 3.9 ☐ $|-3.9|$

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

COMPARING VALUES **Copy and complete the statement using <, >, or =.**

11. $|-6|$ ☐ 3

12. $|-3.5|$ ☐ 4

13. $3\frac{1}{2}$ ☐ $\left|-4\frac{3}{4}\right|$

14. DIFFERENT WORDS, SAME QUESTION Which is different? Find "both" answers.

How far is -3 from 0?

What integer is 3 units to the left of 0?

What is the absolute value of -3?

What is the distance between -3 and 0?

EXAMPLE 3 Modeling Real Life

Animal	Elevation (feet)
Shark	−4
Sea lion	5
Seagull	56
Shrimp	−65
Turtle	−22

The table shows the elevations of several animals.

a. Which animal is the deepest? Explain.

Graph each elevation.

The lowest elevation represents the animal that is the deepest. The integer that is lowest on the number line is −65.



▶ So, the shrimp is the deepest.

b. Is the shark or the sea lion closer to sea level?

Because sea level is at 0 feet, use absolute values.

Shark: $|-4| = 4$ **Sea lion:** $|5| = 5$

▶ Because 4 is less than 5, the shark is closer to sea level than the sea lion.

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

15. Describe the position of an object in your classroom using a negative rational number. Then describe the position of a second object using a positive rational number. Which number has a greater absolute value? What does this mean?

16. DIG DEEPER! The table shows the elevations of several checkpoints along a hiking trail.

Checkpoint	1	2	3	4	5
Elevation (feet)	110	38	−24	12	−142

a. Which checkpoint is farthest from sea level?

b. Which checkpoint is closest to sea level?

c. Between which checkpoints do you reach sea level? Explain your reasoning.

8.4 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Order the numbers from least to greatest.

1. $2.4, -3.2, -1.8, 0.6, -1.3$
2. $-0.3, 0.7, -1.5, 0, 2.2$
3. $\frac{3}{4}, \frac{1}{2}, \frac{2}{3}, 2, \frac{1}{4}$
4. $\frac{1}{5}, 1\frac{2}{5}, -2\frac{3}{4}, \frac{4}{5}, -2\frac{1}{2}$

Represent the ratio relationship using a graph.

5.

Beats	9	18	27
Seconds	5	10	15

6.

Yogurt (ounces)	7	14	21
Granola (ounces)	3	6	9

Evaluate the expression when $a = 2$, $b = 5$, and $c = 8$.

7. $5 + c$
8. $b - 4$
9. $\frac{c}{a}$
10. $b \cdot c$

Concepts, Skills, & Problem Solving

COMPARING POSITIONS OF OBJECTS **Tell which object is farther from sea level. Explain your reasoning.** (See Exploration 1, p. 363.)

11. Scuba diver: -15 m
    Dolphin: -22 m
12. Seagull: 12 m
    School of fish: -4 m
13. Shark: -40 m
    Flag on a ship: 32 m

FINDING ABSOLUTE VALUE **Find the absolute value.**

14. $|-2|$
15. $|23|$
16. $|11|$
17. $|-68|$
18. $|-8.35|$
19. $\left|\frac{1}{6}\right|$
20. $|14.06|$
21. $\left|-\frac{5}{8}\right|$
22. $\left|-3\frac{2}{5}\right|$
23. $|1.026|$
24. $\left|1\frac{1}{3}\right|$
25. $|-6.308|$

26. MP **REASONING** Write two integers that have an absolute value of 10.

27. **YOU BE THE TEACHER** Your friend finds the absolute value of 14. Is your friend correct? Explain your reasoning.



COMPARING VALUES **Copy and complete the statement using <, >, or =.**

28. $6 \square |-8|$
29. $|-3| \square 3$
30. $|-4.3| \square 3.4$
31. $\frac{1}{5} \square \left|-\frac{2}{9}\right|$
32. $|-0.05| \square 0$
33. $|-5.5| \square |-3.1|$
34. $\frac{3}{4} \square \left|-\frac{2}{5}\right|$
35. $|-6.8| \square |8.25|$
36. $-12 \square |12|$

37. MODELING REAL LIFE The table shows the change in the balance of a bank account after each of three transactions. Which transaction has the greatest effect on the balance of the account? Which transaction has the least effect on the balance of the account?

Transaction	Change (dollars)
1	14.72
2	−15.36
3	−38.75

ORDERING VALUES **Order the values from least to greatest.**

38. $5,\ 0,\ |-1|,\ |4|,\ -2$

39. $|-3|,\ |5|,\ -3,\ -4,\ |-4|$

40. $10,\ |-6|,\ 9,\ |3|,\ -11,\ 0$

41. $-18,\ |30|,\ -19,\ |-22|,\ -20,\ |-18|$

SIMPLIFYING EXPRESSIONS **Simplify the expression.**

42. $-|2|$

43. $-|6|$

44. $-|-1|$



45. MP **REASONING** The coldest possible temperature is called *absolute zero*. It is represented by 0 K on the Kelvin temperature scale.

a. Which temperature is closer to 0 K: 32°F or −50°C?

b. What do absolute values and temperatures on the Kelvin scale have in common?

CRITICAL THINKING **Tell whether the statement is *always*, *sometimes*, or *never* true. Explain.**

46. The absolute value of a number is greater than the number.

47. The absolute value of a negative number is positive.

48. The absolute value of a positive number is its opposite.

MATCHING **Match the account balance with the debt that it represents. Explain your reasoning.**

49. account balance $= -\$25$

50. account balance $< -\$25$

51. account balance $> -\$25$

A. debt $> \$25$

B. debt $= \$25$

C. debt $< \$25$

52. MP **PATTERNS** A *palindrome* is a word or sentence that reads the same forward as it does backward.

a. Graph and label the following points on a number line: $A = -2$, $C = -1$, $E = 0$, $R = -3$. Then, using the same letters as the original points, graph and label the absolute value of each point on the *same* number line.

b. What word do the letters spell? Is this a palindrome?

c. Assign letters to points on a number line to make up your own palindrome using the process in part (a).

53. CRITICAL THINKING Find values of x and y so that $|x| < |y|$ and $x > y$.

8.5 The Coordinate Plane

Learning Target: Plot and reflect ordered pairs in all four quadrants of a coordinate plane.

Success Criteria:
- I can identify ordered pairs in a coordinate plane.
- I can plot ordered pairs in a coordinate plane and describe their locations.
- I can reflect points in the *x*-axis, the *y*-axis, or both axes.
- I can apply plotting points in all four quadrants to solve real-life problems.

EXPLORATION 1

Extending the Coordinate Plane

FLORIDA STANDARDS
MAFS.6.NS.3.6b
MAFS.6.NS.3.6c
MAFS.6.NS.3.8

Work with a partner. Previously, you plotted points with positive coordinates in a coordinate plane like the one shown at the right.



a. You can also plot points in which one or both of the coordinates are negative numbers. Create ordered pairs with different combinations of positive and negative coordinates, as described below. Then plot the ordered pairs and explain how you extended the coordinate plane shown.

(positive, positive) (negative, positive)

(negative, negative) (positive, negative)

b. How many regions of the coordinate plane are created by the *x*-axis and *y*-axis? What do the points in each of these regions have in common?

c. The photo shows the *reflection*, or mirror image, of a mountain in a lake. When you fold the photo on its axis, the mountain and its reflection align.

Plot a point and its *reflection* in one of the axes. Explain your reasoning. What do you notice about the coordinates of the points?

Math Practice

Check Progress
How can you check your progress to make sure you are reflecting your point correctly?

8.5 Lesson

Key Vocabulary
coordinate plane, *p. 370*
origin, *p. 370*
quadrants, *p. 370*

Previously, you plotted points with positive coordinates. Now, you will plot points with positive and negative coordinates.

Key Idea

The Coordinate Plane

A **coordinate plane** is formed by the intersection of a horizontal number line and a vertical number line. The number lines intersect at the **origin** and separate the coordinate plane into four regions called **quadrants**.



An *ordered pair* is used to locate a point in a coordinate plane.

ordered pair: $(4, -2)$

x-coordinate: 4 — y-coordinate: -2

EXAMPLE 1 Identifying an Ordered Pair

Which ordered pair corresponds to Point T?

A. $(-3, -3)$ **B.** $(-3, 3)$

C. $(3, -3)$ **D.** $(3, 3)$



Point T is 3 units to the right of the origin and 3 units down. So, the x-coordinate is 3 and the y-coordinate is -3.

The ordered pair $(3, -3)$ corresponds to Point T. The correct answer is **C**.

Try It **Use the graph in Example 1 to write an ordered pair corresponding to the point.**

1. Point P **2.** Point Q **3.** Point R **4.** Point S

EXAMPLE 2 Plotting Ordered Pairs



Plot (a) $(-2, 3)$ and (b) $(0, -3.5)$ in a coordinate plane. Describe the location of each point.

a. Start at the origin. Move 2 units left and 3 units up. Then plot the point.

▶ The point is in Quadrant II.

b. Start at the origin. Move 3.5 units down. Then plot the point.

▶ The point is on the y-axis.

Try It **Plot the ordered pair in a coordinate plane. Describe the location of the point.**

5. $(3, -1)$ **6.** $(-5, 0)$ **7.** $(-2.5, -1)$ **8.** $\left(-1\frac{1}{2}, \frac{1}{2}\right)$

Key Idea

Reflecting a Point in the Coordinate Plane

- To reflect a point in the x-axis, use the same x-coordinate and take the opposite of the y-coordinate.
- To reflect a point in the y-axis, use the same y-coordinate and take the opposite of the x-coordinate.

EXAMPLE 3 Reflecting Points in One Axis

a. Reflect $(-2, 4)$ in the x-axis.

Plot $(-2, 4)$.

To reflect $(-2, 4)$ in the x-axis, use the same x-coordinate, -2, and take the opposite of the y-coordinate. The opposite of 4 is -4.

▶ So, the reflection of $(-2, 4)$ in the x-axis is $(-2, -4)$.



b. Reflect $(-3, -1)$ in the y-axis.

Plot $(-3, -1)$.

To reflect $(-3, -1)$ in the y-axis, use the same y-coordinate, -1, and take the opposite of the x-coordinate. The opposite of -3 is 3.

▶ So, the reflection of $(-3, -1)$ in the y-axis is $(3, -1)$.

Try It **Reflect the point in (a) the x-axis and (b) the y-axis.**

9. $(3, -2)$ **10.** $(4, 0)$ **11.** $(-5, 1.5)$

EXAMPLE 4 Reflecting a Point in Both Axes

Reflect (2, 1) in the x-axis followed by the y-axis.

Step 1: Plot (2, 1).



Step 2: Reflect (2, 1) in the x-axis.
Use the same x-coordinate, 2, and take the opposite of the y-coordinate.
The opposite of 1 is −1.

The reflection of (2, 1) in the x-axis is (2, −1).

Step 3: Reflect (2, −1) in the y-axis.
Use the same y-coordinate, −1, and take the opposite of the x-coordinate.
The opposite of 2 is −2.

The reflection of (2, −1) in the y-axis is (−2, −1).



So, the reflection of (2, 1) in the x-axis followed by the y-axis is (−2, −1).

Common Error

When reflecting a second time, be sure to use the reflected point and not the original point.

Try It **Reflect the point in the x-axis followed by the y-axis.**

12. (3, 2) **13.** (−1, 2) **14.** (−4, −3) **15.** (5, −2.5)

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.



WRITING ORDERED PAIRS **Write an ordered pair corresponding to the point shown in the coordinate plane.**

16. Point A **17.** Point B **18.** Point C

PLOTTING ORDERED PAIRS **Plot the ordered pair in a coordinate plane. Describe the location of the point.**

19. $J(2, 5)$ **20.** $K(4, -6)$ **21.** $L\left(-3, -2\frac{1}{2}\right)$

REFLECTING POINTS **Reflect the point in the given axis or axes.**

22. (9, 8); x-axis **23.** (−7, 3); y-axis

24. (6, −4); x-axis then y-axis **25.** (2.5, −4); y-axis then x-axis

You can use line graphs to display data that are collected over a period of time. Graphing and connecting the ordered pairs can show patterns or trends in the data. This type of line graph is also called a *time series graph*.

EXAMPLE 5 Modeling Real Life



A blizzard hits a town at midnight. The table shows the hourly temperatures from midnight to 8:00 A.M. Display the data in a line graph. Then describe the change in temperature over time.

Hours after Midnight, x	0	1	2	3	4	5	6	7	8
Temperature, y	7°F	5°F	3°F	0°F	−1°F	−4°F	−5°F	−2°F	2°F

Write the ordered pairs.

$(0, 7)$ $(1, 5)$ $(2, 3)$

$(3, 0)$ $(4, -1)$ $(5, -4)$

$(6, -5)$ $(7, -2)$ $(8, 2)$

Plot and label the ordered pairs. Then connect the ordered pairs with line segments.

The hourly temperatures decrease from midnight to 6:00 A.M. and then increase from 6:00 A.M. to 8:00 A.M.



Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

26. DIG DEEPER! At a park, the welcome center is located at $(0, 0)$, the theater is located at $(2, 4)$, and the restrooms are located at $(-4.5, 6)$. The snack bar is exactly halfway between the welcome center and the theater. Graph each location in a coordinate plane.

27. The table shows the elevations of a submarine each hour from noon to 5:00 P.M. Display the data in a line graph. Then describe the change in elevation over time.

Hours after Noon, x	0	1	2	3	4	5
Elevation (kilometers), y	−4.5	−3	−2.5	−2	−3.5	−4

8.5 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Find the absolute value.

1. $|35|$
2. $|-18|$
3. $|4.7|$
4. $\left|-6\frac{7}{12}\right|$

5. What is the ratio of ducks to swans?

   A. 4 : 9 **B.** 4 : 5

   C. 5 : 4 **D.** 5 : 9



Graph the equation.

6. $y = 8x$
7. $y = 3x + 7$
8. $y = \frac{2}{5}x + 2$

Tell which property the statement illustrates.

9. $(2 \cdot p) \cdot 3 = 2 \cdot (p \cdot 3)$
10. $m + 0 = m$
11. $w \cdot 1 = w$
12. $15 + k = k + 15$

Concepts, Skills, & Problem Solving

DESCRIBING REFLECTIONS **Describe the reflection shown in the image.**
(See Exploration 1, p. 369.)

13.

14.

15.

WRITING ORDERED PAIRS **Write an ordered pair corresponding to the point.**

16. Point A
17. Point B
18. Point C
19. Point D
20. Point E
21. Point F
22. Point G
23. Point H
24. Point I
25. Point J



PLOTTING ORDERED PAIRS **Plot the ordered pair in a coordinate plane. Describe the location of the point.**

26. $K(4, 3)$ **27.** $L(-1, 2)$ **28.** $M(0, -6)$ **29.** $N(3, -7)$

30. $P(-5, -9)$ **31.** $R(8, 0)$ **32.** $S(-1.5, 0)$ **33.** $T(3.5, -1.5)$

34. $U(2, -4)$ **35.** $V(-4, 1)$ **36.** $W\left(2\frac{1}{2}, 0\right)$ **37.** $Z(-4, -5)$

YOU BE THE TEACHER **Your friend describes how to plot the point. Is your friend correct? Explain your reasoning.**

38.

To plot (4, 5), start at (0, 0) and move 4 units up and 5 units right.

39.

To plot (−6, 3), start at (0, 0) and move 6 units left and 3 units up.

MODELING REAL LIFE **In Exercises 40–44, use the map of the zoo.**

40. Which exhibit is located at (2, 1)?

41. Name an attraction on the positive y-axis.

42. Is parking available in Quadrant II? If not, name a quadrant in which you can park.

43. Write two different ordered pairs that represent the location of the Rain Forest.



44. Which exhibit is closest to (−8, −3)?

REFLECTING POINTS IN ONE AXIS **Reflect the point in (a) the x-axis and (b) the y-axis.**

45. (3, 2) **46.** (−4, 4) **47.** (−5, −6) **48.** (4, −7)

49. (−9, 3) **50.** (6, −2) **51.** (0, −1) **52.** (−8, 0)

53. (−3.5, 2) **54.** (2.5, 4.5) **55.** $\left(-5\frac{1}{2}, 3\right)$ **56.** $\left(\frac{1}{4}, -\frac{7}{8}\right)$

REFLECTING POINTS IN BOTH AXES **Reflect the point in the x-axis followed by the y-axis.**

57. (4, 5) **58.** (−1, 7) **59.** (−2, −2) **60.** (6, −7)

61. (−8, 8) **62.** (5, 9) **63.** (0, −2) **64.** (−9, 0)

65. (6.5, −10.5) **66.** (−0.4, 0.7) **67.** $\left(\frac{1}{3}, -\frac{2}{3}\right)$ **68.** $\left(-1\frac{2}{5}, -1\frac{4}{5}\right)$

69. MP **STRUCTURE** Reflect a point in the x-axis followed by the y-axis. Then reflect the original point in the y-axis followed by the x-axis. Do you get the same results? Explain.

REASONING **Describe the possible location(s) of the point (x, y).**

70. $x > 0, y > 0$ **71.** $x < 0, y < 0$ **72.** $x > 0, y < 0$

73. $x > 0$ **74.** $y < 0$ **75.** $x = 0, y = 0$

CRITICAL THINKING **Tell whether the statement is *always*, *sometimes*, or *never* true. Explain your reasoning.**

76. The x-coordinate of a point on the x-axis is zero.

77. The y-coordinates of points in Quadrant III are positive.

78. The x-coordinate of a point in Quadrant II has the same sign as the y-coordinate of a point in Quadrant IV.

79. **MODELING REAL LIFE** The table shows the number of people who participate in a blood drive each year for 9 years. Display the data in a line graph. Then describe the change in the number of participants over time.

Year, x	1	2	3	4	5	6	7	8	9
Participants, y	140	136	134	132	131	135	136	142	145

80. **MODELING REAL LIFE** The table shows the amount of carbon dioxide emissions of a country, relative to an environmental standard, each year for 7 years. Display the data in a line graph. Then describe the change in carbon dioxide emissions over time.

Year, x	1	2	3	4	5	6	7
Carbon Dioxide Emissions (millions of metric tons), y	0.6	−0.2	−1.2	1.2	0.8	1	−0.6

81. **PATTERNS** The table shows the total miles run through each of 18 weeks for a marathon training program.

Week	1	2	3	4	5	6	7	8	9
Total Miles	22	46	72	96	124	151	181	211	244

Week	10	11	12	13	14	15	16	17	18
Total Miles	279	317	357	397	437	473	506	530	544

a. Create a table for the distance run during each week of training.

b. Display the data from part (a) in a line graph.

c. Explain the pattern shown in the graph.

82. **LOGIC** Two points are plotted in the coordinate plane. Plot each of the following ordered pairs in the same coordinate plane.

a. $P(a, -b)$ **b.** $Q(-a, b)$ **c.** $R(c, -d)$

d. $S(-c, -d)$ **e.** $T(c, -a)$ **f.** $U(-d, -b)$



8.6 Polygons in the Coordinate Plane

Learning Target: Draw polygons in the coordinate plane and find distances between points in the coordinate plane.

Success Criteria:
- I can draw polygons in the coordinate plane.
- I can find distances between points in the coordinate plane with the same x-coordinates or the same y-coordinates.
- I can find horizontal and vertical side lengths of polygons in the coordinate plane.
- I can draw polygons in the coordinate plane to solve real-life problems.

EXPLORATION 1 Drawing Polygons in the Coordinate Plane

FLORIDA STANDARDS
MAFS.6.NS.3.8
MAFS.6.G.1.3

Work with a partner.

a. Write three ordered pairs that meet the following requirements. Then plot the ordered pairs in a coordinate plane, like the one shown.

- Two of the ordered pairs have the same x-coordinates.
- Two of the ordered pairs have the same y-coordinates.
- Two of the points are in the same quadrant. The other point is in a different quadrant.



b. The points represent the vertices of a polygon. What conclusions can you make about the polygon?

c. Can you plot another point to form a rectangle? a trapezoid? If so, what measures of the quadrilateral can you calculate?

Math Practice

Find General Methods

How can you use absolute values of coordinates to find lengths of horizontal and vertical line segments in the coordinate plane?

8.6 Lesson

You can use ordered pairs to represent vertices of polygons. To draw a polygon in a coordinate plane, plot and connect the vertices.

EXAMPLE 1 Drawing a Polygon in a Coordinate Plane

The vertices of a quadrilateral are $A(-1, 1)$, $B(0, 6)$, $C(4, 5)$, and $D(5, -2)$. Draw the quadrilateral in a coordinate plane.

After you plot the vertices, connect them *in order* to draw the polygon.



Try It **Draw the polygon with the given vertices in a coordinate plane.**

1. $A(0, 0), B(5, 7), C(4, -3)$
2. $W(4, 4), X(7, 4), Y\left(2\frac{1}{2}, -2\right), Z\left(-\frac{1}{2}, -2\right)$

Key Idea

Finding Distances between Points in a Coordinate Plane

You can find distances between points in a coordinate plane with the same x-coordinates or the same y-coordinates using the absolute values of the coordinates that are different.

When finding distances between points in the same quadrant, be sure to subtract the lesser absolute value from the greater absolute value.

Points in the same quadrant:



Points in different quadrants:



EXAMPLE 2 Finding Distances between Points

a. Find the distance between $(-3, -5)$ and $(2, -5)$.

Plot the points.



The points are in different quadrants and have the same y-coordinates. The distance between the points is the sum of the absolute values of the x-coordinates.

$$|-3| + |2| = 3 + 2 = 5$$

So, the distance between $(-3, -5)$ and $(2, -5)$ is 5.



b. Find the distance between $(3, -2.5)$ and $(3, -5)$.

Plot the points.

The points are in the same quadrant and have the same x-coordinates. The distance between the points is the difference of the absolute values of the y-coordinates.

$$|-5| - |-2.5| = 5 - 2.5 = 2.5$$

So, the distance between $(3, -2.5)$ and $(3, -5)$ is 2.5.

Try It **Find the distance between the points.**

3. $(-6, 6.5), (-2, 6.5)$ **4.** $(-4, 2), (-4, -5)$

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

DRAWING A POLYGON **Draw the polygon with the given vertices in a coordinate plane.**

5. $A(-5, -7), B(-2, 4), C(5, -1)$ **6.** $D\left(-\frac{1}{2}, 6\right), E(3, 1), F\left(0, -4\frac{1}{2}\right)$

FINDING DISTANCES **Find the distance between the points.**

7. $(2, 7), (2, 9)$ **8.** $(-3, -8), (6, -8)$

9. WHICH ONE DOESN'T BELONG? Which pair of points does *not* belong with the other three? Explain your reasoning.

$(-2, 5), (4, 5)$ $(6, -3), (6, 3)$

$(-7, -1), (-7, 4)$ $(2, -1), (-4, -1)$

EXAMPLE 3 Modeling Real Life

An archaeologist divides an area using a coordinate plane in which the coordinates are measured in meters. The vertices of a secret chamber are $(-8, 10)$, $(4, 10)$, $(4, 2)$, and $(-8, 2)$. Find the perimeter and the area of the secret chamber.

Understand the problem.

You are given the vertices of a secret chamber. You are asked to find the perimeter and the area of the chamber.

Make a plan.

Plot and connect the vertices to draw the polygon that represents the secret chamber. Identify the polygon and find its dimensions. Then find the perimeter and the area of the polygon.

Solve and check.

Draw the polygon.



The secret chamber is rectangular. Find the length and the width of the rectangle.

Length: $|-8| + |4| = 8 + 4 = 12$

Width: $|10| - |2| = 10 - 2 = 8$

The perimeter of the secret chamber is $2(12) + 2(8) = 40$ meters, and the area is $12(8) = 96$ square meters.

Another Method Each grid square has an area of $2^2 = 4$ square meters. The secret chamber consists of 24 grid squares. So, the area is $24(4) = 96$ square meters. ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



10. A digital map of your hometown is shown in a coordinate plane in which the coordinates are measured in miles. The map shows your house at $(-2, -7)$, your school at $(5, -7)$, and your friend's house at $(-2, 1)$. How far is your house from your school? How far is your house from your friend's house?

11. You design a tree house using a coordinate plane in which the coordinates are measured in feet. The vertices of the floor are $(-2, -3)$, $(-2, 4)$, $(5, 4)$, and $(5, -3)$. Find the perimeter (in yards) and the area (in square yards) of the floor.

8.6 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Write an ordered pair corresponding to the point.



1. Point A
2. Point B
3. Point C
4. Point D

Write the percent as a decimal.

5. 62%
6. 7%
7. 133%
8. 0.45%

9. The tape diagram represents the ratio of the time you spend online to the time your friend spends online. You are online for 6 hours. How many hours does your friend spend online?



Concepts, Skills, & Problem Solving

MP **STRUCTURE** **Plot the ordered pairs in a coordinate plane. Then plot another point to form a rectangle.** (See Exploration 1, p. 377.)

10. $(3, 2), (3, 6), (-5, 2)$
11. $(-4, 7), (-1, 7), (-4, -2)$

DRAWING A POLYGON **Draw the polygon with the given vertices in a coordinate plane.**

12. $A(4, 7), B(6, 2), C(0, 0)$
13. $D\left(\frac{1}{2}, 2\right), E(-5, 5), F(-4, 1)$
14. $G\left(1\frac{1}{2}, 4\right), H\left(1\frac{1}{2}, -8\right), J(5, -8), K(5, 4)$
15. $L(-3, 2), M(-3, 5), N(2, 2), P(2, -1)$
16. $Q(0, 4), R(-3, 8), S(-7, 4), T(-1, -2), U(7, -2)$
17. $V(-4, -2), W\left(-3, 3\frac{1}{2}\right), X\left(2, 3\frac{1}{2}\right), Y(4, 0), Z(1, -4)$

18. **YOU BE THE TEACHER** Your friend draws a triangle with vertices $A(3, -1)$, $B(4, 3)$, and $C(-1, 2)$. Is your friend correct? Explain your reasoning.



FINDING DISTANCES **Find the distance between the points.**

19. $(4, 6), (9, 6)$
20. $(5, 10), (5, 4)$
21. $(3, 0), (3, -2)$
22. $(5, -2), (-6, -2)$
23. $(-1, 12), (-1, -3)$
24. $(-7, 8), (7, 8)$
25. $(-6, 5), (-6, -3.5)$
26. $(-2.5, 3), (5, 3)$
27. $(4.5, -1.5), (4.5, 7.25)$

GEOMETRY **Find the perimeter and the area of the polygon with the given vertices.**

28. $C(1, 1), D(1, 4), E(4, 4), F(4, 1)$

29. $J(-1, -2), K(-6, -2), L(-6, -8), M(-1, -8)$

30. $N(-4, 2), P(5, 2), Q(5, 5), R(-4, 5)$

31. $S(-11, -8), T(-11, 0), U(0, 0), V(0, -8)$

32. **MODELING REAL LIFE** The coordinates of several stars drawn in a coordinate plane are $(8, 0), (7, -3), (3, -2.5), (3.5, 0.5), (-1, 3), (-3, 5)$, and $(-7, 6)$. Plot the locations of the stars. Draw a constellation by connecting the points.

33. MP **STRUCTURE** The coordinate plane shows three vertices of a parallelogram. Find two possible points that could represent the fourth vertex.



34. MP **PROBLEM SOLVING** Polygon $JKLMNP$ represents a bus route. Each grid square represents 9 square miles. What is the shortest distance, in miles, from Station P to Station L using the bus route? Explain.



35. **MODELING REAL LIFE** In a topographical map of a city, the vertices of the city limits are $A(-7, 3), B(1, 3), C(1, -4), D(-3, -1.5)$, and $E(-7, -1.5)$. The coordinates are measured in miles. What is the area of the city?

36. DIG DEEPER! A map shows that the vertices of a backyard are $W(-100, -70), X(-100, 0), Y(0, 0)$, and $Z(-60, -70)$. The coordinates are measured in feet. The line segment XZ separates the backyard into a lawn and a garden. How many times larger is the lawn than the garden?

OPEN-ENDED **Draw a polygon with the given conditions in a coordinate plane where the vertices are not all in the same quadrant.**

37. a square with a perimeter of 20 units

38. a rectangle with a perimeter of 18 units

39. a rectangle with an area of 24 units^2

40. a triangle with an area of 15 units^2

41. MP **PRECISION** The vertices of a rectangle are $(1, 0), (1, a), (5, a)$, and $(5, 0)$. The vertices of a parallelogram are $(1, 0), (2, b), (6, b)$, and $(5, 0)$. The values of a and b are both positive and $a > b$. Which polygon has a greater area? Explain.

8.7 Writing and Graphing Inequalities

Learning Target: Write inequalities and represent solutions of inequalities on number lines.

Success Criteria:
- I can write word sentences as inequalities.
- I can determine whether a value is a solution of an inequality.
- I can graph the solutions of inequalities.

EXPLORATION 1 Understanding Inequality Statements

FLORIDA STANDARDS
MAFS.6.EE.2.5
MAFS.6.EE.2.6
MAFS.6.EE.2.8

Work with a partner. Create a number line on the floor with both positive and negative integers.

a. For each statement, stand at a number on your number line that makes the statement true. On what other numbers can you stand?

- Class starts more than 3 minutes late.

- You need at least 3 peaches for a recipe.

- The temperature is at most 3 degrees Celsius.
- After playing a video game for 5 minutes, you have fewer than 3 points.

Math Practice

State the Meaning of Symbols
You know the inequality symbols $<$ and $>$. What do the symbols $\leq$ and $\geq$ mean?

b. How can you represent the solutions of each statement in part (a) on a number line?

8.7 Lesson

Key Vocabulary

inequality, *p. 384*
solution of an inequality, *p. 385*
solution set, *p. 385*
graph of an inequality, *p. 386*

An **inequality** is a mathematical sentence that compares expressions. It contains the symbols $<$, $>$, $\leq$, or $\geq$. To write a word sentence as an inequality, look for the following phrases to determine where to place the inequality symbol.

Inequality Symbols				
Symbol	$<$	$>$	$\leq$	$\geq$
Key Phrases	• is less than • is fewer than	• is greater than • is more than	• is less than or equal to • is at most • is no more than	• is greater than or equal to • is at least • is no less than

EXAMPLE 1 Writing Inequalities

Write each word sentence as an inequality.

a. A number c is less than -4.

A number c is less than -4.

c $<$ -4

An inequality is $c < -4$.

b. A number k plus 5 is greater than or equal to 8.

A number k plus 5 is greater than or equal to 8.

$k + 5$ $\geq$ 8

An inequality is $k + 5 \geq 8$.

c. Four times a number q is at most 16.

Four times a number q is at most 16.

$4q$ $\leq$ 16

An inequality is $4q \leq 16$.

Try It **Write the word sentence as an inequality.**

1. A number n is greater than 1.
2. Twice a number p is fewer than 7.
3. A number w minus 3 is less than or equal to 10.
4. A number z divided by 2 is at least -6.

A **solution of an inequality** is a value that makes the inequality true. An inequality can have more than one solution. The set of all solutions of an inequality is called the **solution set**.

Value of x	$x + 3 \leq 7$	Is the inequality true?
3	$3 + 3 \stackrel{?}{\leq} 7$ $6 \leq 7$ ✓	yes
4	$4 + 3 \stackrel{?}{\leq} 7$ $7 \leq 7$ ✓	yes
5	$5 + 3 \stackrel{?}{\leq} 7$ $8 \not\leq 7$ ✗	no

Reading

The symbol $\not\leq$ means *is not less than or equal to.*

EXAMPLE 2 Checking Solutions

Tell whether the given value is a solution of the inequality.

a. $x + 1 > 7;\ x = 8$

$x + 1 > 7$ Write the inequality.

$8 + 1 \stackrel{?}{>} 7$ Substitute 8 for x.

$9 > 7$ ✓ Add. 9 is greater than 7.

So, 8 is a solution of the inequality.

b. $7y < 27;\ y = 4$

$7y < 27$ Write the inequality.

$7(4) \stackrel{?}{<} 27$ Substitute 4 for y.

$28 \not< 27$ ✗ Multiply. 28 is *not* less than 27.

So, 4 is *not* a solution of the inequality.

c. $5 \geq \frac{z}{3};\ z = 15$

$5 \geq \frac{z}{3}$ Write the inequality.

$5 \stackrel{?}{\geq} \frac{15}{3}$ Substitute 15 for z.

$5 \geq 5$ ✓ Divide. 5 is greater than or equal to 5.

So, 15 is a solution of the inequality.

Try It **Tell whether 3 is a solution of the inequality.**

5. $b + 4 < 6$ **6.** $9 - n \geq 6$ **7.** $10 \leq 18 \div x$

The **graph of an inequality** shows all the solutions of the inequality on a number line. An open circle, ○, is used when a number is *not* a solution. A closed circle, ●, is used when a number is a solution. An arrow to the left or right shows that the graph continues in that direction.

EXAMPLE 3 Graphing an Inequality

Reading

The inequality $g > 2$ is the same as $2 < g$.

Graph $g > 2$.





Try It **Graph the inequality on a number line.**

8. $a < 4$ **9.** $f \leq 7$ **10.** $n > 0$ **11.** $-3 \leq p$

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

12. DIFFERENT WORDS, SAME QUESTION Which is different? Write "both" inequalities.

A number n is at most 3.

A number n is no more than 3.

A number n is less than or equal to 3.

A number n is at least 3.

CHECKING SOLUTIONS **Tell whether the given value is a solution of the inequality.**

13. $p + 5 \leq 12; p = 6$ **14.** $w - 12 < 4; w = 16$

GRAPHING AN INEQUALITY **Graph the inequality on a number line.**

15. $n > 8$ **16.** $q \leq -4$ **17.** $5 < s$

EXAMPLE 4 Modeling Real Life



The NASA *Solar Probe Plus* can withstand temperatures up to and including 2600°F. Write and graph an inequality that represents the temperatures the probe can withstand.

Words temperatures | up to and including | 2600°F

Variable Let t be the temperatures (in degrees Fahrenheit) that the probe can withstand.

Inequality t | $\leq$ | 2600

An inequality is $t \leq 2600$.

Check The graph shows that 2000°F is a solution. Check this in the inequality.

$$t \leq 2600$$

$$2000 \leq 2600 \checkmark$$

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

18. To obtain a babysitting license, you still need to train for at least 6 hours and 45 minutes. Describe the amounts of time that you can train and still not obtain a license. Use a graph to justify your answer.

19. **DIG DEEPER!** The farthest away a drone can fly is 200 meters. A building is 380 meters tall. You control the drone from a floor that is halfway to the top of the building. Can the drone reach the top of the building? Explain your reasoning.

20. Each visit to a water park costs $19.95. An annual pass to the park costs $89.95. Write an inequality that represents the numbers of times you would need to visit the park for the pass to be a better deal.

8.7 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Find the distance between the points.

1. $(2, 8), (6, 8)$ **2.** $(-5, 9), (7, 9)$ **3.** $(-3, 6), (-3, -2)$

Solve the equation. Check your solution.

4. $x + 3 = 12$ **5.** $x - 6 = 8$ **6.** $\frac{t}{12} = 4$ **7.** $8x = 72$

8. A stack of boards is 24 inches high. The thickness of each board is $\frac{3}{8}$ inch. How many boards are in the stack?

A. $\frac{1}{9}$ **B.** $\frac{1}{6}$ **C.** 9 **D.** 64

Find the area of the parallelogram.

9.



10.



11.



Concepts, Skills, & Problem Solving

UNDERSTANDING INEQUALITY STATEMENTS **Choose a number that makes the statement true. What other numbers make the statement true?** (See Exploration 1, p. 383.)

12. You are less than 3 miles from home.

13. You need at least \$5 for lunch.

14. You buy more than 2 movie tickets.

15. A game lasts no more than 10 minutes.

WRITING INEQUALITIES **Write the word sentence as an inequality.**

16. A number k is less than 10.

17. A number a is more than 6.

18. A number z is fewer than $\frac{3}{4}$.

19. A number b is at least -3.

20. One plus a number y is no more than -13.

21. A number x divided by 3 is at most 5.

CHECKING SOLUTIONS **Tell whether the given value is a solution of the inequality.**

22. $x - 1 \leq 7;\ x = 6$

23. $y + 5 < 13;\ y = 17$

24. $3z > 6;\ z = 3$

25. $6 \leq \frac{b}{2};\ b = 10$

26. $c + 2.5 < 4.3;\ c = 1.8$

27. $a \leq 0;\ a = -5$

MATCHING **Match the inequality with its graph.**

28. $x \geq -2$ **29.** $x < -2$ **30.** $x > -2$ **31.** $x \leq -2$

A.



B.

C.



D.

GRAPHING AN INEQUALITY **Graph the inequality on a number line.**

32. $a > 4$ **33.** $n \geq 8$ **34.** $3 \geq x$ **35.** $y < \frac{1}{2}$

36. $x < \frac{2}{9}$ **37.** $-3 \geq c$ **38.** $m > -5$ **39.** $0 \leq b$

40. $1.5 > f$ **41.** $t \geq -\frac{1}{2}$ **42.** $p > -1.6$ **43.** $\frac{7}{3} \geq z$

OPEN-ENDED **Write an inequality and a word sentence that represent the graph.**

44.

45.

46.

47.



YOU BE THE TEACHER **Your friend graphs the inequality. Is your friend correct? Explain your reasoning.**

48.



49.



50. **MODELING REAL LIFE** The world record for the farthest flight by hoverboard is 2252.4 meters. Write and graph an inequality that represents the distances that would set a new world record.

51. **MODELING REAL LIFE** You are fishing and are allowed to keep at most 3 striped bass. Each striped bass must be no less than 18 inches long.



a. Write and graph an inequality that represents the numbers of striped bass you are allowed to keep.

b. Write and graph an inequality that represents the lengths of striped bass you are allowed to keep.

52. MP **REASONING** You have $33. You want to buy a necklace and one other item from the list.

Item	Price (with tax)
T-shirt	$15
Book	$20
Sunglasses	$13
Necklace	$16

a. Write an inequality that represents the situation.

b. Can the other item be a T-shirt? Explain.

c. Can the other item be a book? Explain.

53. MP **LOGIC** For a food to be labeled *low sodium*, there must be no more than 140 milligrams of sodium per serving.

a. Write and graph an inequality that represents the amount of sodium in a low-sodium serving.

b. Write and graph an inequality that represents the amount of sodium in a serving that does *not* qualify as low sodium.

c. Does the food represented by the nutrition facts label qualify as a low-sodium food? Explain.

Nutrition Facts

4 servings per container

Serving size ½ cup (114g)

Amount per serving

Calories **90**

	% Daily Value*
Total Fat 3g	**5%**
Saturated Fat 0g	**0%**
Cholesterol 0mg	**0%**
Sodium 300mg	**13%**
Total Carbohydrate 13g	**4%**
Dietary Fiber 3g	**12%**
Sugars 3g	
Protein 3g	

Vitamin A 80% • Vitamin C 60%

Calcium 4 % • Iron 4%

CRITICAL THINKING **Determine whether the statement is *always*, *sometimes*, or *never* true. Explain your reasoning.**

54. A number that is a solution of the inequality $x > 5$ is also a solution of the inequality $x \geq 5$.

55. A number that is a solution of the inequality $5 \leq x$ is also a solution of the inequality $x > 5$.

56. MP **PROBLEM SOLVING** A subway ride costs $1.50. A 30-day subway pass costs $36. Write an inequality that represents the numbers of subway rides you would need to take for the pass to be a better deal.

57. MP **PROBLEM SOLVING** Fifty people are seated in a movie theater. The maximum capacity of the theater is 425 people. Write an inequality that represents the numbers of additional people who can be seated.

58. **CRITICAL THINKING** The map shows the elevations above sea level for an area of land.



a. Graph the possible elevations of A. Write the set of elevations as two inequalities.

b. Graph the possible elevations of C. How can you write this set of elevations as a single inequality? Explain.

c. What is the elevation of B? Explain.

8.8 Solving Inequalities

Learning Target: Write and solve inequalities.

Success Criteria:
- I can apply the properties of inequality to generate equivalent inequalities.
- I can solve inequalities using addition or subtraction.
- I can solve inequalities using multiplication or division.
- I can write and solve inequalities that represent real-life problems.

EXPLORATION 1

Using Tape Diagrams

FLORIDA STANDARDS
MAFS.6.EE.2.5
MAFS.6.EE.2.6
MAFS.6.EE.2.8

Work with a partner. In Section 6.2 Exploration 1, the tape diagram below was used to model the equation $x + 4 = 12$.



a. Suppose that $x + 4$ is greater than 12. How can you change the equation to represent the new relationship between $x + 4$ and 12?

b. A student finds the possible values of x using the tape diagrams below. What is the solution? How can you find the solution algebraically?







Math Practice

Interpret Results
How is the solution in part (b) different from the solution of an equation?

c. Describe the relationship between $4x$ and 20 as shown by the tape diagram below. What can you conclude about x?



8.8 Lesson

Key Ideas

You can solve inequalities the same way you solve equations. Use inverse operations to get the variable by itself.

Addition Property of Inequality

Words When you add the same number to each side of an inequality, the inequality remains true.

Numbers

$$\begin{array}{rr} 3 < & 5 \\ \underline{+2} & \underline{+2} \\ 5 < & 7 \end{array}$$

Algebra

$$\begin{array}{rr} x - 4 > & 5 \\ \underline{+4} & \underline{+4} \\ x > & 9 \end{array}$$

Subtraction Property of Inequality

Words When you subtract the same number from each side of an inequality, the inequality remains true.

Numbers

$$\begin{array}{rr} 3 < & 5 \\ \underline{-2} & \underline{-2} \\ 1 < & 3 \end{array}$$

Algebra

$$\begin{array}{rr} x + 4 > & 5 \\ \underline{-4} & \underline{-4} \\ x > & 1 \end{array}$$

These properties are also true for $\leq$ and $\geq$.

EXAMPLE 1 Solving Inequalities Using Addition or Subtraction

a. Solve $x - 3 > 1$. Graph the solution.

$x - 3 > 1$ Write the inequality.

Undo the subtraction. → $+3 \quad +3$ Addition Property of Inequality

$x > 4$ Simplify.

The solution is $x > 4$.



b. Solve $15 \geq 6 + h$. Graph the solution.

$15 \geq 6 + h$ Write the inequality.

Undo the addition. → $-6 \quad -6$ Subtraction Property of Inequality

$9 \geq h$ Simplify.

The solution is $h \leq 9$.



Reading

The inequality $h \leq 9$ is the same as $9 \geq h$.

Try It **Solve the inequality. Graph the solution.**

1. $x - 2 < 3$
2. $10 \geq z - 1$
3. $y + 2 \geq 17$

Remember

Multiplication and division are inverse operations.

Key Ideas

Multiplication Property of Inequality

Words When you multiply each side of an inequality by the same *positive* number, the inequality remains true.

Numbers

$8 > 6$

$8 \times 2 > 6 \times 2$

$16 > 12$

Algebra

$\frac{x}{4} < 2$

$\frac{x}{4} \cdot 4 < 2 \cdot 4$

$x < 8$

Division Property of Inequality

Words When you divide each side of an inequality by the same *positive* number, the inequality remains true.

Numbers

$8 > 6$

$8 \div 2 > 6 \div 2$

$4 > 3$

Algebra

$4x < 8$

$\frac{4x}{4} < \frac{8}{4}$

$x < 2$

These properties are also true for $\leq$ and $\geq$.

EXAMPLE 2 Solving Inequalities Using Multiplication or Division

a. Solve $\frac{x}{5} < 2$. Graph the solution.

$\frac{x}{5} < 2$ Write the inequality.

Undo the division. → $\frac{x}{5} \cdot 5 < 2 \cdot 5$ Multiplication Property of Inequality

$x < 10$ Simplify.

The solution is $x < 10$.



b. Solve $4n \geq 32$. Graph the solution.

$4n \geq 32$ Write the inequality.

Undo the multiplication. → $\frac{4n}{4} \geq \frac{32}{4}$ Division Property of Inequality

$n \geq 8$ Simplify.

The solution is $n \geq 8$.



Try It **Solve the inequality. Graph the solution.**

4. $p \div 3 \geq 2$ **5.** $1 < \frac{s}{7}$ **6.** $11k \leq 33$

EXAMPLE 3 Solving an Inequality Using a Reciprocal

Solve $\frac{2x}{3} \leq 4$. Graph the solution.

$\frac{2x}{3} \leq 4$ — Write the inequality.

$\frac{2}{3}x \leq 4$ — Rewrite $\frac{2x}{3}$ as $\frac{2}{3}x$.

Multiply each side by the reciprocal of $\frac{2}{3}$.

$\frac{3}{2} \cdot \frac{2}{3}x \leq \frac{3}{2} \cdot 4$ — Multiplication Property of Inequality

$x \leq 6$ — Simplify.

The solution is $x \leq 6$.



Try It **Solve the inequality. Graph the solution.**

7. $\frac{3}{2}m > 1$ **8.** $\frac{3}{5}q \leq 6$ **9.** $5 > \frac{5t}{6}$

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

SOLVING INEQUALITIES **Solve the inequality. Graph the solution.**

10. $n + 6 < 10$ **11.** $h - 13 \geq 7$

12. $5g > 45$ **13.** $\frac{3}{4}k \leq 6$

14. OPEN-ENDED Write an inequality that the graph represents. Then use the Addition Property of Inequality to write another inequality that the graph represents.

15. MP REASONING How is the graph of the solution of $2x \geq 10$ different from the graph of the solution of $2x = 10$?

16. OPEN-ENDED Write two inequalities that have the same solution set: one that you can solve using division and one that you can solve using subtraction.

EXAMPLE 4 Modeling Real Life

A one-way bus ride costs $1.75. A 30-day bus pass costs $42. When is the 30-day pass a better deal?

Understand the problem.

You are given the cost of a one-way bus ride and the cost of a 30-day bus pass. You are asked to determine when the pass is a better deal.

Make a plan.

For the pass to be a better deal, the total cost of one-way bus rides in a 30-day period must be greater than the cost of the pass. Use a verbal model to write an inequality. Then solve the inequality.

Solve and check.

Verbal Model

Cost of a one-way ride (dollars)	•	Number of one-way rides	>	Cost of a 30-day bus pass (dollars)

Variable Let r be the number of one-way rides.

Inequality

$$1.75 \cdot r > 42$$

$1.75r > 42$ Write the inequality.

$\frac{1.75r}{1.75} > \frac{42}{1.75}$ Division Property of Inequality

$r > 24$ Simplify.

So, the 30-day pass is a better deal when you take more than 24 one-way rides in a 30-day period.

Check Verify that 23 one-way rides are less than $42 and 25 one-way rides are greater than $42.

$23(1.75) = \$40.25$ ✓

$25(1.75) = \$43.75$ ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

17. A small pizza costs $4.50, and a salad costs $3.75. You plan to buy two small pizzas and four salads. Write and solve an inequality to find the additional amounts you can spend to get free delivery.

18. DIG DEEPER! Students at a playground are divided into 5 groups with at least 6 students in each group.

a. Find the possible numbers of students at the playground.

b. Suppose the students are divided into 5 *equal* groups. How does this change your answer in part (a)?

8.8 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Tell whether the given value is a solution of the inequality.

1. $n + 4 > 15; n = 9$

2. $s - 12 \leq 8; s = 20$

3. $\frac{z}{4} \geq 7; z = 32$

4. $6g < 48; g = 8$

Find the area of the triangle.

5.



6.



7.



Write the product as a power.

8. 7×7

9. $12 \times 12 \times 12 \times 12$

10. $1.4 \times 1.4 \times 1.4$

Concepts, Skills, & Problem Solving

USING TOOLS **Describe the relationship shown by the tape diagram. What can you conclude about x?** (See Exploration 1, p. 391.)

11.



12.



SOLVING INEQUALITIES **Solve the inequality. Graph the solution.**

13. $x - 4 < 5$

14. $5 + h > 7$

15. $3 \geq y - 2$

16. $y - 21 < 85$

17. $18 > 12 + x$

18. $\frac{m}{8} < 4$

19. $n \div 6 > 2$

20. $12x < 96$

21. $\frac{1}{11}c \geq 9$

22. $8 \cdot w \leq 72$

23. $7.2 < x + 4.2$

24. $12.7 \geq s - 5.3$

25. $\frac{3}{4} \leq \frac{1}{2} + n$

26. $7.5p \leq 45$

27. $\frac{5}{9}v \leq 45$

28. $\frac{5x}{8} \geq 30$

YOU BE THE TEACHER **Your friend solves the inequality. Is your friend correct? Explain your reasoning.**

29.

$$28 \geq t - 9$$
$$-9 \quad -9$$
$$19 \geq t$$

30.

$$\frac{x}{6} \leq 30$$
$$\frac{x}{6} \cdot 6 \leq 30 \cdot 6$$
$$x \leq 180$$

WRITING INEQUALITIES **Write the word sentence as an inequality. Then solve the inequality.**

31. Five more than a number p is less than 17.

32. Three less than a number b is more than 15.

33. Eight times a number n is less than 72.

34. A number t divided by 32 is at most 4.25.

35. 225 is no less than $\frac{3}{4}$ times a number w.

36. **MODELING REAL LIFE** Your carry-on bag can weigh at most 40 pounds. Write and solve an inequality that represents how much more weight you can add to the bag and still meet the requirement.

37. **MODELING REAL LIFE** It costs \$$x$ for a round-trip bus ticket to the mall. You have \$24. Write and solve an inequality that represents how much money you can spend for the bus ticket and still have enough to buy a hat that costs \$18.99.

38. **GEOMETRY** The length of a rectangle is 8 feet, and its area is less than 168 square feet. Write and solve an inequality that represents the possible widths of the rectangle.

39. **MODELING REAL LIFE** A ticket to a dinosaur exhibit costs \$7.50. A one-year pass to the exhibit costs \$30. When is the one-year pass a better deal? Explain.

Park Hours
10:00 A.M.–10:00 P.M.

40. MP **REASONING** A thrill ride at an amusement park holds a maximum of 12 people per ride.

a. Find the possible numbers of rides needed for 15,000 people.

b. Is it reasonable for 15,000 people to ride the thrill ride in one day? Explain.

41. **OPEN-ENDED** Give an example of a real-life situation in which you can list all the solutions of an inequality. Give an example of a real-life situation in which you cannot list all the solutions of an inequality.

42. MP **LOGIC** Describe the solution of $7x < 7x$. Explain your reasoning.

43. MP **NUMBER SENSE** The possible values of x are given by $x - 3 \geq 2$. What is the least possible value of $5x$?

SOLVING INEQUALITIES **Solve the inequality. Graph the solution.**

44. $x + 9 - 3 \leq 14$

45. $44 > 7 + s + 26$

46. $6.1 - 0.3 \geq c + 1$

47. $2n < 4.6 \times 12$

48. $32 \geq 2h + 6h$

49. $2\frac{2}{5}b - 1\frac{3}{10}b \leq 6\frac{3}{5}$

50. MP **PROBLEM SOLVING** The high score for a video game is 36,480. Your current score is 34,280. Each dragonfly you catch is worth 1 point. You also get a 1000-point bonus for reaching 35,000 points. Find the possible numbers of dragonflies you can catch to earn a new high score.

51. MP **REASONING** A winning football team more than doubled the offensive yards gained by its opponent. The opponent gained 272 offensive yards. The winning team had 80 offensive plays. Find the possible numbers of yards per play for the winning team. Justify your answer.

52. DIG DEEPER! You complete two events of a triathlon. Your goal is to finish with an overall time of less than 100 minutes.

a. Find the possible numbers of minutes you can take to finish the running event and still meet your goal.

b. The running event is 3.1 miles long. Estimate how many minutes it would take you to run 3.1 miles. Would this time allow you to reach your goal? Explain your reasoning.

Triathlon	
Event	**Your Time (minutes)**
Swimming	18.2
Biking	45.4
Running	?

SOLVING INEQUALITIES **Graph the numbers that are solutions of both inequalities.**

53. $x + 7 > 9$ and $8x \leq 64$

54. $z - 3 \leq 8$ and $6z < 72$

55. $w + 5 \geq 8$ and $4w > 20$

56. $g - 6 \leq 1$ and $3g \geq 21$

57. $2.7 + k \geq 5.3$ and $0.8k \leq 3.36$

58. $p + \frac{3}{4} < 3$ and $\frac{1}{4}p > \frac{3}{8}$

59. MP **PROBLEM SOLVING** You are selling items from a catalog for a school fundraiser. Find the range of sales that will earn you at least \$40 and at most \$50.

CRITICAL THINKING **Let $a > b > 0$ and $x > y > 0$. Tell whether the statement is *always* true. Explain your reasoning.**

60. $a + x > b + y$

61. $a - x > b - y$

62. $ax > by$

63. $\frac{a}{x} > \frac{y}{b}$

Using the Problem-Solving Plan

1. You use a coordinate plane to design a kite for a competition. The vertices of the design are $A(0, 0)$, $B(13.5, 9)$, $C(27, 0)$, and $D(13.5, -36)$. The coordinates are measured in inches. Find the least number of square yards of fabric you need to make the kite.



Understand the problem.

You know the vertices of your kite design in a coordinate plane, where the coordinates are measured in inches. You are asked to find the least number of square yards of fabric needed to make the kite.

Make a plan.

First, draw a diagram of the design in a coordinate plane. Then decompose the figure into two triangles to find the area of the kite in square inches. Finally, convert the area from square inches to square yards.

Solve and check.

Use the plan to solve the problem. Then check your solution.

2. You have \$240 in a savings account. You deposit \$60 per month. The tape diagram represents the ratio of money deposited to money withdrawn each month. Find the monthly change in your account balance. How long will it take for the account to have a balance of \$0? Justify your answer.



3. A cord made of synthetic fiber can support 630 pounds, which is at least 450% of the weight that can be supported by a cord made of steel. Graph the possible weights that can be supported by the steel cord.

Performance Task

Launching a CubeSat

At the beginning of this chapter, you watched a STEAM Video called "Designing a CubeSat." You are now ready to complete the performance task related to this video, available at ***BigIdeasMath.com***. Be sure to use the problem-solving plan as you work through the performance task.

8 Chapter Review

Go to *BigIdeasMath.com* to download blank graphic organizers.

Review Vocabulary

Write the definition and give an example of each vocabulary term.

positive numbers, *p. 346*
negative numbers, *p. 346*
opposites, *p. 346*
integers, *p. 346*
rational number, *p. 358*
absolute value, *p. 364*
coordinate plane, *p. 370*
origin, *p. 370*
quadrants, *p. 370*
inequality, *p. 384*
solution of an inequality, *p. 385*
solution set, *p. 385*
graph of an inequality, *p. 386*

Graphic Organizers

You can use a **Summary Triangle** to explain a concept. Here is an example of a Summary Triangle for ***integers*.**



Choose and complete a graphic organizer to help you study the concept.

1. opposites
2. rational number
3. absolute value
4. coordinate plane
5. inequalities
6. solving inequalities using addition or subtraction
7. solving inequalities using multiplication or division



"I'm posting my new Summary Triangle on my daily blog. Do you think it will get me more hits?"

Chapter Self-Assessment

As you complete the exercises, use the scale below to rate your understanding of the success criteria in your journal.

1	2	3	4
I do not understand.	I can do it with help.	I can do it on my own.	I can teach someone else.

8.1 Integers *(pp. 345–350)*

Learning Target: Understand the concept of negative numbers and that they are used along with positive numbers to describe quantities.

Write a positive or negative integer that represents the situation.

1. An elevator goes down 8 floors.

2. You earn $12.

Graph the integer and its opposite.

3. -16

4. 13

5. 4

6. -100

Identify the integer represented by the point on the number line.

7. A

8. B

9. C

10. D



8.2 Comparing and Ordering Integers *(pp. 351–356)*

Learning Target: Compare and order integers.

Copy and complete the statement using < or >.

11. $4 \square -7$

12. $-1 \square 0$

13. $-5 \square -8$

Order the integers from least to greatest.

14. $-5, 4, 2, -3, -1$

15. $5, -20, -10, 10, 15$

16. $-7, -12, 9, 2, -8$

17. Order the temperatures $-3°C$, $8°C$, $-12°C$, $-7°C$, and $0°C$ from coldest to warmest.

18. Your teacher writes five different integers on a note card that are between -10 and 14. When the integers are ordered from least to greatest, the middle number is 1. How many of the integers are positive? negative? Explain.

8.3 Rational Numbers *(pp. 357–362)*

Learning Target: Compare and order rational numbers.

Graph the number and its opposite.

19. $-\frac{2}{5}$ **20.** $1\frac{3}{4}$ **21.** -1.2 **22.** 2.75

Copy and complete the statement using < or >.

23. $-2\frac{1}{6}$ ☐ $-2\frac{5}{6}$ **24.** $-\frac{1}{3}$ ☐ $-\frac{1}{8}$ **25.** -3.27 ☐ -2.68

Order the numbers from least to greatest.

26. $-2.04, -3, -2.4, -2.19, -5.8$ **27.** $-3\frac{7}{8}, 4, -3\frac{3}{4}, \frac{1}{2}, \frac{1}{6}$

28. Write a number that is greater than -7.81 and less than -7.

29. A dog buries a bone $-1\frac{5}{6}$ inches into the dirt. The dog buries a larger bone $-1\frac{3}{4}$ inches into the dirt. Which bone is buried deeper?

8.4 Absolute Value *(pp. 363–368)*

Learning Target: Understand the concept of absolute value.

Find the absolute value.

30. $|-8|$ **31.** $|13|$ **32.** $\left|3\frac{6}{7}\right|$ **33.** $|-1.34|$

Copy and complete the statement using <, >, or =.

34. $|-2|$ ☐ 2 **35.** $|4.4|$ ☐ $|-2.8|$ **36.** $\left|\frac{1}{6}\right|$ ☐ $\left|-\frac{2}{9}\right|$

Order the values from least to greatest.

37. $-15, |-21|, |19|, -20, 25$ **38.** $0, |-1|, -2, |2|, -3$

39. Simplify $-|-35|$.

40. The latitude of Erie, Pennsylvania, is 42.129. The latitude of Sydney, Australia, is -33.865. Positive values of latitude are north of the equator, negative values of latitude are south of the equator, and the latitude of the equator is 0. Which city is closest to the equator?

8.5 The Coordinate Plane *(pp. 369–376)*

Learning Target: Plot and reflect ordered pairs in all four quadrants of a coordinate plane.

Write an ordered pair corresponding to the point.



41. Point J

42. Point K

43. Point L

44. Point M

45. Point N

46. Point P

Plot the ordered pair in a coordinate plane. Describe the location of the point.

47. $A(1, 3)$

48. $B(0, -3)$

49. $C(-4, -2)$

50. $D(-3, 1)$

Reflect the point in (a) the x-axis and (b) the y-axis.

51. $(4, 1)$

52. $(-2, 3)$

53. $(2, -5)$

54. $(-3.5, -2.5)$

Reflect the point in the x-axis followed by the y-axis.

55. $(1, 2)$

56. $(-4, 6)$

57. $(3, -4)$

58. $(-3, -3)$

59. Use the map of the town.



a. Which building is located at $(-1, 1)$?

b. Name a building on the positive x-axis.

c. In which quadrant is the bank located?

d. Write two different ordered pairs that represent the location of the train station.

e. You can find the original location of the movie theater by reflecting its location in the y-axis. What building is now in that location?

60. Name the ordered pair that is 5 units right and 2 units down from $(-3, 4)$.

61. A point is reflected in the x-axis. The reflected point is $(3, -9)$. What is the original point?

8.6 Polygons in the Coordinate Plane *(pp. 377–382)*

Learning Target: Draw polygons in the coordinate plane and find distances between points in the coordinate plane.

Draw the polygon with the given vertices in a coordinate plane.

62. $A(3, 2), B(4, 7), C(6, 0)$

63. $A(1, 2), B(1, -7), C(5, -7), D(8, 2)$

64. $E\left(-1, -3\frac{1}{2}\right), F(1, 0), G(-2, 0), H\left(-4, -3\frac{1}{2}\right)$

Find the distance between the points.

65. $(4, -2), (4, -5)$

66. $(7, 2), (-4, 2)$

67. $(-1, 6), (-1, -3)$

68. $(-5, -8), (-9, -8)$

Find the perimeter and the area of the polygon with the given vertices.

69. $T(2, 7), U(2, 9), V(5, 9), W(5, 7)$

70. $P(4, -3), Q(4, 2), R(9, 2), S(9, -3)$

71. $W(-12, -2), X(-12, 13), Y(5, 13), Z(5, -2)$

72. You design the quilt shown using a coordinate plane in which the coordinates are measured in inches. The vertices of the quilt are $(-3, 5)$, $(-3, -7)$, $(9, 5)$, and $(9, -7)$.

a. Find the perimeter and the area of the quilt.

b. The quilt is made of identical-sized square pieces. What is the area of one of the square pieces?

73. Draw a rectangle with a perimeter of 14 units in a coordinate plane where the vertices are in two quadrants.

74. Draw a triangle with an area of 21 square units in a coordinate plane where the vertices are not all in the same quadrant.

8.7 Writing and Graphing Inequalities *(pp. 383–390)*

Learning Target: Write inequalities and represent solutions of inequalities on a number line.

Write the word sentence as an inequality.

75. A number m is less than 5.

76. Three times a number h is at least -12.

Tell whether $x = 8$ is a solution of the inequality.

77. $\frac{x}{2} \geq 3$

78. $13 - x > 5$

79. $19 > 2x$

Graph the inequality on a number line.

80. $x < 0$

81. $a \geq 3$

82. $n \leq -1$

83. The speed limit on a road is 35 miles per hour. Write and graph an inequality that represents the legal speeds on the road.

84. Write an inequality and a word sentence that represent the graph.

8.8 Solving Inequalities *(pp. 391–398)*

Learning Target: Write and solve inequalities.

Solve the inequality. Graph the solution.

85. $x + 1 > 3$

86. $y + 8 \geq 9$

87. $k - 7 \leq 0$

88. $9n \geq 63$

89. $24 < 11 + x$

90. $x \div 2 < 4$

91. $4 \leq n - 4$

92. $10p > 40$

93. $s - 1.5 < 2.5$

94. $\frac{5}{3}x \leq 10$

95. $\frac{1}{4} + m \leq \frac{1}{2}$

96. $\frac{3}{11}k < 15$

97. Write two inequalities that have the same solution set and can be solved using different operations.

98. You have \$15 to spend on a ticket to a movie and snacks. Find the possible amounts you can spend on snacks.



99. You want to use a square section of your yard for a chicken pen. You have at most 52 feet of fencing to form the pen. Find the possible lengths of each side of the chicken pen.

8 Practice Test

Order the values from least to greatest.

1. $0, -2, 3, 1, -4$ **2.** $-8, |-3|, |5|, 4, -5$ **3.** $-2.46, -2.5, -2, 1, -2.293$

Graph the number and its opposite.

4. 23 **5.** $-1\frac{1}{3}$

Find the absolute value.

6. $|7|$ **7.** $|-11|$

Copy and complete the statement using <, >, or =.

8. $-\frac{2}{3} \square -\frac{3}{5}$ **9.** $2.5 \square |2.5|$

Plot the ordered pair in a coordinate plane. Describe the location of the point.

10. $J(4, 0)$ **11.** $L(1.5, -3.5)$ **12.** $M(-2, -3)$

13. Reflect $(-5, 1)$ in (a) the x-axis, (b) the y-axis, and (c) the x-axis followed by the y-axis.

Graph the inequality on a number line.

14. $x \geq 5$ **15.** $m \leq -2$

Solve the inequality. Graph the solution.

16. $x - 3 < 7$ **17.** $12 \geq n + 6$ **18.** $\frac{4}{3}b \leq 12$ **19.** $72 < 12p$

20. A hurricane has wind speeds that are greater than or equal to 74 miles per hour. Write an inequality that represents the possible wind speeds during a hurricane.

21. Two vertices of a triangle are $F(1, -4)$ and $G(6, -4)$. Find two possible points that represent the third vertex so that the triangle has an area of 20 square units.

22. The table shows the melting points (in degrees Celsius) of several elements. Compare the melting point of mercury to the melting point of each of the other elements.

Element	Mercury	Radon	Bromine	Cesium	Francium
Melting Point (°C)	−38.83	−71	−7.2	28.5	27

23. A map shows the vertices of a campsite are $(25, 10)$, $(25, -5)$, $(-5, -5)$, and $(-5, 10)$. The vertices of your tent are $(0, -3)$, $(0, 6)$, $(10, 6)$, and $(10, -3)$. The coordinates are measured in feet. What percent of the campsite is *not* covered by your tent?

8 Cumulative Practice

1. What is the value of the expression when $a = 6$, $b = 5$, and $c = 4$?

$$8a - 3c + 5b$$

A. 11 **B.** 53

C. 61 **D.** 107

2. Point P is plotted in the coordinate plane.



What are the coordinates of point P?

F. $(-5, -3)$ **G.** $(-5, 3)$

H. $(-3, -5)$ **I.** $(3, -5)$

3. What is the value of a that makes the equation true?

$$a + 6 = 18$$

4. Which list of values is in order from least to greatest?

A. $2, |-3|, |4|, -6$ **B.** $-6, |4|, 2, |-3|$

C. $-6, |-3|, 2, |4|$ **D.** $-6, 2, |-3|, |4|$

5. What is the height of the parallelogram?



F. 6 meters

G. 12 meters

H. 75 meters

I. 1350 meters

Test-Taking Strategy
Read All Choices before Answering

"Reading all choices before answering can get you a lot more yummy treats!"

6. Which property is illustrated by the statement?

$$4 + (6 + n) = (4 + 6) + n$$

A. Associative Property of Addition

B. Commutative Property of Addition

C. Associative Property of Multiplication

D. Distributive Property

7. Which number line shows the graph of $x \geq 5$?

F.

G.

H.



I.



8. Which number is the greatest?

A. $\frac{7}{8}$

B. 0.86

C. $\frac{22}{25}$

D. 85%

9. What is the area of the shaded region?



F. 23 units^2

G. 40 units^2

H. 48 units^2

I. 60 units^2

10. Write 23.5% as a decimal.

11. Use grid paper to complete the following.

Think
Solve
Explain



Part A Draw an x-axis and a y-axis of a coordinate plane. Then plot and label the point $(2, -3)$.

Part B Plot and label *four* points that are 3 units away from $(2, -3)$.

12. What is the perimeter of the rectangle with the vertices shown below?

$A(-4, -1), B(-4, 7), C(1, 7), D(1, -1)$

A. 8 units **B.** 13 units

C. 26 units **D.** 40 units

13. Which net does *not* form a cube?

F.



G.



H.



I.



14. Which value of y makes the equation true?

$$\frac{3}{4}y = 12$$

A. 9 **B.** $11\frac{1}{4}$

C. $12\frac{3}{4}$ **D.** 16

9 Statistical Measures

9.1 Introduction to Statistics

9.2 Mean

9.3 Measures of Center

9.4 Measures of Variation

9.5 Mean Absolute Deviation

Chapter Learning Target:
Understand statistical measures.

Chapter Success Criteria:

- I can construct a data set.
- I can explain how a data set can be interpreted.
- I can find and interpret the measures of center and the measures of variation for a data set.
- I can compare the measures of center and the measures of variation for data sets.

STEAM Video

Daylight in the Big City

Averages can be used to compare different sets of data. How can you use averages to compare the amounts of daylight in different cities? Can you think of any other real-life situations where averages are useful?

Watch the STEAM Video "Daylight in the Big City." Then answer the following questions.

1. Why do different cities have different amounts of daylight throughout the year?

2. Robert's table includes the difference of the greatest amount of daylight and the least amount of daylight in Lagos, Nigeria, and in Moscow, Russia.

Lagos:	44 minutes
Moscow:	633 minutes

Use these values to make a prediction about the difference of the greatest amount of daylight and the least amount of daylight in a city in Alaska.

Performance Task



Which Measure of Center Is Best: Mean, Median, or Mode?

After completing this chapter, you will be able to use the concepts you learned to answer the questions in the *STEAM Video Performance Task*. You will be given the greatest and least amounts of daylight in the 15 cities in the United States with the greatest populations.

	Greatest	Least
New York:	905 minutes	555 minutes
Los Angeles:	865 minutes	593 minutes
Chicago:	913 minutes	548 minutes

You will determine which measure of center best represents the data. Why might someone be interested in the amounts of daylight throughout the year in a city?

Getting Ready for Chapter 9

Chapter Exploration

Work with a partner. Write the number of letters in each of your first names on the board.

1. Write all of the numbers on a piece of paper. The collection of numbers is called *data*.
2. Talk with your partner about how you can organize the data. What conclusions can you make about the numbers of letters in the first names of the students in your class?
3. Draw a grid like the one shown below. Then use the grid to draw a graph of the data.



4. **THE CENTER OF THE DATA** Use the graph of the data in Exercise 3 to answer the following.
   a. Is there one number that occurs more than any of the other numbers? If so, write a sentence that interprets this number in the context of your class.
   b. Complete the sentence, "In my class, the average number of letters in a student's first name is _____." Justify your reasoning.
   c. Organize your data using a different type of graph. Describe the advantages or disadvantages of this graph.

Vocabulary

The following vocabulary terms are defined in this chapter. Think about what each term might mean and record your thoughts.

statistical question	measure of center	measure of variation
mean	median	range

9.1 Introduction to Statistics

Learning Target: Identify statistical questions and use data to answer statistical questions.

Success Criteria:
- I can recognize questions that anticipate a variety of answers.
- I can construct and interpret a dot plot.
- I can use data to answer a statistical question.

EXPLORATION 1

Using Data to Answer a Question

FLORIDA STANDARDS
MAFS.6.SP.1.1
MAFS.6.SP.1.2
MAFS.6.SP.2.4
MAFS.6.SP.2.5a
MAFS.6.SP.2.5b

Work with a partner.

a. Use your pulse to find your heart rate in beats per minute.

Places to check your pulse:
- on your wrist
- inside your elbow
- on the side of your neck
- on top of your foot

b. Collect the recorded heart rates of the students in your class, including yourself. How spread out are the data? Use a diagram to justify your answer.

c. MP **REASONING** How would you answer the following question by using only one value? Explain your reasoning.

"What is the heart rate of a sixth-grade student?"

EXPLORATION 2

Identifying Types of Questions

Work with a partner.

a. Answer each question on your own. Then compare your answers with your partner's answers. For which questions should your answers be the same? For which questions might your answers be different?

1. How many states are in the United States?
2. How much does a movie ticket cost?
3. What color fur do bears have?
4. How tall is your math teacher?

b. **CONJECTURE** Some of the questions in part (a) are considered *statistical* questions. Which ones are they? Explain.

Math Practice

Build Arguments
How can comparing your answers help you support your conjecture?

9.1 Lesson

Key Vocabulary
statistics, *p. 414*
statistical question, *p. 414*

Statistics is the science of collecting, organizing, analyzing, and interpreting data. A **statistical question** is one for which you do not expect to get a single answer. Instead, you expect a variety of answers, and you are interested in the *distribution* and *tendency* of those answers.

EXAMPLE 1 Identifying Statistical Questions

Determine whether the question is a statistical question. Explain.

a. How many countries start with the letter Z?

Because there is only one answer, it is not a statistical question.

b. How much do bags of pretzels cost at the grocery store?

Because you can anticipate that the prices will vary, it is a statistical question. The table at the right may represent prices of several bags of pretzels at a grocery store.

Prices	
$0.99	$2.99
$1.99	$2.99
$1.99	$4.29

c. How many days does your school have off for spring break this year?

Because there is only one answer, it is not a statistical question.

d. What are the hair colors of students in your class?

Because you can anticipate that the colors will vary, it is a statistical question. The table below may represent hair colors of several students in a class.

Hair Colors	
Brown	Red
Black	Blonde
Blonde	Pink
Red	Brown

Try It **Determine whether the question is a statistical question. Explain.**

1. What types of cell phones do students have in your class?
2. How many desks are in your classroom?
3. How much do virtual-reality headsets cost?
4. How many minutes are in your lunch period?

Multi-Language Glossary at BigIdeasMath.com

A *dot plot* uses a number line to show the number of times each value in a data set occurs. Dot plots show the *spread* and the *distribution* of a data set.

EXAMPLE 2 Using a Dot Plot



You record the high temperature every day while at summer camp in August. Then you create the vertical dot plot.

a. Find and interpret the number of data values on the dot plot.

There are 28 data values on the dot plot. So, you were at camp 28 days, or 4 weeks.

b. How can you collect these data? What are the units?

You can collect these data with a thermometer. The units are degrees Fahrenheit (°F).

c. Write a statistical question that you can answer using the dot plot. Then answer the question.

One possible statistical question is,

"What is the daily high temperature in August?"

The high temperatures are spread out with about half of the temperatures around 81°F and half of the temperatures around 86°F.

Try It

5. Repeat parts (a)–(c) using the dot plot below that shows the times of students in a 100-meter race.



Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

6. VOCABULARY What is a statistical question? Give an example and a non-example.

7. OPEN-ENDED Write and answer a statistical question using the dot plot. Then find and interpret the number of data values.

EXAMPLE 3 Modeling Real Life

Your teacher asks you, "What is the mass of a typical mouse?" You conduct a science experiment on house mice. Use the data in the table to answer the question.

Masses (grams)			
20	19	21	20
18	20	27	21
28	23	20	19
20	21	18	27
19	22	21	20

Understand the problem.

You know the masses of several mice. You are asked to use the data to answer a statistical question.

Make a plan.

Display the data in a dot plot. Identify any clusters, peaks, or gaps in the data. Then use the distribution of the data to answer the question.

Solve and check.

Draw a number line that includes the least value, 18, and the greatest value, 28. Then place a dot above the number line for each data value.



Most of the data are clustered around 20. There is a peak at 20 and a gap between 23 and 27.

A typical mouse has a mass of about 20 grams.

Check Reasonableness

65% of the mice have a mass of 19, 20, or 21 grams. So, it is reasonable to say that a typical mouse has a mass of about 20 grams. ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

8. You record the amount of snowfall each day for several days. Then you create the dot plot.

a. Find and interpret the number of data values on the dot plot.

b. How can you collect these data? What are the units?

c. Write a statistical question that you can answer using the dot plot. Then answer the question.

Hours of Exercise				
5	1	5	3	5
4	5	2	5	4
3	4	6	5	6

9. You conduct a survey to answer, "How many hours does a typical sixth-grade student spend exercising during a week?" Use the data in the table to answer the question.

9.1 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Solve the inequality. Graph the solution.

1. $x - 16 > 8$ **2.** $p + 6 \leq 8$ **3.** $54 > 6k$ **4.** $\frac{m}{12} \geq 3$

Tell whether the ordered pair is a solution of the equation.

5. $y = 4x; (2, 8)$ **6.** $y = 3x + 5; (3, 15)$ **7.** $y = 6x - 15; (4, 9)$

8. A point is reflected in the x-axis. The reflected point is $(4, -3)$. What is the original point?

A. $(-3, 4)$ **B.** $(-4, 3)$ **C.** $(-4, -3)$ **D.** $(4, 3)$

Order the numbers from least to greatest.

9. $24\%, \frac{1}{4}, 0.2, \frac{7}{20}, 0.32$ **10.** $\frac{7}{8}, 85\%, 0.88, \frac{3}{4}, 78\%$

Concepts, Skills, & Problem Solving

IDENTIFYING TYPES OF QUESTIONS **Answer the question. Tell whether your answer should be the same as your classmates'.** (See Exploration 2, p. 413.)

11. How many inches are in 1 foot?

12. How many pets do you have?

13. On what day of the month were you born?

14. How many senators are in Congress?

IDENTIFYING STATISTICAL QUESTIONS **Determine whether the question is a statistical question. Explain.**

15. What are the eye colors of sixth-grade students?

16. At what temperature (in degrees Fahrenheit) does water freeze?

17. How many pages are in the favorite books of students your age?

18. How many hours do sixth-grade students use the Internet each week?

19. **MODELING REAL LIFE** The vertical dot plot shows the heights of the players on a recent NBA championship team.



a. Find and interpret the number of data values on the dot plot.

b. How can you collect these data? What are the units?

c. Write a statistical question that you can answer using the dot plot. Then answer the question.

20. MODELING REAL LIFE The dot plot shows the lengths of earthworms.



a. Find and interpret the number of data values on the dot plot.

b. How can you collect these data? What are the units?

c. Write a statistical question that you can answer using the dot plot. Then answer the question.

DESCRIBING DATA **Display the data in a dot plot. Identify any clusters, peaks, or gaps in the data.**

21.

Camper Registrations				
21	25	25	22	21
23	24	26	25	16
24	26	22	25	22

22.

Test Scores				
85	80	83	90	88
82	83	81	80	89
89	84	86	87	83

INTERPRETING DATA **The dot plot shows the speeds of cars in a traffic study. Estimate the speed limit. Explain your reasoning.**

23.



24.



Hours of Homework			
2	4	3	2
1	2	2	1
2	3	5	2

25. **DIG DEEPER!** You conduct a survey to answer, "How many hours does a sixth-grade student spend on homework during a school night?" The table shows the results.

a. Is this a statistical question? Explain.

b. Identify any clusters, peaks, or gaps in the data.

c. Use the distribution of the data to answer the question.

RESEARCH **Use the Internet to research and identify the method of measurement and the units used when collecting data about the topic.**

26. wind speed

27. amount of rainfall

28. earthquake intensity

29. MP **REASONING** Write a question about letters in the English alphabet that is *not* a statistical question. Then write a question about letters that is a statistical question. Explain your reasoning.

30. MP **REASONING** A bar graph shows the favorite colors of 30 people. Does it make sense to describe clusters in the data? peaks? gaps? Explain.

9.2 Mean

Learning Target: Find and interpret the mean of a data set.

Success Criteria:
- I can explain how the mean summarizes a data set with a single number.
- I can find the mean of a data set.
- I can use the mean of a data set to answer a statistical question.

EXPLORATION 1

Finding a Balance Point

FLORIDA STANDARDS

MAFS.6.SP.1.2
MAFS.6.SP.1.3
MAFS.6.SP.2.5a
MAFS.6.SP.2.5c

Work with a partner. The diagrams show the numbers of tokens brought to a batting cage. Where on the number line is the data set *balanced*? Is this a good representation of the average? Explain.

a.



b.

EXPLORATION 2

Finding a Fair Share

Work with a partner. One token lets you hit 12 baseballs in a batting cage. The table shows the numbers of tokens six friends bring to the batting cage.

Tokens					
John	Lisa	Miguel	Matt	Cheryl	Anika
6	3	4	5	2	4

Math Practice

Use Clear Definitions

What does it mean for data to have an average? How does this help you answer the question?

a. Regroup the tokens so that everyone has the same amount. How many times can each friend use the batting cage? Explain how this represents a "fair share."

b. How can you find the answer in part (a) algebraically?

c. Write a statistical question that can be answered using the value in part (a).

9.2 Lesson

Key Vocabulary
mean, *p. 420*
outlier, *p. 422*

Key Idea

Mean

Words The **mean** of a data set is the sum of the data divided by the number of data values. The mean is a type of average.

Numbers **Data:** 8, 5, 6, 9 **Mean:** $\frac{8 + 5 + 6 + 9}{4} = \frac{28}{4} = 7$

4 data values

EXAMPLE 1 Finding the Mean

Text Messages Sent
Mark: 120
Laura: 95
Stacy: 101
Josh: 125
Kevin: 82
Maria: 108
Manny: 90

The table shows the numbers of text messages sent by a group of friends over 1 week. What is the mean number of messages sent?

A. 100 **B.** 102

C. 103 **D.** 104

$$\text{Mean} = \frac{120 + 95 + 101 + 125 + 82 + 108 + 90}{7}$$ ← sum of the data; ← number of values

$$= \frac{721}{7}$$ Add values in numerator.

$$= 103$$ Divide.

The mean number of text messages sent is 103. The correct answer is **C**.

Try It **Find the mean of the data.**

1.

Dog Weights (pounds)
Sparky: 18
Spot: 9
Rover: 60
Newton: 89
Diego: 44
Ruby: 13
Mookie: 54
Fido: 45

2.

Airbag Backpack Costs				
$600	$450	$350	$650	$800
$300	$550	$500	$600	$750

EXAMPLE 2 Comparing Means

The double bar graph shows the monthly rainfall amounts for two cities over a six-month period. Compare the mean monthly rainfalls.



City A mean: $\frac{3.5 + 2.2 + 1.9 + 2.1 + 2.5 + 3.4}{6} = \frac{15.6}{6} = 2.6$

City B mean: $\frac{1.7 + 1.6 + 2.2 + 2.1 + 2.7 + 1.7}{6} = \frac{12}{6} = 2$

Because 2.6 is greater than 2, City A averaged more rainfall.

Try It

3. **WHAT IF?** The monthly rainfall in May was 0.5 inch in City A and 2 inches in City B. Does this affect your answer in Example 2? Explain.

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

4. MP **NUMBER SENSE** Is the mean always equal to a value in the data set? Explain.

5. **WRITING** Explain why the mean describes a typical value in a data set.

6. MP **NUMBER SENSE** What can you determine when the mean of one data set is greater than the mean of another data set? Explain your reasoning.

7. **COMPARING MEANS** Compare the means of the data sets.

Data set A: 43, 32, 16, 41, 24, 19, 30, 27

Data set B: 44, 18, 29, 24, 36, 22, 26, 21

An **outlier** is a data value that is much greater or much less than the other values. When included in a data set, it can affect the mean.

EXAMPLE 3 Modeling Real Life

The table shows the heights of several Shetland ponies. Describe how the outlier affects the mean. Then use the data to answer the statistical question, "What is the height of a typical Shetland Pony?"

Shetland Pony Heights (inches)				
40	37	39	40	42
38	38	37	28	40

Display the data in a dot plot to see the distribution of the data.



The height of 28 inches is much less than the other heights. So, it is an outlier. Find the mean with and without the outlier.

Mean with outlier:

$$\frac{40 + 37 + 39 + 40 + 42 + 38 + 38 + 37 + 28 + 40}{10} = \frac{379}{10} = 37.9$$

Mean without outlier:

$$\frac{40 + 37 + 39 + 40 + 42 + 38 + 38 + 37 + 40}{9} = \frac{351}{9} = 39$$

With the outlier, the mean is less than all but three of the heights. Without the outlier, the mean better represents the heights. So, the height of a typical Shetland pony is about 39 inches.

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

8. DIG DEEPER! The monthly numbers of customers at a store in the first half of a year are 282, 270, 320, 351, 319, and 252. The monthly numbers of customers in the second half of the year are 211, 185, 192, 216, 168, and 144. Compare the mean monthly customers in the first half of the year with the mean monthly customers in the second half of the year.

9. The table shows tournament finishes for a golfer. What place does the golfer typically finish in tournaments? Explain how you found your answer.

Tournament Finishes			
5	1	2	5
21	2	8	3
1	5	9	10
3	4	8	9

9.2 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Determine whether the question is a statistical question. Explain.

1. How tall are sixth-grade students?
2. How many minutes are in 1 year?
3. How many counties are in Tennessee?
4. What is a student's favorite sport?

Write the percent as a fraction or mixed number in simplest form.

5. 84%
6. 71%
7. 353%
8. 0.2%

Divide. Check your answer.

9. $11.7 \div 9$
10. $5\overline{)72.8}$
11. $6.8\overline{)28.56}$
12. $93 \div 3.75$

Concepts, Skills, & Problem Solving

FINDING A FAIR SHARE **Regroup the amounts so that each person has the same amount. What is the amount?** (See Exploration 2, p. 419.)

13. Dollars brought by friends to a fair: 11, 12, 12, 12, 12, 12, 13
14. Tickets earned by friends playing an arcade game: 0, 0, 0, 1, 1, 2, 3

FINDING THE MEAN **Find the mean of the data.**

15.

Pets Owned	
Brandon	I
Jill	III
Mark	II
Nicole	IIII
Steve	0

16.

Brothers and Sisters	
Amanda	1
Eve	5
Joseph	4
Michael	2

17.

Sit-Ups		
108	85	94
103	112	115
98	119	126
105	82	89

18.

19. **MODELING REAL LIFE** You and your friends are watching a television show. One of your friends asks, "How long are the commercial breaks during this show?"

Break Times (minutes)				
4.2	3.5	4.55	2.75	2.25

a. Is this a statistical question? Explain.

b. Use the mean of the values in the table to answer the question.

20. MODELING REAL LIFE The table shows the monthly rainfall amounts at a measuring station.

Month	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Rainfall (inches)	2.22	1.51	1.86	2.06	3.48	4.47	3.37	5.40	5.45	4.34	2.64	2.14

a. What is the mean monthly rainfall?

b. Compare the mean monthly rainfall for the first half of the year with the mean monthly rainfall for the second half of the year.

21. OPEN-ENDED Create two different data sets that have six values and a mean of 21.

22. MODELING REAL LIFE The bar graph shows your cell phone data usage for five months. Describe how the outlier affects the mean. Then use the data to answer the statistical question, "How much cell phone data do you use in a month?"



23. MODELING REAL LIFE The table shows the heights of the volleyball players on two teams. Compare the mean heights of the two teams. Do outliers affect either mean? Explain.

	Player Heights (inches)											
Dolphins	59	65	53	56	58	61	64	68	51	56	54	57
Tigers	63	68	66	58	54	55	61	62	53	70	64	64

24. MP REASONING Use a dot plot to explain why the mean of the data set below is the point where the data set is balanced.

11, 13, 17, 15, 12, 18, 12

25. DIG DEEPER! In your class, 7 students do not receive a weekly allowance, 5 students receive \$3, 7 students receive \$5, 3 students receive \$6, and 2 students receive \$8.

a. What is the mean weekly allowance? Explain how you found your answer.

b. A new student who joins your class receives a weekly allowance of \$3.50. Without calculating, explain how this affects the mean.

26. MP PRECISION A collection of 8 geodes has a mean weight of 14 ounces. A different collection of 12 geodes has a mean weight of 9 ounces. What is the mean weight of the 20 geodes? Explain how you found your answer.

9.3 Measures of Center

Learning Target: Find and interpret the median and mode of a data set.

Success Criteria:
- I can explain how the median and mode summarize a data set with a single number.
- I can find the median and mode of a data set.
- I can explain how changes to a data set affect the measures of center.
- I can use a measure of center to answer a statistical question.

EXPLORATION 1

Finding the Median

FLORIDA STANDARDS
MAFS.6.SP.1.2
MAFS.6.SP.1.3
MAFS.6.SP.2.5c

Work with a partner.

a. Write the total numbers of letters in the first and last names of 15 celebrities, historical figures, or people you know. One person is already listed for you.

Person	Number of Letters in First and Last Name
Abraham Lincoln	14

b. Order the values in your data set from least to greatest. Then write the data on a strip of grid paper with 15 boxes.

c. The *middle value* of the data set is called the *median*. The value (or values) that occur most often is called the *mode*. Find the median and the mode of your data set. Explain how you found your answers.

d. Why are the median and the mode considered averages of a data set?

Math Practice

Use a Graph

How can you use a dot plot to find the mode?

9.3 Lesson

Key Vocabulary
measure of center, *p. 426*
median, *p. 426*
mode, *p. 426*

A **measure of center** is a measure that describes the typical value of a data set. The mean is one type of measure of center. Here are two others.

Key Ideas

Median

Words Order the data. For a set with an odd number of values, the **median** is the middle value. For a set with an even number of values, the **median** is the mean of the two middle values.

Numbers **Data:** 5, 8, 9, 12, 14 — The median is 9.

Data: 2, 3, 5, 7, 10, 11 — The median is $\frac{5 + 7}{2} = 6$.

The mode is the only measure of center that you can use to describe a set of data that is *not* made up of numbers.

Mode

Words The **mode** of a data set is the value or values that occur most often. Data can have one mode, more than one mode, or no mode. When all values occur only once, there is no mode.

Numbers **Data:** 11, 13, 15, 15, 18, 21, 24, 24

The modes are 15 and 24.

EXAMPLE 1 Finding the Median and Mode

Bowling Scores				
120	135	160	125	90
205	160	175	105	145

Find the median and mode of the bowling scores.

90, 105, 120, 125, 135, 145, 160, 160, 175, 205 — Order the data.

Median: $\frac{135 + 145}{2} = \frac{280}{2} = 140$ — Add the two middle values and divide by 2.

Mode: 90, 105, 120, 125, 135, 145, 160, 160, 175, 205

The value 160 occurs most often.

▶ The median is 140. The mode is 160.

Try It **Find the median and mode of the data.**

1. 20, 4, 17, 8, 12, 9, 5, 20, 13
2. 100, 75, 90, 80, 110, 102

Multi-Language Glossary at *BigIdeasMath.com*

EXAMPLE 2 Finding the Mode

The list shows the favorite types of movies for students in a class. Organize the data in a table. Then find the mode.

Favorite Types of Movies

Comedy	Drama	Horror
Horror	Drama	Horror
Comedy	Comedy	Action
Action	Comedy	Action
Horror	Drama	Comedy
Comedy	Comedy	Horror
Horror	Comedy	Action
Horror	Action	Drama

Type	Number of Students
Action	5
Comedy	8
Drama	4
Horror	7

Comedy received the most votes.

So, the mode is comedy.

Try It

3. One member of the class was absent and ends up voting for horror. Does this change the mode? Explain.

EXAMPLE 3 Removing an Outlier

Seven competitors eat 26, 33, 34, 2, 32, 34, and 42 bugs in a bug-eating competition. Find the mean, median, and mode of the data with and without the outlier. Which measure does the outlier affect the most?

The competitor with 2 bugs ate much less than any other competitor. So, the outlier is 2.

	Mean	Median	Mode
With Outlier	29	33	34
Without Outlier	33.5	33.5	34

Removing the outlier increases the mean more than the median. The mode is not affected.

So, the mean is affected the most by the outlier.

Try It

4. The times (in minutes) it takes six students to travel to school are 8, 10, 10, 15, 20, and 45. Find the mean, median, and mode of the data with and without the outlier. Which measure does the outlier affect the most?

EXAMPLE 4 Changing the Values of a Data Set

The prices of six video games at an online store are shown in the table. The price of each game increases by $4.98 when a shipping charge is included. How does this increase affect the mean, median, and mode?

Video Game Prices	
$53.42	$35.69
$18.99	$25.13
$27.97	$53.42

Make a new table by adding $4.98 to each price. Then find the mean, median, and mode of both data sets.

Video Game Prices with Shipping Charge	
$58.40	$40.67
$23.97	$30.11
$32.95	$58.40

	Mean	Median	Mode
Original Price	35.77	31.83	53.42
Price with Shipping Charge	40.75	36.81	58.4

Compare the measures of center of both data sets.

Mean: $40.75 - 35.77 = 4.98$

Median: $36.81 - 31.83 = 4.98$

Mode: $58.4 - 53.42 = 4.98$

By increasing each video game price by $4.98 for shipping, the mean, median, and mode all increase by $4.98.

Try It

5. **WHAT IF?** The store decreases the price of each video game by $3. How does this decrease affect the mean, median, and mode?

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

6. **FINDING MEASURES OF CENTER** Consider the data set below.

15, 18, 13, 11, 12, 21, 9, 11

   a. Find the mean, median, and mode of the data.

   b. Each value in the data set is decreased by 7. How does this change affect the mean, median, and mode?

7. **WRITING** Explain why a typical value in a data set can be described by the median or the mode.

EXAMPLE 5 Modeling Real Life

Use the data to answer the statistical question, "How much do climbing shoes cost?"

Find the mean, median, and mode of the data. Then answer the question by creating a dot plot to determine which measure best represents the data.

Mean: $\frac{40 + 51 + 142 + 68 + 57 + 40 + 65 + 85}{8} = \frac{548}{8} = 68.5$

Median: 40, 40, 51, 57, 65, 68, 85, 142 Order the data.

$$\frac{57 + 65}{2} = \frac{122}{2} = 61$$

Mode: 40, 40, 51, 57, 65, 68, 85, 142 The value 40 occurs most often.



The mode is less than most of the data, and the mean is greater than most of the data. The median best represents the data. So, climbing shoes cost about $61.

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

8. How does removing the outlier affect your answer in Example 5?

9. It takes 10 contestants on a television show 43, 41, 62, 40, 44, 43, 44, 46, 45, and 41 seconds to cross a canyon on a zipline. Find the mean, median, and mode of the data with and without the outlier. Which measure does the outlier affect the most?

10. The table shows the weights of several great white sharks. Use the data to answer the statistical question, "What is the weight of a great white shark?"

Great White Shark Weights (pounds)			
1700	1500	1700	2100
1600	1700	1900	3900
1700	2200	1800	1600

9.3 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Find the mean of the data.

1. 1, 5, 8, 4, 5, 7, 6, 6, 2, 3

2. 9, 12, 11, 11, 10, 7, 4, 8

3. 26, 42, 31, 50, 29, 37, 44, 31

4. 53, 45, 43, 55, 28, 21, 61, 29, 24, 40, 27, 42

5. A shelf in your room can hold at most 30 pounds. There are 12 pounds of books already on the shelf. Which inequality represents the numbers of pounds you can add to the shelf?

A. $x < 18$ **B.** $x \geq 18$ **C.** $x \leq 42$ **D.** $x \leq 18$

Find the missing values in the ratio table. Then write the equivalent ratios.

6.

Turkey (pounds)	1	2	3
Price (dollars)	5.50		

7.

Guests	5	30	6
Cost (dollars)	100		

Find the surface area of the prism.

8.



9.



10.



Concepts, Skills, & Problem Solving

FINDING THE MEDIAN **Use grid paper to find the median of the data.**
(See Exploration 1, p. 425.)

11. 9, 7, 2, 4, 3, 5, 9, 6, 8, 0, 3, 8

12. 16, 24, 13, 36, 22, 26, 22, 28, 25

FINDING THE MEDIAN AND MODE **Find the median and mode of the data.**

13. 3, 5, 7, 9, 11, 3, 8

14. 14, 19, 16, 13, 16, 14

15. 93, 81, 94, 71, 89, 92, 94, 99

16. 44, 13, 36, 52, 19, 27, 33

17. 12, 33, 18, 28, 29, 12, 17, 4, 2

18. 55, 44, 40, 55, 48, 44, 58, 67

19. **YOU BE THE TEACHER** Your friend finds the median of the data. Is your friend correct? Explain your reasoning.



FINDING THE MODE **Find the mode of the data.**

20.

Shirt Colors		
Black	Blue	Red
Pink	Black	Black
Gray	Green	Blue
Blue	Blue	Red
Yellow	Blue	Blue
Black	Orange	Black
Black		

21.

Talent Show Acts		
Singing	Dancing	Comedy
Singing	Singing	Dancing
Juggling	Dancing	Singing
Singing	Poetry	Dancing
Comedy	Magic	Dancing
Poetry	Singing	Singing

22. MP **REASONING** In Exercises 20 and 21, can you find the mean and median of the data? Explain.

FINDING MEASURES OF CENTER **Find the mean, median, and mode of the data.**

23. 4.7, 8.51, 6.5, 7.42, 9.64, 7.2, 9.3

24. $8\frac{1}{2}, 6\frac{5}{8}, 3\frac{1}{8}, 5\frac{3}{4}, 6\frac{5}{8}, 5\frac{1}{4}, 10\frac{5}{8}, 4\frac{1}{2}$

25. **MODELING REAL LIFE** The weights (in ounces) of several moon rocks are shown in the table. Find the mean, median, and mode of the weights.

Moon Rock Weights (ounces)		
2.2	2.2	3.2
2.4	2.8	3.4
2.6	3.0	2.5

REMOVING AN OUTLIER **Find the mean, median, and mode of the data with and without the outlier. Which measure does the outlier affect the most?**

26. 45, 52, 17, 63, 57, 42, 54, 58

27. 85, 77, 211, 88, 91, 84, 85

28. 23, 73, 45, 27, 23, 25, 43, 45

29. 101, 110, 99, 100, 64, 112, 110, 111, 102

30. MP **REASONING** The table shows the monthly salaries for employees at a company.

Monthly Salaries (dollars)				
1940	1660	1860	2100	1720
1540	1760	1940	1820	1600

a. Find the mean, median, and mode of the data.

b. Each employee receives a 5% raise. Find the mean, median, and mode of the data with the raise. How does this increase affect the mean, median, and mode of the data?

c. How are the mean, median, and mode of the monthly salaries related to the mean, median, and mode of the annual salaries?

CHOOSING A MEASURE OF CENTER **Find the mean, median, and mode of the data. Choose the measure that best represents the data. Explain your reasoning.**

31. 48, 12, 11, 45, 48, 48, 43, 32

32. 12, 13, 40, 95, 88, 7, 95

33. 2, 8, 10, 12, 56, 9, 5, 2, 4

34. 126, 62, 144, 81, 144, 103

35. MODELING REAL LIFE The weather forecast for a week is shown. Which measure of center best represents the high temperatures? the low temperatures? Explain your reasoning.

	Sun	Mon	Tue	Wed	Thu	Fri	Sat
High	90°F	91°F	89°F	97°F	101°F	99°F	91°F
Low	74°F	78°F	77°F	77°F	83°F	78°F	72°F

36. RESEARCH Find the costs of 10 different boxes of cereal. Choose one cereal whose cost will be an outlier.

a. Which measure of center does the outlier affect the most? Justify your answer.

b. Use the data to answer the statistical question, "How much does a box of cereal cost?"



37. MP PROBLEM SOLVING The bar graph shows the numbers of hours you volunteered at an animal shelter. What is the minimum number of hours you need to volunteer in the seventh week to justify that you volunteered an average of 10 hours per week for the 7 weeks? Explain your answer using measures of center.

38. MP REASONING Why is the mode the least frequently used measure of center to describe a data set? Explain.

39. DIG DEEPER! The data are the prices of several fitness wristbands at a store.

$130 $170 $230 $130

$250 $275 $130 $185

a. Does the price shown in the advertisement represent the prices well? Explain.

b. Why might the store use this advertisement?

c. In this situation, why might a person want to know the mean? the median? the mode? Explain.

40. CRITICAL THINKING The expressions $3x$, $9x$, $4x$, $23x$, $6x$, and $3x$ form a data set. Assume $x > 0$.

a. Find the mean, median, and mode of the data.

b. Is there an outlier? If so, what is it?

9.4 Measures of Variation

Learning Target: Find and interpret the range and interquartile range of a data set.

Success Criteria:
- I can explain how the range and interquartile range describe the variability of a data set with a single number.
- I can find the range and interquartile range of a data set.
- I can use the interquartile range to identify outliers.

EXPLORATION 1

Interpreting Statements

Work with a partner. There are 24 students in your class. Your teacher makes the following statements.



- ***"The exam scores range from 75% to 96%."***
- ***"Most of the students received high scores."***

Math Practice

Analyze Givens

How can you use the given information to determine how spread out the data are?

FLORIDA STANDARDS

MAFS.6.SP.1.2
MAFS.6.SP.1.3
MAFS.6.SP.2.5c

a. What does each statement mean? Explain.

b. Use your teacher's statements to make a dot plot that can represent the distribution of the exam scores of the class.

c. Compare your dot plot with other groups'. How are they alike? different?

EXPLORATION 2

Grouping Data

Work with a partner. The numbers of U.S. states visited by students in a sixth-grade class are shown.

Numbers of States Visited

1	7	5	2	4	18	1	6
11	6	3	20	2	7	1	8
10	2	12	5	3	21		

a. Represent the data using a dot plot. Between what values do the data range?

b. Use the dot plot to make observations about the data.

c. How can you describe the *middle half* of the data?

9.4 Lesson

A **measure of variation** is a measure that describes the distribution of a data set. A simple measure of variation to find is the *range*. The **range** of a data set is the difference of the greatest value and the least value.

Key Vocabulary

measure of variation, *p. 434*
range, *p. 434*
quartiles, *p. 434*
first quartile, *p. 434*
third quartile, *p. 434*
interquartile range, *p. 434*

EXAMPLE 1 Finding the Range

The table shows the lengths of several Burmese pythons captured for a study. Find and interpret the range of the lengths.

Lengths (feet)	
18.5	8
11	10
14	15.5
12.5	6.25
16.25	5

To find the least and the greatest values, order the lengths from least to greatest.

5, 6.25, 8, 10, 11, 12.5, 14, 15.5, 16.25, 18.5

The least value is 5. The greatest value is 18.5.

So, the range of the lengths is $18.5 - 5 = 13.5$ feet. This means that the lengths vary by no more than 13.5 feet.

Try It

1. The ages of people in line for a roller coaster are 15, 17, 21, 32, 41, 30, 25, 52, 16, 39, 11, and 24. Find and interpret the range of the ages.

Key Ideas

Quartiles

The **quartiles** of a data set divide the data into four equal parts. Recall that the median (second quartile) divides the data set into two halves.



Reading

The first quartile can also be called the *lower quartile*. The third quartile can also be called the *upper quartile*.

Interquartile Range (IQR)

The difference of the third quartile and the first quartile is called the **interquartile range**. The IQR represents the range of the middle half of the data and is another measure of variation.

18 21 **22** 24 28 30 31 **32** 36 37

$$\begin{aligned} \text{IQR} &= Q_3 - Q_1 \\ &= 32 - 22 \\ &= 10 \end{aligned}$$

Multi-Language Glossary at *BigIdeasMath.com*

EXAMPLE 2 Finding the Interquartile Range

The dot plot shows the top speeds of 12 sports cars. Find and interpret the interquartile range of the data.



Order the speeds from slowest to fastest. Find the quartiles.

Median: $\frac{245 + 250}{2} = 247.5$

220 230 230 240 240 245 250 250 250 260 260 270

Q_1: $\frac{230 + 240}{2} = 235$

Q_3: $\frac{250 + 260}{2} = 255$

So, the interquartile range is $255 - 235 = 20$. This means that the middle half of the speeds vary by no more than 20 miles per hour.

Try It

2. The data are the number of pages in each of an author's novels. Find and interpret the interquartile range of the data.

356, 364, 390, 468, 400, 382, 376, 396, 350

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

3. WRITING Explain why the variability of a data set can be described by the range or the interquartile range.

4. DIFFERENT WORDS, SAME QUESTION Which is different? Find "both" answers.

53, 47, 60, 45, 62, 59, 65, 50, 56, 48

What is the interquartile range of the data shown?

What is the range of the data shown?

What is the range of the middle half of the data shown?

What is $Q_3 - Q_1$ for the data shown?

You can use the quartiles and the interquartile range to check for outliers.



EXAMPLE 3 Modeling Real Life

Bugs Eaten			
26	34	32	42
33	2	34	

Section 9.3 Example 3 identifies 2 as an outlier of the data in the table shown. Use the IQR to determine whether it is the only outlier.

Order the data values from least to greatest. Find the quartiles.



The IQR is $34 - 26 = 8$. Use the IQR to find the outlier boundaries.

$$Q_1 - 1.5(\text{IQR}) = 26 - 1.5(8) \qquad Q_3 + 1.5(\text{IQR}) = 34 + 1.5(8)$$
$$= 14 \qquad = 46$$

The only data value less than 14 is 2. There are no data values greater than 46. So, the only outlier is 2.

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

Distances (feet)			
$13\frac{1}{2}$	$21\frac{1}{2}$	21	$16\frac{3}{4}$
$10\frac{1}{4}$	19	32	$26\frac{1}{2}$
29	$16\frac{1}{4}$	$28\frac{1}{2}$	$18\frac{1}{2}$

5. The table shows the distances traveled by a paper airplane. Find and interpret the range and interquartile range of the distances.

6. The table shows the years of teaching experience of math teachers at a school. How do the outlier or outliers affect the variability of the data?

Teaching Experience (years)					
	5	10	7	8	10
	11	22	8	6	35

9.4 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Find the mean, median, and mode of the data.

1. 4, 8, 11, 6, 4, 5, 9, 10, 10, 4

2. 74, 78, 86, 67, 80

3. 15, 18, 17, 17, 15, 16, 14

4. 31, 14, 18, 26, 17, 32

Copy and complete the statement using < or >.

5. $6 \square -7$ **6.** $-3 \square 0$ **7.** $14 \square -14$ **8.** $8 \square -10$

Find the surface area of the pyramid.

9.



10.



11.



Concepts, Skills, & Problem Solving

INTERPRETING STATEMENTS **There are 20 students in your class. Your teacher makes the two statements shown. Use your teacher's statements to make a dot plot that can represent the distribution of the scores of the class.** (See Exploration 1, p. 433.)

12. *"The quiz scores range from 65% to 95%."*
"The scores were evenly spread out."

13. *"The project scores range from 78% to 93%."*
"Most of the students received low scores."

FINDING THE RANGE **Find the range of the data.**

14. 4, 8, 2, 9, 5, 3

15. 28, 42, 36, 23, 14, 47, 40

16. 26, 21, 27, 33, 24, 29

17. 52, 40, 49, 48, 62, 54, 44, 58, 39

18. 133, 117, 152, 127, 168, 146, 174

19. 4.8, 5.5, 4.2, 8.9, 3.4, 7.5, 1.6, 3.8

20. **YOU BE THE TEACHER** Your friend finds the range of the data. Is your friend correct? Explain your reasoning.



FINDING THE INTERQUARTILE RANGE **Find the interquartile range of the data.**

21. 4, 6, 4, 2, 9, 1, 12, 7

22. 18, 22, 15, 16, 15, 13, 19, 18

23. 40, 33, 37, 54, 41, 34, 27, 39, 35

24. 84, 75, 90, 87, 99, 91, 85, 88, 76, 92, 94

25. 132, 127, 106, 140, 158, 135, 129, 138

26. 38, 55, 61, 56, 46, 67, 59, 75, 65, 58

27. MODELING REAL LIFE The table shows the number of tornadoes in Alabama each year for several years. Find and interpret the range and interquartile range of the data. Then determine whether there are any outliers.

Numbers of Tornadoes			
65	32	54	23
55	145	37	80
94	42	69	77

28. WRITING Consider a data set that has no mode. Which measure of variation is greater, the range or the interquartile range? Explain your reasoning.

29. CRITICAL THINKING Is it possible for the range of a data set to be equal to the interquartile range? Explain your reasoning.

30. MP REASONING How does an outlier affect the range of a data set? Explain.

31. MODELING REAL LIFE The table shows the numbers of points scored by players on a sixth-grade basketball team in a season.

Points Scored					
21	53	74	82	84	93
103	108	116	122	193	

a. Find the range and interquartile range of the data.

b. Identify the outlier(s) in the data set. Find the range and interquartile range of the data set without the outlier(s). Which measure does the outlier or outliers affect more?

32. DIG DEEPER! Two data sets have the same range. Can you assume that the interquartile ranges of the two data sets are about the same? Give an example to justify your answer.

33. MODELING REAL LIFE The tables show the ages of the finalists for two reality singing competitions.

a. Find the mean, median, range, and interquartile range of the ages for each show. Compare the results.

b. A 21-year-old is voted off Show A, and the 36-year-old is voted off Show B. How do these changes affect the measures in part (a)? Explain.

Ages for Show A	
18	17
15	21
22	16
18	28
24	21

Ages for Show B	
21	20
23	13
15	18
17	22
36	25

34. OPEN-ENDED Create a set of data with 7 values that has a mean of 30, a median of 26, a range of 50, and an interquartile range of 36.

9.5 Mean Absolute Deviation

Learning Target: Find and interpret the mean absolute deviation of a data set.

Success Criteria:
- I can explain how the mean absolute deviation describes the variability of a data set with a single number.
- I can find the mean absolute deviation of a data set.
- I can compare data sets using the mean absolute deviation to draw conclusions.

The Meaning of a Word ▶ Deviate

When you **deviate** from something, you stray or depart from the normal course of action.



FLORIDA STANDARDS

MAFS.6.SP.1.2
MAFS.6.SP.1.3
MAFS.6.SP.2.5c

EXPLORATION 1 Finding Distances from the Mean

Work with a partner. The table shows the exam scores of 14 students in your class.

Exam Scores					
Ben	89	Omar	95	Dan	94
Emma	86	Hong	96	Lucy	89
Jeremy	80	Rob	92	Priya	84
Pete	80	Amy	90	Heather	85
Malik	96	Sue	76		

a. Which exam score *deviates* the most from the mean? Which exam score *deviates* the least from the mean? Explain how you found your answers.

b. How far is each data value from the mean?

c. Divide the sum of the values in part (b) by the number of values. In your own words, what does this represent?

d. MP **REASONING** In a data set, what does it mean when the value you found in part (c) is close to 0? Explain.

Math Practice

Use Operations
What operation can you use to find the distance from the mean? Explain.

9.5 Lesson

Key Vocabulary

mean absolute deviation, *p. 440*

Another measure of variation is the *mean absolute deviation*. The **mean absolute deviation** is an average of how much data values differ from the mean.

Key Idea

Finding the Mean Absolute Deviation (MAD)

Step 1: Find the mean of the data.

Step 2: Find the distance between each data value and the mean.

Step 3: Find the sum of the distances in Step 2.

Step 4: Divide the sum in Step 3 by the total number of data values.

EXAMPLE 1 Finding the Mean Absolute Deviation

Find and interpret the mean absolute deviation of the data.

1, 2, 2, 2, 4, 4, 4, 5

Step 1: Mean $= \frac{1+2+2+2+4+4+4+5}{8} = \frac{24}{8} = 3$

Step 2: You can use a dot plot to organize the data. Replace each dot with its distance from the mean.



Step 3: The sum of the distances is $2 + 1 + 1 + 1 + 1 + 1 + 1 + 2 = 10$.

Step 4: The mean absolute deviation is $\frac{10}{8} = 1.25$.

So, the data values differ from the mean by an average of 1.25.

Try It

1. Find and interpret the mean absolute deviation of the data.

5, 8, 8, 10, 13, 14, 16, 22

EXAMPLE 2 Finding the Mean Absolute Deviation

The smartphone shows the numbers of runs allowed by a pitcher in his last 10 starts. Find the mean, median, and mean absolute deviation of the data.

Order the runs allowed:

0, 0, 0, 2, 4, 4, 5, 6, 6, 8.

$\text{Mean} = \frac{35}{10} = 3.5$ $\quad$ $\text{Median} = \frac{4+4}{2} = 4$

Mean absolute deviation:

The mean absolute deviation is $\frac{24}{10} = 2.4$.

▶ The mean is 3.5, the median is 4, and the mean absolute deviation is 2.4.

Try It

2. **WHAT IF?** The pitcher allows 4 runs in the next game. How would you expect the mean absolute deviation to change? Explain.

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

3. **WRITING** Explain why the variability of a data set can be described by the mean absolute deviation.

4. **FINDING THE MEAN ABSOLUTE DEVIATION** Find and interpret the mean absolute deviation of the data.

8, 12, 4, 3, 14, 1, 9, 13

5. **WHICH ONE DOESN'T BELONG?** Which one does *not* belong with the other three? Explain your reasoning.

range | interquartile range | mean | mean absolute deviation

EXAMPLE 3 Modeling Real Life

Find the mean, median, and mean absolute deviation of the numbers of runs allowed by Pitcher B in his last 10 starts. Which measure can you use to distinguish these data from the data in Example 2? What can you conclude?

Order the runs allowed for Pitcher B: 0, 2, 2, 3, 4, 4, 4, 5, 5, 6.

$$\text{Mean} = \frac{35}{10} = 3.5 \qquad \text{Median} = \frac{4+4}{2} = 4$$

Mean absolute deviation:



The mean absolute deviation is $\frac{14}{10} = 1.4$.

You cannot use the measures of center to distinguish the data because they are the same for each data set. The measure of variation, MAD, is 2.4 for Pitcher A and 1.4 for Pitcher B. This indicates that the data for Pitcher B has less variation.

The greater the mean absolute deviation, the greater the variation of the data.

▶ Using the MAD to distinguish the data, you can conclude that Pitcher B is more consistent than Pitcher A.

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

Tiger Sharks	
Allison	3
Fito	6
Chuck	5
Sumila	4
Lauren	4
Antonio	2

Bear Cats	
Cherie	6
Carlos	1
Dominic	4
Jack	1
Gloria	8
Hannah	4

6. The tables show the numbers of questions answered correctly by members of two teams on a game show. Compare the mean, median, and mean absolute deviation of the numbers of correct answers for each team. What can you conclude?

7. DIG DEEPER! The data set shows the numbers of books that students in your book club read last summer.

8, 6, 11, 12, 14, 12, 11, 6, 15, 9, 7, 10, 9, 13, 5, 8

A new student who read 18 books last summer joins the club. Is 18 an outlier? How does including this value in the data set affect the measures of center and variation? Explain.

9.5 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Find the range and interquartile range of the data.

1. 23, 45, 39, 34, 28, 41, 26, 33

2. 63, 53, 48, 61, 69, 63, 57, 72, 46

Graph the integer and its opposite.

3. -15

4. 17

5. 16

6. -22

7. Find the numbers of faces, edges, and vertices of the solid.



Write the word sentence as an equation.

8. 17 plus a number q is 40.

9. The product of a number s and 14 is 49.

10. The difference of a number b and 9 is 32.

11. The quotient of 36 and a number g is 9.

Concepts, Skills, & Problem Solving

FINDING DISTANCES FROM THE MEAN **Find the average distance of each data value in the set from the mean.** (See Exploration 1, p. 439.)

12. Model years of used cars on a lot: 2014, 2006, 2009, 2011, 2005

13. Prices of kites at a shop: \$7, \$20, \$9, \$35, \$12, \$15, \$7, \$10, \$20, \$25

FINDING THE MEAN ABSOLUTE DEVIATION **Find and interpret the mean absolute deviation of the data.**

14. 69, 51, 71, 77, 71, 80, 75, 63, 73

15. 94, 86, 95, 99, 88, 90

16. 46, 54, 43, 57, 50, 62, 78, 42

17. 25, 28, 20, 22, 32, 28, 35, 34, 30, 36

18. 101, 115, 124, 125, 173, 165, 170

19. 1.1, 7.5, 4.9, 0.4, 2.2, 3.3, 5.1

20. $\frac{1}{4}, \frac{5}{8}, \frac{3}{8}, \frac{3}{4}, \frac{1}{2}$

21. 4.6, 8.5, 7.2, 6.6, 5.1, 6.2, 8.1, 10.3

22. **YOU BE THE TEACHER** Your friend finds and interprets the mean absolute deviation of the data set 35, 40, 38, 32, 42, and 41. Is your friend correct? Explain your reasoning.

$$\text{Mean} = \frac{35 + 40 + 38 + 32 + 42 + 41}{6} = 38$$

$$\text{MAD} = \frac{3 + 2 + 0 + 6 + 4 + 3}{6} = 3$$

So, the data values differ from the mean by an average of 3.

23. MODELING REAL LIFE The data set shows the admission prices at several glass-blowing workshops.

$20, $20, $16, $12, $15, $25, $11

Find and interpret the range, interquartile range, and mean absolute deviation of the data.

24. MODELING REAL LIFE The table shows the prices of the five most-expensive and least-expensive dishes on a menu. Find the MAD of each data set. Then compare their variations.

Five Most-Expensive Dishes					Five Least-Expensive Dishes				
$28	$30	$28	$39	$25	$7	$7	$10	$8	$12

25. MP REASONING The data sets show the years of the coins in two collections.

Your collection: 1950, 1952, 1908, 1902, 1955, 1954, 1901, 1910

Your friend's collection: 1929, 1935, 1928, 1930, 1925, 1932, 1933, 1920

Compare the measures of center and the measures of variation for each data set. What can you conclude?

Movies Watched			
7	5	14	5
6	9	10	12
15	4	5	8
11	10	9	2

26. MODELING REAL LIFE You survey students in your class about the numbers of movies they watched last month. A new student joins the class who watched 21 movies last month. Is 21 an outlier? How does including this value affect the measures of center and the measures of variation? Explain.

MP REASONING Which data set would have the greater mean absolute deviation? Explain your reasoning.

27. guesses for number of gumballs in a jar
guesses for number of baseballs in a jar

28. monthly rainfall amounts in a city
monthly amounts of water used in a home

29. MP REASONING Range, interquartile range, and mean absolute deviation are all measures of variation. Which measure of variation is most reliable? Explain your reasoning.

30. DIG DEEPER! Add and subtract the MAD from the mean in the original data set in Exercise 26.

a. What percent of the values are within one MAD of the mean? two MADs of the mean? Which values are more than twice the MAD from the mean?

b. What do you notice as you get more and more MADs away from the mean? Explain.

9 Connecting Concepts

Using the Problem-Solving Plan

1. Six friends play a carnival game in which a person throws darts at balloons. Each person throws the same number of darts and then records the portion of the balloons that pop. Find and interpret the mean, median, and MAD of the data.



Understand the problem.

You know that each person throws the same number of darts. You are given the portion of balloons popped by each person as a fraction, a decimal, or a percent.

Make a plan.

First, write each fraction and each decimal as a percent. Next, order the percents from least to greatest. Then find and interpret the mean, median, and MAD of the data.

Solve and check.

Use the plan to solve the problem. Then check your solution.

2. The cost c (in dollars) to rent skis at a resort for n days is represented by the equation $c = 22n$. The durations of several ski rentals are shown in the table. Find the range and interquartile range of the costs of the ski rentals. Then determine whether any of the costs are outliers.

Duration of Rentals (days)							
1	5	1	3	1	2	5	4
3	12	1	12	5	7	4	1

Performance Task

Which Measure of Center Is Best: Mean, Median, or Mode?

At the beginning of this chapter, you watched a STEAM Video called "Daylight in the Big City." You are now ready to complete the performance task related to this video, available at ***BigIdeasMath.com***. Be sure to use the problem-solving plan as you work through the performance task.

9 Chapter Review

Go to *BigIdeasMath.com* to download blank graphic organizers.

Review Vocabulary

Write the definition and give an example of each vocabulary term.

statistics, *p. 414*
statistical question, *p. 414*
mean, *p. 420*
outlier, *p. 422*
measure of center, *p. 426*
median, *p. 426*
mode, *p. 426*
measure of variation, *p. 434*
range, *p. 434*
quartiles, *p. 434*
first quartile, *p. 434*
third quartile, *p. 434*
interquartile range, *p. 434*
mean absolute deviation, *p. 440*

Graphic Organizers

You can use a **Definition and Example Chart** to organize information about a concept. Here is an example of a Definition and Example Chart for the vocabulary term ***statistical question.***

Statistical Question: a question in which you do not expect to get a single answer
Example: What are the heights of sixth-grade students?
Example: What are the ages of people in the auditorium?
Example: What are the numbers of letters in the first names of sixth-grade students?

Choose and complete a graphic organizer to help you study the concept.

1. mean
2. outlier
3. median
4. mode
5. range
6. quartiles
7. interquartile range
8. mean absolute deviation

"Here is my Definition and Example Chart. I'll toss one of my frisbees into the surf and you see if you can fetch it."

Chapter Self-Assessment

As you complete the exercises, use the scale below to rate your understanding of the success criteria in your journal.

1	2	3	4
I do not understand.	I can do it with help.	I can do it on my own.	I can teach someone else.

9.1 Introduction to Statistics *(pp. 413–418)*

Learning Target: Identify statistical questions and use data to answer statistical questions.

Determine whether the question is a statistical question. Explain.

1. How many positive integers are less than 20?

2. In what month were the students in a sixth-grade class born?

3. The dot plot shows the number of televisions owned by each family on a city block.



   a. Find and interpret the number of data values on the dot plot.

   b. Write a statistical question that you can answer using the dot plot. Then answer the question.

Display the data in a dot plot. Identify any clusters, peaks, or gaps in the data.

4.

Distances (feet)			
56	55	56	57
58	54	51	55
51	56	49	56

5.

Weights (pounds)				
83	88	89	90	89
91	89	84	90	92
90	88	89	83	88

6. You conduct a survey to answer, "What is the heart rate of a typical sixth-grade student?" The table shows the results. Use the distribution of the data to answer the question.

Heart Rates (beats per minute)					
68	69	74	68	64	67
66	70	67	68	74	69
68	69	74	70	68	70
70	68	68	69	67	64
69	65	66	68	69	67

9.2 Mean *(pp. 419–424)*

Learning Target: Find and interpret the mean of a data set.

7. Find the mean of the data.

Boiling Points (°F)	Arsenic	Cadmium	Mercury	Phosphorus	Potassium	Sodium
	1117	1409	675	536	1398	1621



8. The double bar graph shows the monthly profit for two toy companies over a four-month period. Compare the mean monthly profits.

9. The table shows the test scores for a class of sixth-grade students. Describe how the outlier affects the mean. Then use the data to answer the statistical question, "What is the typical test score for a student in the class?"

Test Scores		
91	81	100
72	83	70
85	97	75
80	90	36

9.3 Measures of Center *(pp. 425–432)*

Learning Target: Find and interpret the median and mode of a data set.

Find the median and mode of the data.

10. 8, 8, 6, 8, 4, 5, 6

11. 24, 74, 61, 29, 38, 27, 68, 54

12. Find the mean, median, and mode of the data set 67, 52, 50, 99, 66, 50, and 57 with and without the outlier. Which measure does the outlier affect the most?

13. The table shows the lengths of several movies. Which measure of center best represents the data? Explain your reasoning.

Movie Lengths (minutes)		
91	112	126
142	113	112
92	144	148

14. Give an example of a data set that does not have a median. Explain why the data set does not have a median.

9.4 Measures of Variation *(pp. 433–438)*

Learning Target: Find and interpret the range and interquartile range of a data set.

Find the range of the data.

15. 45, 76, 98, 21, 52, 39

16. 95, 63, 52, 8, 93, 16, 42, 37, 62

Find the interquartile range of the data.

17. 28, 46, 25, 76, 18, 25, 47, 83, 44

18. 14, 25, 97, 55, 66, 28, 92, 38, 94

19. The table shows the weights of several adult emperor penguins. Find and interpret the range and interquartile range of the data. Then determine whether there are any outliers.

Weights (kilograms)	
25	27
36	23.5
33.5	31.25
30.75	32
24	29.25

20. Two data sets have the same interquartile range. Can you assume that the ranges of the two data sets are about the same? Give an example to justify your answer.

9.5 Mean Absolute Deviation *(pp. 439–444)*

Learning Target: Find and interpret the mean absolute deviation of a data set.

Find and interpret the mean absolute deviation of the data.

21.

Shoe Sizes			
6	8.5	6	9
10	7	8	9.5

22.

Prices of Tablets (dollars)				
130	150	190	100	175
120	165	140	180	190

23. The table shows the prices of the five most-expensive and least-expensive manicures given by a salon technician on a particular day. Find the MAD of each data set. Then compare their variations.

Five Most-Expensive Manicures	Five Least-Expensive Manicures
$58 $52 $70 $49 $56	$10 $10 $15 $10 $15

24. You record the lengths of songs you stream. The next song is 276 seconds long. Is 276 an outlier? How does including this value affect the measures of center and the measures of variation? Explain.

Song Lengths (seconds)					
233	219	163	213	224	208
225	220	222	240	228	219
260	249	209	236	206	

9 Practice Test

Find the mean, median, mode, range, and interquartile range of the data.

1. 5, 6, 4, 24, 10, 6, 9, 8

2. 46, 27, 94, 56, 53, 65, 43

3. 32, 58, 19, 36, 44, 57, 11, 26, 74

4. 36, 24, 49, 32, 37, 28, 38, 40, 39

Find and interpret the mean absolute deviation of the data.

5.

Distances Driven (miles)			
312	286	196	201
158	225	206	192

6.

Prices of Sunglasses (dollars)				
15	8	19	20	18
20	22	14	10	15

7. You conduct a survey to answer, "How many minutes does it take a typical sixth-grade student to run a mile?" The table shows the results. Use the distribution of the data to answer the question.

Times (minutes)			
8.25	9	10.25	8.75
8.5	8.25	9.25	8.5
7.75	8.5	8.75	7.5

Weights (pounds)				
81	81	80	82	81
83	76	83	76	80
75	83	94	82	81

8. The table shows the weights of Alaskan malamute dogs at a veterinarian's office. Which measure of center best represents the weight of an Alaskan malamute? Explain your reasoning.

9. The table shows the numbers of guests at a hotel on different days.

Numbers of Guests					
66	58	90	57	63	55
60	62	56	54	72	

a. Find the range and interquartile range of the data.

b. Use the interquartile range to identify the outlier(s) in the data set. Find the range and interquartile range of the data set without the outlier(s). Which measure did the outlier or outliers affect more?

10. The data sets show the numbers of hours worked each week by two people for several weeks.

Person A: 9, 18, 12, 6, 9, 21, 3, 12

Person B: 12, 18, 15, 16, 14, 12, 15, 18

Compare the measures of center and the measures of variation for each data set. What can you conclude?

11. The table shows the lengths of several bearded dragons captured for a study. Find the mean, median, and mode of the data in centimeters and in inches. How does converting to inches affect the mean, median, and mode?

Lengths (centimeters)					
36	58	42	43	55	57
52	46	41	52	56	50

9 Cumulative Practice

1. Which statement can be represented by a negative integer?

A. The temperature rises 15 degrees.

B. A hot-air balloon ascends 450 yards.

C. You earn $50 completing chores.

D. A submarine submerges 260 feet.

2. What is the height h (in inches) of the prism?

Volume $= 5880$ in.^{3}

3. Which is the solution of the inequality $\frac{2}{3}x < 6$?

F. $x < 4$

G. $x < 5\frac{1}{3}$

H. $x < 6\frac{2}{3}$

I. $x < 9$

4. The number of hours that each of six students spent reading last week is shown in the bar graph.



For the data in the bar graph, which measure is the *least*?

A. mean

B. median

C. mode

D. range

Test-Taking Strategy
Use Intelligent Guessing



"The mean can't be 6 or 2 or 5 inches. So, you can use intelligent guessing to find that the answer is $\frac{1}{3}$ ft, or 4 in."

5. Which list of numbers is in order from least to greatest?

F. $-5.41, -3.6, -3.2, -3.06, -1$

G. $-1, -3.06, -3.2, -3.6, -5.41$

H. $-5.41, -3.06, -3.2, -3.6, -1$

I. $-1, -3.6, -3.2, -3.06, -5.41$

6. What is the mean absolute deviation of the data shown in the dot plot, rounded to the nearest tenth?

A. 1.4

B. 3

C. 3.2

D. 5

7. A family wants to buy tickets to a theme park. There are separate ticket prices for adults and children.

Which expression represents the total cost (in dollars) for a adult tickets and c child tickets?

F. $600(a + c)$

G. $50(a \times c)$

H. $30a + 20c$

I. $30a \times 20c$

8. The dot plot shows the leap distances (in feet) of a tree frog. How many leaps were recorded?

9. What is the value of the expression when $a = 6$ and $b = 14$?

$$0.8a + 0.02b$$

A. 0.4828 **B.** 0.8814

C. 5.08 **D.** 16.4

10. Which property was *not* used to simplify the expression?

$$\begin{aligned} 0.3 \times y + y \times 0.7 &= y \times 0.3 + y \times 0.7 \\ &= y \times (0.3 + 0.7) \\ &= y \times 1 \\ &= y \end{aligned}$$

F. Distributive Property

G. Associative Property of Addition

H. Multiplication Property of One

I. Commutative Property of Multiplication

11. What are the coordinates of Point P?



A. $(-3, -2)$ **B.** $(3, -2)$

C. $(-2, -3)$ **D.** $(-2, 3)$

12. Create a data set with 5 numbers that has the following measures.

Think
Solve
Explain

- a mean of 7
- a median of 9

Explain how you created your data set.

10 Data Displays

10.1 Stem-and-Leaf Plots

10.2 Histograms

10.3 Shapes of Distributions

10.4 Choosing Appropriate Measures

10.5 Box-and-Whisker Plots

Chapter Learning Target:
Understand data displays.

Chapter Success Criteria:

- I can construct a data display.
- I can interpret data in a data display.
- I can choose the appropriate measures of center and variation to describe a data set.
- I can compare data sets.

STEAM Video

Choosing a Dog

Different animals grow at different rates. Given a group of puppies, describe an experiment that you can perform to compare their growth rates. Describe a real-life situation where knowing an animal's growth rate can be useful.

Watch the STEAM Video "Choosing a Dog." Then answer the following questions.

1. Using Alex and Tony's stem-and-leaf plots below, describe the weights of most dogs at 3 months of age and 6 months of age.

3 months

Stem	Leaf
2	9
3	4
4	0 0 1 2 4 6 7 8 8
5	3

Key: 3|4 = 34% of adult weight

6 months

Stem	Leaf
5	7 8
6	1 1 3 4 5 5 5 6 7
7	3

Key: 6|4 = 64% of adult weight

2. Make predictions about how the stem-and-leaf plot will look after 9 months and after 1 year.

Performance Task



Classifying Dog Breeds by Size

After completing this chapter, you will be able to use the concepts you learned to answer the questions in the *STEAM Video Performance Task*. You will be given names, breeds, and weights of full-grown dogs at a shelter. For example:

Name	Breed	Weight
Jordan	German shepherd	77 pounds
Ben	Chihuahua	6 pounds
Koda	Border collie	42 pounds

You will use a data display to make conclusions about the sizes of dogs at the shelter. Why might someone be interested in knowing the sizes of dogs at a shelter?

Getting Ready for Chapter 10

Chapter Exploration

Work with a partner. A famous data set was collected in Scotland in the mid-1800s. It contains the chest sizes (in inches) of 5738 men in the Scottish Militia.

Chest Size	Number of Men
33	3
34	18
35	81
36	185
37	420
38	749
39	1073
40	1079
41	934
42	658
43	370
44	92
45	50
46	21
47	4
48	1



1. Describe the shape of the bar graph shown above.
2. Which of the following data sets have a bar graph that is similar in shape to the bar graph shown above? Assume the sample is selected randomly from the population. Explain your reasoning.
   - **a.** the heights of 500 women
   - **b.** the ages of 500 dogs
   - **c.** the last digit of 500 phone numbers
   - **d.** the weights of 500 newborn babies
3. Describe two other real-life data sets, one that is similar in shape to the bar graph shown above and one that is not.

Vocabulary

The following vocabulary terms are defined in this chapter. Think about what each term might mean and record your thoughts.

stem-and-leaf plot

box-and-whisker plot

frequency table

five-number summary

10.1 Stem-and-Leaf Plots

Learning Target: Display and interpret data in stem-and-leaf plots.

Success Criteria:
- I can explain how to choose stems and leaves of a data set.
- I can make and interpret a stem-and-leaf plot.
- I can use a stem-and-leaf plot to describe the distribution of a data set.

EXPLORATION 1 Making a Data Display

FLORIDA STANDARDS
MAFS.6.SP.1.2

Work with a partner. The list below gives the ages of women when they became first ladies of the United States.

THE WHITE HOUSE
WASHINGTON, D.C.

Frances Cleveland - 21
Caroline Harrison - 56
Ida McKinley - 49
Edith Roosevelt - 40
Helen Taft - 47
Ellen Wilson - 52
Florence Harding - 60
Grace Coolidge - 44
Lou Hoover - 54
Eleanor Roosevelt - 48
Elizabeth Truman - 60
Mamie Eisenhower - 56
Jacqueline Kennedy - 31
Claudia Johnson - 50
Pat Nixon - 56
Elizabeth Ford - 56
Rosalynn Carter - 49
Nancy Reagan - 59
Barbara Bush - 63
Hillary Clinton - 45
Laura Bush - 54
Michelle Obama - 45
Melania Trump - 46

a. The incomplete data display shows the ages of the first ladies in the left column of the list above. What do the numbers on the left represent? What do the numbers on the right represent?

Ages of First Ladies

2	1
3	
4	0 4 7 8 9
5	2 4 6 6
6	0 0

b. This data display is called a *stem-and-leaf plot.* What numbers do you think represent the *stems? leaves?* Explain your reasoning.

c. Complete the stem-and-leaf plot using the remaining ages.

d. MP **REASONING** Write a question about the ages of first ladies that is easier to answer using a stem-and-leaf plot than a dot plot.

Math Practice

Listen and Ask Questions

Listen to other students' questions in part (d) and decide if they make sense. If not, ask for clarification.

10.1 Lesson

Key Vocabulary
stem-and-leaf plot, *p. 458*
stem, *p. 458*
leaf, *p. 458*

The leaves of a stem-and-leaf plot are usually written in ascending order.

Key Idea

Stem-and-Leaf Plots

A **stem-and-leaf plot** uses the digits of data values to organize a data set. Each data value is broken into a **stem** (digit or digits on the left) and a **leaf** (digit or digits on the right).

A stem-and-leaf plot shows how data are distributed.

Stem	Leaf
2	0 0 1 2 5 7
3	1 4 8
4	2
5	8 9

Key: 2|0 = 20

The *key* explains what the stems and leaves represent.

EXAMPLE 1 Making a Stem-and-Leaf Plot

	A	B
1	DATE	MINUTES
2	JULY 9	55
3	JULY 9	3
4	JULY 9	6
5	JULY 10	14
6	JULY 10	18
7	JULY 10	5
8	JULY 10	23
9	JULY 11	30
10	JULY 11	23
11	JULY 11	10
12	JULY 11	2
13	JULY 11	36

Make a stem-and-leaf plot of the lengths of the 12 phone calls.

Step 1: Order the data.

2, 3, 5, 6, 10, 14, 18, 23, 23, 30, 36, 55

Step 2: Choose the stems and the leaves. Because the data values range from 2 to 55, use the *tens* digits for the stems and the *ones* digits for the leaves. Be sure to include the key.

Step 3: Write the stems to the *left* of the vertical line.

Step 4: Write the leaves for each stem to the *right* of the vertical line.

Phone Call Lengths

Stem	Leaf
0	2 3 5 6
1	0 4 8
2	3 3
3	0 6
4	
5	5

Order the stems vertically. The stem for data values less than 10 is 0.

Write the leaves horizontally.

Include stems without leaves.

Key: 1|4 = 14 minutes

Try It

1. Make a stem-and-leaf plot of the hair lengths.

Hair Lengths (centimeters)									
5	1	20	12	27	2	30	5	7	38
40	47	1	2	1	32	4	44	33	23

Multi-Language Glossary at BigIdeasMath.com

EXAMPLE 2 Interpreting a Stem-and-Leaf Plot

Quiz Scores

Stem	Leaf
6	6
7	0 5 7 8
8	1 1 3 4 4 6 8 8 9
9	0 2 9
10	0

Key: 9|2 = 9.2 points

The stem-and-leaf plot shows student quiz scores. (a) How many students scored less than 8 points? (b) How many students scored at least 9 points? (c) How are the data distributed?

a. There are five scores less than 8 points: 6.6, 7.0, 7.5, 7.7, and 7.8.

▶ Five students scored less than 8 points.

b. There are four scores of at least 9 points: 9.0, 9.2, 9.9, and 10.0.

▶ Four students scored at least 9 points.

c. There are few low quiz scores and few high quiz scores. So, most of the scores are in the middle, from 8.1 to 8.9 points.

Try It

2. Use the grading scale at the right.

a. How many students received a B on the quiz?

b. How many students received a C on the quiz?

A: 9.0–10.0
B: 8.0–8.9
C: 7.0–7.9
D: 6.0–6.9
F: 5.9 and below

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

3. MAKING A STEM-AND-LEAF PLOT Make a stem-and-leaf plot of the data values 14, 22, 9, 13, 30, 8, 25, and 29.

4. WRITING How does a stem-and-leaf plot show the distribution of a data set?

Stem	Leaf
0	2 3
1	
2	1 6
3	0 4 6
4	4 5 8 8 9

Key: 4|8 = 48

5. MP REASONING Consider the stem-and-leaf plot shown.

a. How many data values are at most 10?

b. How many data values are at least 30?

c. How are the data distributed?

6. CRITICAL THINKING How can you display data whose values range from 82 through 129 in a stem-and-leaf plot?

EXAMPLE 3 Modeling Real Life

The stem-and-leaf plot shows the heights of several houseplants. Use the data to answer the question, "What is a typical height of a houseplant?"

Plant Heights

Stem	Leaf
0	1 2 4 5 6 8 9
1	1 1 1 2 3 5
2	2
3	2

Key: 1 | 5 = 15 inches

Find the mean, median, and mode of the data. Use the measure that best represents the data to answer the statistical question.

Mean: $\frac{162}{15} = 10.8$

Median: 11

Mode: 11

The mean is slightly less than the median and mode, but all three measures can be used to represent the data.

So, the typical height of a houseplant is about 11 inches.

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

7. DIG DEEPER! Work with a partner. Use two number cubes to conduct the following experiment. Then use a stem-and-leaf plot to organize your results and describe the distribution of the data.

- Toss the cubes and find the product of the resulting numbers. Record your results.
- Repeat this process 30 times.

8. The stem-and-leaf plot shows the weights (in pounds) of several puppies at a pet store. Use the data to answer the question, "How much does a puppy at the pet store weigh?"

Puppy Weights

Stem	Leaf
0	8
1	2 5 7 8
2	4 4
3	1

Key: 2 | 4 = 24 pounds

10.1 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Find and interpret the mean absolute deviation of the data.

1. 8, 6, 8, 5, 3, 10, 11, 5, 7

2. 55, 46, 39, 62, 55, 51, 48, 60, 39, 45

3. 37, 54, 41, 18, 28, 32

4. 12, 25, 8, 22, 6, 1, 10, 4

Use the Distributive Property to simplify the expression.

5. $5(n + 8)$

6. $7(y - 6)$

7. $14(2b + 3)$

8. $11(9 + s)$

Solve the equation.

9. $\frac{p}{3} = 8$

10. $28 = 6g$

11. $3d \div 4 = 9$

12. $10 = \frac{2z}{3}$

Concepts, Skills, & Problem Solving

MP **REASONING** **Write a question that is easier to answer using the stem-and-leaf plot than a dot plot.** (See Exploration 1, p. 457.)

13. **Numbers of Customers**

Stem	Leaf
1	2 3 6 7
2	0 1 1 3 3 8 8
3	2 3 4 4 5 5 6 9 9
4	0 1 1 2 4 6 7 8 9 9

Key: 1|3 = 13 customers

14. **Text Messages Received**

Stem	Leaf
4	0 0 2 6 6 9
5	1 1 3 3 7 7 7 9 9 9
6	1 2 2 5 5 6 7 8 8
7	0 2 2 3 4

Key: 5|1 = 51 text messages

MAKING A STEM-AND-LEAF PLOT **Make a stem-and-leaf plot of the data.**

15.

Books Read			
26	15	20	9
31	25	29	32
17	26	19	40

16.

Hours Online			
8	12	21	14
18	6	15	24
12	17	2	0

17.

Test Scores (%)				
87	82	95	91	69
88	68	87	65	81
97	85	80	90	62

18.

Points Scored				
58	50	42	71	75
45	51	43	38	71
42	70	56	58	43

19.

Bikes Sold			
78	112	105	99
86	96	115	100
79	81	99	108

20.

Minutes in Line			
4.0	2.6	1.9	3.1
3.6	2.2	2.7	3.8
1.6	2.0	3.1	2.9

21. **YOU BE THE TEACHER** Your friend makes a stem-and-leaf plot of the data. Is your friend correct? Explain your reasoning.

51, 25, 47, 42, 55, 26, 50, 44, 55

Stem	Leaf
2	5 6
4	2 4 7
5	0 1 5 5

Key: 4|2 = 42

MODELING REAL LIFE **The stem-and-leaf plot shows the numbers of confirmed cases of a virus in 15 countries.**



Stem	Leaf
4	1 1 3 3 5
5	0 2 3 4
6	2 3 3 7
7	5
8	
9	7

Key: 5|0 = 50 cases

22. How many of the countries have more than 60 confirmed cases?

23. Find the mean, median, mode, range, and interquartile range of the data.

24. How are the data distributed?

25. Which data value is an outlier? Describe how the outlier affects the mean.

26. MP **REASONING** Each stem-and-leaf plot below has a mean of 39. Without calculating, determine which stem-and-leaf plot has the lesser mean absolute deviation. Explain your reasoning.

Stem	Leaf
2	3 7
3	0 2 6 9
4	1 2 5 8
5	1 4

Key: 4|1 = 41

Stem	Leaf
2	2 4 5 8 9
3	3 8
4	5
5	3 6 7 8

Key: 5|3 = 53

27. **DIG DEEPER!** The stem-and-leaf plot shows the daily high temperatures (in degrees Fahrenheit) for the first 15 days of June.

Stem	Leaf
6	7 8
7	0 0 3 4 6 8 9
8	2 3 6 7 8 9

Key: 6|7 = 67°F

a. When you include the daily high temperatures for the rest of the month, the mean absolute deviation increases. Draw a stem-and-leaf plot that could represent all of the daily high temperatures for the month.

b. Use your stem-and-leaf plot from part (a) to answer the question, "What is a typical daily high temperature in June?"

28. **CRITICAL THINKING** The back-to-back stem-and-leaf plot shows the 9-hole golf scores for two golfers. Only one of the golfers can compete in a tournament as your teammate. Use measures of center and measures of variation to support choosing either golfer.

Rich	Stem	Will
7 5	3	
8 5 4 3 2 1	4	2 3 4 4 6 7 7 8 9
5 0	5	0

Key: 1|4|2 = 41 and 42 strokes

10.2 Histograms

Learning Target: Display and interpret data in histograms.

Success Criteria:
- I can explain how to draw a histogram.
- I can make and interpret a histogram.
- I can determine whether a question can be answered using a histogram.

EXPLORATION 1 Performing an Experiment

FLORIDA STANDARDS
MAFS.6.SP.2.4

Work with a partner.

a. Make the airplane shown from a single sheet of $8\frac{1}{2}$-by-11-inch paper. Then design and make your own paper airplane.



1. Fold in half. Then unfold.



2. Fold corners.



3. Fold corners again.



4. Fold in half.



5. Fold wings out on both sides.

6. Fold wing edges up.

Math Practice

Specify Units
What units will you use to measure the distance flown? Will the units you use affect the results in your frequency table? Explain.

b. MP **PRECISION** Fly each airplane 20 times. Keep track of the distance flown each time.

c. A **frequency table** groups data values into intervals. The **frequency** is the number of values in an interval. Use a frequency table to organize the results for each airplane.

d. **MODELING** Represent the data in the frequency tables graphically. Which airplane flies farther? Explain your reasoning.

10.2 Lesson

Key Vocabulary
frequency table, *p. 463*
frequency, *p. 463*
histogram, *p. 464*

Key Idea

Histograms

A **histogram** is a bar graph that shows the frequencies of data values in intervals of the same size.

The height of a bar represents the frequency of the values in the interval.



EXAMPLE 1 Making a Histogram

The frequency table shows the numbers of laps that people in a swimming class completed today. Display the data in a histogram.

Number of Laps	Frequency
1–3	11
4–6	4
7–9	0
10–12	3
13–15	6

Step 1: Draw and label the axes.

Step 2: Draw a bar to represent the frequency of each interval.



Try It

1. The frequency table shows the ages of people riding a roller coaster. Display the data in a histogram.

Age	10–19	20–29	30–39	40–49	50–59
Frequency	16	11	5	2	4

Multi-Language Glossary at BigIdeasMath.com

EXAMPLE 2 Using a Histogram

The histogram shows winning speeds at the Daytona 500.
(a) Which interval contains the most data values?
(b) How many of the winning speeds are less than 140 miles per hour?
(c) How many of the winning speeds are at least 160 miles per hour?



a. The interval with the tallest bar contains the most data values.

So, the 150−159 miles per hour interval contains the most data values.

b. One winning speed is in the 120−129 miles per hour interval, and eight winning speeds are in the 130−139 miles per hour interval.

So, $1 + 8 = 9$ winning speeds are less than 140 miles per hour.

c. Eight winning speeds are in the 160−169 miles per hour interval, and five winning speeds are in the 170−179 miles per hour interval.

So, $8 + 5 = 13$ winning speeds are at least 160 miles per hour.

Try It

2. The histogram shows the numbers of hours that students in a class slept last night.

a. How many students slept at least 8 hours?

b. How many students slept less than 12 hours?



EXAMPLE 3 Comparing Data Displays

The data displays show how many push-ups students in a class completed for a physical fitness test. Which data display can you use to find how many students are in the class? Explain.





You can use the histogram because it shows the number of students in each interval. The sum of these values represents the number of students in the class. You cannot use the circle graph because it does not show the number of students in each interval.

Try It

3. Which data display should you use to describe the portion of the entire class that completed 30–39 push-ups? Explain.

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

Numbers of Siblings			
0	2	3	6
3	2	1	2
1	4	0	3
7	3	1	5
4	3	2	0

4. **MAKING A HISTOGRAM** The table shows the numbers of siblings of students in a class.

a. Display the data in a histogram.

b. Explain how you chose reasonable intervals for your histogram in part (a).

5. MP **NUMBER SENSE** Can you find the range and the interquartile range of the data in the histogram? If so, find them. If you cannot find them, explain why not.



EXAMPLE 4 Modeling Real Life

Which statements *cannot* be made using the data displays in Example 3?

A. Twelve percent of the class completed 9 push-ups.

B. Five students completed at least 10 and at most 19 push-ups.

C. At least one student completed more than 39 push-ups.

D. Less than $\frac{1}{4}$ of the class completed 30 or more push-ups.

The circle graph shows that 12% completed 0–9 push-ups, but you cannot determine how many completed exactly 9. So, Statement A cannot be made.

In the histogram, the bar height for the 10–19 interval is 5, and the bar height for the 40–49 interval is 1. So, Statements B and C can be made.

The circle graph shows that 24% completed 30–39 push-ups, and 4% completed 40–49 push-ups. So, 24% + 4% = 28% completed 30 or more push-ups. Because $\frac{1}{4} = 25\%$ and 28% > 25%, Statement D cannot be made.

▶ The correct answers are **A** and **D**.

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.



6. The histogram shows the numbers of rebounds per game for a middle school basketball player in a season.

a. Which interval contains the most data values?

b. How many games did the player play during the season?

c. In what percent of the games did the player have 4 or more rebounds?

7. Determine whether you can make each statement by using the histogram in the previous exercise. Explain.

a. The basketball player had 2 rebounds in 6 different games.

b. The basketball player had more than 1 rebound in 9 different games.

10.2 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Make a stem-and-leaf plot of the data.

1.

Blog Posts			
7	5	12	4
20	11	9	15
4	8	6	12

2.

Social Media Comments			
4	18	1	32
10	36	16	7
44	3	7	15

Find the percent of the number.

3. 25% of 180 **4.** 30% of 90 **5.** 16% of 140 **6.** 64% of 80

7. What is the least common multiple of 7 and 12?

A. 28 **B.** 42 **C.** 84 **D.** 168

Concepts, Skills, & Problem Solving

MAKING A FREQUENCY TABLE **Organize the data using a frequency table.**
(See Exploration 1, p. 463.)

8.

Members of Book Clubs			
6	17	13	19
13	9	18	24
11	15	21	14

9.

Points Scored				
42	45	57	39	55
38	48	36	48	46
51	29	45	54	42

MAKING A HISTOGRAM **Display the data in a histogram.**

10.

States Visited	
States	Frequency
1–5	12
6–10	14
11–15	6
16–20	3

11.

Chess Team	
Wins	Frequency
10–13	3
14–17	4
18–21	4
22–25	2

12.

Movies Watched	
Movies	Frequency
0–1	5
2–3	11
4–5	8
6–7	1

13.

Ages of Celebrities	
Ages	Frequency
10–19	2
20–29	6
30–39	8
40–49	4

14.

Shoes Owned	
Pairs of Shoes	Frequency
1–3	3
4–6	8
7–9	10
10–12	0
13–15	2

15.

S eps Taken	
Steps	Frequency
0–1999	1
2000–3999	4
4000–5999	9
6000–7999	12
8000–9999	11

16. **YOU BE THE TEACHER** Your friend displays the data in a histogram. Is your friend correct? Explain your reasoning.

Snow Days per School	
Snow Days	**Frequency**
0–1	9
2–3	6
4–5	2
6–7	1



17. **MODELING REAL LIFE** The histogram shows the numbers of magazines read last month by the students in a class.

a. Which interval contains the fewest data values?

b. How many students are in the class?

c. What percent of the students read fewer than six magazines?





18. **YOU BE THE TEACHER** Your friend interprets the histogram. Is your friend correct? Explain your reasoning.

12% of the songs took 5–8 seconds to download.

19. **MP REASONING** The histogram shows the percent of the voting-age population in each state who voted in a presidential election. Explain whether the graph supports each statement.



a. Only 40% of one state voted.

b. In most states, between 50% and 64.9% voted.

c. The mode of the data is between 55% and 59.9%.

20. MP **PROBLEM SOLVING** The histograms show the areas of counties in Pennsylvania and Indiana. Which state do you think has the greater area? Explain.





21. **MODELING REAL LIFE** The data displays show how many pounds of garbage apartment residents produced in 1 week. Which data display can you use to find how many residents produced more than 25 pounds of garbage? Explain.



Garbage

Stem	Leaf
0	9
1	0 5 8 8 9
2	1 2 5 5 6 7 7 7 9 9 9
3	2 3 3

Key: 1|5 = 15 pounds

22. MP **REASONING** Determine whether you can make each statement by using the data displays in Exercise 21. Explain your reasoning.

a. One resident produced 10 pounds of garbage.

b. Twelve residents produced between 20 and 29 pounds of garbage.

23. DIG DEEPER! The table shows the lengths of some whales in a marine sanctuary.

a. Make a histogram of the data starting with the interval 51–55.

b. Make another histogram of the data using a different-sized interval.

c. Compare and contrast the two histograms.

Lengths (feet)				
81	88	57	82	70
71	51	82	77	79
83	80	54	80	81
59	84	75	76	68
83	78	55	67	85
85	77	73	78	79

24. MP **LOGIC** Can you find the mean or the median of the data in Exercise 17? Explain.

10.3 Shapes of Distributions

Learning Target: Describe and compare shapes of distributions.

Success Criteria:
- I can explain what it means for a distribution to be skewed left, skewed right, or symmetric.
- I can use data displays to describe shapes of distributions.
- I can use shapes of distributions to compare data sets.

Math Practice

Apply Mathematics

How can the word *skewed* be applied in mathematics?

FLORIDA STANDARDS

MAFS.6.SP.1.2
MAFS.6.SP.2.4

The Meaning of a Word ▶ Skewed

When something is **skewed** it has a slanted direction or position.

EXPLORATION 1 Describing Shapes of Distributions

Work with a partner. The lists show the first three digits and last four digits of several phone numbers in the contact list of a cell phone.

538-
438-
664-
761-
868-
735-
694-
599-
725-
556-
555-
456-
736-
664-
576-

664-
664-
538-
855-
664-
538-
654-
654-
725-
538-
799-
764-
664-
664-
725-

-7253
-7290
-7200
-1192
-1142
-3500
-2531
-2079
-5897
-5341
-1392
-5406
-7875
-7335
-0494

-8678
-2063
-2911
-2103
-4328
-7826
-7957
-7246
-2119
-7845
-1109
-9154
-9018
-2184
-2367

a. Compare and contrast the distribution of the last digit of each phone number to the distribution of the first digit of each phone number. Describe the shapes of the distributions.

b. Describe the shape of the distribution of the data in the table below. Compare it to the distributions in part (a).

Ages of Cell Phones (years)					
0	1	0	6	4	0
2	3	5	1	1	2
0	1	2	3	1	0
0	0	1	1	1	1
7	1	4	2	2	2

10.3 Lesson

You can use dot plots and histograms to identify shapes of distributions.

Key Ideas

Symmetric and Skewed Distributions

If all the dots of a dot plot or bars of a histogram are about the same height, then the distribution is a *flat*, or *uniform*, distribution. A uniform distribution is also symmetric.



Skewed left

- The "tail" of the graph extends to the left.
- Most data are on the right.



Symmetric

- The left side of the graph is a mirror image of the right side of the graph.



Skewed right

- The "tail" of the graph extends to the right.
- Most data are on the left.

EXAMPLE 1 Describing Shapes of Distributions

Describe the shape of each distribution.

a.



Most of the data are on the left, and the tail extends to the right.

So, the distribution is skewed right.

b.



The left side of the graph is approximately a mirror image of the right side of the graph.

So, the distribution is symmetric.

Try It

1. Describe the shape of the distribution.



EXAMPLE 2 Describing the Shape of a Distribution

Ages	Frequency
10–13	1
14–17	3
18–21	7
22–25	12
26–29	20
30–33	18
34–37	3

The frequency table shows the ages of people watching a comedy in a theater. Display the data in a histogram. Then describe the shape of the distribution.

Draw and label the axes. Then draw a bar to represent the frequency of each interval.

Most of the data are on the right, and the tail extends to the left.

So, the distribution is skewed left.



Try It

2. The frequency table shows the ages of people watching a historical movie in a theater. Display the data in a histogram. Describe the shape of the distribution.

Ages	10–19	20–29	30–39	40–49	50–59	60–69
Frequency	3	18	36	40	14	5

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

3. WRITING Explain in your own words what it means for a distribution to be (a) skewed left, (b) symmetric, and (c) skewed right.

Calories	Frequency
1–100	2
101–200	8
201–300	10
301–400	5
401–500	3

4. DESCRIBING A DISTRIBUTION Display the data shown in a histogram. Describe the shape of the distribution.

5. WHICH ONE DOESN'T BELONG? Which histogram does *not* belong with the other three? Explain your reasoning.



EXAMPLE 3 Modeling Real Life

The histogram shows the ages of people watching an animated movie in the same theater as in Example 2. Which movie has an older audience?



Understand the problem.

You are given histograms that display the ages of people watching two movies. You are asked to determine which movie has an older audience.

Make a plan.

Use the intervals and distributions of the data to determine which movie has an older audience.

Solve and check.

The intervals in the histograms are the same. Most of the data for the animated movie are on the left, while most of the data for the comedy are on the right. This means that the people watching the comedy are generally older than the people watching the animated movie.

So, the comedy has an older audience.

Check Reasonableness The movies have similar attendance. However, only 4 people watching the comedy are 17 or under. A total of 35 people watching the animated movie are 17 or under. So, it is reasonable to conclude that the comedy has an older audience. ✓

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

Visitors	Aurora	Grover
1–20	3	6
21–40	5	11
41–60	6	7
61–80	10	4
81–100	7	3

6. The frequency table shows the numbers of visitors each day to parks in Aurora and Grover in one month. Which park generally has more daily visitors? Justify your answer.

7. DIG DEEPER! The frequency tables below show the ages of guests on two cruises. Can you make accurate comparisons of the ages of the guests? Explain your reasoning.

Ages	Frequency
18–24	26
25–31	26
32–38	22
39–45	14
46–52	8

Ages	Frequency
18–22	16
23–27	22
28–32	26
33–37	20
38–42	12

10.3 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Display the data in a histogram.

1.

Goals per Game	
Goals	Frequency
0–1	5
2–3	4
4–5	0
6–7	1

2.

Minutes Practiced	
Minutes	Frequency
0–19	8
20–39	10
40–59	11
60–79	2

3.

Poems Written for Class	
Poems	Frequency
0–4	6
5–9	16
10–14	4
15–19	2

Write a unit rate for the situation.

4. $200 per 8 days

5. 60 kilometers for every 1.5 hours

Concepts, Skills, & Problem Solving

DESCRIBING SHAPES OF DISTRIBUTIONS **Describe the shape of the distribution of the data in the table.** (See Exploration 1, p. 471.)

6.

Miles Run per Day										
1	4	2	0	3	2	1	2	4	2	3
2	1	6	3	2	4	0	5	3	1	5

7.

Raffle Tickets Sold							
15	12	16	15	13	14	16	13
13	16	14	12	15	12	14	

DESCRIBING SHAPES OF DISTRIBUTIONS **Describe the shape of the distribution.**

8.



9.

10.



11.



12. MODELING REAL LIFE The frequency table shows the years of experience for the medical staffs in Jones County and Pine County. Display the data for each county in a histogram. Which county's medical staff has less experience? Explain.

Years of Experience	0–3	4–7	8–11	12–15	16–19	20–23	24–27
Frequency for Jones County	7	15	17	12	8	5	3
Frequency for Pine County	3	5	9	14	10	6	2

13. MP REASONING What is the shape of the distribution of the restaurant waiting times? Explain your reasoning.

14. MP LOGIC Are all distributions either approximately symmetric or skewed? Explain. If not, give an example.

15. MP REASONING Can you use a stem-and-leaf plot to describe the shape of a distribution? Explain your reasoning.

16. DIG DEEPER! The table shows the donation amounts received by a charity in one day.

Donations (dollars)												
20	15	40	70	20	5	25	50	47	20	62	55	40
10	50	18	20	100	40	80	60	20	80	3	30	50
25	30	10	33	20	50	7	35	40	25	70		

a. Make a histogram of the data starting with the interval 0–14. Describe the shape of the distribution.

b. A company adds \$5 to each donation. Make another histogram starting with the same interval as in part (a). Compare the shape of this distribution with the distribution in part (a). Explain any differences in the distributions.

17. CRITICAL THINKING Describe the shape of the distribution of each bar graph. Match the letters A, B, and C with the mean, the median, and the mode of each data set. Explain your reasoning.

a.



b.



10.4 Choosing Appropriate Measures

Learning Target: Determine which measures of center and variation best describe a data set.

Success Criteria:
- I can describe the shape of a distribution.
- I can use the shape of a distribution to determine which measure of center best describes the data.
- I can use the shape of a distribution to determine which measure of variation best describes the data.

EXPLORATION 1 Using Shapes of Distributions

FLORIDA STANDARDS
MAFS.6.SP.1.2
MAFS.6.SP.2.5d

Work with a partner.

a. In Section 10.3 Exploration 1(a), you described the distribution of the first digits of the numbers at the right. In Exploration 1(b), you described the distribution of the data set below.

Ages of Cell Phones (years)					
0	1	0	6	4	0
2	3	5	1	1	2
0	1	2	3	1	0
0	0	1	1	1	1
7	1	4	2	2	2


538-
438-
664-
761-
868-
735-
694-
599-
725-
556-
555-
456-
736-
664-
576-
664-
664-
538-
855-
664-
538-
654-
654-
725-
538-
799-
764-
664-
664-
725-

What do you notice about the measures of center, measures of variation, and the shapes of the distributions? Explain.

b. Which measure of center best describes each data set? Explain your reasoning.

c. Which measure of variation best describes each data set? Explain your reasoning.

Math Practice

Construct Arguments

Explain why the shapes of the distributions in Exploration 1 affect which measures best describe the data.

10.4 Lesson

You can use a measure of center and a measure of variation to describe the distribution of a data set. The shape of the distribution can help you choose which measures are the most appropriate to use.

Key Idea

Choosing Appropriate Measures

The mean absolute deviation (MAD) uses the mean in its calculation. So, when a data distribution is *symmetric*,

- use the mean to describe the center and
- use the MAD to describe the variation.

The interquartile range (IQR) uses quartiles in its calculation. So, when a data distribution is *skewed*,

- use the median to describe the center and
- use the IQR to describe the variation.

EXAMPLE 1 Choosing Appropriate Measures

Bordering States	Frequency
0–1	3
2–3	13
4–5	21
6–7	11
8–9	2

The frequency table shows the number of states that border each state in the United States. What are the most appropriate measures to describe the center and the variation?

To see the distribution of the data, display the data in a histogram.

The left side of the graph is approximately a mirror image of the right side of the graph. The distribution is symmetric.

So, the mean and the mean absolute deviation are the most appropriate measures to describe the center and the variation.



Try It

1. The frequency table shows the gas mileages of several motorcycles made by a company. What are the most appropriate measures to describe the center and the variation?

Mileage (miles per gallon)	40–44	45–49	50–54	55–59	60–64	65–69
Frequency	2	1	6	8	10	3

EXAMPLE 2 Describing a Data Set

The dot plot shows the average numbers of hours students in a class sleep each night. Describe the center and the variation of the data set.



Most of the data values are on the right, clustered around 9, and the tail extends to the left. The distribution is skewed left, so the median and the interquartile range are the most appropriate measures to describe the center and the variation.

The median is 8.5 hours. The first quartile is 7.5, and the third quartile is 9. So, the interquartile range is $9 - 7.5 = 1.5$ hours.

The data are centered around 8.5 hours. The middle half of the data varies by no more than 1.5 hours.



Try It

2. The dot plot shows the numbers of hours people spent at the gym last week. Describe the center and the variation of the data set.

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

3. OPEN-ENDED Construct a dot plot for which the mean is the most appropriate measure to describe the center of the distribution.

CHOOSING APPROPRIATE MEASURES Choose the most appropriate measures to describe the center and the variation. Explain your reasoning. Then find the measures you chose.

4.



5.



6. WRITING Explain why the most appropriate measures to describe the center and the variation of a data set are determined by the shape of the distribution.

EXAMPLE 3 Modeling Real Life

Basket A	
$70	$40
$60	$90
$10	$0
$70	$40
$30	$100
$50	$60
$40	$50
$60	$30

Basket B	
$45	$30
$45	$55
$55	$40
$50	$60
$45	$50
$55	$55
$60	$45
$40	$70

Two baskets each have 16 envelopes with money inside, as shown in the tables. How much does a typical envelope in each basket contain? Why might a person want to pick from Basket B instead of Basket A?

To answer each question, display the data in dot plots to see the distributions of the data.



In each graph, the left side is a mirror image of the right side. Because both distributions are symmetric, the mean and the mean absolute deviation are the most appropriate measures to describe the center and the variation.

The mean of each data set is $\frac{800}{16} = \$50$. The MAD of Basket A is $\frac{320}{16} = \$20$, and the MAD of Basket B is $\frac{120}{16} = \$7.50$. So, Basket A has more variability.

A typical envelope in each basket contains about \$50. A person may choose from Basket B instead of Basket A because there is less variability. This means it is more likely to get an amount near \$50 by choosing an envelope from Basket B than by choosing an envelope from Basket A.

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

Room A	
5	25
30	45
20	15
50	20
25	30
10	25

Room B	
25	15
30	20
5	10
20	50
45	5
25	50

7. Why might a person want to pick from Basket A instead of Basket B in Example 3? Explain your reasoning.

8. In a video game, two rooms each have 12 treasure chests containing gold coins. The tables show the numbers of coins in each chest. You pick one chest and are rewarded with the coins inside. From which room would you choose? Explain your reasoning.

9. Create a dot plot of the numbers of pets that students in your class own. Describe the center and the variation of the data set.

10.4 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Describe the shape of the distribution.

1.



2.



Find the median, first quartile, third quartile, and interquartile range of the data.

3. 68, 74, 67, 72, 63, 70, 78, 64, 76

4. 39, 48, 33, 24, 30, 44, 36, 41, 28, 53

Divide. Write the answer in simplest form.

5. $4\frac{2}{5} \div 2$

6. $5\frac{1}{8} \div \frac{7}{8}$

7. $2\frac{3}{7} \div 1\frac{1}{7}$

8. $\frac{4}{5} \div 7\frac{1}{2}$

Concepts, Skills, & Problem Solving

USING SHAPES OF DISTRIBUTIONS **Find the mean and the median of the data set. Which measure of center best describes the data set? Explain your reasoning.** (See Exploration 1, p. 477.)

9. 9, 3, 7, 7, 9, 2, 8, 9, 6, 7, 8, 9

10. 24, 25, 27, 27, 23, 29, 26, 26, 26, 25, 28

CHOOSING APPROPRIATE MEASURES **Choose the most appropriate measures to describe the center and the variation.**

11.



12.

13.



14.



15. DESCRIBING DATA SETS Describe the centers and the variations of the data sets in Exercises 11 and 12.

Eggs (thousands)	Frequency
1–20	5
21–40	8
41–60	14
61–80	9
81–100	3

16. MODELING REAL LIFE The frequency table shows the numbers of eggs laid by several octopi. What are the most appropriate measures to describe the center and the variation? Explain your reasoning.

17. MODELING REAL LIFE The dot plot shows the vertical jump heights (in inches) of several professional athletes. Describe the center and the variation of the data set.



18. OPEN-ENDED Describe a real-life situation where the median and the interquartile range are likely the best measures of center and variation to describe the data. Explain your reasoning.

Pile A		Pile B	
5	7	7	5
4	3	5	2
6	4	3	8
5	6	5	6
4	6	5	4
3	5	0	8
5	7	2	10

19. MP PROBLEM SOLVING You play a board game in which you draw from one of two piles of cards. Each card has a number that says how many spaces you will move your piece forward on the game board. The tables show the numbers on the cards in each pile. From which pile would you choose? Explain your reasoning.

20. DIG DEEPER! The frequency table shows the numbers of words that several students can form in 1 minute using the letters P, S, E, D, A. What are the most appropriate measures to describe the center and variation? Can you find the exact values of the measures of center and variation for the data? Explain.

Number of Words	1–3	4–6	7–9	10–12	13–15
Frequency	7	9	5	3	1

21. MP REASONING A bag contains 20 vouchers that can be redeemed for different numbers of tokens at an arcade, as shown in the table.

Numbers of Tokens				
1	10	2	1	4
9	3	10	2	3
4	2	1	4	1
2	1	10	3	7

a. Find the most appropriate measure to describe the center of the data set.

b. You randomly select a voucher from the bag. How many tokens are you most likely to receive? Explain.

c. Are your answers in parts (a) and (b) the same? Explain why or why not.

10.5 Box-and-Whisker Plots

Learning Target: Display and interpret data in box-and-whisker plots.

Success Criteria:
- I can find the five-number summary of a data set.
- I can make a box-and-whisker plot.
- I can explain what the box and the whiskers of a box-and-whisker plot represent.
- I can compare data sets represented by box-and-whisker plots.

EXPLORATION 1 Drawing a Box-and-Whisker Plot

FLORIDA STANDARDS
MAFS.6.SP.1.2
MAFS.6.SP.2.4
MAFS.6.SP.2.5c

Work with a partner. Each student in a sixth-grade class is asked to choose a number from 1 to 20. The results are shown below.

Numbers Chosen			
4	5	14	16
5	16	17	8
18	13	17	18
17	14	19	11
15	8	2	18
13	19	8	7

Math Practice

View as Components
What do the different components of a box-and-whisker plot represent?

a. The *box-and-whisker plot* below represents the data set. Which part represents the *box*? the *whiskers*? Explain.



b. What does each of the five plotted points represent?

c. In your own words, describe what a box-and-whisker plot is and what it tells you about a data set.

d. Conduct a survey in your class. Have each student write a number from 1 to 20 on a piece of paper. Collect all of the data and draw a box-and-whisker plot that represents the data. Compare the data with the box-and-whisker plot in part (a).

10.5 Lesson

Key Vocabulary

box-and-whisker plot, *p. 484*

five-number summary, *p. 484*

Key Idea

Box-and-Whisker Plot

A **box-and-whisker plot** represents a data set along a number line by using the least value, the greatest value, and the quartiles of the data. A box-and-whisker plot shows the *variability* of a data set.



The five numbers that make up the box-and-whisker plot are called the **five-number summary** of the data set.

EXAMPLE 1 Making a Box-and-Whisker Plot

Make a box-and-whisker plot for the ages (in years) of the spider monkeys at a zoo.

15, 20, 14, 38, 30, 36, 30, 30, 27, 26, 33, 35

Step 1: Order the data. Find the quartiles.



Step 2: Draw a number line that includes the least and greatest values. Graph points above the number line that represent the five-number summary.

Step 3: Draw a box using the quartiles. Draw a line through the median. Draw whiskers from the box to the least and the greatest values.



Try It

1. A group of friends spent 1, 0, 2, 3, 4, 3, 6, 1, 0, 1, 2, and 2 hours online last night. Make a box-and-whisker plot for the data.

The figure shows how data are distributed in a box-and-whisker plot.

A long whisker or box indicates that the data are more spread out.



EXAMPLE 2 Analyzing a Box-and-Whisker Plot

The box-and-whisker plot shows the body mass index (BMI) of a sixth-grade class.



a. What fraction of the students have a BMI of at least 22?

The right whisker represents students who have a BMI of at least 22.

So, about $\frac{1}{4}$ of the students have a BMI of at least 22.

b. Are the data more spread out below the first quartile or above the third quartile? Explain.

The right whisker is longer than the left whisker.

So, the data are more spread out above the third quartile than below the first quartile.

c. Find and interpret the interquartile range of the data.

$$\text{interquartile range} = \text{third quartile} - \text{first quartile}$$

$$= 22 - 19 = 3$$

So, the middle half of the students' BMIs varies by no more than 3.

Try It

2. The box-and-whisker plot shows the heights of the roller coasters at an amusement park. (a) What fraction of the roller coasters are between 120 feet tall and 220 feet tall? (b) Are the data more spread out below or above the median? Explain. (c) Find and interpret the interquartile range of the data.



If you can draw a line through the median of a box-and-whisker plot, and each side is a mirror image of the other, then the distribution is symmetric.

A box-and-whisker plot also shows the shape of a distribution.

Skewed left

- The left whisker is longer than the right whisker.
- Most data are on the right.

Symmetric

- The whiskers are about the same length.
- The median is in the middle of the box.

Skewed right

- The right whisker is longer than the left whisker.
- Most data are on the left.

EXAMPLE 3 Identifying Shapes of Distributions

The double box-and-whisker plot represents the life spans of crocodiles and alligators at a zoo. Identify the shape of the distribution of the life spans of alligators.



For alligator life spans, the whisker lengths are equal. The median is in the middle of the box. The left side of the box-and-whisker plot is a mirror image of the right side of the box-and-whisker plot.

So, the distribution is symmetric.

Try It

3. Identify the shape of the distribution of the life spans of crocodiles.

Self-Assessment for Concepts & Skills

Solve each exercise. Then rate your understanding of the success criteria in your journal.

4. VOCABULARY Explain how to find the five-number summary of a data set.

MAKING A BOX-AND-WHISKER PLOT Make a box-and-whisker plot for the data. Identify the shape of the distribution.

5. Ticket prices (dollars): 39, 42, 40, 47, 38, 39, 44, 55, 44, 58, 45

6. Number of sit-ups: 20, 20, 23, 25, 25, 26, 27, 29, 30, 30, 32, 34, 37, 38

7. MP NUMBER SENSE In a box-and-whisker plot, what fraction of the data is greater than the first quartile?

EXAMPLE 4 Modeling Real Life

The double box-and-whisker plot represents the prices of snowboards at two stores.



a. Which store's prices are more spread out? Explain.

Both boxes appear to be the same length. So, the interquartile range of each data set is equal. The range of the prices in Store B, however, is greater than the range of the prices in Store A.

▶ So, the prices in Store B are more spread out.

b. Which store's prices are generally higher? Explain.

For Store A, the distribution is symmetric with about one-half of the prices above $300.

For Store B, the distribution is skewed right with about three-fourths of the prices above $300.

▶ So, the prices in Store B are generally higher.

Self-Assessment for Problem Solving

Solve each exercise. Then rate your understanding of the success criteria in your journal.

Test Scores	
75	65
64	79
100	75
94	52
73	80

Test Scores	
56	70
47	100
83	44
45	58
54	30

8. The tables at the left show the test scores of two sixth-grade achievement tests. The same group of students took both tests. The students took one test in the fall and the other in the spring.

a. Analyze each distribution. Then compare and contrast the test results.

b. Which table likely represents the results of which test? Explain your reasoning.

9. Make a box-and-whisker plot that represents the heights of the boys in your class. Then make a box-and-whisker plot that represents the heights of the girls in your class. Compare and contrast the distributions.

10.5 Practice

Go to **BigIdeasMath.com** to get HELP with solving the exercises.

Review & Refresh

Choose the most appropriate measures to describe the center and the variation.

1.



2.



Copy and complete the statement using < or >.

3. $-\frac{2}{3} \square -\frac{3}{4}$

4. $-2\frac{1}{5} \square -2\frac{1}{6}$

5. $-5.3 \square -5.5$

Factor the expression using the GCF.

6. $42 + 14$

7. $12x - 18$

8. $28n + 20$

9. $60g - 25h$

Concepts, Skills, & Problem Solving

COMPARING DATA **Compare the data in the box-and-whisker plots.** (See Exploration 1, p. 483.)

10.



11.



MAKING A BOX-AND-WHISKER PLOT **Make a box-and-whisker plot for the data.**

12. Ages of teachers (in years): 30, 62, 26, 35, 45, 22, 49, 32, 28, 50, 42, 35

13. Quiz scores: 8, 12, 9, 10, 12, 8, 5, 9, 7, 10, 8, 9, 11

14. Donations (in dollars): 10, 30, 5, 15, 50, 25, 5, 20, 15, 35, 10, 30, 20

15. Science test scores: 85, 76, 99, 84, 92, 95, 68, 100, 93, 88, 87, 85

16. Shoe sizes: 12, 8.5, 9, 10, 9, 11, 11.5, 9, 9, 10, 10, 10.5, 8

17. Ski lengths (in centimeters): 180, 175, 205, 160, 210, 175, 190, 205, 190, 160, 165, 195

18. **YOU BE THE TEACHER** Your friend makes a box-and-whisker plot for the data shown. Is your friend correct? Explain your reasoning.

2, 6, 4, 3, 7, 4, 6, 9, 6, 8, 5, 7



19. MODELING REAL LIFE The numbers of days 12 friends went camping during the summer are 6, 2, 0, 10, 3, 6, 6, 4, 12, 0, 6, and 2. Make a box-and-whisker plot for the data. What is the range of the data?

20. ANALYZING A BOX-AND-WHISKER PLOT The box-and-whisker plot represents the numbers of gallons of water needed to fill different types of dunk tanks offered by a company.





a. What fraction of the dunk tanks requires at least 500 gallons of water?

b. Are the data more spread out below the first quartile or above the third quartile? Explain.

c. Find and interpret the interquartile range of the data.

21. MODELING REAL LIFE The box-and-whisker plot represents the heights (in meters) of the tallest buildings in Chicago.



a. What percent of the buildings are no taller than 345 meters?

b. Is there more variability in the heights above 345 meters or below 260.5 meters? Explain.

c. Find and interpret the interquartile range of the data.

22. CRITICAL THINKING The numbers of spots on several frogs in a jungle are shown in the dot plot.



a. Make a box-and-whisker plot for the data.

b. Compare the dot plot and the box-and-whisker plot. Describe the advantages and disadvantages of each data display.

SHAPES OF BOX-AND-WHISKER PLOTS **Identify the shape of the distribution. Explain.**

23.

24.



25.



26.



27. MODELING REAL LIFE The double box-and-whisker plot represents the start times of recess for classes at two schools.



a. Identify the shape of each distribution.

b. Which school's start times for recess are more spread out? Explain.

c. You randomly pick one class from each school. Which class is more likely to have recess before lunch? Explain.

MAKING A BOX-AND-WHISKER PLOT **Make a box-and-whisker plot for the data.**

28. Temperatures (in °C): 15, 11, 14, 10, 19, 10, 2, 15, 12, 14, 9, 20, 17, 5

29. Checking account balances (in dollars): 30, 0, 50, 20, 90, −15, 40, 100, 45, −20, 70, 0

30. MP **REASONING** The data set in Exercise 28 has an outlier. Describe how removing the outlier affects the box-and-whisker plot.

31. OPEN-ENDED Write a data set with 12 values that has a symmetric box-and-whisker plot.

32. CRITICAL THINKING When does a box-and-whisker plot *not* have one or both whiskers?

33. MP **STRUCTURE** Draw a histogram that could represent the distribution shown in Exercise 25.

34. DIG DEEPER! The double box-and-whisker plot represents the goals scored per game by two lacrosse teams during a 16-game season.



a. Which team is more consistent? Explain.

b. Team 1 played Team 2 once during the season. Which team do you think won? Explain.

c. Can you determine the number of games in which Team 2 scored 10 goals or less? Explain your reasoning.

35. MP **CHOOSE TOOLS** A market research company wants to summarize the variability of the SAT scores of graduating seniors in the United States. Should the company use a stem-and-leaf plot, a histogram, or a box-and-whisker plot? Explain.

Using the Problem-Solving Plan

1. The locations of pitches in an at-bat are shown in the coordinate plane, where the coordinates are measured in inches. Describe the location of a typical pitch in the at-bat.



Understand the problem.

You know the locations of the pitches. You are asked to find the location of a typical pitch in the at-bat.

Make a plan.

First, use the coordinates of the pitches to create two data sets, one for the x-coordinates of the pitches and one for the y-coordinates of the pitches. Next, make a box-and-whisker plot for each data set. Then use the most appropriate measure of center for each data set to find the location of a typical pitch.

Solve and check.

Use the plan to solve the problem. Then check your solution.

2. A set of 20 data values is described below. Sketch a histogram that could represent the data set. Explain.

- least value: 10
- first quartile: 25
- mean: 29
- third quartile: 34
- greatest value: 48
- MAD: 7

SHIPPING RATES

Dimensions	Price
5 × 5 × 4	$6.80
8 × 5 × 3	$8.30
9 × 8 × 5	$9.75
10 × 6 × 6	$10.75
10 × 10 × 4	$10.75
8 × 7 × 5	$10.75
12 × 10 × 3	$11.25
15 × 10 × 3	$12.25
12 × 12 × 5	$17.40

3. The chart shows the dimensions (in inches) of several flat-rate shipping boxes. Each box is in the shape of a rectangular prism. Describe the distribution of the volumes of the boxes. Then find the most appropriate measures to describe the center and the variation of the volumes.

Performance Task

Classifying Dog Breeds by Size

At the beginning of this chapter, you watched a STEAM Video called "Choosing a Dog." You are now ready to complete the performance task related to this video, available at ***BigIdeasMath.com***. Be sure to use the problem-solving plan as you work through the performance task.

10 Chapter Review

Go to *BigIdeasMath.com* to download blank graphic organizers.

Review Vocabulary

Write the definition and give an example of each vocabulary term.

stem-and-leaf plot, *p. 458*
stem, *p. 458*
leaf, *p. 458*
frequency table, *p. 463*
frequency, *p. 463*
histogram, *p. 464*
box-and-whisker plot, *p. 484*
five-number summary, *p. 484*

Graphic Organizers

You can use an **Information Frame** to help you organize and remember concepts. Here is an example of an Information Frame for the vocabulary term ***histogram***.



Choose and complete a graphic organizer to help you study the concept.

1. stem-and-leaf plot
2. frequency table
3. shapes of distributions
4. box-and-whisker plot

"I finished my Information Frame about dog sweaters. Why don't you make your information frame about barn cats?"

Chapter Self-Assessment

As you complete the exercises, use the scale below to rate your understanding of the success criteria in your journal.

1	2	3	4
I do not understand.	I can do it with help.	I can do it on my own.	I can teach someone else.

10.1 Stem-and-Leaf Plots *(pp. 457–462)*

Learning Target: Display and interpret data in stem-and-leaf plots.

Make a stem-and-leaf plot of the data.

1.

Hats Sold Each Day			
5	18	12	15
21	30	8	12
13	9	14	25

2.

Ages of Park Volunteers			
13	17	40	15
48	21	19	52
13	55	60	20

3. The stem-and-leaf plot shows the weights (in pounds) of yellowfin tuna caught during a fishing contest.

Stem	Leaf
7	6 6 8
8	0 2 5 5 5 7 9
9	3 5 6 6
10	2

Key: 8|5 = 85 pounds

a. How many tuna weigh less than 90 pounds?

b. Find the mean, median, mode, range, and interquartile range of the data.

c. How are the data distributed?

Stem	Leaf
1	6 8 9
2	0 2 3 4 4 5 7 9
3	0 5

Key: 2|7 = 27

4. The stem-and-leaf plot shows the body mass index (BMI) for adults at a recreation center. Use the data to answer the question, "What is the typical BMI for an adult at the recreation center?" Explain.

5. Write a statistical question that can be answered using the stem-and-leaf plot.

Songs Downloaded per Day

Stem	Leaf
0	0 2 4 5 6 6 6 7 8
1	3 4 8 9
2	
3	2

Key: 1|9 = 19 songs

10.2 Histograms *(pp. 463–470)*

Learning Target: Display and interpret data in histograms.

Display the data in a histogram.

6.

Heights of Gymnasts	
Heights (inches)	Frequency
50–54	1
55–59	8
60–64	5
65–69	2

7.

Minutes Studied	
Minutes	Frequency
0–19	5
20–39	9
40–59	12
60–79	3

8. The histogram shows the number of crafts each member of a craft club made for a fundraiser.



a. Which interval contains the most data values?

b. How many members made at least 6 crafts?

c. Can you use the histogram to determine the total number of crafts made? Explain.

10.3 Shapes of Distributions *(pp. 471–476)*

Learning Target: Describe and compare shapes of distributions.

9. Describe the shape of the distribution.

10. The frequency table shows the math test scores for the same class of students as Exercise 9. Display the data in a histogram. Which test has higher scores?



Score	66–70	71–75	76–80	81–85
Frequency	1	5	10	8

Score	86–90	91–95	96–100
Frequency	2	2	2

11. The table shows the numbers of neutrons for several elements in the nonmetal group of the periodic table. Make a histogram of the data starting with the interval 0–9. Describe the shape of the distribution.

Number of Neutrons			
0	45	16	8
7	6	16	

10.4 Choosing Appropriate Measures *(pp. 477–482)*

Learning Target: Use the shape of the distribution of a data set to determine which measures of center and variation best describe the data.

Choose the most appropriate measures to describe the center and the variation.

12.



13.



14. Describe the center and the variation of the data set in Exercise 13.

10.5 Box-and-Whisker Plots *(pp. 483–490)*

Learning Target: Display and interpret data in box-and-whisker plots.

Make a box-and-whisker plot for the data.

15. Ages of volunteers at a hospital:
14, 17, 20, 16, 17, 14, 21, 18

16. Masses (in kilograms) of lions:
120, 200, 180, 150, 200, 200, 230, 160

17. The box-and-whisker plot represents the lengths (in minutes) of movies being shown at a theater.



a. What percent of the movies are no longer than 120 minutes?

b. Is there more variability in the movie lengths longer than 130 minutes or shorter than 110 minutes? Explain.

c. Find and interpret the interquartile range of the data.

18. The double box-and-whisker plot represents the heights of students in two math classes.



a. Identify the shape of each distribution.

b. Which class has heights that are more spread out? Explain.

c. You randomly pick one student from each class. Which student is more likely to be taller than 170 centimeters? Explain.

10 Practice Test

Make a stem-and-leaf plot of the data.

1.

Quiz Scores (%)			
96	88	80	72
80	94	92	100
76	80	68	90

2.

Songs Downloaded Each Day				
45	31	29	38	38
67	40	62	45	60
40	39	60	43	48

3. Find the mean, median, mode, range, and interquartile range of the data.

Cooking Time

Stem	Leaf
3	5 8
4	0 1 8
5	0 4 4 4 5 9
6	0

Key: 4|1 = 41 minutes

4. Display the data in a histogram. How many people watched less than 20 hours of television per week?

Television Watched per Week	
Hours	Frequency
0–9	14
10–19	16
20–29	10
30–39	8

5. The dot plot shows the numbers of glasses of water that the students in a class drink in one day.



a. Describe the shape of the distribution.

b. Choose the most appropriate measures to describe the center and the variation. Find the measures you chose.



6. Make a box-and-whisker plot for the lengths (in inches) of fish in a pond: 12, 13, 7, 8, 14, 6, 13, 10.

7. The double box-and-whisker plot compares the battery lives (in hours) of two brands of cell phones.



a. What is the range of the upper 75% of battery life for each brand of cell phone?

b. Which brand of cell phone typically has a longer battery life? Explain.

c. In the box-and-whisker plot, there are 190 cell phones of Brand A that have at most 10.5 hours of battery life. About how many cell phones are represented in the box-and-whisker plot for Brand A?

10 Cumulative Practice

1. Research scientists are measuring the numbers of days lettuce seeds take to germinate. In a study, 500 seeds were planted. Of these, 473 seeds germinated. The box-and-whisker plot summarizes the numbers of days it took the seeds to germinate. What can you conclude from the box-and-whisker plot?



A. The median number of days for the seeds to germinate is 12.

B. 50% of the seeds took more than 8 days to germinate.

C. 50% of the seeds took less than 5 days to germinate.

D. The median number of days for the seeds to germinate was 6.

Test-Taking Strategy
Read Question before Answering



"Be sure to read the question before choosing your answer. You may find a word that changes the meaning."

2. Find the interquartile range of the data.

15 7 5 8 9 20 12 7 11 7 15

F. 8

G. 11

H. 12

I. 20

3. There are seven different integers in a set. When they are listed from least to greatest, the middle integer is −1. Which statement below must be true?

A. There are three negative integers in the set.

B. There are three positive integers in the set.

C. There are four negative integers in the set.

D. The integer in the set after −1 is positive.

4. What is the mean number of seats?



F. 2.4 seats

G. 5 seats

H. 6.5 seats

I. 7 seats

5. On Wednesday, a town received 17 millimeters of rain. This was x millimeters more rain than the town received on Tuesday. Which expression represents the amount of rain, in millimeters, the town received on Tuesday?

A. $17x$

B. $17 - x$

C. $x + 17$

D. $x - 17$

6. One of the leaves is missing in the stem-and-leaf plot.

The median of the data set represented by the stem-and-leaf plot is 38. What is the value of the missing leaf?

Stem	Leaf
1	3 4
2	
3	4 5 7 7 7 ? 9
4	0 1 1 4
5	0 2 3

Key: 1 | 4 = 14

7. Which property is demonstrated by the equation?

$$723 + (y + 277) = 723 + (277 + y)$$

F. Associative Property of Addition

G. Commutative Property of Addition

H. Distributive Property

I. Addition Property of Zero

8. A student took five tests and had a mean score of 92. Her scores on the first 4 tests were 90, 96, 86, and 92. What was her score on the fifth test?

A. 92

B. 93

C. 96

D. 98

9. At the end of the school year, your teacher counted the number of absences for each student. The results are shown in the histogram. How many students had fewer than 10 absences?



10. The ages of the 16 members of a camera club are listed below.

Think
Solve
Explain

40, 22, 24, 58, 30, 31, 37, 25, 62, 40, 39, 37, 28, 28, 51, 44

Part A Order the ages from youngest to oldest.

Part B Find the median of the ages.

Part C Make a box-and-whisker plot for the ages.



Additional Exploration Exploring Ratios in Circles

FLORIDA STANDARDS
MAFS.6.RP.1.3e

A *circle* is the set of all points in a plane that are the same distance from a point called the *center*.

- The *radius* is the distance from the center to any point on the circle.
- The *diameter* is the distance across the circle through the center.
- The distance around a circle is called the *circumference*.



In the following explorations, you will examine the relationship between the circumference and the diameter of a circle.

EXPLORATION 1 Measuring the Diameter of a Circle

Work with a partner. Measure the diameter of each circle to the nearest tenth of a centimeter. Then copy and complete the table.

	Circumference	Diameter	$\frac{\text{Circumference}}{\text{Diameter}}$
a.			
b.			
c.			

a.



Circumference = 9.4 cm

b.

Circumference = 11.6 cm

c.



Circumference = 13.5 cm

d. What do you notice about the ratios of the circumferences to the diameters of the circles?

EXPLORATION 2 Measuring the Circumference of a Circle

Work with a partner. Measure the circumference of each circle to the nearest tenth of a centimeter. Extend the table from Exploration 1 and record your results.

Math Practice

Use Tools

What different tools can you use to help you estimate the circumference?

a.



b.



c. Do the ratios of the circumferences to the diameters of the circles show the same pattern as in Exploration 1? Explain your reasoning.

EXPLORATION 3 Constructing Circles

Work with a partner. Use a compass to draw a circle with the given radius or diameter. Then measure the circumference of each circle to the nearest tenth of a centimeter. Extend the table from Exploration 2 and record your results.

a. radius = 7 cm

b. radius = 4 cm

c. diameter = 6.8 cm

d. In any circle, the ratio of the circumference to the diameter is always the same. The value of this ratio is called pi, or π (a letter from the Greek alphabet).

$$\pi = \frac{\text{Circumference}}{\text{Diameter}}$$

Use the results of the explorations to approximate π to the nearest hundredth.

Selected Answers

Chapter 1

Section 1.1

Review & Refresh

1. 300

3. 369

5. $(5 + 8) \times 4$

7. 4.0

9. 3

Concepts, Skills, & Problem Solving

11. 8^2; 64

13. 9^4; 6561

15. 9^2

17. 15^3

19. 14^3

21. 11^5

23. 16^4

25. 167^3

27. 25

29. 36

31. 0

33. 16

35. 343

37. 32

39. 117,649

41. 20,736

43. no; $8^3 = 8 \cdot 8 \cdot 8 = 512$

45. perfect square

47. not a perfect square

49. not a perfect square

51. perfect square

53. 16 in.

55. *Sample answer:* $11^2, 5^3, 2^7$

57.

Power	4^6	4^5	4^4	4^3	4^2	4^1
Value	4096	1024	256	64	16	4

The value of the power is divided by 4. $4^0 = 1$

Section 1.2

Review & Refresh

1. 11^4

3. $h = 8$ in.

5. composite

7. prime

Concepts, Skills, & Problem Solving

9. 10; 22; no

11. 5

13. 24

15. 88

17. 13

19. 41

21. 24

23. 204

25. no; $9 + 3 \times 3^2 = 9 + 27 = 36$

27. 8

29. 20

31. 17

33. 4

35. 12

37. 72

39. 3

41. 621 in.^{2}

43. *Sample answer:* $(5^2 - 3 \times 5) \div 2 + 95$

45. 44 min; Two miles is 3520 yards. Each group can clean $200 \div 5 = 40$ yards each minute, so together the two groups can clean 80 yards each minute and $3520 \div 80 = 44$ minutes.

Section 1.3

Review & Refresh

1. 34

3. 13

5.



7. 102; $408 \div 4 = (400 + 8) \div 4$

9. 323; $969 \div 3 = (900 + 60 + 9) \div 3$

11. isosceles, obtuse

Concepts, Skills, & Problem Solving

13. $2 \cdot 2 \cdot 3 \cdot 5$

15. $2 \cdot 2 \cdot 2 \cdot 3 \cdot 5$

17. 1, 15; 3, 5

19. 1, 34; 2, 17

21. 1, 45; 3, 15; 5, 9

23. 1, 59

25. 1, 100; 2, 50; 4, 25; 5, 20; 10, 10

27. 1, 25; 5, 5

29. 1, 52; 2, 26; 4, 13

31. 1, 71

33. 2^4

35. $2 \cdot 3 \cdot 5$

37. $2^2 \cdot 3 \cdot 7$

39. $5 \cdot 13$

41. $2 \cdot 23$

43. $3^2 \cdot 11$

45. $3^2 \cdot 5 \cdot 7$

47. $2^2 \cdot 5 \cdot 7$

49. 180

51. 12,584

53. 25

55. 196

57. 4

59. 36

61. 441

63. 9

65. composite; *Sample answer:* 5 is a factor of the total.

67. yes; The rest of the even whole numbers have 2 as a factor.

69. 6

71. 26 yd

Section 1.4

Review & Refresh

1. 1, 20; 2, 10; 4, 5

3. 1, 56; 2, 28, 4, 14; 7, 8

5. sometimes

7. always

Concepts, Skills, & Problem Solving

9. 6

11. 12

13. 14

15. 13

17. 1

19. 4

21. 15

23. 9

25. 1

27. 15

29. 21

31. 1

33. *Sample answer:* 10, 15

35. *Sample answer:* 37, 74

37. 8 arrangements

39. yes; The common prime factors are 2^2 and 3.

41. 6

43. 1

45. 8

47. 12

49. *Sample answer:* 16, 32, and 48; Multiply 16 by 1, 2, and 3.

51. always; A prime number has no factors besides 1 and itself.

53. 24; 7 magnets, 2 robot figurines, 1 freeze-dried ice cream

55. **a.** The GCF of the three numbers is 1.

b. 18; The GCF of 72, 54, and 36 is 18, leaving one banana left over.

Section 1.5

Review & Refresh

1. 6

3. 38

5. 216

7. (2, 4)

9. (4, 7)

Concepts, Skills, & Problem Solving

11. 21

13. 20

15. 6

17. 18

19. 72

21. 132

23. 84

25. 44

27. 108

29. 66

31. 350

33. 15

35. 42

37. 36

39. 126

41. 60 min

43. you: 7 mi; your friend: 6 mi

45. always; The LCM is the product of the prime factors.

47. never; The GCF is at most the lesser number, and the LCM is at least the greater number.

Chapter 2

Section 2.1

Review & Refresh

1. 40

3. 70

5. 12; *Sample answer:*



7. 12; *Sample answer:*



9. 10^3

11. D

Concepts, Skills, & Problem Solving

13. $\frac{1}{6}$

15. $\frac{2}{21}$

17. $\frac{1}{10}$

19. $\frac{8}{21}$

21. $\frac{1}{24}$

23. $4\frac{1}{6}$

25. $\frac{2}{5}$

27. $\frac{9}{49}$

29. $\frac{13}{21}$

31. $\frac{3}{10}$

33. $>; \frac{9}{10} < 1$

35. $=; \frac{7}{7} = 1$

37. 2

39. 2

41. 2

43. $1\frac{1}{2}$

45. $1\frac{3}{14}$

47. $36\frac{2}{3}$

49. $6\frac{4}{9}$

51. $11\frac{3}{8}$

53. no; $2\frac{1}{2} \times 7\frac{4}{5} = \frac{5}{2} \times \frac{39}{5} = 19\frac{1}{2}$

55. **a.** 7 ft^2 **b.** $10\frac{1}{3}\text{ ft}^2$

57. $2\frac{1}{12}$ **59.** $\frac{27}{125}$

61. $\frac{121}{144}$ **63.** 4 mi

65. **a.** *Sample answer:*



b. *Sample answer:* Subtract the area of the fountain from the total area of the garden; Use rectangles to find the area of each piece of the garden and add these areas.

c. $44\frac{3}{8}\text{ ft}^2$; *Sample answer:* subtract; fewer calculations

67. Answer: $\frac{7}{24}$; Meaning: $\frac{7}{8}$ of $\frac{1}{3}$;

Sample model:

Sample application: The path around a park is $\frac{1}{3}$ mile long. You jog $\frac{7}{8}$ of the path. How far do you jog?

69. $9\frac{1}{2} \times 8\frac{3}{4} \times 7\frac{5}{6} = 651\frac{7}{48}$; $1\frac{4}{9} \times 2\frac{5}{8} \times 3\frac{6}{7} = 14\frac{5}{8}$;
Sample answer: Use the greatest (or least) digits for the whole numbers, then use the remaining digits to form the greatest (or least) fractional parts. Guess and test combinations of whole numbers and fractions to find the greatest (or least) product.

Section 2.2

Review & Refresh

1. $\frac{21}{40}$ **3.** $\frac{1}{6}$

5. B **7.** C

9. 14 ft^2 **11.** $\frac{15}{16}\text{ yd}^2$

Concepts, Skills, & Problem Solving

13. 4 **15.** $\frac{1}{8}$

17. $\frac{5}{2}$ **19.** $\frac{2}{3}$

21. $\frac{1}{7}$ **23.** $1\frac{1}{2}$

25. 16 **27.** $\frac{1}{14}$

29. $\frac{1}{3}$ **31.** 3

33. $\frac{2}{27}$ **35.** $\frac{27}{28}$

37. $20\frac{1}{4}$

39. yes; The division is correct.

41. $\frac{3}{25}$

43. *Sample answer:* A pipe with a length of $\frac{5}{6}$ yard is cut into four equal pieces. How long is each piece? $\frac{5}{24}$ yd

45. *Sample answer:* You need $\frac{2}{3}$ pound of potting soil to repot 1 plant. How many plants can you repot with a 10-pound bag of potting soil? 15

47. $\frac{12}{5}$ **49.** $\frac{1}{8}$

51. =; When you divide a fraction by 1, the quotient is the fraction.

53. >; When you divide a fraction by a fraction less than 1, the quotient is greater than the fraction.

55. $\frac{1}{144}$ **57.** 4

59. $\frac{5}{6}$ **61.** $\frac{1}{10}$

63. when the simplified fraction has a 1 in the numerator; The reciprocal will have a 1 in the denominator.

65. **a.** 6 **b.** $17\frac{7}{9}$ **c.** $\frac{1}{4}$

67. **a.** 6 bowls; 10 plates

b. 2 plates; $\frac{1}{2}$ pt

c. 3 bowls and 6 plates; *Sample answer:* Used a table of values.

Section 2.3

Review & Refresh

1. $\frac{7}{8}$ **3.** $\frac{1}{12}$

5. 56 **7.** 540

9. 70 in.^{3} **11.** B

Concepts, Skills, & Problem Solving

13. *Sample answer:* A pepper plant is $1\frac{1}{6}$ feet tall and a cherry tomato plant is $5\frac{5}{6}$ feet tall. How many times taller is the cherry tomato plant than the pepper plant? 5

15. 3 **17.** $9\frac{3}{4}$

19. $3\frac{18}{19}$ **21.** $\frac{9}{10}$

23. $12\frac{1}{2}$ **25.** $1\frac{1}{5}$

27. $\frac{2}{7}$ **29.** $1\frac{5}{18}$

31. no; $3\frac{1}{2} \div 1\frac{2}{3} = \frac{7}{2} \div \frac{5}{3} = 2\frac{1}{10}$

33. 3 **35.** 3

37. $6\frac{9}{26}$ **39.** $13\frac{1}{5}$

41. $3\frac{1}{3}$ **43.** $\frac{7}{108}$

45. no; There are 2 full groups of $1\frac{1}{6}$ plus one piece remaining, which represents $\frac{1}{7}$ of $1\frac{1}{6}$.

47. 4; *Sample answer:* $12 \div 2\frac{3}{4} = 4\frac{4}{11}$ and $8\frac{1}{2} \div 1\frac{1}{3} = 6\frac{3}{8}$, so you can make 4 full batches.

Section 2.4

Review & Refresh

1. $4\frac{1}{3}$ **3.** $2\frac{1}{12}$

5. 3 **7.** 1

9. 729 **11.** square

13. parallelogram

Concepts, Skills, & Problem Solving

15. 0.6457 **17.** 11.029

19. 22.899 **21.** 18.572

23. 40 **25.** 144

27. 29.937 **29.** 1.46

31. 4.366 **33.** 2.644

35. 5.611 **37.** 20.417

39. 117.2583

41. yes; The addition is correct.

43. 0.888 ton **45.** 6.772

47. 10.343 **49.** 21.582

51. 16.5916 **53.** 33.6

55. 28.546 AU **57.** 10.26 AU

Section 2.5

Review & Refresh

1. 6.14 **3.** 26.349

5. 26 **7.** 3

9. B **11.** 2

Concepts, Skills, & Problem Solving

13. 3.15 **15.** 0.21

17. 33.6 **19.** 115.04

21. 21.45 **23.** 13.888

25. 2.4 **27.** 45.78

29. 610.5 **31.** 0.0342

33. yes; $9 \times 45 = 405$ and the factors have 4 decimal places.

35. 30.06 lb **37.** 0.024

39. 0.000072 **41.** 0.03

43. 0.000012 **45.** 109.74

47. 3.886 **49.** 13.7104

51. 51.3156 **53.** $3.24

55. Carlton Centre: 731.44 ft; Burj Khalifa: 2715.84 ft; Q1: 1059.44 ft; Federation Tower: 1226.72 ft; One World Trade Center: 1774.48 ft; Gran Torre Santiago: 984 ft

57. 45.4 **59.** 4.355

61. 2.016 **63.** 150.183

65. 1.887 **67.** $14.03

69. Each number is 0.1 times the previous number; 0.0015, 0.00015, 0.000015

71. Each number is 1.5 times the previous number; 25.3125, 37.96875, 56.953125

73. *Answers should include, but are not limited to:*

a. menu with main items, desserts, beverages, and prices

b. guest check for 5 people showing items, prices, and subtotal

c. tax and total with tax are shown

d. amount rounded to nearest dollar, 20% tip, and total cost including tip are shown

Section 2.6

Review & Refresh

1. 30.32 **3.** 1.8004

5. 1, 26; 2, 13 **7.** 1, 50; 2, 25; 5, 10

9. B **11.** D

Concepts, Skills, & Problem Solving

13. 16,648 people **15.** 4162 people

17. 31 **19.** $12\frac{13}{24}$

21. 73 **23.** $53\frac{1}{118}$

25. 60 **27.** $47\frac{110}{173}$

29. 13

31. no; The answer should be 109.

33. 42 ft

35. **a.** 9

b. from top shelf down: 22, 22, 19, 0, 0

37. *Sample answer:* $36{,}000 \div 900 = 40$

Section 2.7

Review & Refresh

1. 6 **3.** 27

5. B **7.** 15.267

Concepts, Skills, & Problem Solving

9. $0.54 \div 0.6 = 0.9$, $0.54 \div 0.9 = 0.6$; Rewrote $0.6 \times 0.9 = 0.54$.

11. 4.2 **13.** 0.5

15. 4.31 **17.** 6.2

19. 5.58 **21.** 0.15

23. yes; The long division is correct.

25. $29.95 **27.** 12

29. 52.1 **31.** 0.8

33. 11.7 **35.** 8.3

37. 0.23 **39.** 352.5

41. 7200 **43.** 40

45. 12.5 **47.** 180

49. 48 **51.** 9.60

53. 6.04

55. no; $0.32\overline{)146.4} \longrightarrow 32\overline{)14{,}640}$

57. 1.62 **59.** 10.12

61. 8.046 **63.** 7.1

65. 4.8 ft

67. =; Both quotients can be written as $666 \div 74$.

69. <; The second quotient has a lesser divisor.

71. **a.** Australia: 52.6625 sec
United States: 52.9725 sec
Canada: 53.2225 sec

b. no; The team total would have been 210.89 seconds.

73. **a.** 9

b. 3; *Sample answer:* Use the same method as part (a) to find the total number of weeks needed, then subtract the number of weeks in part (a).

75. **a.** 3

b. 9

c. no; The perimeter is measured in feet and the area is measured in square feet.

d. perimeter: 2 times greater; area: 4 times greater

Chapter 3

Section 3.1

Review & Refresh

1. 7 **3.** 1.5

5. 64 **7.** 81

9. 540, 450; GCF: 90; LCM: 2700

Concepts, Skills, & Problem Solving

11. Add 2 parts of iced tea for every 1 part of lemonade added.

13. 2 to 5, or 2 : 5 **15.** 2 to 6, or 2 : 6

17. 12 : 16

19. *Sample answer:* 1 out of every 7 contestants wins a prize.

21. *Sample answer:* 2 days in a weekend per 5 weekdays

23. **a.** 4; The number of sunny days is 4 times the number of rainy days.

b. 5 : 1

25. equivalent **27.** not equivalent

29. not equivalent **31.** equivalent

33. *Sample answer:* $9 : 3; \frac{9}{3} = \frac{3}{1}$

35. *Sample answer:* $12 : 12; \frac{12}{12} = \frac{6}{6}$

37. 18 **39.** 21

41. *Sample answer:* 2 cups of water and 4 cups of cornstarch, 3 cups of water and 6 cups of cornstarch; $\frac{1}{2} = \frac{2}{4} = \frac{3}{6}$

43. 21 **45.** yes

47. no; The ratio of boys to people in the competition is 3 : 5, and there is no ratio of a whole number to 9 that is equivalent to the ratio 3 : 5.

49. 67.5 in.; *Sample answer:* 2 : 3 : 4 is equivalent to 15 : 22.5 : 30, and $15 + 22.5 + 30 = 67.5$.

51. 5 girls; *Sample answer:* $\frac{12}{10} = \frac{18}{15}$

Section 3.2

Review & Refresh

1. equivalent **3.** not equivalent

5. $\frac{1}{2}$ **7.** $13\frac{7}{16}$

Concepts, Skills, & Problem Solving

9. 800 m

11. beginner trail: 400 m, expert trail: 1600 m

13. 6 h **15.** 2

17. 9 **19.** 27

21. 12 blueberries, 4 strawberries

23. 4 blueberries, 8 strawberries

25. 36 blueberries, 12 strawberries

27. 288 **29.** 20 boys, 28 girls

31. $200

Section 3.3

Review & Refresh

1. 2 **3.** 15

5. 8 **7.** 5

9. 1 **11.** 28 yd

Concepts, Skills, & Problem Solving

13. 1440; *Sample answer:* $2 \times 8 = 16$ and $180 \times 8 = 1440$

15. 495; *Sample answer:* $(2 \div 2) \times 5.5 = 5.5$ and $(180 \div 2) \times 5.5 = 495$

17.

Burgers	3	6	9
Hot dogs	5	10	15

3 : 5, 6 : 10, 9 : 15

19.

Adults	2	1	3	18
Children	14	7	21	126

2 : 14, 1 : 7, 3 : 21, 18 : 126

21.

Plums	14	42	6	48
Grapes	7	21	3	24

14 : 7, 42 : 21, 6 : 3, 48 : 24

23. 16 **25.** \$60

27. 1840

29. **a.** 392; no; *Sample answer:* $392 < 400$

b. \$16,400; no; *Sample answer:* \$16,400 < \$16,800

31. yours; $\frac{2}{22} > \frac{3}{37}$

33. $A = 12, B = 18$ **35.** $A = 33, B = 15$

37. **a.** yes; *Sample answer:* Find a ratio equivalent to 161 : 28 that has 12 on the right.

b. 21

39. 96 **41.** \$270

Section 3.4

Review & Refresh

1.

Chickens	8	16	24
Eggs	6	12	18

8 : 6, 16 : 12, 24 : 18

3. seven and one tenth

5. thirteen and six tenths

7. *Sample answer:* 8 : 4, 2 : 1

Concepts, Skills, & Problem Solving

9.



11.



13.



15.



17.



19. a.



b. $114.75

21. you; The graph that represents your earnings is steeper.

23.



your friend's

25. a. 70

b.



The new mix has a greater ratio of almonds to peanuts.

c. yes; The new mixture is more expensive to make.

Section 3.5

Review & Refresh

1.



3.



5. $\frac{2}{3}$

7. $1\frac{7}{12}$

9. 19.241

11. 7.919

Concepts, Skills, & Problem Solving

13. Answers will vary. Multiply the hand clap rate in Exploration 2(a) by 2.5.

15. Answers will vary. Multiply the hand clap rate in Exploration 2(a) by 11.25.

17. $20/guest

19. 6 necklaces/h

21. 19 students/class

23. 110 calories/serving

25. $2.5/oz

27. $\frac{1}{6}, \frac{17}{6}$

29. a. $20

b. 9

31. equivalent

33. equivalent

35. your friend; 2.5 min

37. 17

39. 1.2 h

Section 3.6

Review & Refresh

1. 51 beats/min

3. \$20/volunteer

5. C

7. 2×37

9. $2 \times 2 \times 3 \times 11$, or $2^2 \times 3 \times 11$

11. 18^4

Concepts, Skills, & Problem Solving

13. 1 gal; 1 gal = 4 qt, 2 L ≈ 2.1 qt, and 4 qt > 2.1 qt

15. 6

17. 2.5

19. 24

21. 5

23. 4

25. 45.92 or 46.67

27. 28.8 or 29.09

29. 191.01 or 192.82

31. 5.91 or 5.85

33. a.



b.



35. a. about 60.67 m or about 59.7 m

b. about 8.04 km or about 7.91 km

37. 5.66 or 5.7

39. 8.07 or 8.06

41. 0.0175

43. a. 300 qt/h

b. 4.75 L/min or 4.72 L/min

45. <

47. >

49. >

51. 111.6 or 111.80

53. 3.9 or 3.94

55. about 1.05 mi or about 1.06 mi

57. a. less than; Your speed is about 45.45 miles per hour.

b. 1.32 min/mi

c. yes

59. a. $1 \text{ cm} = \frac{1}{2.54} \text{ in.}$

b. about 0.3937007874; Some conversion facts are rounded.

Chapter 4

Section 4.1

Review & Refresh

1. 3000

3. 1.5

5. 1.69 or 1.72

7. 10

9. 13

11. 52

13. 3 : 1

15. 4 : 1

Concepts, Skills, & Problem Solving

17.



19.



21. $\frac{9}{10}$

23. $\frac{7}{100}$

25. $\frac{79}{100}$

27. $1\frac{22}{25}$

29. $2\frac{6}{25}$

31. $\frac{1}{250}$

33. 10%

35. 55%

37. 8%

39. 1.2%

41. 185%

43. 300.5%

45. no; $\frac{56}{100} = 56\%$

47. 25%

49. $1\frac{1}{4}$; No, you have more than you need.

51. 81.25%

53. 82.5%

55. **a.** $\frac{7}{40}, \frac{17}{1000}, \frac{9}{3125}, \frac{3}{200}$

b. no; Alaska's area is more than 10 times as great as Florida's.

c. AK, TX, CA, MT, NM, AZ, NV, CO, OR, WY, MI, MN, UT, ID, KS, NE, SD, WA, ND, OK, MO, FL, WI, GA

57. Shade half of one of the squares.

Section 4.2

Review & Refresh

1. 14%

3. 0.4%

5.



7. $\frac{2}{21}$

9. $4\frac{1}{5}$

Concepts, Skills, & Problem Solving

11. 51%, 0.51

13. 0.78

15. 0.185

17. 0.33

19. 0.4763

21. 1.66

23. 0.0006

25. 74%

27. 89%

29. 99%

31. 48.7%

33. 368%

35. 3.71%

37. no; $0.86 = 0.\underset{\smile}{86} = 86\%$

39. D

41. A

43. 34%

45. $\frac{9}{25}$, 0.36

47. $\frac{203}{1250}$, 0.1624

49. **a.** 14%

b. $\frac{43}{50}$

Section 4.3

Review & Refresh

1. 0.12

3. 0.00046

5.

Cost (dollars)	2	3	13.5
Time (minutes)	50	75	337.5

2 : 50, 3 : 75, 13.5 : 337.5

7. 162.9

9. 5.7084

11. 17

Concepts, Skills, & Problem Solving

13. $\frac{3}{10}$, 40%, 0.65, 80%

15. $\frac{1}{8}$, 15%, 0.25, $\frac{27}{100}$

17. 20%

19. $\frac{13}{25}$

21. 76%

23. 0.12

25. 140%

27. 80%

29. 0.63, $\frac{13}{20}$, 68%

31. 0.15%, 0.015, $\frac{3}{20}$

33. $\frac{21}{50}, \frac{87}{200}$, 43.7%, 0.44

35. Russia, Brazil, United States, India

37. 21%, 0.211, $\frac{11}{50}, \frac{111}{500}$

39. *D*

41. *C*

43. **a.** dolphin, rabbit, lion, squirrel, tiger

b. *Sample answer:* 33%

c. first

Section 4.4

Review & Refresh

1. $\frac{1}{8}$, 0.33, 35%

3. $\frac{1}{5}$, 22%, $\frac{13}{50}$, 0.28, 0.41

5. $\frac{9}{2000}$

7. 12

9. 0.62

11. 120

Concepts, Skills, & Problem Solving

13. $30

15. $240

17. 4

19. 9

21. 3

23. 3

25. 36

27. 17.48

29. 8.36

31. 47.85

33. 39.6

35. 365

37. **a.** $3.15

b. $48.15

39. 140

41. 84

43. 80

45. 25

47. 20

49. no; $5 \div 20\% = 5 \div \frac{1}{5} = 25$

51. 18

53. 125,000

55. =

57. >

59. 48

61. **a.** 432 in.^{2}

b. 37.5%; The width is 18 inches, and $\frac{18}{48} = 37.5\%$.

63. *Sample answer:* Because $30\% = 2 \times 15\%$, 30% of $n = 2 \times 12 = 24$; Because $45\% = 3 \times 15\%$, 45% of $n = 3 \times 12 = 36$.

65. yes; $\frac{x}{100} \cdot y = \frac{y}{100} \cdot x$

67. 97.2%

Chapter 5

Section 5.1

Review & Refresh

1. 25%

3. 45%

5. 22.5

7. $1\frac{7}{18}$

9. $2\frac{23}{27}$

Concepts, Skills, & Problem Solving

11. $20 - 12$; \$8

13. 20×6; \$120

15. Terms: g, 12, $9g$; Coefficients: 1, 9; Constant: 12

17. Terms: $2m^2$, 15, $2p^2$; Coefficients: 2, 2; Constant: 15

19. Terms: $8x^2$, $\frac{x^2}{3}$; Coefficients: 8, $\frac{1}{3}$; Constant: none

21. **a.** Terms: 2ℓ, $2w$; Coefficients: 2, 2; Constant: none

b. The coefficient 2 of ℓ represents that there are 2 lengths on the rectangle.
The coefficient 2 of w represents that there are 2 widths on the rectangle.

23. g^5

25. $5.2y^3$

27. $2.1xz^4$

29. $(5d)^2$

31. 9

33. 11

35. 10

37. 6

39. 5

41. 9

43. 4

45. 24

47. \$15; \$105

49. 32; 16; 8

51. 23

53. $2\frac{5}{6}$

55. 22

57. 46

59. 24

61. 34 mm; 118 mm

63. *Sample answer:* 8 min at 250 ft/min; 9 min at $222\frac{2}{9}$ ft/min

65. 64 in.^{3}

Section 5.2

Review & Refresh

1. Terms: $4f$, 8; Coefficient: 4; Constant: 8

3. Terms: $9h^2$, $\frac{8}{9}p$, 1; Coefficients: 9, $\frac{8}{9}$; Constant: 1

5. 2361.6 or 2400

7. $\frac{4}{5}$

9. $\frac{2}{15}$

Concepts, Skills, & Problem Solving

11. 10: you have \$10; $5.25n$: total cost; 5.25: price per sandwich; n: number of sandwiches

13. 100: you have \$100; $6.75n$: total cost; 6.75: price per sandwich; n: number of sandwiches

15. $3 \cdot 12$

17. $6 + 10$

19. $15 + 17$

21. $5 \cdot d$

23. $s - 6$

25. t^3

27. yes; The expression is correct.

29. **a.**

Days	1	2	3	4	5
Total Samples	15	30	45	60	75

b. $15n$

31. *Sample answer:* the sum of n and 6; 6 more than a number n

33. *Sample answer:* a number b less than 15; 15 take away a number b

35. $\frac{y}{4} - 3$; 2

37. $8x + 6$; 46

39. **a.** $2 + 3g$

b. \$26

41. **a.** $140 - 15n$

b. 20; There are $140 - 15(8) = 20$ people left after the eighth round.

43. $\frac{x}{4}$

Section 5.3

Review & Refresh

1. $10 + p$

3. $b \div 15$

5. $2^2 \times 3^2$

7. 3×7^2

9. 11.592

11. 13.641

Concepts, Skills, & Problem Solving

13.



15. B

17. A

19. Comm. Prop. of Mult.

21. Assoc. Prop. of Mult.

23. Add. Prop. of Zero

25. no; The statement illustrates the Commutative Property of Addition.

27.
$(14 + y) + 3 = (y + 14) + 3$ Comm. Prop. of Add.
$= y + (14 + 3)$ Assoc. Prop. of Add.
$= y + 17$ Add 14 and 3

29.
$7(9w) = (7 \cdot 9)w$ Assoc. Prop. of Mult.
$= 63w$ Multiply 7 and 9.

31. $(0 + a) + 8 = a + 8$ Add. Prop. of Zero

33.
$(18.6 \cdot d) \cdot 1 = 18.6 \cdot (d \cdot 1)$ Assoc. Prop. of Mult.
$= 18.6d$ Mult. Prop. of One

35.
$(2.4 + 4n) + 9$
$= (4n + 2.4) + 9$ Comm. Prop. of Add.
$= 4n + (2.4 + 9)$ Assoc. Prop. of Add.
$= 4n + 11.4$ Add 2.4 and 9.

37.
$z \cdot 0 \cdot 12 = (z \cdot 0) \cdot 12$ Assoc. Prop. of Mult.
$= 0 \cdot 12$ Mult. Prop. of Zero
$= 0$ Mult. Prop. of Zero

39. **a.** the amount per box

b. $120x$

41. $7 + (x + 5); x + 12$

43. $(7 \cdot 2) \cdot y$

45. $(17 + 6) + 2x$

47. $w \cdot 16$

49. **a.** *Sample answer:* From the expression, the 37 hats you sold cost \$14 each and the x hats your friend sold cost \$10 each.

b. x is at most 51.

Section 5.4

Review & Refresh

1.
$(s + 4) + 8 = s + (4 + 8)$ Assoc. Prop. of Add.
$= s + 12$ Add 4 and 8.

3.
$3(4n) = (3 \cdot 4)n$ Assoc. Prop. of Mult.
$= 12n$ Multiply 3 and 4.

5. 12 boys, 20 girls

7. 14 boys, 8 girls

9. 123

11. $260\frac{8}{31}$

Concepts, Skills, & Problem Solving

13. $6s$; The sum of 4 parts and 2 parts is 6 parts.

15. $10b - 60$

17. $56 + 7y$

19. $18n + 9$

21. $90 - 54w$

23. $3 + \frac{1}{4}x$

25. $78 + 6z$

27. $25x - 25y$

29. $n + 2 + 3m$

31. A

33. B

35. $10(103 - x) = 1030 - 10x$

37. $29 + 8x$

39. $19y + 5$

41. $4n - 3$

43. 30

45. $1\frac{5}{6}y$

47. $7y$

49. no; $8x - 2x + 5x = 11x$

51. **a.** $42(10 - x) + 56(5 - y) = 700 - 42x - 56y$

b. \$322

53. $7(x + 3) + 8 \cdot x + 3 \cdot x + 8 - 9 = 2(9x + 10)$

Section 5.5

Review & Refresh

1. $2n + 16$

3. $7b - 21$

5. $5 + p$

7. $11d$

9. equivalent

11. C

13. A

Concepts, Skills, & Problem Solving

15. *Sample answer:* $4(3 + 4)$; Use a common factor as the height and find the lengths.

17. $7(1 + 2)$

19. $11(2 + 1)$

21. $12(5 - 3)$

23. $28(3 + 1)$

25. $19(1 + 5)$

27. $6(3 - 2)$

29. $14(7 - 5)$

31. $3(24 - 13)$

33. yes; yes; you can factor c out of each expression.

35. $2(x + 5)$

37. $13(2x - 1)$

39. $9(4x + 1)$

41. $2(9p + 13)$

43. $24(1 + 3n)$

45. $4(19d - 6)$

47. $2(9t + 19x)$

49. $5(2x - 5y)$

51. *Sample answer:* $8(x + 2), 4(2x + 4)$

53. B

55. A

57. \$6

59. The first solution calculates the total spent and the total earned, then subtracts. The second solution uses the Distributive Property first. *Sample answer:* second; There are fewer calculations.

Chapter 6

Section 6.1

Review & Refresh

1. $3(2 + 9)$

3. $6(7 + 4n)$

5. C

7. 3

9. 5

11. 34 cm

Concepts, Skills, & Problem Solving

13. $6.75x = 33.75$; 5

15. $y - 9 = 8$

17. $9b = 36$

19. $54 = t + 9$

21. $n - 9.5 = 27$

23. yes; "5 less than a number n" means "$n - 5$" and "is 12" means "$= 12$".

25. $90 = \frac{3}{4}d$

27. $30 = 4x$

29. 102.8

31. **a.** *Answer should include, but is not limited to:* The equation should have the form
total amount paid
= total price + (total price × rate).

b. yes; Multiplying r by 100 gives the percent for the sales tax.

Section 6.2

Review & Refresh

1. $x + 9 = 15$

3. $d \cdot 7 = 63$

5. 2

7. 10

9. B

11. 25

13.

Snakes	2	8	24
Mice	5	20	60

2 : 5, 8 : 20, 24 : 60

Concepts, Skills, & Problem Solving

15. $t = 1$

17. yes

19. no

21. no

23. $y = 10$

25. $r = 22$

27. $k = 12$

29. $f = 46$

31. $j = 1\frac{1}{4}$

33. $m = 3.7$

35. no; Subtract 7 to get $x = 6$.

37. $366 = x - 30$; 396 m

39. 10,641 mi²

41. $w - 13 = 15$; $w = 28$

43. $9 = n - 7$; $n = 16$

45. $k + 11 = 29$; $k = 18$

47. $46 = 18 + d$; $d = 28$

49. $b = 11$

51. $m = 30$

53. $r = 47$

55. 16 ft

57. 27 ft

59. $a = 22$; $b = 31$; $c = 13$; The constant sum is 75, and $a + 53 = 75$, $b + 44 = 75$, and $c + 62 = 75$.

61. **a.** \$5.25

b. no; It costs \$9.75 to ride each ride once.

Section 6.3

Review & Refresh

1. $y = 11$

3. $p = \frac{5}{8}$

5. $\frac{2}{45}$

7. $\frac{7}{10}$

9. 0.36

11. 11.3353

Concepts, Skills, & Problem Solving

13. $x = 1$

15. $z = 7$

17. $t = 30$

19. $r = 32$

21. $z = 7$

23. $k = 6$

25. $w = 12.5$

27. $v = 45$

29. $m = \frac{3}{20}$

31. $k = 2\frac{2}{3}$

33. $b = 7.2$

35. $m = 6$

37.
$$3x = 9$$
$$3x \cdot \frac{1}{3} = 9 \cdot \frac{1}{3}$$
$$x = 3$$

39. $20x = 1200$; 60

41. 11

43. 20

45. length: 20 in.; width: 5 in.

Section 6.4

Review & Refresh

1. $x = 9$

3. $x = 6$

5. $4\frac{3}{8}$

7. $\frac{8}{33}$

9. 256 in.^{2}; 30,720 in.^{2} **11.** 5.5

13. 9.3 or 9.32 **15.** 3.2

17. 9.3

Concepts, Skills, & Problem Solving

19. $y = 175x$

21. yes **23.** no

25. no **27.** no

29. yes **31.** yes

33. independent variable: w, dependent variable: A

35. independent variable: p, dependent variable: t

37. *Sample answer:* your test score

39. *Sample answer:* the amount of data you use

41.



43.



45.



47.



49.



51.



53. $c = 1.5t + 5$



55. **a.** $r = 160 - x$

b. independent variable: x, dependent variable: r

c. 145

57. $d = \frac{2}{3}t$



59. $d = 66t$



61. 11

63. 2

65. *Sample answer:* $y = 2x - 2$

67. 14 in./min

69. **a.** no; You can only buy whole numbers of tickets.

b. $c = 10n$

Chapter 7

Section 7.1

Review & Refresh

1.



3.



5.



7. $2^2 \cdot 3 \cdot 5$ **9.** $2 \cdot 3^2 \cdot 7$

11. 2.891

Concepts, Skills, & Problem Solving

13. 12 units^2 **15.** 24 units^2

17. 840 mm^2 **19.** 3750 cm^2

21. 894 mi^2 **23.** 6 in.^{2}

25. 0.64

27. *Sample answer:*



29. 9 **31.** 5

33. n^2bh or n^2A

Section 7.2

Review & Refresh

1. 72 in.^{2} **3.** 255 mi^2

5. Comm. Prop. of Mult. **7.** C

Concepts, Skills, & Problem Solving

9. 14 units^2 **11.** 6 cm^2

13. 1620 in.^{2} **15.** 1125 cm^2

17. yes; $A = \frac{1}{2}bh$ **19.** about 50.2 in.^{2}

21. $b = 4\frac{2}{3}$ ft **23.** 120 ft^2

25. 36 units^2 **27.** 6

29. $A = \frac{1}{2}ab$, where a and b are the diagonal lengths; *Sample answer:* The formula is the same.

Section 7.3

Review & Refresh

1. 63 in.^{2} **3.** 25 ft^2

5. trapezoid **7.** C

Concepts, Skills, & Problem Solving

9. 16 units^2 **11.** 25 cm^2

13. 125 m^2 **15.** 55 mi^2

17. 28 in.^{2} **19.** 105 ft^2

21. 16 ft^2 **23.** 20 units^2

25. 20 km **27.** 4 mm

29. 648 ft^2

31. *Sample answers:* $b_1 = 2$ ft, $b_2 = 3$ ft; $b_1 = 1.5$ ft, $b_2 = 3.5$ ft

33. 18 ft

35. **a.** $A = \frac{1}{2}ab$, where a and b are the diagonal lengths

b. yes; *Sample answer:* The formulas are the same.

Section 7.4

Review & Refresh

1. 15 ft^2 **3.** 108 m^2

5. 75 **7.** 210

9. 40

Concepts, Skills, & Problem Solving

11. front: side: top:

10

13. front:  side:

top: 

9

15. 10 faces, 24 edges, and 16 vertices

17. 

19. 

21.

23. front: side: top:

25. front: side:

top: 

27. front: side:

top: 

29. 

31. *Answer should include, but is not limited to:* an original drawing of a house; a description of any solids in the drawing

33. a.



6 vertices
9 edges

5 vertices
8 edges

b. More than one solid can have the same number of faces, so knowing the number of edges and vertices can help you to draw the intended solid.

Section 7.5

Review & Refresh

1. front: side:



top:

3. front: side: top:



5. 22 **7.** 12

9. $x = 11$ **11.** $m = 65$

13. 17

Concepts, Skills, & Problem Solving

15. 94 units^2; $2(5)(3) + (4)(3) + 2(4)(5) = 94$

17. 162 units^2; $2(3)(7) + 2(6)(7) + 2(3)(6) = 162$

19. 198 cm^2 **21.** 52 in.^{2}

23. $48\frac{5}{6}$ mi^2 **25.** 740 m^2

27. 17.6 ft^2 **29.** 324 m^2

31. 136 ft^2 **33.** $\frac{2}{3}$ ft^2

35. 294 cm^2 **37.** 83 ft^2

39. box 2; It should cost less to make.

41. 2 qt

Section 7.6

Review & Refresh

1. 82 ft^2 **3.** 384 in.^{2}

5. B **7.** A

9. 95% **11.** 0.75%

Concepts, Skills, & Problem Solving

13. 133 units^2; $7 \cdot 7 + 4 \cdot \left(\frac{1}{2}\right) \cdot 7 \cdot 6 = 133$

15. 119 in.^{2} **17.** 552 cm^2

19. 195.6 in.^{2} **21.** 8.3 in.^{2}

23. 81 micrometers^2 **25.** 4

27. no; You can place the four triangles on top of the square and it covers the entire square. But when you lift up the triangles, they do not touch. So, they do not form a pyramid.

Section 7.7

Review & Refresh

1. 51 ft^2 **3.** 533 yd^2

5. $y - 9$; 3

Concepts, Skills, & Problem Solving

7. $\frac{1}{18}$ unit^2 **9.** $\frac{3}{10}$ in.^{3}

11. $\frac{8}{125}$ ft^3 **13.** $3\frac{1}{8}$ cm^3

15. $h = 20$ cm **17.** $w = 16$ in.

19. a. *Sample answer:* 297 in.^{3}

b. no; The container only holds 196 cubic inches.

21. 1000; Multiply by the conversion factor $\frac{1 \text{ cm}^3}{1000 \text{ mm}^3}$;
Multiply by the conversion factor $\frac{1000 \text{ mm}^3}{1 \text{ cm}^3}$.

23. 1152 cm^3

25. *Answers should include, but not limited to:*

a. a sketch of a tree house that has a surface area of at most 1400 square feet and a volume of at least 250 cubic feet

b. For the dimensions to be reasonable, the tree house should be able to fit people and fit in a tree.

Chapter 8

Section 8.1

Review & Refresh

1. $\frac{3}{20}$ mm^3 **3.** 8 ft^3

5. $2(9z - 11)$ **7.** $3(14n - 9s)$

Concepts, Skills, & Problem Solving

9. *Sample answer:* losing 6 points on a test

11. *Sample answer:* diving 45 feet below the surface

13. -6 **15.** 600

17. 37,500 **19.** -56

21. 5

23. 83; −47

25.



27.



29.



31.



33.



35.



37. 5

39. −15

41. **a.** the average water level

b. −4

43. no; The flag starts at 0, moves to 8, left to −4, and right to 9; The left team would need to pull the flag 19 feet. The right team would need to pull the flag 1 foot.

Section 8.2

Review & Refresh

1. 83

3. 75

5. B

7. $1\frac{1}{5}$

9. $\frac{1}{14}$

Concepts, Skills, & Problem Solving

11. *Sample answer:* test controls; occurs before rocket topping sequence complete

13. >

15. >

17. <

19. <

21. no; $-3 < -1$

23. −3, −1, 0, 2, 3

25. −4, −3, −2, 3, 4

27. −13, −3, 0, 4, 8

29. −16, −8, 1, 7, 12

31. −20, −10, −5, 15, 25

33. −9; −3

35. always; Positive integers are greater than negative integers.

37. **a.** Florida, Louisiana, Arkansas, Tennessee, California

b. California, Louisiana, Florida, Arkansas, Tennessee

c. sea level

39. no; In order for the median to be below 0°F, at least 6 of the temperatures must be below 0°F.

Section 8.3

Review & Refresh

1. <

3. >

5. D

7. 75

9. 70

11. 0.042

13. 25.69661

Concepts, Skills, & Problem Solving

15.



17.



19.



21.



23.



25. >

27. <

29. <

31. <

33. >

35. $-5, -4.9, -4.35, -4.3, -4$

37. $-1, -\frac{1}{2}, -\frac{1}{4}, \frac{1}{8}, \frac{3}{4}$

39. $-1, -\frac{3}{4}, -\frac{5}{8}, -\frac{1}{20}, 0$

41. Golfer B

43. Higher on: Thursday, Friday, Saturday;
Lower on : Monday, Tuesday, Wednesday;

$$-\frac{3}{25} > -\frac{7}{20} > -\frac{27}{50} > -\frac{13}{20},$$

$$-\frac{13}{20} < -\frac{16}{25} < -\frac{53}{100} < -\frac{1}{3}$$

45. 1, 2, and any integer less than −3

Section 8.4

Review & Refresh

1. $-3.2, -1.8, -1.3, 0.6, 2.4$

3. $\frac{1}{4}, \frac{1}{2}, \frac{2}{3}, \frac{3}{4}, 2$

5.



7. 13 **9.** 4

Concepts, Skills, & Problem Solving

11. dolphin; $|-22| > |-13|$

13. shark; $|-40| > |32|$

15. 23 **17.** 68

19. $\frac{1}{6}$ **21.** $\frac{5}{8}$

23. 1.026 **25.** 6.308

27. no; $|14| = 14$ **29.** $=$

31. $<$ **33.** $>$

35. $<$ **37.** 3; 1

39. $-4, -3, |-3|, |-4|, |5|$

41. $-20, -19, -18, |-18|, |-22|, |30|$

43. -6

45. **a.** $-50°C$

b. neither can be negative

47. always; The absolute value is the positive distance from zero on a number line.

49. B; You owe \$25, so debt = \$25.

51. C; You owe less than \$25, so debt < \$25.

53. *Sample answer:* $x = -2, y = -3$

Section 8.5

Review & Refresh

1. 35 **3.** 4.7

5. C

7.



9. Associative Property of Multiplication

11. Multiplication Property of One

Concepts, Skills, & Problem Solving

13. reflection in the x-axis

15. reflection in the x-axis

17. $(-3, -2)$ **19.** $(1, 2)$

21. $(0, -4)$ **23.** $(-4, -4)$

25. $(4, -4)$

27–37.



27. Quadrant II **29.** Quadrant IV

31. x-axis **33.** Quadrant IV

35. Quadrant II **37.** Quadrant III

39. yes; The description is correct.

41. Flamingo Café

43. *Sample answer:* $(5, -1), (5, -2)$

45. **a.** $(3, -2)$ **b.** $(-3, 2)$

47. **a.** $(-5, 6)$ **b.** $(5, -6)$

49. **a.** $(-9, -3)$ **b.** $(9, 3)$

51. **a.** $(0, 1)$ **b.** $(0, -1)$

53. **a.** $(-3.5, -2)$ **b.** $(3.5, 2)$

55. **a.** $\left(-5\frac{1}{2}, -3\right)$ **b.** $\left(5\frac{1}{2}, 3\right)$

57. $(-4, -5)$ **59.** $(2, 2)$

61. $(8, -8)$ **63.** $(0, 2)$

65. $(-6.5, 10.5)$ **67.** $\left(-\frac{1}{3}, \frac{2}{3}\right)$

69. yes; *Sample answer:* The order of the reflections does not matter. You are still reflecting the points in both axes.

71. Quadrant III

73. Quadrant I, Quadrant IV, or the positive x-axis

75. origin

77. never; All points in Quadrant III have negative y-coordinates.

79.



decreased from year 1 to year 5 and increased from year 5 to year 9

81. a.

Week	1	2	3	4	5	6	7	8	9
Miles	22	24	26	24	28	27	30	30	33

Week	10	11	12	13	14	15	16	17	18
Miles	35	38	40	40	40	36	33	24	14

b.



c. *Sample answer:* The number of miles per week increases so that people get used to running longer distances. Then towards the end of the program, the number of miles decreases so that people can recover and be fully prepared for the marathon.

Section 8.6

Review & Refresh

1. $(1, 4)$

3. $(-4, -1)$

5. 0.62

7. 1.33

9. 8

Concepts, Skills, & Problem Solving

11.



13.



15.



17.



19. 5

21. 2

23. 15

25. 8.5

27. 8.75

29. 22 units; 30 units^2

31. 38 units; 88 units^2

33. *Sample answer:* $(3, -3)$; $(-5, -3)$

35. 41 mi^2

37. *Sample answer:*



39. *Sample answer:*



41. rectangle; *Sample answer:* Each base is 4 units and the heights are a units and b units.

Section 8.7

Review & Refresh

1. 4

3. 8

5. $x = 14$

7. $x = 9$

9. 12 in.^{2}

11. 127.5 mi^2

Concepts, Skills, & Problem Solving

13. 5 or any number greater than 5

15. 10 or any number less than 10

17. $a > 6$

19. $b \geq -3$

21. $\frac{x}{3} \leq 5$

23. no

25. no

27. yes

29. A

31. C

33.

35.



37.



39.

41.

43.

45. $x \leq 1$; A number x is at most 1.

47. $x > 0$; A number x is more than 0.

49. no; The graph shows $x < -1$, not $x > -1$.

51. **a.** $b \leq 3$;

b. $\ell \geq 18$;



53. **a.** $s \leq 140$;

b. $s > 140$;

c. no; There are 300 milligrams of sodium in one serving, which is greater than 140.

55. sometimes; The only time this is not true is if $x = 5$.

57. $p + 50 \leq 425$

Section 8.8

Review & Refresh

1. no

3. yes

5. 56 mm^2

7. $7\frac{1}{2}$ yd^2

9. 12^4

Concepts, Skills, & Problem Solving

11. $2x + 1 < 9$; x is less than 4

13. $x < 9$;

15. $5 \geq y$;

17. $6 > x$;

19. $n > 12$;



21. $c \geq 99$;



23. $3 < x$;

25. $\frac{1}{4} \leq n$;

27. $v \leq 81$;

29. no; add 9 to both sides to get $37 \geq t$.

31. $p + 5 < 17$; $p < 12$

33. $8n < 72$; $n < 9$

35. $225 \geq \frac{3}{4}w$; $300 \geq w$

37. $x + 18.99 \leq 24$; $x \leq \$5.01$

39. when visiting more than 4 times in a year; $\$30 < \$7.50x$ when $4 < x$

41. *Sample answer:* the number of gallons of milk you can buy with \$20; the length of a park that has an area of at least 500 square feet

43. 25

45. $11 > s$;

47. $n < 27.6$;



49. $b \leq 6$;

51. $x > 6.8$; $80x > 2 \cdot 272$ when $x > 6.8$.

53.

55.



57.



59. $400 \leq x \leq 500$

61. no; *Sample answer:* $a = 9, b = 8, x = 3, y = 2$; $a - x = 6, b - y = 6$; so, $a - x = b - y$.

63. no; *Sample answer:* $a = 6, b = 5, x = 10, y = 4$

$$\frac{a}{x} \stackrel{?}{>} \frac{y}{b}$$

$$\frac{6}{10} \stackrel{?}{>} \frac{4}{5}$$

$$0.6 \not> 0.8$$

Chapter 9

Section 9.1

Review & Refresh

1. $x > 24$



3. $9 > k$

5. yes

7. yes

9. $0.2, 24\%, \frac{1}{4}, 0.32, \frac{7}{20}$

Concepts, Skills, & Problem Solving

11. 12; yes

13. *Sample answer:* 9th; no

15. yes; The answers will vary.

17. yes; The answers will vary.

19. **a.** 18; 18 players are on the team

b. *Sample answer:* Use a tape measure; inches

c. *Sample answer:* "What are the heights of players on an NBA championship team?"; The heights are spread out, but most of the heights (in inches) are in the mid-to-low 80s.

21.



Most of the registrations are in a cluster from 21 to 26. The peak is 25. There is a gap between 16 and 21.

23. *Sample answer:* 45 mi/h; Most of the data cluster around 45 and 45 miles per hour is a common speed limit.

25. **a.** yes; It is a statistical question because you would anticipate variability in the hours spent on homework each night by students.

b. Most of the hours cluster around 2. The peak is 2. There is no gap.

c. Most students spend between 1 and 3 hours on homework during a school night.

27. *Sample answer:* rain gauge; inches

29. *Sample answer:* "How many letters are there in the English alphabet?"; "How many letters are there in a word?"; The number of letters in the English alphabet is fixed but different words will have different numbers of letters.

Section 9.2

Review & Refresh

1. yes; The answers will vary.

3. no; There is only one answer.

5. $\frac{21}{25}$

7. $3\frac{53}{100}$

9. 1.3

11. 4.2

Concepts, Skills, & Problem Solving

13. 12

15. 2

17. 103

19. **a.** yes; The answers will vary.

b. 3.45 minutes

21. *Sample answer:* 20, 21, 21, 21, 21, 22, 20, 20.5, 20.5, 21.5, 21.5, 22

23. The Tigers' mean height is greater; no; neither data set has outliers.

25. **a.** \$3.50; Divide \$84 by 24 people.

b. *Sample answer:* The class mean will not change since the new student's weekly allowance is the same as the mean.

Section 9.3

Review & Refresh

1. 4.7 **3.** 36.25

5. D

7. 600, 120; 1 : 20, 30 : 600, 6 : 120

9. 63.5 ft^2

Concepts, Skills, & Problem Solving

11. 5.5

13. median = 7; mode = 3

15. median = 92.5; mode = 94

17. median = 17; mode = 12

19. no; The data were not ordered from least to greatest.

21. singing

23. mean = 7.61; median = 7.42; no mode

25. mean = 2.7; median = 2.6; mode = 2.2

27. With outlier: mean = 103, median = 85, mode = 85;
Without outlier: mean = 85, median = 85, mode = 85;
mean

29. With outlier: mean = 101, median = 102, mode = 110;
Without outlier: mean = 105.625, median = 106, mode = 110;
mean

31. mean = 35.875; median = 44; mode = 48;
Sample answer: The median is best because the mean is less than most of the data and the mode is the greatest value.

33. mean = 12; median = 8; mode = 2;
Sample answer: The median is best because the mean is greater than most of the data and the mode is the least value.

35. *Sample answer:* Both the median and mode are the best measures for the high temperatures; Both the mean and median are the best measures for the low temperatures; Median and mode were chosen for high temperatures because they are both close to most of the values. Mean and median were chosen for the low temperatures because there were two modes.

37. 10; you need to work 12 more hours to make the mean 10 hours but only 10 more hours to make the median and mode 10 hours.

39. **a.** no; The price is the mode, but it is the lowest price. Most fitness wristbands cost more.

b. By advertising the lowest price, they are likely to draw more customers to the store.

c. *Sample answer:* Knowing all the measures can help you know whether the store has many models in your price range.

Section 9.4

Review & Refresh

1. mean = 7.1; median = 7; mode = 4

3. mean = 16; median = 16; modes = 15, 17

5. > **7.** >

9. 480 mm^2 **11.** 96.6 ft^2

Concepts, Skills, & Problem Solving

13. *Sample answer:*



15. 33 **17.** 23

19. 7.3 **21.** 5

23. 7 **25.** 11

27. range = 122; The numbers of tornados in Alabama for several years vary by no more than 122; IQR = 39; The middle half of the numbers of tornados in Alabama vary by no more than 39; outlier = 145

29. yes; *Sample answer:* If all the data values in the set were the same number, the range and interquartile range would be the same.

31. **a.** range = 172 points; IQR = 42 points

b. 193 points; range = 101 points; IQR = 34 points; range

33. a. Show A: mean = 20, median = 19.5, range = 13, IQR = 5;
Show B: mean = 21, median = 20.5, range = 23, IQR = 6;

The mean and the median ages for the shows, and the interquartile ranges of ages for the shows, are about the same. The range of the ages for Show A is less than the range for Show B, so the ages for Show B are more spread out.

b. Show A: The measures do not change by a large amount because 21 is towards the middle of the data set.
Show B: The mean, median, and IQR all change by small amounts but the range changes by a large amount because 36 is an outlier of the data set.

Section 9.5

Review & Refresh

1. range = 22; IQR = 13

3.



5.



7. faces: 7; edges: 15; vertices: 10

9. $14s = 49$

11. $\frac{36}{g} = 9$

Concepts, Skills, & Problem Solving

13. $7.20

15. 4; The values differ from the mean by an average of 4.

17. 4.4; The values differ from the mean by an average of 4.4.

19. 2; The values differ from the mean by an average of 2.

21. 1.45; The values differ from the mean by an average of 1.45.

23. range = 14, IQR = 8, MAD = 4; The prices vary by no more than $14, the middle half of the prices vary by no more than $8, and the admission prices differ from the mean price by an average of $4.

25. Your collection: mean = 1929, median = 1930, no mode, range = 54, IQR = 48, MAD = 23.75;
Your friend's collection: mean = 1929, median = 1929.5, no mode, range = 15, IQR = 6; MAD = 3.5;
Sample answer: The measures of center for the data sets are almost identical. But the measures of variation for your friend's coin collection are much less than the measures for your coin collection. This means that the years of the coins in your friend's collection are closer together than the years of the coins in your collection.

27. *Sample answer:* The MAD for gumballs is greater than the MAD for baseballs. In general, guesses for gumballs will *deviate* more because there are many more in the jar, making it harder to guess and producing a larger range of guesses.

29. *Sample answer:* MAD; The range only uses two data values from a set and is greatly affected by outliers. The interquartile range ignores outliers but also only uses two data values from a set. When calculating the mean absolute deviation of a data set, you use all of the values.

Chapter 10

Section 10.1

Review & Refresh

1. MAD = 2; The data values differ from the mean by an average of 2.

3. MAD = 9; The data values differ from the mean by an average of 9.

5. $5n + 40$

7. $28b + 42$

9. $p = 24$

11. $d = 12$

Concepts, Skills, & Problem Solving

13. *Sample answer:* How many times did 40 or more customers visit the store?

15. **Books Read**

Stem	Leaf
0	9
1	5 7 9
2	0 5 6 6 9
3	1 2
4	0

Key: 1|5 = 15 books

17. Test Scores

Stem	Leaf
6	2 5 8 9
7	
8	0 1 2 5 7 7 8
9	0 1 5 7

Key: 8|1 = 81%

19. Bikes Sold

Stem	Leaf
7	8 9
8	1 6
9	6 9 9
10	0 5 8
11	2 5

Key: 11|2 = 112 bikes

21. no; The stem of 3 should be included.

23. mean = 56.6 cases; median = 53 cases; modes = 41 cases, 43 cases, 63 cases; range = 56 cases; IQR = 20 cases

25. 97 cases; It increases the mean.

27. a. *Sample answer:*

Stem	Leaf
6	2 5 7 7 8 8 9
7	0 0 0 1 1 3 4 6 8 9
8	2 3 5 5 6 6 7 7 8 8 8 9 9

Key: 6|7 = 67°F

b. *Sample answer:* about 77°F

Section 10.2

Review & Refresh

1. Blog Posts

Stem	Leaf
0	4 4 5 6 7 8 9
1	1 2 2 5
2	0

Key: 2|3 = 23 blog posts

3. 45

5. 22.4

7. C

Concepts, Skills, & Problem Solving

9. *Sample answer:*

Interval	Tally	Total
20–29	I	1
30–39	III	3
40–49	𝍸 II	7
50–59	IIII	4

11.



13.



15.



17. a. 4–5 magazines read

b. 20 students

c. 85%

19. a. no; The histogram shows that only one state fell in the interval of 40%–44.9%. This state did not necessarily have 40% of possible voters vote.

b. yes; 36 states are between 50% and 64.9%.

c. no; The 55%–59.9% interval has the highest frequency, but does not necessarily contain the mode of the data.

21. stem-and-leaf plot; You need to know the specific data values, the intervals in the histogram do not give enough information.

23. a.



b.



c. *Sample answer:* The second histogram has four intervals and it does not have a gap as in the first histogram.

Section 10.3

Review & Refresh

1.



3.



5. 40 km/h

Concepts, Skills, & Problem Solving

7. flat

9. symmetric

11. skewed left

13. symmetric; The data on the left are a mirror image of the data on the right.

15. yes; *Sample answer:* When the stem-and-leaf plot has most of its values on the bottom, the distribution is skewed left because when the data are placed in a dot plot or histogram, most of the data values will be on the right. When the stem-and-leaf plot is a mirror image on the top and bottom for the numbers of values, the distribution is symmetric. When the stem-and-leaf plot has most of its values on the top, the distribution is skewed right because when the data is placed in a dot plot or histogram, most of the data values will be on the left.

17. a. skewed right; A: Mode, B: Median, C: Mean; *Sample answer:* A is the value with the highest frequency, about half of the data are to the left of B and about half are to the right of B

b. skewed left; A: Mean, B: Median, C: Mode; *Sample answer:* C is the value with the highest frequency, about half of the data are to the left of B and about half are to the right of B

Section 10.4

Review & Refresh

1. skewed left

3. median = 70; $Q_1 = 65.5$; $Q_3 = 75$; IQR = 9.5

5. $2\frac{1}{5}$ **7.** $2\frac{1}{8}$

Concepts, Skills, & Problem Solving

9. mean = 7; median = 7.5; The distribution is skewed left, so the median is the most appropriate measure of center.

11. median and IQR **13.** mean and MAD

15. Exercise 11: The price of jeans is centered around 42 dollars and the middle half of the prices vary by no more than 6 dollars; Exercise 12: The time spent volunteering centered around approximately 5.78 hours and the values differ from the average by about 1.47 hours.

17. The typical vertical jump height is about 30.45 inches. The data values differ from the mean by an average of about 2.31 inches.

19. *Sample answer:* Pile A; Pile A has less variability than Pile B.

21. a. median = 3 tokens

b. *Sample answer:* You will be most likely to pick a voucher for 1 token because that is the mode.

c. no; *Sample answer:* In part (a), The most appropriate measure to describe the center was found. In part (b), the number of tokens that appears most was found.

Section 10.5

Review & Refresh

1. mean and MAD
3. >
5. >
7. $6(2x - 3)$
9. $5(12g - 5h)$

Concepts, Skills, & Problem Solving

11. *Sample answer:* The top plot has a distribution that is skewed left while the bottom plot has a distribution that is skewed right. The top plot has less variability in its scores within its quartiles compared to the bottom plot. The bottom plot has a lower median and quartile values in comparison to the top plot.

13.



15.



17.



19.



12 days camping

21. **a.** about 75%

    b. above 345 meters; The right whisker is longer.

    c. 84 m; The middle half of the data varies by no more than 84 meters.

23. skewed left; The left whisker is longer than the right whisker, and most of the data are on the right.

25. symmetric; The whiskers are about the same length, and the median is in the middle of the box.

27. **a.** School 1 is skewed left and School 2 is skewed right.

    b. School 2; The range and the IQR of School 2 are greater than those of School 1.

    c. class from School 1; At any time School 1 has more data on the left than School 2.

29.



31. *Sample answer:* 10, 15, 20, 20, 25, 30, 30, 35, 40, 40, 45, 50

33. *Sample answer:*



35. *Sample answer:* box-and-whisker plot; A stem-and-leaf plot of a large data set would be impractical. The size of the display would be massive and difficult to use. While a histogram can show the variability of a data set, it is not as accurate and obvious as a box-and-whisker plot due to intervals and bar size.

English-Spanish Glossary

English	Spanish
A	
absolute value *(p. 364)* The distance between a number and 0 on a number line; The absolute value of a number a is written as $\lvert a \rvert$.	**valor absoluto** *(p. 364)* La distancia entre un número y 0 en una recta numérica; El valor absoluto de un número a es escrito como $\lvert a \rvert$.
algebraic expression *(p. 202)* An expression that contains numbers, operations, and one or more variables	**expresión algebraica** *(p. 202)* Una expresión que contiene números, operaciones, y uno o más variables
B	
base (of a power) *(p. 4)* The base of a power is the repeated factor.	**base (de una potencia)** *(p. 4)* La base de una potencia es el factor repetido.
box-and-whisker plot *(p. 484)* A data display that shows the variability of a data set along a number line using the least value, the greatest value, and the quartiles of the data	**diagrama de cajas y bigotes** *(p. 484)* Una presentación de datos que muestra la variabilidad de un conjunto de datos a lo largo de una línea de números usando el valor menor, el valor mayor y los cuartiles de los datos
C	
coefficient *(p. 202)* The numerical factor of a term that contains a variable	**coeficiente** *(p. 202)* El factor numérico de un término que contiene una variable
common factors *(p. 22)* Factors that are shared by two or more numbers	**factores comunes** *(p. 22)* Factores compartidos por dos o más números
common multiples *(p. 28)* Multiples that are shared by two or more numbers	**comunes múltiplos** *(p. 28)* Múltiplos compartidos por dos o más números
composite figure *(p. 294)* A figure made up of triangles, squares, rectangles, and other two-dimensional figures	**figura compuesta** *(p. 294)* Una figura hecha de triángulos, cuadros, rectángulos, y otras figuras bidimensionales
constant *(p. 202)* A term without a variable	**constante** *(p. 202)* Un término que no tiene una variable
conversion factor *(p. 143)* A rate that equals 1	**factor de conversión** *(p. 143)* Una tasa que es igual a 1
coordinate plane *(p. 370)* A plane formed by the intersection of a horizontal number line and a vertical number line	**plano de coordenadas** *(p. 370)* Un plano formado por la intersección de una recta numérica horizontal y una recta numérica vertical

D

dependent variable *(p. 266)* The variable that represents the output values of a function

variable dependiente *(p. 266)* La variable que representa los resultados de una función

E

edge *(p. 306)* A line segment where two faces of a polyhedron intersect

arista *(p. 306)* Un segmento de recta donde dos caras de un poliedro se intersecan

equation *(p. 246)* A mathematical sentence that uses an equal sign, =, to show that two expressions are equal

ecuación *(p. 246)* Una oración matemática que usa un signo de igualdad, =, para mostrar que dos expresiones son iguales

equation in two variables *(p. 266)* An equation that represents two quantities that change in relationship to one another

ecuación en dos variables *(p. 266)* Una ecuación que representa dos cantidades que cambian en relación mutua

equivalent expressions *(p. 216)* Expressions with the same value

expresiones equivalentes *(p. 216)* Expresiones con el mismo valor

equivalent rates *(p. 136)* Rates that have the same unit rate

tasas equivalentes *(p. 136)* Tasas que tienen la misma tasa de unidad

equivalent ratios *(p. 109)* Two ratios that describe the same relationship

razones equivalentes *(p. 109)* Dos razones que describen la misma relación

evaluate *(p. 10)* To use the order of operations to find the value of a numerical expression

evaluar *(p. 10)* Usar el orden de operaciones para hallar el valor de una expresión numérica

exponent *(p. 4)* The exponent of a power indicates the number of times the base is used as a factor.

exponente *(p. 4)* El exponente de una potencia indique cuantas veces el base sirve como un factor.

F

face *(p. 306)* A flat surface of a polyhedron

cara *(p. 306)* Una superficie plana de un poliedro

factor pair *(p. 16)* A set of two nonzero factors whose product results in a definite number

par de factor *(p. 16)* Un conjunto de dos factores distintos de cero cuyo producto resulta en un número definido

factor tree *(p. 16)* A diagram used to find the factors of a composite number

árbol de factores *(p. 16)* Un diagrama utilizado para hallar los factores de un número compuesto

factoring an expression *(p. 228)* Writing a numerical expression or algebraic expression as a product of factors

factorizando una expresión *(p. 228)* Escribiendo una expresión numérica o algebraica como un producto de factores

first quartile *(p. 434)* The median of the lower half of a data set; represented by Q_1

primer cuartil *(p. 434)* La mediana de la mitad inferior de un conjunto de datos; representado por Q_1

five-number summary *(p. 484)* The five numbers that make up a box-and-whisker plot

resumen de cinco números *(p. 484)* Los cinco números que componen un diagrama de cajas y bigotes

frequency *(p. 463)* The number of data values in an interval

frecuencia *(p. 463)* El número de valores de datos en un intervalo

frequency table *(p. 463)* A chart that groups data values into intervals

table de frecuencia *(p. 463)* Un gráfico que agrupa valores de datos en intervalos

G

graph of an inequality *(p. 386)* A graph that shows all the solutions of an inequality on a number line

gráfica de una desigualdad *(p. 386)* Una gráfica que muestra todas las soluciones de una desigualdad en una recta numérica

greatest common factor (GCF) *(p. 22)* The greatest of the common factors shared by two or more numbers

máximo factor común (MFC) *(p. 22)* El mayor de los factores comunes compartido por dos o más números

H

histogram *(p. 464)* A bar graph that shows the frequency of data values in intervals of the same size

histograma *(p. 464)* Un gráfico de barras que muestra la frecuencia de valores de datos en intervalos del mismo tamaño

I

independent variable *(p. 266)* The variable that represents the input values of a function

variable independiente *(p. 266)* La variable que representa los valores entradas de una función

inequality *(p. 384)* A mathematical sentence that compares expressions; contains the symbols $<$, $>$, $\leq$, or $\geq$

desigualdad *(p. 384)* Una oración matemática que compara las expresiones; contiene los símbolos $<$, $>$, $\leq$, o $\geq$

integers *(p. 346)* The set of whole numbers and their opposites

números enteros *(p. 346)* El conjunto de números naturales y sus opuestos

interquartile range *(p. 434)* A measure of variation for a data set, which is the difference of the third quartile and the first quartile

rango de intercuartiles *(p. 434)* Una medida de variación para un conjunto de datos, el cual es la diferencia del tercer cuartil y el primer cuartil

inverse operations *(p. 253)* Operations that "undo" each other, such as addition and subtraction, or multiplication and division

operaciones inversas *(p. 253)* Operaciones que deshacer unos de otros, tales como suma y resta, o multiplicación y división

K

kite *(p. 298)* A quadrilateral that has two pairs of adjacent sides with the same length and opposite sides with different lengths

cometa *(p. 298)* Un cuadrilátero que tiene dos pares de lados adyacentes con la misma longitud y lados opuestos con longitudes diferentes

L

leaf *(p. 458)* Digit or digits on the right of a stem-and-leaf plot

hoja *(p. 458)* Dígito o dígitos a la derecha de un digrama de tallo y hojas.

least common multiple (LCM) *(p. 28)* The least of the common multiples shared by two or more numbers

mínimo común múltiplo (MCM) *(p. 28)* El menor de los factores comunes compartido por dos o más números

like terms *(p. 223)* Terms of an algebraic expression that have the same variables raised to the same exponents

términos semejantes *(p. 223)* Términos de una expresión algebraica que tienen las mismas variables elevadas a los mismos exponentes

M

mean *(p. 420)* The sum of the data divided by the number of data values

media *(p. 420)* La suma de los datos dividido por el número de valores de datos

mean absolute deviation (MAD) *(p. 440)* An average of how much data values differ from the mean

desviación media absoluta (MAD) *(p. 440)* Un promedio de cuántos valores de datos difieren de la media

measure of center *(p. 426)* A measure that describes the typical value of a data set

medida de centro *(p. 426)* Una medida que describe el valor típico de un conjunto de datos

measure of variation *(p. 434)* A measure that describes the spread, or distribution, of a data set

medida de variación *(p. 434)* Una medida que describe la extensión, o distribución, de un conjunto de datos

median *(p. 426)* For a data set with an odd number of ordered values, the median is the middle value; For a data set with an even number of ordered values, the median is the mean of the two middle values.

mediana *(p. 426)* Para un conjunto de datos con un número impar de valores ordenados, la mediana es el valor del medio; Para un conjunto de datos con un número par de valores ordenados, la mediana es la media de los dos valores del medio.

metric system *(p. 142)* A decimal system of measurement, based on powers of 10, that contains units for length, capacity, and mass

sistema métrico decimal *(p. 142)* Un sistema de medición, basado en potencias de 10, que incluye unidades para longitud, capacidad, y masa

mode *(p. 426)* The data value or values that occur most often; Data can have one mode, more than one mode, or no mode.

moda *(p. 426)* El valor o valores de datos que ocurre(n) con más frecuencia; Datos pueden tener una moda, más que una moda, o ninguna moda.

multiplicative inverses *(p. 54)* Two numbers whose product is 1

inversos multiplicativos *(p. 54)* Dos números cuyo producto es 1

N

negative numbers *(p. 346)* Numbers that are less than 0

net *(p. 312)* A two-dimensional representation of a solid

numerical expression *(p. 10)* An expression that contains only numbers and operations

números negativos *(p. 346)* Números que son menos de 0

red *(p. 312)* Una representación bidimensional de un sólido

expresión numérica *(p. 10)* Una expresión que contiene solamente números y operaciones

O

opposites *(p. 346)* Two numbers that are the same distance from 0 on a number line, but on opposite sides of 0

order of operations *(p. 10)* The order in which to perform operations when evaluating expressions with more than one operation

origin *(p. 370)* The point, represented by the ordered pair (0, 0), where the horizontal and vertical number lines intersect in a coordinate plane

outlier *(p. 422)* A data value that is much greater than or much less than the other values in a data set.

opuestos *(p. 346)* Dos números que están a la misma distancia de 0 en una recta numérica, pero en lados opuestos de 0

orden de operaciones *(p. 10)* El orden en el que para realizar operaciones al evaluar expresiones con más de una operación

origen *(p. 370)* El punto, representado por el par ordenado (0, 0), donde las rectas numéricas horizontales y verticales se intersecan en un plano de coordenadas

valor atípico *(p. 422)* Una valor de datos que es mucho mayor o mucho menor que los otros valores en un conjunto de datos

P

percent *(p. 164)* The value of a part-to-whole ratio where the whole is 100

perfect square *(p. 5)* The square of a whole number

polygon *(p. 285)* A closed figure in a plane that is made up of three or more line segments that intersect only at their endpoints; for example, parallelograms and triangles

polyhedron *(p. 306)* A solid whose faces are all polygons

positive numbers *(p. 346)* Numbers that are greater than 0

power *(p. 4)* A product of repeated factors

porcentaje *(p. 162)* El valor de una razón de número de partes por un entero en donde el entero es 100

cuadrado perfecto *(p. 5)* El cuadrado de un número natural

polígono *(p. 285)* Una figura cerrada en un plano, hecha de tres o más segmentos de líneas que intersectan solamente à sus puntos finales; por ejemplo, paralelogramos y triángulos

poliedro *(p. 306)* Un sólido tridimensional cuyas caras son todas polígonos

números positivos *(p. 346)* Números que son mayores que 0

potencia *(p. 4)* Un producto de factores repetidos

prime factorization *(p. 16)* Writing a composite number as a product of its prime factors

factorización prima *(p. 16)* Escribir un número compuesto como el producto de sus factores primeros

prism *(p. 306)* A polyhedron that has two parallel, identical bases; The lateral faces are parallelograms.

prisma *(p. 306)* Un poliedro que tiene dos bases idénticas y paralelas; Las caras laterales son paralelogramos.

pyramid *(p. 306)* A polyhedron that has one base; The lateral faces are triangles.

pirámide *(p. 306)* Un poliedro que tiene una base; Las caras laterales son triángulos.

Q

quadrants *(p. 370)* The four regions created by the intersection of the horizontal and vertical number lines in a coordinate plane

cuadrantes *(p. 370)* Las cuatro regiones creadas por la intersección de las rectas numéricas horizontales y verticales en un plano de coordenadas

quartiles *(p. 434)* Values that divide a data set into four equal parts

cuartiles *(p. 434)* Valores que dividen un conjunto de datos en cuatro partes iguales

R

range *(p. 434)* The difference of the greatest value and the least value of a data set

rango *(p. 434)* La diferencia del valor mayor y el valor menor de un conjunto de datos

rate *(p. 136)* A ratio of two quantities using different units

tasa *(p. 136)* Una razón de dos cantidades usando unidades diferentes

ratio *(p. 108)* A comparison of two quantities; The ratio of a to b can be written as $a : b$.

razón *(p. 108)* Una comparación de dos cantidades; La razón de a a b puede escribirse como $a : b$.

ratio table *(p. 122)* A table used to find and organize equivalent ratios

tabla de razones *(p. 122)* Una tabla usada para encontrar y organizar las razones equivalentes

rational number *(p. 358)* A number that can be written as $\frac{a}{b}$ where a and b are integers and $b \neq 0$

número racional *(p. 358)* Un número que puede ser escrito como $\frac{a}{b}$ donde a y b son enteros y $b \neq 0$

reciprocals *(p. 54)* Two numbers whose product is 1

recíprocos *(p. 54)* Dos números cuyo producto es 1

S

solid *(p. 306)* A three-dimensional figure that encloses a space

sólido *(p. 306)* Una figura tridimensional que encierra un espacio

solution *(p. 252)* A value that makes an equation true

solución *(p. 252)* Un valor que hace una ecuación verdadera

solution of an equation in two variables *(p. 266)* An ordered pair (x, y) that makes an equation true

solución de una ecuación en dos variables *(p. 266)* Un par ordenado (x, y) que hace que una ecuación sea verdadera

solution of an inequality *(p. 385)* A value that makes an inequality true

solución de una desigualdad *(p. 385)* Un valor que hace una desigualdad verdadera

solution set *(p. 385)* The set of all solutions of an inequality

conjunto de solución *(p. 385)* El conjunto de todas las soluciones de una desigualdad

statistical question *(p. 414)* A question for which a variety of answers is expected; The interest is in the distribution and tendency of those answers.

pregenta estadística *(p. 414)* Una pregunta para la cual se espera una variedad de repuestas; El interés es en la distribución y la tendencia de aquellas respuestas.

statistics *(p. 414)* The science of collecting, organizing, analyzing, and interpreting data

estadísticas *(p. 414)* La ciencia de recolectar, organizar, analizar e interpretar datos

stem *(p. 458)* Digit or digits on the left of the stem-and-leaf plot

tallo *(p. 458)* Dígito o dígitos a la izquierda de un diagrama de tallo y hojas

stem-and-leaf plot *(p. 458)* A data display that uses the digits of data values to organize a data set; Each data value is broken into a stem (digit or digits on the left) and a leaf (digit or digits on the right).

diagrama de tallo y hojas *(p. 458)* Un representación de datos que usa los dígitos de valores de datos para organizar un conjunto de datos; Cada valor de datos es roto en un tallo (dígito o dígitos a la izquierda) y una hoja (dígito o dígitos a la derecha).

surface area *(p. 312)* The sum of the areas of all the faces of a polyhedron

área de la superficie *(p. 312)* La suma de las áreas de todas las caras de un poliedro

T

term *(p. 202)* A part of an algebraic expression; a number or variable by itself, or the product of numbers and variables

término *(p. 202)* Un component de una expresión algebraica; un número o variable por sí mismo, o el producto de números y variables

third quartile *(p. 434)* The median of the upper half of a data set; represented by Q_3

tercer cuartil *(p. 434)* La mediana de la mitad superior de un conjunto de datos; representado por Q_3

U

unit analysis *(p. 143)* A process used to decide which conversion factor will produce the appropriate units

análisis de unidades *(p. 143)* Un proceso utilizado para decidir qué factor de conversión producirá las unidades apropiadas

unit rate *(p. 136)* A rate that compares a quantity to one unit of another quantity

tasa unitaria *(p. 136)* Una tasa que compara una cantidad a una unidad de otra cantidad

U.S. customary system *(p. 142)* A system of measurement that contains units for length, capacity, and weight

sistema estadounidense *(p. 142)* Un sistema de medición que incluye unidades para longitud, capacidad, y peso

V

value of a ratio *(p. 109)* The number $\frac{a}{b}$ associated with the ratio $a : b$

variable *(p. 202)* A symbol that represents one or more numbers

Venn diagram *(p. 21)* A diagram of overlapping circles used to show the relationships between two or more sets

vertex (of a solid) *(p. 306)* A point where three or more edges intersect

volume *(p. 325)* A measure of the amount of space that a three-dimensional figure occupies; Volume is measured in cubic units such as cubic feet (ft^3) or cubic meters (m^3).

valor de una razón *(p. 109)* El número $\frac{a}{b}$ asociadas con la razón $a : b$

variable *(p. 202)* Un símbolo que representa a uno o más números

Diagrama de Venn *(p. 21)* Un diagrama de círculos solapados usado para mostrar las relaciones entre dos o más conjuntos

vértice (de un sólido) *(p. 306)* Un punto donde tres o más aristas se intersecan

volumen *(p. 325)* Una medida de la cantidad de espacio que una figura tridimensional ocupa; Volumen es medido en unidades cúbicas como pies cúbicos ($pies^3$) o metros cúbicos (m^3).

Index

A

Absolute value, 363–368
  comparing, 365–366
  definition of, 364
  finding, 364
Addition
  Associative Property of, 215–218
  Commutative Property of, 215–218
    example and non-example chart for, 234
  of decimals, 67–72
  key words and phrases for, 210
  on number line, 67
  in order of operations, 10–14
  properties of, 215–220
  solving equations using, 251–258
  solving inequalities using, 392
  and subtraction, as inverse operations, 253
Addition Property of Equality, 253–255
Addition Property of Inequality, 392
Addition Property of Zero, 217
Airplanes, paper, 463
Algebraic expressions
  definition of, 202
  evaluating, 201–208
    with one variable, 203–205
    with two operations, 204
    with two variables, 203
  factoring, 227–232
    definition of, 228
    using Distributive Property, 228–230
    using greatest common factor, 229–230
  identifying parts of, 202
  simplifying, 221–226
    using Distributive Property, 222–224
    using models, 221
  writing, 209–214
    order of operations in, 210
    using exponents, 202
Answering questions. *See* Questions
Area(s). *See also* Surface areas
  of composite figures, finding, 294, 300
  converting measures of, 287
  definition of, 6
  of parallelograms, 285–290
    finding, 286–288
    formula for, 284, 285, 286
    four square for, 332
  of polygons
    definition of, 286
    formulas for, 284
  of rectangles, formula for, 284, 285, 294, 300
  of rhombus, formula for, 287
  of squares, finding, 6
  of trapezoids, formula for, 284, 299, 300
  of trapezoids and kites, 297–304
    finding, 298–301
    formula for, 297
  of triangles, 291–296
    finding, 292–294
    formula for, 284, 291, 292, 294
  units of (square units), 6, 286
Area models
  dividing decimals using, 87
  multiplying decimals using, 73
  multiplying fractions using, 44, 45
Associative Property of Addition, 215–218
Associative Property of Multiplication, 215–217
Axis (axes), of coordinate plane. *See* *x*-axis; *y*-axis

B

Backwards, working, 279
Balance point, finding, 419
Bar graphs. *See also* Histograms
  double
    comparing means in, 421
    using, 81
  interpreting, 456
Base, exponential expressions, definition of, 4
Base, of geometric figures
  of parallelograms
    in area formula, 285, 286
    definition of, 286
  of prisms, 306
  of pyramids, 306
  of trapezoids, in area formula, 297, 299
  of triangles
    in area formula, 291, 292
    definition of, 292
    finding, 293
Box-and-whisker plots, 483–490
  definition of, 484
  drawing, 483–484
  five-number summary in, 484
  interpreting, 485–487
  Problem-Solving Plan for, 491

C

Calculator
  finding patterns using, 3
  order of operations on, 9
Capacity, converting measures of, 142, 144
Cent, meaning of, 162, 163
Center, measures of, 425–432. *See also* Mean; Median; Mode
  choosing appropriate, 477–482
  definition of, 426
  finding, 426–428
    after changes in values of data set, 428
    Problem-Solving Plan for, 445
    with and without outliers, 422, 427
Challenge. *See* Dig Deeper
Chapter Exploration, *In every chapter. For example, see:* 2, 44, 106, 162, 200, 244, 284, 344, 412, 456
Chapter Practice, *In every chapter. For example, see:* 7–8, 50–52, 112–114, 167–168, 206–208, 249–250, 289–290, 349–350, 417–418, 461–462
Chapter Review, *In every chapter. For example, see:* 34–37, 96–99, 150–155, 190–193, 234–238, 274–277, 332–337, 400–405, 446–449, 492–495
Charts
  definition and example, 150
  example and non-example, 234, 274
  place value, 67
Check Your Answer, 24
Choices
  eliminating, 39
  problem solving before looking at, 157
  reading all, before answering, 407
Choose Tools, 29, 58, 134, 256, 263, 272, 490
Circle graphs, 466–467
Circles, 500–501
  circumference of, 500, 501
  constructing, 501
  diameter of, 500
  radius of, 500
Closed circle symbol, 386

Coefficients, in algebraic expressions
definition of, 202
identifying, 202
Common Error, *Throughout. For example, see:* T-7, T-50, T-126, T-169, 210, 218, T-295, T-345, 372, T-458
Common factors. *See also* Greatest common factor
definition of, 22
identifying, 21
Common multiples
definition of, 28
identifying, 27
least, 27–32
Commutative Property of Addition, 215–218
example and non-example chart for, 234
Commutative Property of Multiplication, 215–216
Comparing
absolute values, 365–366
data displays, 466–467
decimals
with fractions and percents, 175–180
with other decimals, 359
fractions
with decimals and percents, 175–180
with other fractions, 358
integers, 351–356
means, 421–422
mixed numbers, 358
percents, with decimals and fractions, 175–180
positions of objects, 363
Composite figures
areas of, finding, 294, 300
definition of, 294
Composite numbers
characteristics of, 2
definition of, 16
prime factorization of, 15–20
Conjectures, analyzing, 27
Connecting Concepts, *In every chapter. For example, see:* 33, 95, 149, 189, 233, 273, 331, 399, 445, 491
Constants, in algebraic expressions
definition of, 202
identifying, 202
as like terms, 223
Conversion factors, 143–144
converting measures using, 143–144
definition of, 143
Converting measures, 141–148
of area, 287
estimating, 141
Problem-Solving Plan for, 95
within same system, 142
between systems, 143
using conversion factors, 143–144
using ratio tables, 142–143
using unit rates, 142–143
of volume, 328
Coordinate plane, 369–376. *See also* Graph(s)
axes of, 267, 369–373
definition of, 370
drawing polygons in, 377–382, 399
finding distances between points in, 378–380
negative numbers in, 369–373
origin of, 370
plotting ordered pairs on, 371–373
quadrants of, 370
ratio relationships in, 129–134
reflecting a point in, 371–372
Counterexamples, using, 215
Critical Thinking, *Throughout. For example, see:* 20, 60, 114, 168, 229, 258, 290, 356, 390, 459
Cubes
definition of, 314
finding surface areas of, 314
finding volumes of, 326
unit
definition of, 325
using, 325
Cubic units
converting, 328
definition of, 325
Cumulative Practice, *In every chapter. For example, see:* 39–41, 101–103, 157–159, 195–197, 239–241, 279–281, 339–341, 407–409, 451–453, 497–499
Customary system. *See* U.S. customary system

D

Data
answering statistical questions using, 413–416, 429
changes in values of, 428
definition of, 412
grouping, 433
mean absolute deviation of, 439–444
definition of, 440
describing variation using, 478
finding, 440–442
interpreting, 440–442
measures of center of (*See* Center, measures of)
range of, 433–438
definition of, 434
finding, 434–436
Data displays
in box-and-whisker plots, 483–490
comparing, 466–467
in dot plots, 415–416
in histograms, 463–470, 472–474
shapes of distributions in, 471–476
in stem-and-leaf plots, 455, 457–462
Decimals
adding, 67–72
comparing and ordering, 175–180, 359
dividing, 87–94
by decimals, 89–91
inserting zeros in, 90
using models, 87
by whole numbers, 88
models representing, 169–170
multiplying, 73–80
by decimals, 75–77
using models, 73
by whole numbers, 74
in set of rational numbers, 358
subtracting, 67–72
writing as percents, 170–171
writing fractions as, 171
writing percents as, 170–172
Decomposition
definition of, 294
finding areas of composite figures using, 294
finding areas of trapezoids and kites using, 298–301
Deductive reasoning, definition of, 285
Definition and example chart, 150
Dependent variables
definition of, 266
in equations in two variables, 266–267
Deviation
definition of, 439
mean absolute (*See* Mean absolute deviation)
Diagrams
interpreting, 135
tape (*See* Tape diagrams)
Venn (*See* Venn diagrams)
Diamonds, finding numbers of faces, edges, and vertices of, 308

Different Words, Same Question, *Throughout. For example, see:* 23, 63, 110, 184, 211, 247, 314, 365, 386
Differentiation, *See* Scaffolding Instruction
Dig Deeper, *Throughout. For example, see:* 6, 52, 111, 168, 205, 248, 288, 350, 418, 460
Dimensions, missing. *See* Missing dimensions
Distance(s)
  from mean, finding, 439
  between points in coordinate plane, finding, 378–380
Distance formula, 269, 273
Distributions, shapes of, 471–476
  in box-and-whisker plots, 485–486
  choosing appropriate measures using, 477–480
  identifying and describing, 471–474, 486
Distributive Property, 221–226
  combining like terms using, 223
  definition of, 222
  factoring algebraic expressions using, 228–230
  factoring numerical expressions using, 228
  simplifying algebraic expressions using, 222–224
Dividends. *See also* Division
  definition of, 82
Division
  of decimals, 87–94
    by decimals, 89–91
    inserting zeros in, 90
    using models, 87
    by whole numbers, 88
  of fractions, 53–60
    by fractions, 55
    summary triangle for, 96
    using models, 53–57
    by whole numbers, 56
  fractions as form of, 11
  key words and phrases for, 210
  of mixed numbers, 61–66
    using models, 61–62
  and multiplication, as inverse operations, 260, 393
  in order of operations, 10–14, 210
  solving equations using, 259–264
  solving inequalities using, 393, 395
  solving problems using, 83
  of whole numbers, 81–86
Division Property of Equality, 261–262
Division Property of Inequality, 393, 395
Divisors. *See also* Division
  definition of, 82
Dot plots, 415–416
  constructing, 415–416, 433
  definition of, 415
  identifying shapes of distributions using, 472
  using, 415–416, 435
Dot symbol, 4
Dot-to-dot pictures, 344
Double bar graphs
  comparing means in, 421
  using, 81
Double number line
  converting measures using, 144
  creating, 121
  using, 124

E

Edges, of solids
  definition of, 306
  finding number of, 306–308
  identifying, 305
Eliminating choices, as test-taking strategy, 39
ELL Support, *In every lesson. For example, see:* T-5, T-61, T-106, T-175, T-200, T-244, T-284, T-351, T-412, T-463
Equal sign (=), 246
Equality
  Addition Property of, 253–255
  Division Property of, 261–262
  Multiplication Property of, 260
  Subtraction Property of, 253–255
Equations, 245–250
  definition of, 246
  equivalent, 253, 261
  example and non-example chart for, 274
  expressions compared to, 246
  solutions to
    checking, 252–254
    definition of, 252
  solving
    using addition or subtraction, 251–258
    using models, 251, 259
    using multiplication or division, 259–264
    using tape diagrams, 251, 259
  writing
    in one variable, 245–250
    in two variables, 265–272
Equations in two variables, 265–272
  definition of, 266
  graphing, 267–269
  solutions to
    definition of, 266
    identifying, 266
  in tables, 267–269
  using, 266
  writing, 265–272
Equivalent equations, 253, 261
Equivalent expressions, 215–220
  definition of, 216
  identifying, 215
  writing, using properties of addition and multiplication, 216–217
Equivalent fractions, writing, with denominators of 100, 165
Equivalent rates, definition of, 136
Equivalent ratios, 109–111
  definition of, 109
  identifying, 110–111
  tables of, 121–128
  using, 135
Eratosthenes, Sieve of, 2
Error Analysis. *See* You Be the Teacher
Estimating
  as test-taking strategy, 101
  unit conversions, 141
Evaluate, definition of, 10
Example and non-example chart, 234, 274
Experiments, performing, 463
Explain your reasoning, *Throughout. For example, see:* 26, 48, 128, 188, 232, 254, 330, 366, 431, 476
Exponent(s), 3–8
  definition of, 4
  in order of operations, 10–14
  writing algebraic expressions using, 202
  writing expressions using, 3–4
Exponential expressions, 3–8
  finding values of, 5–6
  using order of operations with, 10–14
  writing, 3–4
Expressions. *See also specific types of expressions*
  equations compared to, 246

F

Faces, of solids
  definition of, 306
  finding number of, 306–308
  identifying, 305
  lateral
    of prisms, 306

of pyramids, 306
Factor(s)
common (*See* Common factors)
conversion, 143–144
converting measures using, 143–144
definition of, 143
prime
using, 21, 27
writing numbers as products of, 15–20
repeated, 3–4
Factoring expressions, 227–232
definition of, 228
Problem-Solving Plan for, 233
using Distributive Property, 228–230
using greatest common factor, 228–230
Factoring out, 228
Factorization, prime. *See* Prime factorization
Factor pairs
definition of, 16
finding, 16–17
using, 16–17
Factor trees, 15–20
definition of, 16
using, 15–20
Fair shares, finding, 419
Figures. *See* Composite figures; *specific figures*
First (lower) quartile, of data set, 434
Five-number summary, 484
Flat distribution, 472
Formative Assessment Tips, *Throughout. For example, see:* T-18, T-68, T-131, T-165, T-224, T-255, T-329, T-378, T-421, T-487
Four square, 190, 332
Fractions
comparing, 175–180, 358
dividing, 53–60
by fractions, 55
summary triangle for, 96
using models, 53–57
by whole numbers, 56
equivalent, with denominators of 100, 165
as form of division, 11
improper, writing mixed numbers as, 47–48, 62
models representing, 163
multiplying, 45–52
using models, 44, 45–48
on number line, 357
ordering, 175–180, 358
in set of rational numbers, 358
simplifying, 46
writing as decimals, 171
writing as percents, 165–166, 171
writing percents as, 164–165
Frequency
definition of, 463
in histograms, 464–467
Frequency tables, 463–466
definition of, 463
displaying data from, in histograms, 464–466, 473–474

G

GCF. *See* Greatest common factor
Graph(s)
bar (*See* Bar graphs)
circle, 466–467
dot-to-dot pictures on, 344
of equations in two variables, 267–269
identifying relationships in, 129
of inequalities, 386–387
of integers, on number line, 346–348, 351–354
line, 373
ratio relationships in, 129–134
of rational numbers, on number line, 358–360
time series, 373
Graphic organizers
definition and example chart, 150, 446
example and non-example chart, 234, 274
four square, 190, 332
information frame, 34, 492
summary triangle, 96, 400
Greater than or equal to symbol (≥), 384
Greater than symbol (>), 384. *See also* Comparing
Greatest common factor (GCF), 21–26
definition of, 22
factoring expressions using, 228–230
finding, 21–26
using list of factors, 22
using prime factorizations, 22
finding two numbers given, 23
Problem-Solving Plan for, 33
Grid paper, constructing solids using, 311, 319
Grouping data, 433
Grouping symbols, in order of operations, 10–14
Guessing, using intelligent, 451

H

Height
of parallelograms, in area formula, 285, 286
of trapezoids, in area formula, 297, 299
of triangles
in area formula, 291, 292
finding, 293
Higher Order Thinking. *See* Dig Deeper
Histograms, 463–470
definition of, 464
identifying shapes of distributions using, 472–474
information frame for, 492
making, 464–467
using, 465–467
Hourly wages, 200

I

Improper fractions, writing mixed numbers as, 47–48, 62
Independent variables
definition of, 266
in equations in two variables, 266–267
Inequality(ies), 383–390
Addition Property of, 392
definition of, 384
Division Property of, 393, 395
graphing, 386–387
key phrases for, 384
Multiplication Property of, 393–394
solutions to
checking, 385–387
definition of, 385
graphing, 386–387
set of, 385
solving, 391–397
using addition or subtraction, 392
using multiplication or division, 393–395
using reciprocals, 394
using tape diagrams, 391
Subtraction Property of, 392
writing, 384, 387
Inequality symbols, 384
Information frame, 34, 492

Integers, 345–350
comparing, 351–356
definition of, 346
graphing on number line, 346–348, 351–354
negative, 346–348, 352–354
opposite of, 346–347
ordering, 351–356
positive, 346–348, 352–354
reasoning with, 353
in set of rational numbers, 358
summary triangle for, 400
Intelligent guessing, using, 451
Interquartile range (IQR), 434–438
definition of, 434
describing variation using, 478
finding, 435–436
interpreting, 435–436
Inverse operations
addition and subtraction as, 253
definition of, 253
multiplication and division as, 260, 393
Inverses, multiplicative, definition of, 54
Invert, meaning of, 54
IQR. *See* Interquartile range

J

Justify your answer, *Throughout. For example, see:* 14, 95, 113, 141, 188, 262, 328, 398, 432, 474

K

Key, to stem-and-leaf plots, 458
Kites, areas of, 297–304
finding, 298–301

L

Lateral faces
of prisms, 306
of pyramids, 306
LCM. *See* Least common multiple
Leafs. *See also* Stem-and-leaf plots
definition of, 458
Learning Target, *In every lesson. For example, see:* 3, 45, 107, 163, 201, 245, 285, 345, 413, 457
Least common multiple (LCM), 27–32
definition of, 28
finding, 28–32
with three numbers, 29
using lists of multiples, 28–30
using prime factorizations, 28–30
Length, converting measures of, 142–145
Less than or equal to symbol (≤), 384
Less than symbol (<), 384. *See also* Comparing
Like terms
combining, using Distributive Property, 223
definition of, 223
Line graphs
creating, 373
using, 373
Logic, *Throughout. For example, see:* 20, 52, 113, 168, 250, 264, 290, 376, 390, 470
Lower quartile, of data set, 434

M

MAD. *See* Mean absolute deviation
Magic squares, 258
Mass, converting measures of, 142
Mean(s), 419–424
comparing, 421–422
definition of, 420
describing center using, 478
distance from, finding, 439
finding, 419–420, 429
after changes in values of data set, 428
with and without outliers, 422, 427
Mean absolute deviation (MAD), 439–444
definition of, 440
describing variation using, 478
finding, 440–442
interpreting, 440–442
Meaning of a Word, 54, 162, 163, 346, 439, 471
Measures. *See* Center, measures of; Conversion; Variation, measures of
Median, 425–432
definition of, 425, 426
describing center using, 478
finding, 425–429
after changes in values of data set, 428
with and without outliers, 427
Metric system, 142–148
converting measures in, 143–145
definition of, 142
Missing dimensions, finding
of rectangles, 227
of rectangular prisms, 327
of triangles, 293
Mixed numbers
comparing, 358
dividing, 61–66
using models, 61–62
multiplying, 47–52
in order of operations, 63
writing as improper fractions, 47–48, 62
Mode, 425–432
definition of, 425, 426
finding, 426–429
after changes in values of data set, 428
with and without outliers, 427
Model(s)
of decimals, 169–170
dividing decimals using, 87
dividing fractions using, 53–57
dividing mixed numbers using, 61–62
of fractions, 163
multiplying decimals using, 73
multiplying fractions using, 44, 45–48
of percents, 163, 169, 181–185
simplifying algebraic expressions using, 221
solving equations using, 251, 259
Modeling Real Life, *In every lesson. For example, see:* 2, 44, 106, 166, 205, 248, 288, 348, 416, 460
Multiple Representations, *Throughout. For example, see:* 6, 47, 131, 164, 218, 247, 312, 373, 416, 466
Multiples. *See* Common multiples
Multiplication
Associative Property of, 215–217
Commutative Property of, 215–216
of decimals, 73–80
by decimals, 75–77
using models, 73
by whole numbers, 74
and division, as inverse operations, 260, 393
of fractions, 45–52
using models, 44, 45–48
key words and phrases for, 210
of mixed numbers, 47–52
in order of operations, 10–14
properties of, 215–220
solving equations using, 259–264
solving inequalities using, 393–394

symbols for, 4, 11
by zero, 54
Multiplication Property of Equality, 260
Multiplication Property of Inequality, 393–394
Multiplication Property of One, 217
Multiplication Property of Zero, 217
Multiplicative Inverse Property, 260
Multiplicative inverses, definition of, 54

N

Negative numbers, 345–350
in coordinate plane, 369–373
definition of, 346
on number line, 346–348, 352–354
writing, 346
Negative sign (−), 346, 347
Nets
constructing solids using, 319
definition of, 312
finding surface areas using
of pyramids, 320–322
of rectangular prisms, 312, 315
of triangular prisms, 313
Not equal to symbol (≠), 252
Not less than or equal to symbol, 385
Number(s). *See specific types of numbers*
Number line
absolute value on, 364–366
adding on, 67
box-and-whisker plots along, 484
in coordinate plane, 370
dot plots on, 415–416
double
converting measures using, 144
creating, 121
using, 124
fractions on, 357
integers on, 346–348, 351–354
multiplying fractions using, 45
ordering numbers using, 175–178
rational numbers on, 358–360
subtracting on, 67
vertical
in coordinate plane, 370
rational numbers on, 358
temperatures on, 345, 354
Number Sense, *Throughout. For example, see:* 8, 52, 134, 165, 204, 264, 350, 421, 466
Numerical expressions
definition of, 10
evaluating, 10–14
factoring, 227–232
definition of, 228
using Distributive Property, 228
using greatest common factor, 228–229
order of operations in, 9–14
writing, 209–210

O

One (1), Multiplication Property of, 217
Open circle symbol, 386
Open-Ended, *Throughout. For example, see:* 14, 51, 113, 165, 204, 247, 290, 349, 382, 389, 415
Operations. *See also specific operations*
order of (*See* Order of operations)
words and phrases for, 210
Opposite(s)
definition of, 346
of integers, 346–347
of rational numbers, 358
Order of operations, 9–14
on calculators, 9
comparing different, 9
definition of, 10
determining, 9
using, 10–14
with exponents, 10–14
with mixed numbers, 63
in writing algebraic expressions, 210
Ordered pairs
creating, from ratios, 130
definition of, 370
identifying, 370
negative numbers in, 369–373
plotting, 371–373
as solution to equations in two variables, 266
as vertices of polygons, 377–380
Ordering
decimals, 175–180, 359
fractions, 175–180, 358
integers, 351–356
percents, 175–180
rational numbers, 358–360
Origin, of coordinate plane, definition of, 370
Outliers
definition of, 422
finding measures of center with and without, 422, 427
identifying, using interquartile range, 436
removing, 427

P

Pairs. *See* Factor pairs; Ordered pairs
Paper airplanes, 463
Parallelograms
areas of, 285–290
finding, 286–288
formula for, 284, 285, 286
four square for, 332
base and height of, 285, 286
Parentheses
in multiplication, 11
in order of operations, 10–14
Patterns, 8, 80, 214
finding
with calculator, 3
in dividing by fractions, 53
Per, meaning of, 162
Percents, 163–168
comparing and ordering, 175–180
definition of, 163, 164
finding whole from, 183–185
models representing, 163, 169, 181–185
of number, finding, 182, 190
Problem-Solving Plan for, 189
solving problems involving, 181–188
symbol for (%), 164
writing as decimals, 170–172
writing as fractions, 164–165
writing decimals as, 170–171
writing fractions as, 165–166
Perfect numbers, definition of, 20
Perfect squares
definition of, 5
finding factors of, 18
identifying, 5
Performance Task, *In every chapter. For example, see:* 1, 43, 105, 161, 199, 243, 283, 343, 411, 455
Pi, 501
Place value chart, 67
Points, in coordinate plane
finding distances between, 378–380
reflecting, 371–372
Polygons. *See also specific types*
areas of
definition of, 286
formulas for, 284
definition of, 285
drawing, in coordinate plane, 377–382, 399
types of, 285
Polyhedrons, definition of, 306

Positions of objects, comparing, 363
Positive numbers, 345–350
  definition of, 346
  on number line, 346–348, 352–354
  writing, 346
Positive sign (+), 346
Powers, 3–8
  definition of, 4
  finding values of, 5
  information frame for, 34
  writing expressions as, 4
Practice Test, *In every chapter. For example, see:* 38, 100, 156, 194, 238, 278, 338, 406, 450
Precision, *Throughout. For example, see:* 52, 94, 180, 188, 211, 268, 321, 382, 424, 463
Prime factor(s)
  using, 21, 27
  writing numbers as product of, 15–20
Prime factorization, 15–20
  definition of, 16
  finding greatest common factor using, 22
  finding least common multiple using, 28–30
  using, 18
  Venn diagrams representing, 21, 27
  writing, 17
Prime numbers
  characteristics of, 2
  definition of, 16
Prisms
  definition of, 306
  rectangular (*See* Rectangular prisms)
  surface areas of, 311–318
    finding, 312–315
  triangular
    definition of, 306, 313
    finding surface areas of, 313
Problem solving
  with fractions, using models, 45–47
  before looking at choices, 157
  with percents, 181–188
  with rates, 137–138
  strategies for, 33
  using division, 83
  using tape diagrams, 45
Problem Solving, *Throughout. For example, see:* 13, 51, 113, 186, 207, 250, 382, 390, 470
Problem-Solving Plan, *In every chapter. For example, see:* 12, 49, 125, 185, 205, 248, 301, 380, 416, 474
Problem-Solving Strategies, 33
Pyramid(s)
  definition of, 306
  square
    definition of, 320
    finding surface areas of, 320
  surface areas of, 319–324
    finding, 319–322
  triangular
    definition of, 320
    drawing, 307
    finding surface areas of, 321
Pyramidions, 322

Q

Quadrants, of coordinate plane, definition of, 370
Quadrilaterals, drawing, in coordinate plane, 378
Quartiles, of data set
  definition of, 434
  first (lower), 434
  third (upper), 434
Questions
  answering easy first, 195, 339
    relaxing after, 239
  reading all choices before answering, 407
  reading before answering, 497
  statistical (*See* Statistical questions)
  using intelligent guessing for, 451
Quotients. *See also* Division
  definition of, 82

R

Range, of data set, 433–438
  definition of, 434
  finding, 434–436
  interquartile (*See* Interquartile range)
Rates
  definition of, 136
  equivalent, definition of, 136
  unit, 135–140
    converting measures using, 142–143
    definition of, 136
    finding, 136–138
    solving rate problems using, 137–138
Ratio(s), 107–114
  converting measures using, 141–148
  definition and example chart for, 150
  definition of, 107, 108
  equivalent, 109–111
    definition of, 109
    identifying, 110–111
    tables of, 121–128
    using, 135
  graphing, 129–134
  interpreting, 109
  phrases indicating, 108
  Problem-Solving Plan for, 149
  tape diagrams representing, 115–120
  in unit rates, 135–140
  using, 107
  value of, 109
  writing, 107–111
Ratio tables, 107, 121–128
  completing, 122–125
  converting measures using, 142–143
  creating, 121
  definition of, 122
  finding percent of number using, 182
  finding whole from percent using, 183
  graphing relationships in, 130–132
Rational numbers, 357–362
  comparing and ordering, 358–360
  definition of, 358
  graphing on number line, 358–360
  opposite of, 358
Reading, *Throughout. For example, see:* 108, 116, 248, 252, 347, 385, 386, 392, 434
Real World. *See* Modeling Real Life
Reasoning
  deductive, definition of, 285
  with integers, 353
Reasoning, *Throughout. For example, see:* 11, 48, 114, 117, 207, 257, 287, 353, 376, 418, 457, 459
Reciprocals
  definition of, 54
  solving inequalities using, 394
  writing, 54
Rectangles
  area of, formula for, 284, 285, 294, 300
  dimensions of, finding, 227
Rectangular prisms
  definition of, 306, 312
  drawing, 307
  finding missing dimensions of, 327
  finding surface areas of, 312, 315
  identifying parts of, 305

volumes of, 325–330
finding, 326–328
formula for, 326
Problem-Solving Plan for, 331
Remainders, in division, 82
Remember, *Throughout. For example, see:* 4, 46, 130, 176, 260, 267, 286, 320, 393
Repeated factors, 3–4
Repeated Reasoning, 8, 209, 350, 362
Response to Intervention, *Throughout. For example, see:* T-0B, T-58, T-116, T-160B, T-219, T-273, T-289, T-342B, T-423, T-491
Review & Refresh, *In every lesson. For example, see:* 7, 50, 112, 167, 206, 249, 289, 349, 417, 461
Rhombus, areas of, formula for, 287
Right triangles, areas of, formula for, 294
Ruler, converting measures using, 141

S

Scaffolding Instruction, *In every lesson. For example, see:* T-4, T-46, T-108, T-164, T-216, T-246, T-298, T-392, T-420, T-458
Self-Assessment for Concepts & Skills, *In every lesson. For example, see:* 5, 48, 117, 165, 204, 247, 287, 347, 415, 459
Self-Assessment for Problem Solving, *In every lesson. For example, see:* 6, 57, 111, 166, 205, 288, 348, 416, 460
Shapes of distributions. *See* Distributions, shapes of
Sieve of Eratosthenes, 2
Simplification
of algebraic expressions, 221–226
using Distributive Property, 222–224
using models, 221
of fractions, 46
Skewed, definition of, 471
Skewed distributions
in box-and-whisker plots, 486
choosing appropriate measures with, 478
definition of, 472
identifying, 472–473
Solids, 305–310. *See also specific solids*
constructing
using grid paper, 311, 319
using nets, 319
definition of, 306
drawing, 305, 307
finding numbers of faces, edges, and vertices of, 306–308
identifying parts of, 305
nets representing, 312
surface areas of (*See* Surface areas)
Solutions
to equations
checking, 252–254
definition of, 252
to equations in two variables
definition of, 266
identifying, 266
to inequalities
checking, 385–387
definition of, 385
graphing, 386–387
set of, 385
Solution sets, for inequalities, 385
Solving directly, as test-taking strategy, 39
Square, area of, 6
Square, four, 190, 332
Square, magic, 258
Square pyramids
definition of, 320
finding surface areas of, 320
Square units
converting, 287
definition of, 6, 286
Squares, perfect
definition of, 5
finding factors of, 18
identifying, 5
Statements, interpreting, 433
Statistical questions, 413–416
definition and example chart for, 446
definition of, 414
identifying, 413–414
using data to answer, 413–416, 429
Statistics. *See also* Data
definition of, 414
STEAM Video, *In every chapter. For example, see:* 1, 43, 105, 161, 199, 243, 283, 343, 411, 455
Stem, definition of, 458
Stem-and-leaf plots, 457–462
interpreting, 455, 459–460
making, 457–460
Structure, *Throughout. For example, see:* 17, 69, 114, 184, 204, 254, 375, 381, 490
Subtraction
and addition, as inverse operations, 253
of decimals, 67–72
key words and phrases for, 210, 248
on number line, 67
in order of operations, 10–14, 210
solving equations using, 251–258
solving inequalities using, 392
Subtraction Property of Equality, 253–255
Subtraction Property of Inequality, 392
Success Criteria, *In every lesson. For example, see:* 3, 45, 107, 163, 201, 245, 285, 345, 413, 457
Summary triangle, 96, 400
Surface areas
of cubes, finding, 314
definition of, 312
of prisms, 311–318
finding, 312–315
of pyramids, 319–324
finding, 319–322
units of (square units), 312
Symbols
closed circle, 386
equal sign (=), 246
greater than (>), 384
grouping, 10–14
inequality, 384
less than (<), 384
multiplication, 4, 11
negative sign (−), 346, 347
not equal to (≠), 252
open circle, 386
percent (%), 164
positive sign (+), 346
Symmetric distribution
in box-and-whisker plots, 486
choosing appropriate measures with, 478
definition of, 472

T

Tables
equations in two variables in, 267–269
frequency (*See* Frequency tables)
ratio (*See* Ratio tables)
Tape diagrams, 115–120
drawing, 116
interpreting, 116
multiplying fractions using, 45
ratios represented with, 115–120
solving equations using, 251, 259
solving inequalities using, 391
Teaching Strategies, *Throughout. For example, see:* T-10, T-23, T-46, T-109, T-285, T-312, T-358, T-370, T-434, T-460

Temperatures
below zero, 345
reading and describing, 345, 354
Terms, in algebraic expressions
definition of, 202
identifying, 202
like
combining, using Distributive Property, 223
definition of, 223
Test-taking strategies, 39, 101, 157, 195, 239, 279, 339, 407, 451, 497
Thermometers, 345
Third (upper) quartile, of data set, 434
Three-dimensional figures. *See* Solids
Time series graphs, 373
Trapezoids, areas of, 297–304
finding, 298–301
formula for, 284, 297, 299, 300
Triangles
areas of, 291–296
finding, 292–294
formula for, 284, 291, 292, 294
base and height of, 291, 292
finding missing, 293
right, 294
summary, 96, 400
Triangular prisms
definition of, 306, 313
finding surface areas of, 313
Triangular pyramids
definition of, 320
drawing, 307
finding surface areas of, 321
Try It, *In every lesson. For example, see:* 4, 46, 110, 170, 202, 266, 321, 352, 414, 458
Two-dimensional figures. *See specific types*

U

Uniform distribution, 472
Unit analysis, definition of, 143
Unit cubes
definition of, 325
using, 325
Unit rates, 135–140
converting measures using, 142–143
definition of, 136
finding, 136–138
solving rate problems using, 137–138
Upper quartile, of data set, 434
U.S. customary system, 142–148
converting measures in, 142–145
definition of, 142
Using Tools, *Throughout. For example, see:* 7, 48, 167, 186, 289, 295, 302, 323, 361, 396

V

Value of ratios, definition of, 109
Variability, of data sets, in box-and-whisker plots, 484
Variables
case of letters for, 211
definition of, 202
dependent
definition of, 266
in equations in two variables, 266–267
independent
definition of, 266
in equations in two variables, 266–267
one, evaluating expressions with, 203–205
two, evaluating expressions with, 203
Variation, measures of, 433–438
choosing appropriate, 477–482
definition of, 434
finding, 434–436
Venn diagrams
common multiples represented with, 27
creating, 21
definition of, 21
prime factorization represented with, 21, 27
Vertex (vertices)
of polygons, ordered pairs as, 377–380
of solids
definition of, 306
finding number of, 306–308
identifying, 305
Vertical number line
in coordinate plane, 370
rational numbers on, 358
temperatures on, 345, 354
Volumes
converting measures of, 328
of cubes, finding, 326
definition of, 325
of rectangular prisms, 325–330
finding, 326–328
formula for, 326
Problem-Solving Plan for, 331
units of (cubic units), 325

W

Wages, hourly, 200
Weight, converting measures of, 142, 144
Which One Doesn't Belong?, *Throughout. For example, see:* 5, 56, 131, 165, 204, 261, 268, 307, 379, 473
Whole numbers
dividing decimals by, 88
dividing fractions by, 56
dividing whole numbers by, 81–86
multiplying decimals by, 74
Words and phrases
for equations, 246
for inequalities, 384
for operations, 210
Word sentences
writing as equations, 246–248
writing as inequalities, 384
Working backwards, 279
Writing, *Throughout. For example, see:* 11, 69, 124, 171, 217, 268, 287, 293, 347, 459

X

x-axis, 369–373
definition of, 267, 370
reflecting a point in, 371–372
x-coordinates, 370–373
definition of, 370

Y

y-axis, 369–373
definition of, 267, 370
reflecting a point in, 371–372
y-coordinates, 370–373
definition of, 370
You Be the Teacher, *Throughout. For example, see:* 13, 51, 113, 167, 206, 257, 290, 350, 430, 462

Z

Zero (0)
Addition Property of, 217
inserting, in division of decimals, 90
Multiplication Property of, 217
multiplying by, 54
temperatures below, 345

Credits

Front matter

vii Monkey Business Images/Shutterstock.com; **viii** Ryan McVay/DigitalVision/Getty Images; **ix** Blackzheep/ iStock/Getty Images Plus; **x** janulla/ iStock/Getty Images Plus; **xi** Talaj/iStock/Getty Images Plus; **xiii** scotto72/E+/Getty Images; **xiv** iZonda/ iStock/Getty Images Plus; **xv** Tal Inbar/Wikipedia; **xvi** NASA/Terry Virts; **xvii** damedeeso/iStock/Getty Images Plus

Chapter 1

0 *top* zentilia/Shutterstock.com; *bottom* OnstOn/iStock/Getty Images Plus; **1** Ryan McVay/DigitalVision/Getty Images; **2** INTERFOTO/Alamy Stock Photo; **8** WestLight/iStock/Getty Images Plus; **9** manaemedia/iStock/Getty Images Plus; **14** frentusha/iStock/Getty Images Plus; **15** YuriyZhuravov/Shutterstock.com; **16** farbeffekte/Shutterstock.com; **18** *right* studioaraminta/iStock/Getty Images Plus; *left* carlosalvarez/iStock/Getty Images Plus; **20** chinaface/E+/Getty Images; **24** *top* jmatzick/Shutterstock.com; *bottom* Mike Flippo/Shutterstock.com, LauriPatterson/E+/Getty Images; **25** Glenda M. Powers/Shutterstock.com; **26** pialhovik/iStock/Getty Images Plus, cookelma/iStock/Getty Images Plus, CSA-Plastock/iStock/Getty Images Plus, tbd/E+/Getty Images; **29** monkeybusinessimages/iStock/Getty Images Plus; **30** *right* Constantne/iStock/Getty Images Plus; *left* Mlenny/E+/Getty Images; **32** yuyangc/Shutterstock.com; **33** OnstOn/iStock/Getty Images Plus; **35** Wendy Nero/Shutterstock.com; **36** Ioana Drutu/Hemera/Getty Images; **37** *right* hawk111/iStock/Getty Images Plus, IvonneW/iStock/Getty Images Plus; *left* Zimiri/iStock/Getty Images Plus; **38** AnthonyRosenberg/iStock/Getty Images Plus, VitalisG/iStock/Getty Images Plus

Chapter 2

42 *top* zentilia/Shutterstock.com; *bottom* OnstOn/iStock/Getty Images Plus; **43** Blackzheep/iStock/Getty Images Plus; **44** Firmafotografen/iStock/Getty Images Plus; **50** *left* fivespots/Shutterstock.com; *right* bluehand/Shutterstock.com; **57** *top* monkeybusinessimages/iStock/Getty Images Plus; *bottom* PARKJUNGHO/iStock/Getty Images Plus; **60** *left* ©iStockphoto.com/Michael Plumb; *right* g215/Shutterstock.com; **64** *top* ©iStockphoto.com/bonchan; *bottom* Dmytro Aksonov/E+/Getty Images; **66** *top right* AlexLMX/iStock/Getty Images Plus; *center left* damedeeso/iStock/Getty Images Plus, Kuzmik_A/iStock/Getty Images Plus; *bottom right* RomarioIen/iStock/Getty Images Plus; **69** bmcent1/iStock/Getty Images Plus; **70** Vacclav/Shutterstock.com; **72** SSSCCC/Shutterstock.com; **77** *top* bagi1998/iStock/Getty Images Plus; *bottom* andrejco/iStock/Getty Images Plus; **78** ©iStockphoto.com/suriyasilsaksom; **79** KENCKOphotography/Shutterstock.com; **81** *top* S.Dashkevych/Shutterstock.com; *bottom* auremar/Shutterstock.com; **83** avid_creative/E+/Getty Images; **84** *top* Nikada/iStock/Getty Images Plus; *bottom* jimfeng/iStock/Getty Images Plus; **86** urfinguss/iStock/Getty Images Plus; **93** dolgachov/iStock/Getty Images Plus; **94** loops7/iStock/Getty Images Plus; **95** *top right* Africa Studio/Shutterstock.com; *center left* swissmediavision/iStock/Getty Images Plus; *bottom left* OnstOn/iStock/Getty Images Plus; **97** *top* kali9/E+/Getty Images; *bottom* MikeyGen73/iStock/Getty Images Plus; **98** *right* elmvilla/iStock/Getty Images Plus; *left* 3DSculptor/iStock/Getty Images Plus; **100** Hstarr/iStock/Getty Images Plus

Chapter 3

104 *top* zentilia/Shutterstock.com; *bottom* OnstOn/iStock/Getty Images Plus; **105** janulla/iStock/Getty Images Plus; **107** *top right* fstop123/iStock/Getty Images Plus; *bottom left* Constantinos/Shutterstock.com; *bottom right* Adyna/DigitalVision Vectors/Getty Images; **108** Vladimir Wrangel/Shutterstock.com; **109** *right* MLB Photos/Contributor/Major League Baseball Platinum/Getty Images; *left* rusm/E+/Getty Images, Tazzy1/iStock/Getty Images Plus; **111** *right* anankkml/iStock/Getty Images Plus; *left* MrPants/iStock/Getty Images Plus; **112** *Exercise 14* Lightspring/Shutterstock.com; *Exercise 12* Constantinos/Shutterstock.com; **113** SpiffyJ/iStock/Getty Images Plus; **114** Route55/iStock/Getty Images Plus; **115** 4x6/iStock/Getty Images Plus; **116** stockcam/iStock/Getty Images Plus; **117** Terryfic3D/iStock/Getty Images Plus; **118** *top* OSTILL/iStock/Getty Images Plus; *bottom* wesvandinter/iStock/Getty Images Plus; **119** yulkapopkova/Vetta/Getty Images; **120** *top left* Lepas/Shutterstock.com; *center right* desert_fox99/iStock/Getty Images Plus; *bottom right* Mirko_Rosenau/iStock/Getty Images Plus, GlobalP/iStock/Getty Images Plus, thawats/iStock/Getty Images Plus, juliaart/iStock/Getty Images Plus; **121** 4kodiak/iStock/Getty Images Plus; **124** Petr Malyshev/Shutterstock.com; **125** *top* Mike Flippo/Shutterstock.com; *bottom* busypix/iStock/Getty Images Plus; **127** *right* GeorgeManga/DigitalVision Vectors/Getty Images; *left* Jacob Wackerhausen/E+/Getty Images; **128** Antagain/iStock/Getty Images Plus; cinoby/iStock/Getty Images Plus; GlobalP/iStock/Getty Images Plus; **129** baibaz/iStock/Getty Images Plus; **132** *top left* ElementalImaging/E+/Getty Images; *bottom right* skodonnell/E+/Getty Images; *bottom left* exopixel/iStock/Getty Images Plus, Givaga/iStock/Getty Images Plus; **134** R. Gino Santa Maria/Shutterstock.com; **135** *top* irmetov/DigitalVision Vectors/Getty Images; *bottom* vita khorzhevska/Shutterstock.com; **137** REUTERS/James Stirton/Handout (AUSTRALIA); **138** *top* Watcha/iStock/Getty Images Plus; *bottom* ©iStockphoto.com/Gord Horne; **140** *top* mvaligursky/GlobalP/iStock/Getty Images Plus; *bottom* FatCamera/iStock/Getty Images Plus; **145** *top* Tom Merton/OJO Images/Getty Images; *bottom* Doug James/Shutterstock.com; **147** Derek Wong/Mackinac Bridge at Sunset in 2008/CC-BY-3.0; **148** *left* DenisTangneyJr/iStock/Getty Images Plus; *right* ©iStockphoto.com/Paul Tessier; **149** *right* Jean Thompson; *center* Barcin/iStock/Getty Images Plus; *bottom* OnstOn/iStock/Getty Images Plus; **151** scanrail/iStock/Getty Images Plus; **152** Marcelo Hom/E+/Getty Images; **153** kentarus/E+/Getty Images; **154** ilbusca/E+/Getty Images; **155** bowdenimages/iStock/Getty Images Plus; **156** ©iStockphoto.com/Ermin Gutenberger; **158** Val_Iva/iStock/Getty Images Plus; blueringmedia/iStock/Getty Images Plus

Chapter 4

160 *top* zentilia/Shutterstock.com; *bottom* OnstOn/iStock/Getty Images Plus; **161** Talaj/iStock/Getty Images Plus; **162** frank600/iStock/Getty Images Plus; **166** Sauliakas/iStock/Getty Images Plus; **168** 4x6/iStock/Getty Images Plus; **172** vvvita/iStock/Getty Images Plus; **174** andyKRAKOVSKI/iStock/Getty Images Plus; **177** 4x6/iStock/Getty Images Plus; **180** ©iStockphoto.com/Eric Isselée; **185** offstocker/iStock/Getty Images Plus; **186** JackF/iStock/Getty Images Plus; **187** *left* LoopAll/iStock/Getty Images Plus; *right* m-gucci/iStock/Getty Images Plus; **188** EMPPhotography/E+/Getty Images; **189** *top* GeorgePeters/E+/Getty Images; *center* Coprid/iStock/Getty Images Plus; *bottom* OnstOn/iStock/Getty Images Plus; **192** pomarinus/E+/Getty Images; **193** BlackJack3D/iStock/Getty Images Plus; **194** fresher/Shutterstock.com

Chapter 5

198 *top* zentilia/Shutterstock.com; *bottom* OnstOn/iStock/Getty Images Plus; **201** *top right* Rawpixel/iStock/Getty Images Plus, Floortje/iStock/Getty Images Plus, esseffe/E+/Getty Images, kreinick/iStock/Getty Images Plus; *center left* pittawut/Shutterstock.com; *center right* Goran Bogicevic/Shutterstock.com; *bottom left* GlobalP/iStock/Getty Images Plus; **205** rgmeier/iStock/Getty Images Plus; **208** Mikalai_Manyshau/iStock/Getty Images Plus, cyano66/iStock/Getty Images Plus, fergregory/iStock/Getty Images Plus, MATJAZ SLANIC/E+/Getty Images, SmallArtFish/iStock/Getty Images Plus, hceliktas/iStock/Getty Images Plus; **212** *top* Kateryna Larina/Shutterstock.com; *bottom* DNY59/iStock/Getty Images Plus; **218** GibsonPictures/E+/Getty Images; **220** Iftodelulian/DigitalVision Vectors/Getty Images; **226** Kandfoto/iStock/Getty Images Plus; **230** *top* Inhabitant/Shutterstock.com; *bottom* Stockbyte/Stockbyte/Getty Images; **233** *top* mediaphotos/iStock/Getty Images Plus; *bottom* OnstOn/iStock/Getty Images Plus; **235** JohnnyGreig/iStock/Getty Images Plus; **237** *right* sidewaysdesign/iStock/Getty Images Plus; *left* liveslow/iStock/Getty Images Plus; **238** *right* Aptyp_koK/Shutterstock.com; *left* Anges van der Logt/Shutterstock.com

Chapter 6

242 *top* zentilia/Shutterstock.com; *bottom* OnstOn/iStock/Getty Images Plus; **243** scotto72/E+/Getty Images; **248** *top* Albert Russ/Shutterstock.com; *bottom* iwka/iStock/Getty Images Plus; **250** *top right* waymoreawesomer/iStock/Getty Images Plus, Zheka-Boss/iStock/Getty Images Plus, clovercity/iStock/Getty Images Plus; *left* ©iStockphoto.com/Kenneth C. Zirkel; **255** *top* alex-mit/iStock/Getty Images Plus; *bottom* ©iStockphoto.com/Jeremy Wee, ©iStockphoto.com/Jan Will; **257** TerryKelly/iStock/Getty Images Plus; **258** Raywoo/Shutterstock.com; **259** ©iStockphoto.com/Vladyslav Otsiatsia; **262** fototrav/iStock Unreleased/Getty Images Plus; **264** *top* monkeybusinessimages/iStock/Getty Images Plus; *bottom* ©iStockphoto.com/Eric Isselée; **266** SerrNovik/iStock/Getty Images Plus; **269** *top* macrovector/iStock/Getty Images Plus; *bottom* bnoragitt/iStock Unreleased/Getty Images Plus; **271** angelinast/iStock/Getty Images Plus; **272** *Exercise 57* d1sk/iStock/Getty Images Plus; *Exercise 59* irmetov/DigitalVision Vectors/Getty Images; **273** *top* imagedepotpro/Vetta/Getty Images; *bottom* OnstOn/iStock/Getty Images Plus; **275** Dmytro Aksonov/E+/Getty Images; **276** *top* Wesley Tolhurst/iStock/Getty Images Plus; *bottom right* Vadim Sadovski/Shutterstock.com; **277** *top left* Siraphol/iStock/Getty Images Plus; *center right* johnkellerman/iStock/Getty Images Plus; *bottom left* Yobro10/iStock/Getty Images Plus; **278** *top* ntzolov/E+/Getty Images; *bottom* ©iStockphoto.com/XiXinXing;

Chapter 7

282 *top* zentilia/Shutterstock.com; *bottom* OnstOn/iStock/Getty Images Plus; **283** *left* iZonda/iStock/Getty Images Plus; *right* Coprid/iStock/Getty Images Plus; **288** Roy Jankowski/Westend61/Getty Images; **296** Terrance Emerson/Shutterstock.com; **301** jsp/iStock/Getty Images Plus; **304** Kharidehal Abhirama Ashwin /Shutterstock.com; **308** *left* KanKankavee/iStock/Getty Images Plus; *right* gionnixxx/iStock/Getty Images Plus; **309** ©iStockphoto.com/Hedda Gjerpen; **310** *Exercise 23* ©iStockphoto.com/Rich Koele; *Exercise 27* design56/Shutterstock.com; *center* ©iStockphoto.com/rzdeb; **315** Diane Schuster/Fermi Gamma-ray Space Telescope/NASA; **317** Ivo Petkov/iStock/Getty Images Plus; **322** *top* DEA / A. DAGLI ORTI / Contributor; *bottom* Patryk Kosmider/Shutterstock.com; **324** *top right* Tupungato/Shutterstock.com; *center left* scanrail/iStock/Getty Images Plus; **328** ©iStockphoto.com/William Britten; **330** *Exercise 19 left* ©iStockphoto.com/Jill Chen; *Exercise 19 right* ©iStockphoto.com/LongHa2006; **331** OnstOn/iStock/Getty Images Plus; **333** *right* hrstkinkr/iStock/Getty Images Plus; *left* Beeldbewerking/iStock/Getty Images Plus; **334** ncognet0/iStock/Getty Images Plus; **337** Niki Crucillo/Shutterstock.com; **338** *top* ©iStockphoto.com/AlexMax; *center* PeterG/Shutterstock.com; *bottom* U.S. Geological Survey

Chapter 8

342 *top* zentilia/Shutterstock.com; *bottom* OnstOn/iStock/Getty Images Plus; **343** Tal Inbar/Wikipedia; **348** *top* ©iStockphoto.com/Egor Mopanko; *bottom* valdum/iStock/Getty Images Plus; **349** jennyt/Shuttertock.com; **350** catolla/iStock/Getty Images Plus; **351** *top* NASA/Kim Shiflett; *bottom* NASA; **356** Traveladventure/E+/Getty Images; **357** *a.* Astronaut Stephen S. Oswald/NASA; *b.* JSC/NASA; *c.* NASA; *d.* NASA; *e.* Astronaut Eileen M. Collins/NASA; *f.* NASA; **360** gregepperson/iStock/Getty Images Plus; **362** *top* ©iStockphoto.com/jclegg, ©iStockphoto.com/spxChrome, ©iStockphoto.com/Larua Eisenberg; *bottom* adventtr/E+/Getty Images; **366** *top* Shane W Thompson/Shutterstock.com; *bottom* wundervisuals/E+/Getty Images; **369** ©iStockphoto.com/ingmar wesemann; **373** IgorKirillov/iStock/Getty Images Plus; **374** *Exercise 13* rmnunes/iStock/Getty Images Plus; *Exercise 14* BNMK0819/iStock/Getty Images Plus; *Exercise 15* DieterMeyrl/E+/Getty Images; **380** CampPhoto/iStock/Getty Images Plus; **382** vovan13/ iStock/Getty Images Plus; **383** *top* ARSELA/E+/Getty Images; *center* Volosina/ iStock/Getty Images Plus; *bottom* viach80/ iStock/Getty Images Plus; **387** *top left* NASA/Johns Hopkins University Applied Physics Laboratory; *bottom left* cokacoka/iStock/Getty Images Plus; *bottom right* coddy/iStock/Getty Images Plus; **389** ©iStockphoto.com/George Peters; **390** Andrija1/iStock/Getty Images Plus; **395** mladn61/iStock/Getty Images Plus; **397** *top* dodo4466/DigitalVision Vectors/Getty Images; *center* JonathanLesage/iStock/Getty Images Plus; *bottom* Karin Hildebrand Lau/Shutterstock.com; **398** pialhovik/iStock/Getty Images Plus; **399** *top* ElementalImaging/iStock/Getty Images Plus; *bottom* OnstOn/iStock/Getty Images Plus; **404** kastanka/iStock/Getty Images Plus; **406** Harvepino/iStock/Getty Images Plus

Chapter 9

410 *top* zentilia/Shutterstock.com; *bottom* OnstOn/iStock/Getty Images Plus; **411** NASA/Terry Virts; **412** Jupiterimages/PHOTOS.com/Getty Images Plus; **413** *top* LeventeGyori/Shutterstock.com; *bottom* Farinosa/iStock/Getty Images Plus; **414** AnastasiaRasstrigina/iStock/Getty Images Plus; **416** Eric Isselée/Shutterstock.com; **418** bazilfoto/iStock/Getty Images Plus; **419** Rob Byron/Shutterstock.com; **420** *top* bowdenimages/iStock/Getty Images Plus; *bottom* ZargonDesign/iStock Unreleased/Getty Images Plus; **422** ©iStockphoto.com/Eric Isselée; **424** *top* OSTILL/iStock/Getty Images Plus; *bottom* Dash_med/iStock/Getty Images Plus; **425** Hein Nouwens/Shutterstock.com; **427** *right* andresr/E+/Getty Images; *left* only_fabrizio/iStock/Getty Images Plus; **429** USO/iStock/Getty Images Plus; **433** ChrisBoswell/iStock/Getty Images; **435** Charlie Hutton/Shutterstock.com; **438** *top* Ivcandy/DigitalVision Vectors/Getty Images; *bottom* ©iStockphoto.com/Jason Lugo; **441** *left* Ganko/Shutterstock.com; *right* Mark Herreid/Shutterstock.com; **442** Ganko/Shutterstock.com; **444** *top* nikolay100//iStock Unreleased/Getty Images Plus; *center* tab62/Shutterstock.com; **445** *top* valentinrussanov/E+/Getty Images; *bottom* OnstOn/iStock/Getty Images Plus; **450** GlobalP/iStock/Getty Images Plus; **451** Six Dun/iStock/Getty Images

Chapter 10

454 *top* zentilia/Shutterstock.com; *bottom* OnstOn/iStock/Getty Images Plus; **455** damedeeso/iStock/Getty Images Plus; **457** Elzbieta Szpak/Shutterstock.com; **460** ©iStockphoto.com/Pekka Nikonen; **462** Ralwel/iStock/Getty Images Plus; **464** stockshoppe/Shutterstock.com; **465** *top* ©iStockphoto.com/susaro; *bottom* skynesher/E+/Getty Images; **467** Tomasz Trojanowski/Shutterstock.com; **470** KenCanning/iStock/Getty Images Plus; **471** fresher/Shutterstock.com, **474** mmaxer/Shutterstock.com; **476** ranplett/E+/Getty Images; **477** rasslava/iStock/Getty Images Plus; **478** Pingebat/iStock/Getty Images Plus; **480** Allevinatis/iStock/Getty Images Plus; **482** *top left* richcarey/iStock/Getty Images Plus; *center right* Boris Ryaposov/Shutterstock.com; *center left* aphrodite74/E+/Getty Images; **484** JackF/iStock/Getty Images Plus; **485** Sebastian Knight/Shutterstock.com; **487** mountainpix/Shutterstock.com; **489** *top* njpPhoto/iStock Unreleased/Getty Images Plus; *center* Ron_Thomas/E+/Getty Images; *bottom* GlobalP/iStock/Getty Images Plus; **490** *top* zhuda/Shutterstock.com; *bottom* LawrenceSawyer/E+/Getty Images; **491** *top* Rob Marmion/Shutterstock.com; *bottom* OnstOn/iStock/Getty Images Plus; **496** shapecharge/E+/Getty Images

Cartoon illustrations: Tyler Stout
Design Elements: ©iStockphoto.com/Gizmo; Songquan Deng/Shutterstock.com; Juksy/iStock/Getty Images Plus

Mathematics Reference Sheet

Conversions

U.S. Customary

1 foot = 12 inches
1 yard = 3 feet
1 mile = 5280 feet
1 acre = 43,560 square feet
1 cup = 8 fluid ounces
1 pint = 2 cups
1 quart = 2 pints
1 gallon = 4 quarts
1 gallon = 231 cubic inches
1 pound = 16 ounces
1 ton = 2000 pounds
1 cubic foot ≈ 7.5 gallons

U.S. Customary to Metric

1 inch = 2.54 centimeters
1 foot ≈ 0.3 meter
1 mile ≈ 1.61 kilometers
1 quart ≈ 0.95 liter
1 gallon ≈ 3.79 liters
1 cup ≈ 237 milliliters
1 pound ≈ 0.45 kilogram
1 ounce ≈ 28.3 grams
1 gallon ≈ 3785 cubic centimeters

Time

1 minute = 60 seconds
1 hour = 60 minutes
1 hour = 3600 seconds
1 year = 52 weeks

Temperature

$$C = \frac{5}{9}(F - 32)$$

$$F = \frac{9}{5}C + 32$$

Metric

1 centimeter = 10 millimeters
1 meter = 100 centimeters
1 kilometer = 1000 meters
1 liter = 1000 milliliters
1 kiloliter = 1000 liters
1 milliliter = 1 cubic centimeter
1 liter = 1000 cubic centimeters
1 cubic millimeter = 0.001 milliliter
1 gram = 1000 milligrams
1 kilogram = 1000 grams

Metric to U.S. Customary

1 centimeter ≈ 0.39 inch
1 meter ≈ 3.28 feet
1 kilometer ≈ 0.62 mile
1 liter ≈ 1.06 quarts
1 liter ≈ 0.26 gallon
1 kilogram ≈ 2.2 pounds
1 gram ≈ 0.035 ounce
1 cubic meter ≈ 264 gallons

Number Properties

Commutative Properties of Addition and Multiplication

$a + b = b + a$
$a \cdot b = b \cdot a$

Associative Properties of Addition and Multiplication

$(a + b) + c = a + (b + c)$
$(a \cdot b) \cdot c = a \cdot (b \cdot c)$

Addition Property of Zero

$a + 0 = a$

Multiplication Properties of Zero and One

$a \cdot 0 = 0$
$a \cdot 1 = a$

Multiplicative Inverse Property

$$n \cdot \frac{1}{n} = \frac{1}{n} \cdot n = 1, n \neq 0$$

Distributive Property:

$a(b + c) = ab + ac$
$a(b - c) = ab - ac$

Properties of Equality

Addition Property of Equality

If $a = b$, then $a + c = b + c$.

Subtraction Property of Equality

If $a = b$, then $a - c = b - c$.

Multiplication Property of Equality

If $a = b$, then $a \cdot c = b \cdot c$.

Division Property of Equality

If $a = b$, then $a \div c = b \div c, c \neq 0$.